



EFFECTIVE:
JANUARY 20, 1960

SEMICONDUCTOR-COMPONENTS DIVISION
MARKETING DEPARTMENT

MPL-S 1218

Supersedes:
Price Schedule MPL-S 1207
Dated December 7, 1959

**EQUIPMENT MANUFACTURER
DOMESTIC PRICE SCHEDULE
GERMANIUM TRANSISTORS**

TI TYPE	DESCRIPTION	LIST PRICE	1-99	100-999††
Radio-RF and Converter Types				
2N1107	PNP RF, 455KC h_{fe} 34db typical	\$ 5.00	\$ 3.20	\$ 2.00
2N1108	PNP Converter, 455KC h_{fe} 33db typical	4.00	2.60	1.60
Radio-IF and Oscillator Types				
2N1109	PNP Oscillator 455KC h_{fe} 20db typical	3.25	2.10	1.30
2N1110	PNP 1st IF 455KC h_{fe} 29db typical	4.00	2.60	1.60
2N1111	PNP 2nd IF 455KC h_{fe} 25db typical	4.00	2.60	1.60
Radio Reflex Types				
2N1111A	PNP Reflex 455KC h_{fe} 25db typical (20v)	4.00	2.60	1.60
2N1111B	PNP Reflex 455KC h_{fe} 25db typical (30v)	4.00	2.60	1.60
Radio Audio Types				
2N185	PNP Class A or B AF Amplifier	1.70	1.09	.68
2N238	PNP Class A or B AF Amplifier	1.60	1.03	.64
2N680	PNP Class A AF Amplifier	1.50	.96	.60
2N291	PNP Medium Power Class A or B Amplifier	2.44	1.57	.98
2N1273	PNP Class A or B Audio Frequency Amplifier	1.43	.91	.57
2N1274	PNP Class A or B Audio Frequency Amplifier	1.53	.98	.61
2N1370	PNP Class A or B Audio Frequency Amplifier	1.65	1.06	.66
2N1371	PNP Class A or B Audio Frequency Amplifier	2.25	1.44	.90
2N1382	PNP Medium Power Class A or B Amplifier	1.78	1.14	.71
2N1383	PNP Medium Power Class A or B Amplifier	1.65	1.06	.66
TV-RF and Mixer Types				
2N1398#	TV-RF Amplifier	17.50	11.20	7.00
2N1399#	TV Mixer	13.70	8.80	5.50
TV-IF and Oscillator Types				
2N1400#	TV Oscillator	8.00	5.10	3.16
2N1401A#	TV 1st and 2nd Vid. IF	11.00	7.00	4.40
2N1401#	TV 3rd and 4th Vid. IF	8.00	5.10	3.16
2N1402#	TV Sound IF	7.35	4.70	2.92
General Purpose Industrial Types				
2N368	PNP Alloy Junction (Beta 19-49)	2.60	1.70	1.05
2N369	PNP Alloy Junction (Beta 49-142)	3.00	1.90	1.20
2N1372	PNP Medium Power Alloy Junction	1.48	.94	.59
2N1373	PNP Medium Power Alloy Junction	2.50	1.60	1.00
2N1374	PNP Medium Power Alloy Junction	1.88	1.20	.75
2N1375	PNP Medium Power Alloy Junction	2.88	1.84	1.15
2N1376	PNP Medium Power Alloy Junction	2.38	1.52	.95
2N1377	PNP Medium Power Alloy Junction	3.12	2.00	1.25
2N1378	PNP Medium Power Alloy Junction	2.38	1.52	.95
2N1379	PNP Medium Power Alloy Junction	2.62	1.68	1.05
2N1380	PNP Medium Power Alloy Junction	1.25	.80	.50
2N1381	PNP Medium Power Alloy Junction	1.33	.85	.53
Computer				
2N1302	NPN Alloy Computer Switch	5.50	3.50	2.20
2N1304	NPN Alloy Computer Switch	7.00	4.50	2.80
2N1306	NPN Alloy Computer Switch	9.75	6.25	3.90
2N1308	NPN Alloy Computer Switch	13.85	8.90	5.55
2N1303	PNP Alloy Computer Switch	4.75	3.05	1.90
2N1305	PNP Alloy Computer Switch	7.00	4.50	2.80
2N1307	PNP Alloy Computer Switch	9.75	6.25	3.90
2N1309	PNP Alloy Computer Switch	13.85	8.90	5.55
2N1093	PNP Alloy Computer Switch	7.50	4.80	3.00
2N395	PNP Alloy Computer Switch	4.90	3.10	1.95
2N396	PNP Alloy Computer Switch	7.40	4.75	2.95
2N397	PNP Alloy Computer Switch	12.60	8.10	5.05

††NOTE: For quotations on larger quantities, contact nearest TI Sales Office.

(Page 1 of 2 pages)

REGION OFFICES



EFFECTIVE:
JANUARY 20, 1960

SEMICONDUCTOR-COMPONENTS DIVISION
MARKETING DEPARTMENT

MPL-S 1218

Supersedes:
Price Schedule MPL-S 1207
Dated December 7, 1959

**EQUIPMENT MANUFACTURER
DOMESTIC PRICE SCHEDULE
GERMANIUM TRANSISTORS**

TI TYPE	DESCRIPTION	LIST PRICE	1-99	100-999††
Ultra High Speed Computer Switch				
2N705	PNP Diffused Base Mesa	\$43.75	\$28.00	\$17.50
2N710	PNP Diffused Base Mesa	27.90	17.80	11.10
2N1385	PNP Diffused Base Mesa	41.25	26.40	16.50
Computer Power				
2N1046	PNP Alloy Diffused Power	34.75	22.20	13.90
High Frequency Industrial Types				
2N1141	PNP UHF Diffused Base (750 mc)	209.00	133.60	83.50
2N1142	PNP UHF Diffused Base (600 mc)	48.70	31.20	19.50
2N1143	PNP UHF Diffused Base (480 mc)	25.00	16.00	10.00
2N1195	PNP UHF Diffused Base	74.25	47.50	29.70
Medium Power Industrial Types				
2N1038	PNP 40 volt, 1.25 watt, 1 amp	6.90	4.40	2.75
2N1039	PNP 60 volt, 1.25 watt, 1 amp	13.75	8.80	5.50
2N1040	PNP 80 volt, 1.25 watt, 1 amp	18.75	12.00	7.50
2N1041	PNP 100 volt, 1.25 watt, 1 amp	26.20	16.80	10.50
High Power Industrial Types				
2N1042*	PNP 40 volt, 20 watt, 3 amp	8.75	5.60	3.50
2N1043*	PNP 60 volt, 20 watt, 3 amp	15.00	9.60	6.00
2N1044*	PNP 80 volt, 20 watt, 3 amp	22.50	14.40	9.00
2N1045*	PNP 100 volt, 20 watt, 3 amp	30.00	19.20	12.00
2N250	PNP 30 volt, 25 watt, 3 amp	4.60	2.95	1.85
2N251	PNP 60 volt, 25 watt, 3 amp	6.25	4.00	2.50
2N456	PNP 40 volt, 50 watt, 5 amp	5.50	3.50	2.20
2N457	PNP 60 volt, 50 watt, 5 amp	8.75	5.60	3.50
2N458	PNP 80 volt, 50 watt, 5 amp	11.25	7.10	4.45
2N1021	PNP 100 volt, 50 watt, 5 amp	20.65	13.20	8.25
2N1022	PNP 120 volt, 50 watt, 5 amp	30.00	19.20	12.00
High Power, High Current Industrial Types				
2N511	PNP 40 volt, 80 watt, 10 amp	7.50	4.80	3.00
2N511A	PNP 60 volt, 80 watt, 10 amp	8.75	5.60	3.50
2N511B	PNP 80 volt, 80 watt, 10 amp	17.50	11.20	7.00
2N512	PNP 40 volt, 80 watt, 15 amp	10.00	6.40	4.00
2N512A	PNP 60 volt, 80 watt, 15 amp	13.80	8.80	5.50
2N512B	PNP 80 volt, 80 watt, 15 amp	25.00	16.00	10.00
2N513	PNP 40 volt, 80 watt, 20 amp	21.30	13.60	8.50
2N513A	PNP 60 volt, 80 watt, 20 amp	30.00	19.20	12.00
2N513B	PNP 80 volt, 80 watt, 20 amp	50.00	32.00	20.00
2N514	PNP 40 volt, 80 watt, 25 amp	25.00	16.00	10.00
2N514A	PNP 60 volt, 80 watt, 25 amp	37.50	24.00	15.00
2N514B	PNP 80 volt, 80 watt, 25 amp	62.50	40.00	25.00
Replacement Only Types**				
2N252	PNP Converter 540 to 1640 KC (34 db)	4.00	2.60	1.60
2N308	PNP IF Amplifier 455 KC (39-42 db)	4.00	2.60	1.60
2N309	PNP IF Amplifier 455 KC (41-44 db)	4.00	2.60	1.60
2N310	PNP IF and Audio Amplifier	4.00	2.60	1.60
2N248	PNP High Frequency Amplifier	7.65	4.90	3.05
2N364	NPN Grown Junction (Beta 9-19)	5.00	3.20	2.00
2N365	NPN Grown Junction (Beta 19-49)	7.50	4.80	3.00
204A	NPN Grown Junction, 60 volt unit	10.00	6.40	4.00
800	NPN Phototransistor	25.00	16.00	10.00
3N25	PNP Very High Frequency Amplifier	37.50	24.00	15.00

†Change since last issue.

#New Product.

*—1 and —2 units prices same as standard units.

††NOTE: For quotations on larger quantities, contact nearest TI Sales Office.

**These units are not of current manufacture. When existing stocks are exhausted they will no longer be available.

(Page 2 of 2 pages)

REGION OFFICES



EFFECTIVE:
JANUARY 11, 1960

SEMICONDUCTOR-COMPONENTS DIVISION
MARKETING DEPARTMENT

MPL-S 1215

Supersedes:
Price Schedule MPL-S 1202
Dated December 1, 1959

**EQUIPMENT MANUFACTURER
DOMESTIC PRICE SCHEDULE
SILICON DIODES AND RECTIFIERS**

TI TYPE	1-99	100-999
Glass Reference Diodes		
1N746-1N759	\$ 4.35	\$ 3.65
1N746A-1N759A	4.85	4.15
Silicon Voltage Regulators		
1N2498-1N2500	8.45	6.50
1N2498R-1N2500R	8.45	6.50
1N2498A-1N2500A	11.00	8.50
1N2498RA-1N2500RA	11.00	8.50
1N2498C-1N2500C	13.00	10.00
1N1816-1N1836	8.45	6.50
1N1816R-1N1836R	8.45	6.50
1N1816A-1N1836A	11.00	8.50
1N1816RA-1N1836RA	11.00	8.50
1N1816C-1N1836C	13.00	10.00
1N2008-1N2012	8.45	6.50
1N2008R-1N2012R	8.45	6.50
1N2008A-1N2012A	11.00	8.50
1N2008RA-1N2012RA	11.00	8.50
1N2008C-1N2012C	13.00	10.00
Silicon Rectifiers — 750 mA		
1N538	1.60	1.05
1N539	2.05	1.35
1N540	3.00	2.00
1N1095	5.25	3.50
1N1096	7.05	4.70
Silicon Rectifiers — 200V-600V		
1N1124, 1N1124R	2.70	2.21
1N1125, 1N1125R	3.38	2.76
1N1126, 1N1126R	4.73	3.87
1N1127, 1N1127R	6.76	5.56
1N1128, 1N1128R	8.32	6.80
1N253	2.20	1.45
1N254	2.55	1.70
1N255	5.10	3.40
1N256	10.35	6.90
Silicon Rectifiers 1500V		
1N588	8.10	5.40
1N589	11.20	7.60
1N590, 1N591*	14.00	10.30
1N1130, 1N1131*	11.20	7.60
1N570(TI/680)	32.20	24.60
1N1329	6.37	4.68
TI 130	24.00†	15.00†
TI 131	28.00†	17.50†
TI 132	40.00†	25.00†
TI 133	65.00	45.00†
TI 134	75.00	67.50†
TI 110	20.00	12.50†
TI 111	24.00†	15.00†
TI 112	36.00†	22.50†
TI 113	55.00	42.50†
TI 114	65.00	58.50†

REGION OFFICES



EFFECTIVE:
JANUARY 11, 1960

SEMICONDUCTOR-COMPONENTS DIVISION
MARKETING DEPARTMENT

MPL-S 1215

Supersedes:
Price Schedule MPL-S 1202
Dated December 1, 1959

**EQUIPMENT MANUFACTURER
DOMESTIC PRICE SCHEDULE
SILICON DIODES AND RECTIFIERS**

TI TYPE	1-99	100-999
General Purpose Diodes — Single Ended Configuration		
600C	1.94	1.58
601C	3.60	2.94
604C	3.25	2.66
606C	3.25	2.66
608C	3.25	2.66
610C	3.30	2.70
612C	3.40	2.78
614C	3.50	2.86
616C	3.60	2.94
618C	3.60	2.94
620C	3.65	2.99
622C	3.70	3.03
624C	3.75	3.07
Voltage Reference Diodes — Single Ended Configuration		
650C-653C ±10% Tolerance	4.35	3.65
650C0-655C9 ± 5% Tolerance	4.85	4.15
General Purpose Glass Diodes		
1N645 series		
1N645	3.20	2.12
1N645A #	3.63	2.66
AF 1N645	3.58	2.50
1N646	4.08	2.72
AF 1N646	4.57	3.21
1N647	5.10	3.40
AF 1N647	5.70	4.00
1N648	6.19	4.12
AF 1N648	6.89	4.82
1N649	7.20	4.80
AF 1N649	7.95	5.55
1N456 series		
1N456	3.09	2.20
1N456A #	3.48	2.60
1N457	3.50	2.70
1N457A #	3.80	2.85
JAN 1N457 #	3.58	2.75
1N458	3.90	3.00
1N458A #	4.20	3.15
JAN 1N458 #	3.93	3.03
1N459	4.15	3.20
1N459A #	4.48	3.35
JAN 1N459 #	4.19	3.23
1N482 series		
1N482	1.68	1.19
1N482A	2.40	1.70
1N482B	3.48	2.60
1N483	2.40	1.70
1N483A	2.95	2.08
1N483B	3.80	2.85
1N484	2.80	1.98
1N484A	3.25	2.30
1N484B	4.20	3.15
1N485	2.92	2.07
1N485A	3.60	2.54

Page 2 of 3 pages

REGION OFFICES

SOUTHERN REGION
DALLAS, TEXAS
DEPT. SRO, P. O. BOX 312
AD 5-2381

EASTERN REGION
ELIZABETH, NEW JERSEY
1141 EAST JERSEY STREET
EL 4-6800 MU 2-7951

NORTHEAST REGION
SYRACUSE 2, NEW YORK
STATE TOWER BUILDING
GR 1-8141

MIDWEST REGION
CHICAGO 46, ILLINOIS
5320 W. DEVON AVE.
RO 3-1600

CENTRAL REGION
DETROIT, MICHIGAN
16815 JAMES COUZENS
DI 1-5266

WESTERN REGION
BEVERLY HILLS, CALIFORNIA
9033 WILSHIRE BOULEVARD
CR 4-5257 BR 2-9091



EFFECTIVE:
JANUARY 11, 1960

SEMICONDUCTOR-COMPONENTS DIVISION
MARKETING DEPARTMENT

MPL-S 1215

Supersedes:
Price Schedule MPL-S 1202
Dated December 1, 1959

**EQUIPMENT MANUFACTURER
DOMESTIC PRICE SCHEDULE
SILICON DIODES AND RECTIFIERS**

TI TYPE	1-99	100-999
1N485B	4.48	3.35
1N486	3.15	2.23
1N486A	4.30	3.04
1N486B	5.60	4.20
1N487	4.03	2.85
1N487A	6.60	4.67
1N488	5.05	3.57
1N488A	8.30	5.86
1N461 series		
1N461	1.24	.95
1N462	1.82	1.40
1N463	2.21	1.70
1N464	2.08	1.60
Computer Glass Diodes		
1N625	1.45	1.18
1N626	1.75	1.43
1N627	2.15	1.75
1N628	2.40	1.95
1N629	2.65	2.15
1N643	4.40	3.60
1N658	4.20	3.40
1N659	2.53	2.06
1N660	2.63	2.22
1N661	3.16	2.57
1N662	2.35	1.85
1N663	4.40	3.60
1N914	6.00	4.50
1N916	8.04	6.02

TI TYPE	1-49	50-99	100-999
Economy Rectifier			
1N2069‡	\$ 1.10	\$.95	\$.75
1N2070‡	1.35	1.15	.90
1N2071‡	1.70	1.45	1.10

TI TYPE	1-24	25-99	100-999
Photo Diode			
1N2175	\$20.00	\$15.00	\$12.50

‡ A \$.10 handling charge per unit will be added to all orders for less than 1,000 Economy Rectifiers.
 "R" Suffix indicates reverse polarity.
 * 1N590 and 1N591 are not recommended for new equipment design. 1N1130 and 1N1131 are recommended in lieu of 1N590 and 1N591.
 A- ±5% tolerance.
 C- double anode clipper.
 † Change since last issue.
 # New Product.

REGION OFFICES



EFFECTIVE
DECEMBER 1, 1959

MPL-S 1199

SEMICONDUCTOR-COMPONENTS DIVISION
MARKETING DEPARTMENT

Supersedes:
Price Schedule MPL-S 1169
Dated October 19, 1959

**EQUIPMENT MANUFACTURER
DOMESTIC PRICE SCHEDULE
SILICON TRANSISTORS**

TI TYPE	1-99	100-999
Small Signal-Round Welded		
2N332	\$ 9.25	\$ 6.15
USN2N332	9.45	6.30
2N333	16.00	10.65
USN2N333	16.20	10.80
2N334	16.00	10.65
USN2N334	16.20	10.80
2N335	21.40	14.25
USN2N335	21.60	14.40
2N336	23.40	15.60
Small Signal-Oval Welded		
2N117	9.75	6.50
USN2N117	10.00	6.65
2N118	16.75	11.15
USN2N118	16.95	11.30
JAN2N118	18.60	12.40
2N118A *(Recommend 2N334 or 2N118)	16.75	11.15
2N119	21.85	14.55
USN2N119	22.05	14.70
2N120	21.85†	14.55†
Small Signal-Solder Seal		
2N1149/903	10.00	6.65
2N1150/904	16.95	11.30
2N1151/904A *(Recommend 2N334 or 2N1150/904)	16.95	11.30
2N1152/905	23.10	15.40
2N1153/910	23.10†	15.40†
Medium Power-Round Welded		
2N339	18.00	12.00
2N340	18.25	12.15
2N341	23.85	15.90
2N342	18.55	12.35
2N342A	19.50	13.00
2N343	30.40	20.25
2N343A	30.75	20.50
2N497	23.70	15.80
2N498	30.45	20.30
2N656	26.65	17.75
2N657	34.20	22.80
2N696	28.50	19.00
2N697	28.50	19.00
Medium Power-Solder Seal		
2N1154/951	19.05	12.70
2N1155/952	19.30	12.85
2N1156/953	22.95	15.30
2N243	19.60	13.05
2N244	30.90	20.60

(Page 1 of 2 pages)

REGION OFFICES

SOUTHERN REGION
DALLAS, TEXAS
DEPT. SRO. P. O. BOX 312
AD 5-2381

EASTERN REGION
ELIZABETH, NEW JERSEY
1141 EAST JERSEY STREET
EL 4-6800 MU 2-7951

NORTHEAST REGION
SYRACUSE 2, NEW YORK
STATE TOWER BUILDING
GR 1-8141

MIDWEST REGION
CHICAGO 46, ILLINOIS
5320 W. DEVON AVE.
RO 3-1600

CENTRAL REGION
DETROIT, MICHIGAN
16815 JAMES COUZENS
DI 1-5266

WESTERN REGION
BEVERLY HILLS, CALIFORNIA
9033 WILSHIRE BOULEVARD
CR 4-5257 BR 2-9091



EFFECTIVE
DECEMBER 1, 1959

SEMICONDUCTOR-COMPONENTS DIVISION
MARKETING DEPARTMENT

MPL-S 1199

Supersedes:
Price Schedule MPL-S 1169
Dated October 19, 1959

**EQUIPMENT MANUFACTURER
DOMESTIC PRICE SCHEDULE
SILICON TRANSISTORS**

TI TYPE	1-99	100-999
Switching-Round Welded		
2N337	18.90	12.60
2N338	25.60	17.05
2N702	35.25	23.50
2N703	39.75	26.50
Switching-Solder Seal		
2N263	30.45	20.30
Intermediate Power		
2N122	60.00	40.00
2N1047	31.50	21.00
2N1048	42.00	28.00
2N1049	38.25	25.50
2N1050	51.00	34.00
Power		
2N389	67.50	45.00
2N424	53.70	35.80
High Frequency Triode-Round Welded		
2N715#	48.70	32.50
2N716#	63.75	42.25
High Frequency Tetrode-Round Welded		
3N34	24.65†	16.45†
3N35	31.50	21.00
Transistor Mounting Clamps		
70318-1	0.15	0.05
354001-99	0.15	0.10
354001-100	0.15	0.10

NOTE: For quotations on larger quantities, contact nearest TI sales office.
* Recommended for replacement purposes only. Use superceding types for new designs.
† Change since last issue.
#New Product.

(Page 2 of 2 pages)

REGION OFFICES

SOUTHERN REGION
DALLAS, TEXAS
DEPT. SRO. P. O. BOX 312
AD 5-2381

EASTERN REGION
ELIZABETH, NEW JERSEY
1141 EAST JERSEY STREET
EL 4-6800 MU 2-7951

NORTHEAST REGION
SYRACUSE 2, NEW YORK
STATE TOWER BUILDING
GR 1-8141

MIDWEST REGION
CHICAGO 46, ILLINOIS
5320 W. DEVON AVE.
RO3-1600

CENTRAL REGION
DETROIT, MICHIGAN
16815 JAMES COUZENS
DI 1-5266

WESTERN REGION
BEVERLY HILLS, CALIFORNIA
9033 WILSHIRE BOULEVARD
CR 4-5257 BR 2-9091



SEMICONDUCTOR-COMPONENTS DIVISION
MARKETING DEPARTMENT

MPL-S 1205

EFFECTIVE:
DECEMBER 15, 1959

Supersedes:
Price Schedule MPL-S 978
Dated August 18, 1958

**DOMESTIC PRICE SCHEDULE
EQUIPMENT MANUFACTURER
SOLID STATE TEMPERATURE SENSING
SENSISTOR* SILICON RESISTORS**

STANDARD OHMIC VALUES:						
68 ohms	120 ohms	220 ohms	390 ohms	560 ohms	1000 ohms	1800 ohms
82 ohms	150 ohms	270 ohms	470 ohms	680 ohms	1200 ohms	
100 ohms	180 ohms	330 ohms	500 ohms	820 ohms	1500 ohms	
NON STANDARD OHMIC VALUES: between 62 ohms and 2K						

TYPE TM 1/8

	1-49	50-499	500 & UP
Standard values, $\pm 10\%$ tolerance	\$5.00	\$4.50	\$4.00
Nonstandard values, $\pm 10\%$ tolerance	6.00	5.20	4.40
Standard values, $\pm 5\%$ tolerance	6.00	5.20	4.40
Nonstandard values, $\pm 5\%$ tolerance	6.50	5.65	4.80

TYPE TM 1/4

	1-49	50-499	500 & UP
Standard values, $\pm 10\%$ tolerance	\$4.00	\$3.50	\$3.00
Nonstandard values, $\pm 10\%$ tolerance	4.80	4.05	3.30
Standard values, $\pm 5\%$ tolerance	4.80	4.05	3.30
Nonstandard values, $\pm 5\%$ tolerance	5.20	4.40	3.60

TYPE TC 1/8

	1-49	50-499	500 & UP
Standard values, $\pm 10\%$ tolerance	\$5.00	\$4.50	\$4.00
Nonstandard values, $\pm 10\%$ tolerance	6.00	5.20	4.40
Standard values, $\pm 5\%$ tolerance	6.00	5.20	4.40
Nonstandard values, $\pm 5\%$ tolerance	6.50	5.65	4.80

P-100 PROBE

	1-24	25-99	100 & UP
100 ohms, 500 ohms or 1K, $\pm 10\%$ tolerance	\$16.00	\$12.00	\$8.00
100 ohms, 500 ohms or 1K, $\pm 5\%$ tolerance	19.20	14.40	9.60

MINIMUM ITEM CHARGE: \$5.00 PER ITEM.

MINIMUM ORDER CHARGE: \$10.00. Unless otherwise requested we will ship the maximum quantity covered by the \$10.00 minimum order charge.

HANDLING CHARGE FOR GOVERNMENT SOURCE INSPECTION: \$1.00/1,000, \$2.50 Minimum.

DESTINATIONS: \$2.50 for each additional destination.

*Trademark of Texas Instruments Incorporated

†Change since last issue

REGION OFFICES



SEMICONDUCTOR-COMPONENTS DIVISION
MARKETING DEPARTMENT

**EFFECTIVE
JULY 1, 1959**

Supersedes:
Price Schedule MPL-S 946
Dated June 20, 1958

MPL-S 1100

**DOMESTIC PRICE SCHEDULE
EQUIPMENT MANUFACTURER
HERMETICALLY SEALED DEPOSITED CARBON FILM RESISTORS
MIL-BELL STANDARD RESISTANCE VALUES ONLY***

RESISTANCE RANGE ± 1% TOLERANCE	1-24	25-99	100-499	500-999	1000 & Up
#TYPE CDH¹/₈M — 1/8 Watt (0.285" long x 0.160" diameter)					
10 ohms - 500 K	\$1.55	\$.77	\$.61	\$.57	\$.51
TYPE CDH¹/₈ (RN60B) — 1/8 Watt (0.385" long x 0.160" diameter)					
10 ohms - 1 M	1.08†	.54	.49	.45	.43
TYPE CDH¹/₄ (RN65B) — 1/4 Watt (0.585" long x 0.180" diameter)					
20 ohms - 1 M	1.08†	.54	.49	.45	.43
TYPE CDH¹/₂P — 1/2 Watt (0.587" long x 0.199" diameter)					
10 ohms - 3 M	1.08†	.54	.49	.45	.43
#TYPE CDH¹/₂A (RN65B) — 1/2 Watt (0.625" long x 0.240" diameter)					
10 ohms - 3 M	1.08†	.54	.49	.45	.43
TYPE CDH¹/₂M (RN70B) — 1/2 Watt (0.750" long x 0.250" diameter)					
10 ohms - 5 M	1.08†	.54	.49	.45	.43
TYPE CDH¹/₂S — 1/2 Watt (1.000" long x 0.250" diameter)					
50 ohms - 10 M	1.08†	.54	.49	.45	.43
TYPE CDH1 (RN75B) — 1 Watt (1.094" long x 0.400" diameter)					
10 ohms - 10 M	1.35†	.65	.58	.52	.49
TYPE CDH2 (RN80B) — 2 Watt (2.250" long x 0.400" diameter)					
50 ohms - 20 M	1.76†	.99	.90	.81	.76

*NONSTANDARD RESISTANCE VALUES: add 10% to standard price.

MINIMUM ITEM CHARGE: \$5.00 PER ITEM.

MINIMUM ORDER CHARGE: \$10.00. Unless otherwise requested we will ship the maximum quantity covered by the \$10.00 minimum order charge.

HANDLING CHARGE FOR GOVERNMENT SOURCE INSPECTION: \$1.00/1000, \$2.50 Minimum.

DESTINATIONS: \$2.50 for each additional destination.

#New product.

†Change since last issue.

REGION OFFICES

SOUTHERN REGION
DALLAS, TEXAS
P.O. BOX 312
AD 5-3111

EASTERN REGION
ELIZABETH, NEW JERSEY
1141 EAST JERSEY STREET
EL 4-6800 MU 2-7951

NORTHEAST REGION
SYRACUSE 2, NEW YORK
STATE TOWER BUILDING
GR 1-8141

MIDWEST REGION
CHICAGO 34, ILLINOIS
4104 N. HARLEM AVENUE
NA 5-8330

CENTRAL REGION
DETROIT, MICHIGAN
16815 JAMES COUZENS
DI 1-5266

WESTERN REGION
BEVERLY HILLS, CALIFORNIA
9033 WILSHIRE BOULEVARD
CR 4-5257 BR 2-9091



EFFECTIVE
JULY 1, 1959
Supersedes:
Price Schedule MPL-S 979
Dated August 18, 1958

SEMICONDUCTOR-COMPONENTS DIVISION
MARKETING DEPARTMENT

MPL-S 1104

**DOMESTIC PRICE SCHEDULE
EQUIPMENT MANUFACTURER
MIL-LINE
DEPOSITED CARBON FILM RESISTORS
MIL-BELL STANDARD RESISTANCE VALUES ONLY***

RESISTANCE RANGE ± 1% TOLERANCE	1-24	25-99	100-249	250-499	500-999	1000-4999	5000-9999	10,000 & Up
TYPE CD¹/₈R — 1/8 Watt (0.315" long x 0.095" diameter)								
10 ohms - 24.9 ohms	\$1.71	\$.81	\$.70	\$.59	\$.52	\$.46	\$.40	\$.36
25 ohms - 49.9 ohms	1.38†	.64	.53	.43	.32	.26	.24	.23
50 ohms - 500 K	1.04†	.49	.40	.32	.24	.20	.19	.18
501 K - 1 M	1.13†	.53	.43	.34	.25	.21	.20	.19
TYPE CD¹/₄R (RN10X) — 1/4 Watt (0.480" long x 0.095" diameter)								
20 ohms - 49.9 ohms	.89†	.41	.38	.35	.29	.26	.24	.23
50 ohms - 1 M	.68†	.32	.29	.27	.23	.20	.18	.17
TYPE CD¹/₂PR (RN15X) — 1/2 Watt (0.455" long x 0.160" diameter)								
10 ohms - 49.9 ohms	.78†	.41	.34	.27	.22	.20	.19	.18
50 ohms - 2.2 M	.60†	.32	.24	.17	.16	.14	.13	.12
2.21 M - 3 M	.83	.44	.32	.20	.17	.15	.14	.13
TYPE CD¹/₂MR (RN20X) — 1/2 Watt (0.530" long x 0.160" diameter)								
10 ohms - 49.9 ohms	.72†	.38	.31	.23	.18	.16	.15	.14
50 ohms - 2.2 M	.60†	.32	.24	.15	.13	.11	.105	.10
2.21 M - 5 M	.83	.44	.32	.20	.17	.15	.14	.13
TYPE CD¹/₂SR — 1/2 Watt (0.800" long x 0.160" diameter)								
50 ohms - 1.99 M	.60†	.32	.24	.15	.13	.11	.105	.10
2 M - 4.99 M	.83†	.44	.32	.20	.17	.15	.14	.13
5 M - 10 M	1.14†	.59	.46	.34	.27	.24	.22	.21
TYPE CD1R (RN25X) — 1 Watt (0.915" long x 0.300" diameter)								
10 ohms - 99.9 ohms	1.05†	.53	.41	.28	.24	.22	.20	.19
100 ohms - 4.99 M	.90†	.48	.35	.22	.20	.18	.17	.16
5 M - 10 M	.99†	.53	.40	.27	.25	.23	.22	.21
TYPE CD2R (RN30X) — 2 Watt (2.050" long x 0.300" diameter)								
50 ohms - 199 ohms	1.35†	.72	.54	.35	.32	.29	.28	.27
200 ohms - 9.99 M	1.08†	.57	.43	.29	.27	.25	.24	.23
10 M - 30 M	1.17†	.63	.50	.37	.32	.30	.29	.28
30.1 M - 50 M	2.15	1.14	.92	.69	.57	.51	.46	.45

*NONSTANDARD RESISTANCE VALUES: add 10% to standard price.

MINIMUM ITEM CHARGE: \$5.00 PER ITEM.

MINIMUM ORDER CHARGE: \$10.00. Unless otherwise requested we will ship the maximum quantity covered by the \$10.00 minimum order charge.

HANDLING CHARGE FOR GOVERNMENT SOURCE INSPECTION: \$1.00/1,000, \$2.50 Minimum.

DESTINATIONS: \$2.50 for each additional destination.

†Change since last issue

REGION OFFICES

SOUTHERN REGION
DALLAS, TEXAS
P.O. BOX 312
AD 5-3111

EASTERN REGION
ELIZABETH, NEW JERSEY
1141 EAST JERSEY STREET
EL 4-6800 MU 2-7951

NORTHEAST REGION
SYRACUSE 2, NEW YORK
STATE TOWER BUILDING
GR 1-8141

MIDWEST REGION
CHICAGO 34, ILLINOIS
4104 N. HARLEM AVENUE
NA 5-8330

CENTRAL REGION
DETROIT, MICHIGAN
16815 JAMES COUZENS
DI 1-5266

WESTERN REGION
BEVERLY HILLS, CALIFORNIA
9033 WILSHIRE BOULEVARD
CR 4-5257 BR 2-9091



SEMICONDUCTOR-COMPONENTS DIVISION
MARKETING DEPARTMENT

EFFECTIVE
OCTOBER 1, 1959

MPL-S 1164

Supersedes:
Price Schedule MPL-S 1099
Dated July 1, 1959

**DOMESTIC PRICE SCHEDULE
EQUIPMENT MANUFACTURER
MOLDED DEPOSITED CARBON FILM RESISTORS
MIL-BELL STANDARD RESISTANCE VALUES ONLY***

RESISTANCE RANGE ± 1% TOLERANCE	1-24	25-99	100-249	250-499	500-999	1000-4999	5000-9999	10,000 & Up
TYPE CDM¹/₈ (RN60B) — 1/8 Watt (0.406" long x 0.140" diameter)								
10 ohms - 24.9 ohms	\$1.88	\$1.00	\$.73	\$.45	\$.37	\$.34	\$.31	\$.30
25 ohms - 49.9 ohms	1.25	.67	.49	.30	.25	.23	.21	.20
50 ohms - 500 ohms	1.08	.58	.42	.26	.22	.19	.18	.17
501 ohms - 500 K	1.02	.55	.40	.24	.21	.18	.17	.16
501 K - 1 M	1.08	.58	.42	.26	.22	.19	.18	.17
TYPE CDM¹/₄ (RN65B) — 1/4 Watt (0.585" long x 0.200" diameter)								
20 ohms - 49.9 ohms	1.05	.55	.40	.24	.20	.18	.17	.16
50 ohms - 500 K	.99	.52	.37	.22	.19	.17	.16	.15
501 K - 1 M	1.05	.55	.40	.24	.20	.18	.17	.16
TYPE CDM¹/₂ (RN70B) — 1/2 Watt (0.750" long x 0.250" diameter)								
10 ohms - 49.9 ohms	.96	.51	.37	.22	.19	.17	.16	.15
50 ohms - 2.2 M	.90	.48	.34	.20	.18	.16	.15	.14
2.21 M - 5 M	1.08	.58	.41	.24	.22	.19	.18	.17
TYPE CDM1 (RN75B) — 1 Watt (1.062" long x 0.375" diameter)								
10 ohms - 99.9 ohms	1.44	.76	.58	.40	.35	.31	.30	.29
100 ohms - 4.99 M	1.35	.72	.55	.38	.33	.29	.28	.27
5 M - 10 M	1.50	.80	.61	.41	.36	.32	.31	.30
#TYPE CDM2 (RN80B) — 2 Watt (2.187" long x 0.375" diameter)								
50 ohms - 199 ohms	2.10	1.12	.84	.55	.48	.43	.42	.41
200 ohms - 9.99 M	1.65	.88	.68	.47	.41	.36	.35	.34
10 M - 30 M	1.88	1.00	.76	.52	.45	.42	.41	.40
30.1 M - 50 M	3.15	1.68	1.28	.87	.78	.69	.68	.66

*NONSTANDARD RESISTANCE VALUES: add 10% to standard price.

MINIMUM ITEM CHARGE: \$5.00 PER ITEM.

MINIMUM ORDER CHARGE: \$10.00. Unless otherwise requested, we will ship the maximum quantity covered by the \$10.00 minimum order charge.

HANDLING CHARGE FOR GOVERNMENT SOURCE INSPECTION: \$1.00/1000, \$2.50 Minimum.

DESTINATIONS: \$2.50 for each additional destination.

New Product

REGION OFFICES

SOUTHERN REGION
DALLAS, TEXAS
P.O. BOX 312
AD 5-3111

EASTERN REGION
ELIZABETH, NEW JERSEY
1141 EAST JERSEY STREET
EL 4-6800 MU 2-7951

NORTHEAST REGION
SYRACUSE 2, NEW YORK
STATE TOWER BUILDING
GR 1-8141

MIDWEST REGION
CHICAGO 34, ILLINOIS
4104 N. HARLEM AVENUE
NA 5-8330

CENTRAL REGION
DETROIT, MICHIGAN
16815 JAMES COUZENS
DI 1-5266

WESTERN REGION
BEVERLY HILLS, CALIFORNIA
9033 WILSHIRE BOULEVARD
CR 4-5257 BR 2-9091

PRICE REDUCTIONS FOR WIDER RESISTANCE TOLERANCES

$\pm 2\%$ Resistance Tolerance: 5% discount from $\pm 1\%$ price

$\pm 5\%$ Resistance Tolerance: 10% discount from $\pm 1\%$ price

For resistors with $\pm 1/2\%$ resistance tolerance and for special coatings, modifications or specifications consult your nearest TI sales office.

PRICES: These prices supersede all previous prices and are subject to change or withdrawal without notice.

BILLING: Prices in effect at time of shipment.

TERMS: 1% 10 days, net 30 days. F.O.B. point: Factory, Dallas, Texas.

WARRANTY:

TEXAS INSTRUMENTS INCORPORATED, hereinafter sometimes referred to as "COMPANY" warrants its resistors for a period of 90 days from the date of shipment to be free from defects caused by faulty materials or poor workmanship. The liability of the COMPANY under this warranty is limited to replacing, repairing, or issuing credit, at its option, for any resistors which are returned by PURCHASER during such period provided:

- a) Texas Instruments is promptly notified in writing upon discovery of such defects by PURCHASER, and
- b) The defective unit is returned to Texas Instruments, transportation charges prepaid by PURCHASER, and
- c) Texas Instruments examination of such unit shall disclose to its satisfaction that such defects exist and have not been caused by misuse, neglect, improper installation, repair, alteration, or accident.

In no event shall Texas Instruments be liable to PURCHASER for collateral or consequential damages of any nature. This warranty is in lieu of all other warranties, expressed or implied, except as to title.