

IBM System/370

EQUIPMENT PRICES

		Purchase Price	Monthly Maint.	Rental (short-term lease)*	Rental (4-year lease)*
PROCESSOR FEATURES AND CHANNELS (Continued)					
4693	3525 Card Print Control	2,510	3.00	70	64
4695	Integrated 5425 MFCU Attachment	5,890	21.00	163	148
5248	Multiplexer Channel	8,405	24.00	235	214
7520	System/360 Model 20 Compatibility	No charge	No charge	No charge	No charge
8005	1052 Compatibility	No charge	No charge	No charge	No charge
8040 & 8060	2311 Model 1 Compatibility	No charge	No charge	No charge	No charge
8070	2314/3340 Series Compatibility	No charge	No charge	No charge	No charge
4640	Integrated Communications Adapter (for 3125)	8,585	27.50	241	219
4641	Integrated Communications Adapter Extension	3,160	1.50	88	80
1201	Asynchronous Line Group 1 (ALG 1)	1,685	3.50	45	41
1202	Asynchronous Line Group 2 (ALG 2)	1,685	3.50	45	41
1231	Asynchronous Line, Medium Speed, ALG 1	1,685	3.00	45	41
1232	Asynchronous Line, Medium Speed, ALG 2	1,685	3.00	45	41
1241	Asynchronous Line Pair, Low-Speed, ALG 1	2,295	4.00	64	58
1242	Asynchronous Line Pair, Low-Speed, ALG 2	2,295	4.00	64	58
1291-1296	Auto-Call Adapter (per line position)	824	1.50	22	20
4743	IBM Leased Line Adapter	424	3.00	15	14
	IBM 1200-bps Line Adapter:				
	Non-switched	535	3.00	16	15
4781	Switched with Auto-Answer	714	3.50	21	20
4791	Switched with Auto-Answer and Auto-Call	1,970	12.00	75	68
4792	Line Adapter Base 2	1,035	2.00	29	26
4793	Line Adapter Base 3	1,035	2.00	29	26
7100	Synchronous Line Group	1,685	3.50	45	41
7121	Synchronous Line, High-Speed	4,200	9.00	117	106
7131	Synchronous Line, Low-Load, First	4,200	9.00	117	106
7132	Synchronous Line, Low-Load, Second	4,200	9.00	117	106
7141-7144	Synchronous Line, Medium-Speed with Clock (per line)	2,295	4.00	64	58
7151-7154	Synchronous Line, Medium-Speed (per line)	1,905	3.50	51	46
7881	Telegraph Line Pair, ALG 1	2,295	9.50	64	58
7882	Telegraph Line Pair, ALG 2	2,295	9.50	64	58
5213	Printer, 85 char/sec.	4,840	66.00	179	—
For 3125-2 Processing Unit (Model 125-2)					
4105	8K Control Storage Extension	2,670	3.50	114	104
4210	4K DASD Control Storage Extension	1,335	1.50	57	52
For 3138 Processing Unit (Model 138):					
1290	Autocall	2,180	1.00	58	53
1431	Block Multiplexer Shared Subchannels	No charge	No charge	No charge	No charge
1502	Channel Priority	No charge	No charge	No charge	No charge
3274	Direct Control	5,205	1.00	136	124
3906	128 Additional Multiplexer Subchannels	No charge	No charge	No charge	No charge
3907	256 Additional Multiplexer Subchannels	No charge	No charge	No charge	No charge
4457	1401/1440/1460 Compatibility	No charge	No charge	No charge	No charge
4640	Integrated Communications Adapter (ICA)	9,470	25.00	254	231
4655	3330/3340 Series IFA	19,820	3.00	743	675
4670	Integrated 1403 Printer Adapter Basic Control	19,850	21.50	420	382
4672	Integrated 1403 Printer Model 2 or N1 Attachment	415	50	10	10
4677	Integrated 1403 Printer Model 7 Attachment	415	50	10	10
4722	Second Additional Line on ICA	1,900	5.00	48	44
4723	Third Additional Line on ICA	3,815	10.00	99	90
4724	Fourth Additional Line on ICA	1,900	5.00	48	44
4725	Fifth Additional Line on ICA	5,690	16.00	151	137
4726	Sixth Additional Line on ICA	1,900	5.00	48	44
4727	Seventh Additional Line on ICA	1,900	5.00	48	44
4728	Eighth Additional Line on ICA	1,900	5.00	48	44
8070	2314/3340 Compatibility Feature	1,535	No charge	57	52
8075	Integrated 3203-4 Printer Attachment, First Printer	4,750	30.00	189	172
8076	Integrated 3203-4 Printer Attachment, Second Printer	4,750	30.00	189	172
8637	Universal Character Set Adapter	1,630	8.00	42	38
For 3148 Processing Unit (Model 148):					
1450	Block Multiplexer Additional Subchannel	No charge	No charge	No charge	No charge
1850	Channel-to-Channel Adapter	12,510	14.00	342	311
2150	Control Store Extension	8,350	11.00	262	238
2152	Expanded Control Store	13,420	22.50	421	383
3274	Direct Control	5,640	4.00	153	139
4457	1401/1440/1460 Compatibility	No charge	No charge	No charge	No charge
4458	1401/1440/1460, 1410/7010 Compatibility	No charge	No charge	No charge	No charge
4660	Integrated Storage Control	40,460	101.00	1,007	915
4953	128 Additional Multiplexer Subchannels	No charge	No charge	No charge	No charge
4954	256 Additional Multiplexer Subchannels	No charge	No charge	No charge	No charge
6111	Register Expansion for 4660 Storage Control	662	4.00	24	22
8075	Integrated 3203-4 Printer Attachment, First Printer	4,750	30.00	189	172
8076	Integrated 3203-4 Printer Attachment, Second Printer	4,750	30.00	189	172
8100	Two-Channel Switch	7,075	10.00	205	186
3621-3622	Emergency Power Off Control	No charge	No charge	No charge	No charge
For 3155 Processing Unit (Model 155):					
1433	Third Block Multiplexer Channel	14,970	12.00	450	—
1434	Fourth Block Multiplexer Channel	13,930	9.00	420	—
1435	Fifth Block Multiplexer Channel	7,005	4.50	208	—

*Rental prices include equipment maintenance.

IBM System/370

EQUIPMENT PRICES

		Purchase Price	Monthly Maint.	Rental (short-term lease)*	Rental (4-year lease)*	
PROCESSOR FEATURES AND CHANNELS (Continued)						
1850	Channel-to-Channel Adapter	13,930	8.00	420	—	
3274	Direct Control	3,425	4.00	119	—	
3700	Extended Precision Floating Point	9,615	16.00	208	—	
3950	IBM 1401/1440/1460/7010 Compatibility	18,290	16.00	479	—	
4990	Second Byte Multiplexer Channel	14,970	12.00	450	—	
5450	OS/DOS Compatibility	11,430	16.00	299	—	
7117	7070/7074 Compatibility	49,390	58.50	1,075	—	
7844	Adapter for 3210 1 Printer-Keyboard	8,240	8.00	179	—	
7845	Adapter for 3210 2 Printer-Keyboard	9,315	8.00	202	—	
7855	Adapter for 3215 Printer-Keyboard	10,910	8.00	239	—	
3210	Console Printer-Keyboard; 15 char./sec.: Model 1; for local use	5,935	146.00	205	186	
	Model 2; for remote use	6,100	155.00	211	192	
3215	Console Printer-Keyboard; 85 char./sec.	8,990	105.00	235	214	
For 3158 and 3158-3 Processing Units (Models 158 and 158-3)						
1433	Third Block Multiplexer Channel	16,160	14.00	486	442	
1434	Fourth Block Multiplexer Channel	15,040	11.00	453	412	
1435	Fifth Block Multiplexer Channel	7,565	5.00	224	204	
1850	Channel-to-Channel Adapter	15,040	9.00	453	412	
2150	Control Store Extension (prerequisite for 7220)	21,060	23.00	526	478	
2151, 2152	Expanded Control Storage	12,720	23.00	318	289	
3274	Direct Control	3,705	4.00	129	117	
3700	Extended Precision Floating Point	No charge	No charge	No charge	No charge	
3950	IBM 1401/1440/1460/1410/7010 Compatibility	No charge	No charge	No charge	No charge	
4650	Integrated Storage Controls (for 3330 Series)	77,600	258.00	1,920	1,745	
4990	Second Byte Multiplexer Channel	16,160	14.00	486	442	
5450	OS/DOS Compatibility	No charge	No charge	No charge	No charge	
5552	Processor Attachment Feature for APS	2,700	15.00	94	85	
5760	Power Warning	5,725	1.00	149	135	
6111	Register Expansion for 4650 Storage Control	1,330	8.50	47	43	
7117	7070/7074 Compatibility	No charge	No charge	No charge	No charge	
7220	Staging Adapter for ISC	83,200	245.00	2,065	1,875	
7730	System/370 Extended	13,000	4.00	750	682	
7731	System/370 Extended, Additional	4,000	2.00	231	210	
7820	3056 Remote Console Attachment Feature	2,545	4.00	53	48	
7840	3213 Console Printer Attachment	5,545	1.00	119	108	
7905	Two-Channel Switch for Integrated Storage Control	14,220	23.00	351	319	
3621-3622	Emergency Power Off Control	No charge	No charge	No charge	No charge	
3625	Emergency Power Off Panel Expansion	No charge	No charge	No charge	No charge	
6148	Remote Switch Attachment	No charge	No charge	No charge	No charge	
8740	Virtual Machine Assist	No charge	No charge	No charge	No charge	
8750	OS/VS1 Extended Control Program Support	No charge	No charge	No charge	No charge	
3213	Console Printer; 85 char./sec.	7,635	105.00	246	224	
For 3165 Processing Unit (Model 165):						
1432	Buffer Expansion (to 16K bytes)	77,160	52.00	1,690	—	
3850	Extended Channels	24,640	66.00	538	—	
4520	High-Speed Multiply	135,150	104.00	2,955	—	
7117	IBM 7070/7074 Compatibility	140,350	155.00	3,075	—	
7118	IBM 7080 Compatibility	140,350	155.00	3,075	—	
7119	IBM 709/7090/7094 II Compatibility	140,350	155.00	3,075	—	
For 3168 and 3168-3 Processing Units (Models 168 and 168-3)						
1435	Buffer Expansion (to 16K bytes)	83,340	65.50	1,826	1,660	
2150	Control Store Extension (prerequisite for 7220)	21,060	23.00	526	478	
2151, 2152	Expanded Control Storage	12,720	23.00	318	289	
3855	Extended Channels	26,610	83.00	581	528	
4525	High-speed Multiply	145,950	131.00	3,185	2,895	
4650	Integrated Storage Controls (for 3330 Series)	77,600	258.00	1,920	1,745	
6111	Register Expansion for 4650 Storage Control	1,600	8.00	55	50	
7127	IBM 7070/7074 Compatibility	151,600	197.00	3,317	3,015	
7128	IBM 7080 Compatibility	151,600	197.00	3,317	3,015	
7129	IBM 709/7090/7094/7094 II Compatibility	151,600	197.00	3,317	3,015	
7220	Staging Adapter for ISC	83,200	245.00	2,065	1,875	
7730	System/370 Extended	65,000	50.00	3,751	3,410	
7850	3213 Integrated Printer Adapter; 168-3 only	2,425	2.00	75	68	
7905	Two-Channel Switch for Integrated Storage Control	14,220	23.00	351	319	
2151-2152	Emergency Power Off Control	No charge	No charge	No charge	No charge	
		Purchase Price	Monthly Maint.	Rental (short-term lease)*	Rental (12-month lease)*	Rental (24-month lease)*
MASS STORAGE						
2305	Fixed-Head Storage Facility: Mod. 1; 5.4 million bytes	125,350	480.00	5,765	5,304	4,843
	Mod. 2; 11.2 million bytes	99,540	457.00	4,590	4,223	3,856
2835	Storage Control: Mod. 1; for 2305 Mod. 1	76,860	286.00	3,405	3,133	2,860
	Mod. 2; for 2305 Mod. 2	63,630	244.00	2,835	2,608	2,381

*Rental prices include equipment maintenance.

IBM System/370

EQUIPMENT PRICES

		<u>Purchase Price</u>	<u>Monthly Maint.</u>	<u>Rental (short-term lease)*</u>	<u>Rental (12-month lease)*</u>	<u>Rental (24-month lease)*</u>
2319	Disk Storage (each unit has 3 disk drives and stores a total of 87 million bytes)					
	Model A1; 3 drives and control, for connection to Model 135 or 145 IFA	35,100	279.00	1,130	1,040	949
	Model A2; 3 additional drives for Model 145	35,100	279.00	1,130	1,040	949
	Model A3; 3 additional drives for Model 135	35,280	292.00	1,190	1,095	1,000
	Model B1; 3 drives and control, for connection to 2314-B1 Storage Control	35,100	279.00	1,130	1,040	949
	Model B2; 3 additional drives for connection to 2314-B1	35,100	279.00	1,130	1,040	949
2314	Storage Control, Model B1	63,810	90.50	1,730	1,592	1,453
2312	Disk Storage; 1 drive, 29 million bytes	22,920	117.00	628	578	528
2313	Disk Storage; 4 drives, 116 million bytes	75,290	364.00	2,040	1,877	1,714
2318	Disk Storage; 2 drives, 58 million bytes	37,430	203.00	1,080	994	907
3330	Disk Storage:					
	Model 1; 2 drives, 200 million bytes	32,380	170.00	1,520	1,398	1,277
	Model 2; 1 drive, 100 million bytes	19,340	100.00	905	—	770
	Model 11; 2 drives, 400 million bytes	46,090	170.00	2,170	1,996	1,823
3333	Disk Storage and Control (up to three 3330 modules can be attached):					
	Model 1; 2 drives, 200 million bytes	40,580	199.00	1,898	—	1,615**
	Model 11; 2 drives, 400 million bytes	54,290	199.00	2,544	—	2,165**
3830	Storage Control, Model 2 (controls up to four 3333's and twelve 3330's)	47,580	126.00	1,740	—	1,462
3830	Storage Control, Model 3 (controls up to four 3333's and twelve 3330's in a 3850 Mass Storage System)	92,160	235.00	3,370	—	2,831
2150	Control Store Extension (for 3830; prerequisite for 9845)	11,000	25.00	402	—	338
2151	Expanded Control Store	6,730	10.50	247	—	207
2152	Expanded Control Store	6,730	10.50	247	—	207
6111	Register Expansion	640	4.00	24	—	20
6148	Remote Switch Attachment	No charge	No charge	No charge	—	No charge
6149	Remote Switch Attachment, Additional	No charge	No charge	No charge	—	No charge
8170	Two-Channel Switch (for 3830)	4,690	10.50	171	—	144
8171	Two-Channel Switch, Additional (for 3830)	4,690	10.50	171	—	144
3336	Disk Pack, Model 1	775	—	—	—	—
3336	Disk Pack, Model 11	1,150	—	—	—	—
3340	Direct Access Storage Facility; 34.9 or 69.8 MB per drive:					
	Model A2; Two drives plus control	36,000	96.50	1,154	—	982**
	Model B1; One drive	19,800	51.00	645	—	549**
	Model B2; Two drives	25,200	82.50	814	—	693**
3344 B2	Add-on Dual Disk Drive for 3340 Direct-Access Storage Facility; 279.6 MB per drive	31,680	128.00	1,034	—	880
3344 B2F	Add-on Dual Disk Drive for 3340 Direct-Access Storage Facility with 2MB fixed-head storage; 279.6 MB per drive	41,600	179.00	1,357	—	1,155
4301	Fixed Head Feature (for 3340 A2 or B2)	1,710	1.50	49	—	42**
6201	Rotational Position Sensing (for 3340 B1)	684	0.50	20	—	17**
6202	Rotational Position Sensing (for 3340 or A2 or B2)	864	0.50	26	—	22**
6148	Remote String Attachment	No charge	No charge	No charge	—	—
8150	String Switch	7,200	12.50	230	—	196**
3348	Data Module (for 3340 drives):					
	Model 35; 34,944,768 bytes	1,600	Time & mat'l.	59	—	50**
	Model 70; 69,889,536 bytes	2,200	Time & mat'l.	82	—	70**
	Model 70F; 69,889,536 bytes, of which 502,080 are served by fixed heads	4,400	Time & mat'l.	165	—	140**
3350 A2	Dual Disk Drive; 317.5MB per drive	40,000	170.00	1,304	—	1,110
3350 A2F	Dual Disk Drive with 2MB fixed-head storage; 317.5 MB per drive	49,920	221.00	1,627	—	1,385
3350 B2	Add-on Dual Disk Drive	31,680	128.00	1,034	—	880
3350 B2F	Add-on Dual Disk Drive with 2MB fixed-head storage; 317.5 MB per drive	41,600	179.00	1,357	—	1,155
3350 C2	Two-drive disk storage and associated control; 317.5 MB per drive	41,380	179.00	1,351	—	1,150
3350 C2F	Two-drive disk storage and associated control; 317.5 MB per drive	51,300	230.00	1,674	—	1,425
1320	Primary Controller Adapter (permits selection of A2/AF controller as on-line controller via manual switch on the C2/C2F)	275	1.50	9	—	8

MAGNETIC TAPE INPUT/OUTPUT

3410	Magnetic Tape Unit:					
	Model 1; 20 KB	5,655	64.50	216	199	181
	Model 2; 40/20 KB	7,560	71.00	287	264	241
	Model 3; 80/40 KB	9,360	78.50	358	329	301
3411	Magnetic Tape Unit and Control:					
	Model 1; 20 KB	12,460	99.50	476	438	400
	Model 2; 40/20 KB	15,770	107.00	606	558	509
	Model 3; 80/40 KB	19,220	114.00	736	677	618

*Rental prices include equipment maintenance.

**Extended Term Plan (other 12-month and 24-month lease prices are for Fixed-Term Plan).

IBM System/370

EQUIPMENT PRICES

		Purchase Price	Monthly Maint.	Rental (short-term lease)*	Rental (12-month lease)*	Rental (24-month lease)*
MAGNETIC TAPE INPUT/OUTPUT (Continued)						
3211	Single Density Feature (for 3410 & 3411)	1,835	9.50	62	57	52
3221	Dual Density Feature (for 3410 & 3411)	2,645	38.00	92	85	77
7360	System/360/370 Attachment (required on 3411)	4,625	21.00	173	159	145
7361	Model 115 or 125 Attachment (for 3411)	3,080	5.00	114	105	96
3803	Tape Control: Model 1; for 3420 Model 3, 5, and 7 drives	23,670	114.00	794	730	677
	Model 2; for 3420 Model 4 through 8 drives	39,420	157.00	1,155	1,063	970
5310	9-Track NRZI Feature (permits connection of 800-bpi drives to 3803-2)	3,530	1.50	114	105	96
6320	7-Track NRZI Feature (permits connection of 7-track drives to 3803-2; 5310 is prerequisite)	1,735	1.50	56	52	47
	Multiple Tape Control Switches (for switching up to sixteen 3420 tape drives between up to four 3803 control units):					
1792	For 2 Tape Controls	7,020	11.50	233	214	196
1793	For 3 Tape Controls	8,955	18.00	300	276	252
1794	For 4 Tape Controls	10,530	18.00	351	323	295
7850	3803-2 Attachment for 2860 Selector Channel	1,140	1.00	23	—	—
3551	Dual Density Feature (for 3803)	2,630	3.00	86	79	72
6408	7-Track Feature (for 3803)	2,630	3.00	86	79	72
8100	Two-Channel Switch (for 3803)	5,265	5.50	173	159	145
3420	Magnetic Tape Units:					
	Mod. 3; 120,000 bytes/sec at 1600 bpi	13,660	95.00	457	420	384
	Mod. 4; 470,000 bytes/sec at 6250 bpi	21,960	95.00	637	586	535
	Mod. 5; 200,000 bytes/sec at 1600 bpi	18,320	104.00	614	565	516
	Mod. 6; 780,000 bytes/sec at 6250 bpi	25,650	104.00	737	678	619
	Mod. 7; 320,000 bytes/sec at 1600 bpi	20,520	124.00	727	669	611
	Mod. 8; 1,250 bytes/sec at 6250 bpi	28,440	152.00	875	805	735
6420	6250 bpi Density Feature (for 3420 Models 4, 6 and 8)	2,295	41.00	63	58	53
6425	6250/1600 bpi Density Feature (for 3420 Models 4, 6, and 8)	3,160	49.50	91	84	76
6631	Single Density Feature (for Models 3, 5, and 7)	3,290	28.00	108	99	91
3550	Dual Density Feature (for Models 3, 5, and 7)	4,245	47.00	140	129	118
6407	7-Track Feature (for Models 3, 5, and 7)	3,290	47.00	108	99	91
DISKETTE INPUT/OUTPUT						
3540	Diskette Input/Output Unit:					
	Model B1; one drive	22,870	42.50	712	—	606**
	Model B2; two drives	34,830	59.00	1,074	—	914**
PUNCHED CARD INPUT / OUTPUT						
1442	Card Read Punch (with control), Mod. 1; 400/91 cpm	19,990	174.00	694		
2501	Card Reader (with control):					
	Mod. B1; 600 cpm	16,310	92.00	352		
	Mod. B2; 1000 cpm	16,570	100.00	433		
2520	Card Punch (with control):					
	Mod. B2; 500 cpm	39,340	308.00	1,100		
	Mod. B3; 300 cpm	39,010	247.00	850		
2540	Card Read Punch; 1000/300 cpm (requires 2121 control unit)	36,920	225.00	966		
2560	Multi-Function Card Machine, Model A1; reads 500 cpm, punches 160 col/sec (for Model 125 only)	21,230	209.00	838		
	Card Print Feature for 2560 Model A1:					
1575	First Two Lines	4,625	28.00	180		
1576	Second Two Lines	4,625	28.00	180		
1577	Third Two Lines	4,625	28.00	180		
3504	Card Reader (for Model 125 only):					
	Model A1; 800 cpm	21,210	113.00	636	—	541**
	Model A2; 1200 cpm	22,250	152.00	772	—	657**
3921	51/80-Column Interchangeable Read Feed (for 3504 Model A2 only)	5,300	56.00	165	—	140**
5450	Optical Mark Read Feature (for 3504)	8,420	52.50	244	—	208**
6555	Selective Stacker Feature (for 3504)	2,375	9.50	63	—	54**
3505	Card Reader:					
	Model B1; 800 cpm	29,940	167.00	768		
	Model B2; 1200 cpm	30,980	228.00	912		
5450	Optical Mark Read (for 3505)	8,420	67.50	248		
6555	Selective Stacker (for 3505)	2,375	13.00	66		
8103	3505 Punch Adapter (for 3505)	5,300	5.00	134		
8105	3525 Read/Punch Adapter (for 3505)	5,830	6.00	169		
8100	3525 Card Print Control (for 3505)	3,175	6.00	75		
3525	Card Punch:					
	Model P1; 100 cpm	21,210	100.00	542		
	Model P2; 200 cpm	22,040	134.00	687		
	Model P3; 300 cpm	22,870	167.00	829		
1533	Card Read Feature (for 3525)	6,360	25.00	161		
1421	Basic Card Print	13,930	99.00	350		
5273	Multi-Line Card Print (for 3525)	1,140	28.50	96		
8339	Two-Line Card Print (for 3525)	727	4.50	15		

*Rental prices include equipment maintenance.

**Extended Term Plan (other 12-month and 24-month lease prices are for Fixed-Term Plan).