









```

1 *THIS IS A COPYRIGHTED PROGRAM. COPYRIGHT 1974 BY VARIAN DATA MACHINES 00 00001
2 * 00 00002
3 * V.D.M. PART NO. 00 00003
4 * 00 00004
5 * 00 00005
6 * 00 00006
7 * CTCD4A 00 00007
8 * 00 00008
9 * 00 00009
10 * TITLE CTCD4A 00 00010
11 * NAME CTCD4A 00 00011
12 * EXT TBCD4A 00 00012
13 * CTCD4A DATA TBCD4A 00 00013
14 * DATA CTEND 00 00014
15 * DATA 2 00 00015
16 * DATA 0 00 00016
17 * DATA 0 00 00017
18 * EXT #ACD4A 00 00018
19 * DATA #ACD4A 00 00019
20 * DATA 0 00 00020
21 * DATA 0 00 00021
22 * DATA 0 00 00022
23 * DATA 0 00 00023
24 * DATA 0 00 00024
25 * DATA 0 00 00025
26 * DATA 0,0,0,0,0 TEMP STORE 00 00026
27 * DATA 0,0,0,0,0,0,0,0,0 PREVIOUS OUTPUTS 00 00027
28 * CTEND EQU * 00 00028
29 * END 00 00029

```

```

ENTRY NAMES
000000 R CTCD4A
EXTERNAL NAMES
000006 E #ACD4A 000000 E TBCD4A
SYMBOLS
000006 E #ACD4A 000000 R CTCD4A 000032 R CTEND 000000 E TBCD4A
0 ERRORS ASSEMBLY COMPLETE

```

0	#ACD4A	18	19
12	CTCD4A	9	10
28	CTEND	13	
0	TBCD4A	11	12



```

1 *THIS IS A COPYRIGHTED PROGRAM. COPYRIGHT 1974 BY VARIAN DATA MACHINES 00 00001
2 * 00 00002
3 * V.D.W. PART NO. 00 00003
4 * 00 00004
5 * 00 00005
6 * RELEASED 00 00006
7 * 00 00007
8 * CTC05A 00 00008
9 * 00 00009
10 TITLE CTC05A
11 NAME CTC05A 00 00010
12 EXT TBC05A 00 00011
13 CTC05A DATA TBC05A 00 00012
14 DATA CTEND 00 00013
15 DATA 2 00 00014
16 DATA 0 00 00015
17 DATA 0 00 00016
18 EXT #AC05A 00 00017
19 DATA #AC05A 00 00018
20 DATA 0 00 00019
21 DATA 0 00 00020
22 DATA 0 00 00021
23 DATA 0 00 00022
24 DATA 0 00 00023
25 DATA 0 00 00024
26 DATA 0,0,0,0,0 TEMP STORE 00 00025
27 DATA 0,0,0,0,0,0,0,0,0 PREVIOUS OUTPUTS 00 00027
28 CTEND EQU * 00 00028
29 END 00 00029

```

ENTRY NAMES

000000 R CTC05A

EXTERNAL NAMES

000006 E #AC05A 000000 E TBC05A

SYMBOLS

000006 E #AC05A 000000 R CTC05A 000032 R CTEND 000000 E TBC05A

0 ERRORS ASSEMBLY COMPLETE

0	#AC05A	18	19
12	CTC05A	9	10
28	CTEND	13	
0	TBC05A	11	12



```

1 *THIS IS A COPYRIGHTED PROGRAM. COPYRIGHT 1974 BY VARIAN DATA MACHINES 00 00001
2 * 00 00002
3 * V.D.M. PART NO. 00 00003
4 * 00 00004
5 * 00 00005
6 * 00 00006
7 * 00 00007
8 * 00 00008
9 * 00 00009
10 * 00 00010
11 * 00 00011
12 * CTCD6A DATA TBCD6A 00 00012
13 * DATA CTEND 00 00013
14 * DATA 2 00 00014
15 * DATA 0 00 00015
16 * DATA 0 00 00016
17 * DATA 0 00 00017
18 * EXT SACD6A 00 00018
19 * DATA SACD6A 00 00019
20 * DATA 0 00 00020
21 * DATA 0 00 00021
22 * DATA 0 00 00022
23 * DATA 0 00 00023
24 * DATA 0 00 00024
25 * DATA 0 00 00025
26 * DATA 0.0,0,0,0 TEMP STORE 00 00026
27 * DATA 0.0,0,0,0,0,0,0,0 PREVIOUS OUTPUTS 00 00027
28 * CTEND EQU * 00 00028
29 * END 00 00029

```

```

ENTRY NAMES
000000 R CTCD6A
EXTERNAL NAMES
000006 E SACD6A 000000 E TBCD6A
SYMBOLS
000006 E SACD6A 000000 R CTCD6A 000002 R CTEND 000000 E TBCD6A
0 ERROR ASSEMBLY COMPLETE

```

0	SACD6A	10	19
12	CTCD6A	10	19
28	CTEND	12	12
0	TBCD6A	11	12



```

1 THIS IS A COPYRIGHTED PROGRAM. COPYRIGHT 1974 BY VARIAN DATA MACHINES 00 00001
2 * 00 00002
3 * V.D.M. PART NO. 00 00003
4 * 00 00004
5 * 00 00005
6 * 00 00006
7 * 00 00007
8 * 00 00008
9 * 00 00009
10 TITLE CTC07A 00 00010
11 NAME CTC07A 00 00011
12 EXT TBC07A 00 00012
13 CTC07A DATA TBC07A 00 00013
14 DATA CTEND 00 00014
15 DATA 2 00 00015
16 DATA 0 00 00016
17 DATA 0 00 00017
18 EXT #AC07A 00 00018
19 DATA #AC07A 00 00019
20 DATA 0 00 00020
21 DATA 0 00 00021
22 DATA 0 00 00022
23 DATA 0 00 00023
24 DATA 0 00 00024
25 DATA 0 00 00025
26 DATA 0,0,0,0,0 TEMP STORE 00 00026
27 DATA 0,0,0,0,0,0,0,0 PREVIOUS OUTPUTS 00 00027
28 CTEND EQU 00 00028
29 END 00 00029

```

ENTRY NAMES  
000000 R CTC07A  
EXTERNAL NAMES  
000006 E #AC07A 000000 E TBC07A  
SYMBOLS  
000006 E #AC07A 000000 R CTC07A 000032 R CTEND 000000 E TBC07A  
0 ERRORS ASSEMBLY COMPLETE

0	#AC07A	18	19
12	CTC07A	9	10
28	CTEND	13	
0	TBC07A	11	12



```

1 *THIS IS A COPYRIGHTED PROGRAM. COPYRIGHT 1974 BY VARIAN DATA MACHINE
2 *
3 *   V.D.M. PART NO.       92L0605-159A
4 *
5 *
6 *   RELEASED
7 *
8 *
9 *
10 *
11 *   TITLE      CTCI4A
12 *   NAME      CTCI4A
13 *
14 *   CONTROLLER TABLE      CTCI4A
15 *
16 *   FOR MODELS 620-831A/B DIM, 620-850/851 ADC
17 *                   620-860/860A, -861/861A MUZ
18 *
19 *

```

```

000000 000000 E 20 CTCI4A EXT      TBCI4A
000001 000021 R 21 DATA    TBCI4A
000002 000041 A 22 DATA    CTEND
000003 000000 A 23 DATA    001
000004 000000 A 24 DATA    0
000005 000000 A 25 DATA    0
000006 000000 E 26 DATA    #ACI4A
000007 000000 E 27 DATA    #ACI4A
000010 000000 A 28 EXT      #DCI4A
000011 000000 E 29 DATA    #DCI4A
000012 000000 A 30 DATA    #DCI4A
000013 000000 A 31 DATA    #DCI4A
000014 000000 A 32 DATA    #DCI4A
000015 000000 E 33 DATA    #DCI4A
000016 000000 A 34 DATA    #DCI4A
000017 000000 A 35 DATA    #DCI4A
000020 000000 A 36 DATA    #DCI4A
000021 000021 R 37 DATA    #DCI4A
000022 000021 R 38 DATA    #DCI4A
000023 000021 R 39 CTEND    000
000024 000021 R 40 CTEND    001

```

ENTRY NAMES

000000 R CTCI4A

EXTERNAL NAMES

000011 E #ACI4A 000006 E #ACI4A 000007 E #DCI4A 000015 E #MCI4A

000000 E TBCI4A

SYMBOLS

000011 E #ACI4A 000006 E #ACI4A 000007 E #DCI4A 000015 E #MCI4A

000000 R CTCI4A 000021 R CTEND 000021 R TBCI4A

0 ERRORS ASSEMBLY COMPLETE



```

1 *THIS IS A COPYRIGHTED PROGRAM. COPYRIGHT 1974 BY VARIAN DATA MACHINES 00 00001
2 ***** 00 00002
3 * V.D.M. PART NO. 02L0605-158A 00 00003
4 ***** 00 00004
5 * 00 00005
6 * 00 00006
7 * 00 00007
8 * 00 00008
9 * 00 00009
10 * TITLE CTC15A 00 00010
11 * NAME CTC15A 00 00011
12 * 00 00012
13 * 00 00013
14 * CONTROLLER TABLE CTC15A 00 00014
15 * 00 00015
16 * FOR MODELS 620-831A/B DIM, 620-850/851 ADC 00 00016
17 * 620-860/860A, -861/861A MUX 00 00017
18 * 00 00018
19 * 00 00019
20 CTC15A EXT TBC15A 00 00020
21 DATA TBC15A 00 00021
22 DATA CTEND 00 00022
23 DATA 041 00 00023
24 DATA 0 00 00024
25 DATA 0 00 00025
26 EXT #AC15A 00 00026
27 DATA #AC15A 00 00027
28 EXT #DC15A 00 00028
29 DATA #DC15A 00 00029
30 DATA 0 00 00030
31 EXT !BC15A 00 00031
32 DATA !BC15A 00 00032
33 DATA 0 00 00033
34 DATA 0 00 00034
35 DATA 0 00 00035
36 EXT #MC15A 00 00036
37 DATA #MC15A 00 00037
38 DATA 0,0,0 00 00038
39 CTEND EQU * 00 00039
40 END 00 00040

```

ENTRY NAMES

000000 R CTC15A

EXTERNAL NAMES

000011 E !BC15A 000006 E #AC15A 000007 E #DC15A 000015 E #MC15A

000000 E TBC15A

SYMBOLS

000011 E !BC15A 000006 E #AC15A 000007 E #DC15A 000015 E #MC15A

000000 R CTC15A 000021 R CTEND 000000 E TBC15A

0 ERRORS ASSEMBLY COMPLETE



```

1 *THIS IS A COPYRIGHTED PROGRAM.COPYRIGHT 1974 BY VARIAN DATA MACHINES 00 00001
2 *** 00 00002
3 * V.D.M. PART NO. 92L0605-158A 00 00003
4 *** 00 00004
5 * 00 00005
6 * RELEASED 03/01/74 00 00006
7 * 00 00007
8 * CTCI6A 00 00008
9 * 00 00009
10 * 00 00010
11 * TITLE CTCI6A 00 00011
12 * NAME CTCI6A 00 00012
13 * 00 00013
14 * CONTROLLER TABLE CTCI6A 00 00014
15 * 00 00015
16 * FOR MODELS 620-831A/B DIM,620-850/851 ADC 00 00016
17 * 620-860/860A,-861/861A MUX 00 00017
18 * 00 00018
19 * 00 00019
20 CTCI6A EXT TBCI6A 00 00020
21 DATA TBCI6A 00 00021
22 DATA CTEND 00 00022
23 DATA 041 00 00023
24 DATA 0 00 00024
25 DATA 0 00 00025
26 EXT #ACI6A 00 00026
27 DATA #ACI6A 00 00027
28 EXT #DCI6A 00 00028
29 DATA #DCI6A 00 00029
30 DATA 0 00 00030
31 EXT !BCI6A 00 00031
32 DATA !BCI6A 00 00032
33 DATA 0 00 00033
34 DATA 0 00 00034
35 DATA 0 00 00035
36 EXT #MCI6A 00 00036
37 DATA #MCI6A 00 00037
38 DATA 0;0;0 00 00038
39 CTEND EQU * 00 00039
40 END 00 00040

```

ENTRY NAMES

000000 R CTCI6A

EXTERNAL NAMES

000011 E !BCI6A 000006 E #ACI6A 000007 E #DCI6A 000015 E #MCI6A

000000 E TBCI6A

SYMBOLS

000011 E !BCI6A 000006 E #ACI6A 000007 E #DCI6A 000015 E #MCI6A

000000 R CTCI6A 000021 R CTEND 000000 E TBCI6A

0 ERRORS ASSEMBLY COMPLETE



```

1 *THIS IS A COPYRIGHTED PROGRAM. COPYRIGHT 1974 BY VARIAN DATA MACHINES 00 00001
2 * 00 00002
3 * V.D.M. PART NO. 92L0605-158A 00 00003
4 * 00 00004
5 * 00 00005
6 * RELEASED 03/01/74 00 00006
7 * 00 00007
8 * CTCI7A 00 00008
9 * 00 00009
10 * TITLE CTCI7A 00 00010
11 * NAME CTCI7A 00 00011
12 * 00 00012
13 * 00 00013
14 * CONTROLLER TABLE CTCI7A 00 00014
15 * 00 00015
16 * FOR MODELS 620-831A/B DIM, 620-850/851 ADC 00 00016
17 * 620-860/860A, -861/861A MUX 00 00017
18 * 00 00018
19 * 00 00019
20 CTCI7A EXT TBCI7A 00 00020
21 DATA TBCI7A 00 00021
22 DATA CTEND 00 00022
23 DATA 041 00 00023
24 DATA 0 00 00024
25 DATA 0 00 00025
26 EXT #ACI7A 00 00026
27 DATA #ACI7A 00 00027
28 EXT #DCI7A 00 00028
29 DATA #DCI7A 00 00029
30 DATA 0 00 00030
31 EXT !BCI7A 00 00031
32 DATA !BCI7A 00 00032
33 DATA 0 00 00033
34 DATA 0 00 00034
35 DATA 0 00 00035
36 EXT #MCI7A 00 00036
37 DATA #MCI7A 00 00037
38 DATA 0,0,0 00 00038
39 CTEND EQU * 00 00039
40 END 00 00040

```

## ENTRY NAMES

000000 R CTCI7A

## EXTERNAL NAMES

000011 E !BCI7A 000006 E #ACI7A 000007 E #DCI7A 000015 E #MCI7A

000000 E TBCI7A

## SYMBOLS

000011 E !BCI7A 000006 E #ACI7A 000007 E #DCI7A 000015 E #MCI7A

000000 R CTCI7A 000021 R CTEND 000000 E TBCI7A

0 ERRORS ASSEMBLY COMPLETE



```

1 *
2 *      SUBROUTINE--CB2A
3 *
4 *      PURPOSE--TO CONVERT A BINARY NUMBER TO A PACKED ASCII
5 *                STRING, RIGHT JUSTIFIED, WITH BLANK FILL.
6 *                CONVERSION MAY BE EITHER DECIMAL OR OCTAL.
7 *
8 *      CALLING SEQUENCE
9 *      JSR      CB2A,X
10 *      DATA   ADDR OF BINARY NUMBER
11 *
12 *      ENTRANCE PARAMETERS
13 *      (A) EQ 0--OCTAL CONVERSION
14 *      (A) NE 0--DECIMAL CONVERSION
15 *
16 *      EXIT PARAMETERS
17 *      (A) = ADDR OF PACKED STRING
18 *      (B) RESTORED
19 *
000001 A 20 X      EQU      1
000002 A 21 B      EQU      2
000423 A 22 BS4     EQU      0423
24      TITLE   CB2A
25      NAME    CB2A
26 CB2A     EQU      *
27      STX     CBA80     SAVE RETURN ADDRESS
28      STB     BSAVE
29      LDB     0,X      ADDR OF BINARY VALUE
30 CB2      BT+077     CB5     JUMP IF NOT AN INDIRECT POINTER
31      LDB     0,B      FOLLOW INDIRECT CHAIN
32      JMP     CB2
33 CB5     LDB     0,B      GET BINARY VALUE
34      TZX
35      STX     CBA70     CLEAR ZERO SUPPRESS SWITCH
36      JAZ     CBA20     JUMP IF OCTAL CONVERSION
37 *
38 *      DECIMAL CONVERSION
39 *
000015 005021 A 40      TBA
000016 054137 A 41      STA     CBSGN     SAVE VALUE FOR SIGN FLAG
000017 001002 A 42      JAP     CBA5     IF A POSITIVE VALUE
000020 000023 R 43      CPA
000021 005211 A 44      IAR
000022 005111 A 45 CBA5     EQU      *     CONVERT TO A POSITIVE VALUE
000023 005012 A 46      TAB
000024 014127 A 47      LDA     N240
000025 054116 A 48      STA     CBA60     BLANK 1ST CHAR
000026 006030 A 49      LDXI   CBA50     (X) = POWER OF 10 TABLE ADDR
000027 000137 R
50 *
51 *      DECIMAL CONVERSION LOOP
52 *
000030 000030 R 53 CBA10    EQU      *
000031 005001 A 54      TZA
000032 175000 A 55      DIV     0,X      GET DECIMAL DIGIT
000033 001020 A 56      STB     6,X      STORE
000034 000037 R 57      JBZ     CBA15     JUMP IF TOO LARGE
000035 020425 A 58      LDB     BS4      SET ZERO SUPPRESS SWITCH
000036 064113 A 59      STB     CBA70
000037 000037 R 60 CBA15    EQU      *
000040 015006 A 61      TAB
000041 124112 A 62      LDA     6,X      REMAINDER TO (B)
000042 124107 A 63      ADD     N240
000043 055006 A 64      ADD     CBA70     CONVERT DIGIT TO ASCII
000044 005145 A 65      STA     6,X      SUPPRESS LEADING ZERUS
000045 006140 A 66      INCR   045      BUMP POINTER
000046 000144 R 67      SUBI   CBA50+5
000047 001004 A 68      JAN     CBA10     TEST CONVERSION FINISH
000050 000030 R 69      LDA     CBA70     ZERO SUPPRESS FLAG
000051 014100 A 70      JANZ   CBA15A    IF SET (NON BLANK CHAR FOUND)
000052 001016 A 71      LDAI   0260
000053 000057 R 72      STA     5,X      SET L.S. CHAR TO ZERO
000054 006010 A 73 CBA15A   EQU      *
000055 000260 A 74      LDA     CBSGN     SIGN FLAG
000056 055005 A 75      JAP     CBA40     IF POSITIVE
000057 014076 A 76      TXB
000060 001002 A 77 CBA16    EQU      *
000061 000116 A 78      LDA     5,B      LEAST SIGNIFICANT DIGIT
000062 000063 R 79      LDA     N240
000063 016006 A 80      SUB     CBA17     IF BLANK
000064 144067 A 81      JAZ
000065 001010 A 82      DBR
000066 000072 R
000067 005322 A
000070 001000 A
02 00001
02 00002
02 00003
02 00004
02 00005
02 00006
02 00007
02 00008
02 00009
02 00010
02 00011
02 00012
02 00013
02 00014
02 00015
02 00016
02 00017
02 00018
02 00019
02 00020
02 00021
02 00022
02 00024
02 00025
02 00026
02 00027
02 00028
02 00029
02 00030
02 00031
02 00032
02 00033
02 00034
02 00035
02 00036
02 00037
02 00038
02 00039
02 00040
02 00041
02 00042
02 00043
02 00044
02 00045
02 00046
02 00047
02 00048
02 00049
02 00050
02 00051
02 00052
02 00053
02 00054
02 00055
02 00056
02 00057
02 00058
02 00059
02 00060
02 00061
02 00062
02 00063
02 00064
02 00065
02 00066
02 00067
02 00068
02 00069
02 00070
02 00071
02 00072
02 00073
02 00074
02 00075
02 00076
02 00077
02 00078
02 00079
02 00080
02 00081
02 00082

```



```

000071 000063 R
000072 006010 A 83 CBA17 LDAI ' - ' MINUS SIGN 02 00083
000073 000255 A
000074 056006 A 84 STA 6,B STORE MINUS SIGN IN STRING 02 00084
000075 001000 A 85 JMP CBA40 02 00085
000076 000116 R
86 *
87 * OCTAL CONVERSION 02 00086
88 * 02 00087
89 CBA20 EQU * 02 00088
90 LDXI CBA60-6 (X) = STRING POINTER 02 00089
91 LLRL 1 ROTATE 1ST BIT INTO (A) 02 00091
92 * 02 00092
93 * OCTAL CONVERSION LOOP 02 00093
94 * 02 00094
95 CBA30 EQU * 02 00095
96 ADDI 0260 CONVERT DIGIT TO ASCII 02 00096
97 STA 6,X STORE CHAR IN STRING 02 00097
98 INCR 045 BUMP POINTER 02 00098
99 SUBI CBA60 02 00099
100 JAP CBA40 JUMP IF 6 CHARS CONVERTED 02 00100
101 TZA 02 00101
102 LLRL 3 SHIFT NEXT OCTAL DIGIT TO (A) 02 00102
103 JMP CBA30 CONVERT NEXT CHAR 02 00103
104 * 02 00104
105 * PACK CHARACTERS 02 00105
106 * 02 00106
107 CBA40 EQU * 02 00107
108 LDA 0,X DIGIT 1 02 00108
109 LRLA 8 02 00109
110 DRA 1,X DIGIT 2 02 00110
111 STA 0,X 02 00111
112 LDA 2,X DIGIT 3 02 00112
113 LRLA 8 02 00113
114 DRA 3,X DIGIT 4 02 00114
115 STA 1,X 02 00115
116 LDA 4,X DIGIT 5 02 00116
117 LRLA 8 02 00117
118 DRA 5,X DIGIT 6 02 00118
119 STA 2,X 02 00119
120 TXA 02 00120
121 LDB BSAVE 02 00121
122 LDX CBA80 RETURN ADDR 02 00122
123 IJMP 1,X RETURN 02 00123
124 CBA50 DATA 10000 POWER OF TEN TABLE 02 00124
125 DATA 1000 02 00125
126 DATA 100 02 00126
127 DATA 10 02 00127
128 DATA 1 02 00128
129 CBA60 BSS 6 WORKING STORAGE 02 00129
130 CBA70 BSS 1 ZERO SUPPRESS SWITCH 02 00130
131 CBA80 BSS 1 RETURN ADDRESS 02 00131
132 N240 DATA 0240 ASCII BLANK 02 00132
133 BSAVE DATA 0 02 00133
134 CBSGN DATA 0 VALUE SIGN FLAG 02 00134
135 END 02 00135

```

ENTRY NAMES

000000 R CB2A  
EXTERNAL NAMES

SYMBOLS  
000002 A B 000425 A BS4 000155 R BSAVE 000003 R CB2  
000000 R CB2A 000010 R CB5 000030 R CBA10 000037 R CBA15  
000057 R CBA15A 000063 R CBA16 000072 R CBA17 000077 R CBA20  
000102 R CBA30 000116 R CBA40 000023 R CBA5 000137 R CBA50  
000144 R CBA60 000152 R CBA70 000153 R CBA80 000156 R CBSGN  
000154 R N240 000001 A X  
0 ERRORS ASSEMBLY COMPLETE

```

21 B 31 33 78 84
22 BS4 58
133 BSAVE 28 121
30 CB2 32
26 CB2A 24 25
53 CBA10 68
60 CBA15 57
73 CBA15A 70
77 CBA16 82
83 CBA17 80
89 CBA20 36
95 CBA30 103
107 CBA40 73 85 100
45 CBA5 42
124 CBA50 49 67
129 CBA60 48 90 99
130 CBA70 35 59 64 69
131 CBA80 27 122

```



E.2 VORTEX LISTING

CB2A

PROGRAM PAGE 3

LISTING PAGE ( 263 )

134	CBSGN	41	74							
132	N240	47	63	79						
20	X	29	55	56	62	65	72	97	108	110
		111	112	114	115	116	118	119	123	



```

1 *          SUBROUTINE--CA2B                                01 00001
2 *          PURPOSE--TO CONVERT A DECIMAL OR OCTAL ASCII NUMBER TO BINARY 01 00002
3 *          CALLING SEQUENCE                                01 00003
4 *          JSR      CA2B,X                                  01 00004
5 *          DATA   ASCII STRING ADDR (COMPL=LEFT BYTE, POS=RIGHT) 01 00005
6 *          DATA   ADDR OF TERMINATION CHAR BLOCK          01 00006
7 *          EXIT PARAMETERS                                01 00007
8 *          (A) = BINARY VALUE                             01 00008
9 *          (B) = NEXT BYTE ADDR                           01 00009
10 *          OVFL SET IF AN ILLEGAL CHAR ENCOUNTERED      01 00010
11 *
12 *          000001 A 18 X      EQU      1                    01 00011
13 *          000002 A 19 B      EQU      2                    01 00012
14 *          000471 A 20 TEN     EQU      0471                 01 00013
15 *          000463 A 21 RHW     EQU      0463                 01 00014
16 *          000000 R 22 CA2B   EQU      *                    01 00015
17 *          074163 A 23         EQU      *                    01 00016
18 *          006010 A 24         EQU      *                    01 00017
19 *          000270 A 25         EQU      *                    01 00018
20 *          034170 A 26         EQU      *                    01 00019
21 *          015001 A 27         EQU      *                    01 00020
22 *          034161 A 28         EQU      *                    01 00021
23 *          005101 A 29         EQU      *                    01 00022
24 *          054161 A 30         EQU      *                    01 00023
25 *          005002 A 31         EQU      *                    01 00024
26 *          035000 A 32         EQU      *                    01 00025
27 *          000012 R 33         EQU      *                    01 00026
28 *          002000 A 34         EQU      *                    01 00027
29 *          000142 R 35         EQU      *                    01 00028
30 *          005012 A 36         EQU      *                    01 00029
31 *          006140 A 37         EQU      *                    01 00030
32 *          000253 A 38         EQU      *                    01 00031
33 *          001016 A 39         EQU      *                    01 00032
34 *          000024 R 40         EQU      *                    01 00033
35 *          054147 A 41         EQU      *                    01 00034
36 *          001000 A 42         EQU      *                    01 00035
37 *          000012 R 43         EQU      *                    01 00036
38 *          006140 A 44         EQU      *                    01 00037
39 *          000003 A 45         EQU      *                    01 00038
40 *          001010 A 46         EQU      *                    01 00039
41 *          000064 R 47         EQU      *                    01 00040
42 *          006010 A 48         EQU      *                    01 00041
43 *          000272 A 49         EQU      *                    01 00042
44 *          054141 A 50         EQU      *                    01 00043
45 *          005021 A 51         EQU      *                    01 00044
46 *          005002 A 52         EQU      *                    01 00045
47 *          001000 A 53         EQU      *                    01 00046
48 *          000041 R 54         EQU      *                    01 00047
49 *          000037 R 55         EQU      *                    01 00048
50 *          002000 A 56         EQU      *                    01 00049
51 *          000142 R 57         EQU      *                    01 00050
52 *          000041 R 58         EQU      *                    01 00051
53 *          002000 A 59         EQU      *                    01 00052
54 *          000136 R 60         EQU      *                    01 00053
55 *          000055 R 61         EQU      *                    01 00054
56 *          160471 A 62         EQU      *                    01 00055
57 *          002000 A 63         EQU      *                    01 00056
58 *          000142 R 64         EQU      *                    01 00057
59 *          002000 A 65         EQU      *                    01 00058
60 *          000136 R 66         EQU      *                    01 00059
61 *          000055 R 67         EQU      *                    01 00060
62 *          024113 A 68         EQU      *                    01 00061
63 *          001026 A 69         EQU      *                    01 00062
64 *          000161 R 70         EQU      *                    01 00063
65 *          005211 A 71         EQU      *                    01 00064
66 *          005111 A 72         EQU      *                    01 00065
67 *          001000 A 73         EQU      *                    01 00066
68 *          000161 R 74         EQU      *                    01 00067
69 *          000064 R 75         EQU      *                    01 00068
70 *          005002 A 76         EQU      *                    01 00069
71 *          002000 A 77         EQU      *                    01 00070
72 *          000142 R 78         EQU      *                    01 00071
73 *          002000 A 79         EQU      *                    01 00072
74 *          000136 R 80         EQU      *                    01 00073
75 *          000055 R 81         EQU      *                    01 00074

```



```

000072 004043 A 74 LRLB 3
000073 005032 A 75 MERG 032 CONVERT TO OCTAL
000074 001000 A 76 JMP CAB020+1
000075 000065 R
77 *
78 * TERM--CHECK IF CHAR IS A LEGAL TERMINATOR CHAR
79 * SET OVFL IF ILLEGAL
80 *
000076 064073 A 81 TRM10 STB TRB SAVE B REG
000077 024066 A 82 LDB CAB90
000100 026001 A 83 LDB 1,B TERM CHAR BLOCK ADDR
000101 016000 A 84 TRM20 LDA 0,B TERM CHAR
000102 001010 A 85 JAZ TRM30 IF END OF BLOCK
000103 000112 R
000104 144066 A 86 SUB TRCHR CURRENT CHAR
000105 001010 A 87 JAZ TRM40 IF A TERMINATION CHAR
000106 000126 R
000107 005122 A 88 IBR
000110 001000 A 89 JMP TRM20 CHECK NEXT TERM CHAR
000111 000101 R
000112 014060 A 90 TRM30 LDA TRCHR CURRENT CHAR
000113 144060 A 91 SUB MAX
000114 001002 A 92 JAP TRM50 IF AN ILLEGAL CHAR
000115 000133 R
000116 014054 A 93 LDA TRCHR CURRENT CHAR
000117 144050 A 94 SUB N260
000120 001004 A 95 JAN TRM50 IF ILLEGAL CHAR
000121 000133 R
000122 024047 A 96 LDB TRB
000123 044012 A 97 INR TERM UPDATE RETURN
000124 001000 A 98 RETUM* TERM
000125 100136 R
000126 024007 A 99 TRM40 LDB TERM
000127 026000 A 100 LDB 0,B
000130 014041 A 101 LDA TRB
000131 006706 A 102 IJMP 0,B TERM CHAR FOUND ADDR
000132 000000 A
000133 007401 A 103 TRM50 SDF
000134 001000 A 104 JMP CAB50+1 INDICATE ILLEGAL CHAR AND EXIT
000135 000162 R
000136 000000 A 105 TERM ENTR
000137 054033 A 106 STA TRCHR SAVE CHAR
000140 001000 A 107 JMP TRM10
000141 000076 R
108 *
109 * FETCH--FETCH NEXT BYTE (X=BYTE ADDR, LT 0=LEFT, GT 0=RIGHT)
110 * RETURN--(X) = NEXT BYTE ADDR, (A) = BYTE (RIGHT JUST)
111 *
000142 000000 A 112 FETCH ENTR
000143 005041 A 113 TXA
000144 001004 A 114 JAN FET10 IF LEFT BYTE
000145 000154 R
000146 015000 A 115 LDA 0,X
000147 150463 A 116 ANA R1W FETCH RIGHT BYTE
000150 005144 A 117 IXR
000151 005244 A 118 CPX SET FOR NEXT BYTE
000152 001000 A 119 RETUM* FETCH
000153 100142 R
000154 005244 A 120 FET10 CPX
000155 015000 A 121 LDA 0,X
000156 004350 A 122 LSR# 8 FETCH LEFT BYTE
000157 001000 A 123 RETUM* FETCH
000160 100142 R
000161 000161 R 124 CAB50 EQU *
000162 007400 A 125 RDF CLEAR ERROR INDICATOR
000163 044003 A 126 INR CAB90
000164 044002 A 127 INR CAB90 UPDATE RETURN ADDR
000165 005042 A 128 TXB NEXT BYTE ADDR
000166 000000 A 129 JMP 0 RETURN
000167 000000 A 130 CAB90 RES 0
000170 000260 A 131 CABTCB DATA 0 TERM CHAR BLOCK ADDR
000171 000000 A 132 N260 DATA 0260
000172 000000 A 133 CASGN DATA 0 SIGN FLAG
000173 000000 A 134 TRB DATA 0
000174 000000 A 135 TRCHR DATA 0 CURRENT CHAR
000175 000000 A 136 MAX DATA 0 MAX NUMERIC CHAR+1 (SET BY CA2B)
000176 000000 A 137 END

```

ENTRY NAMES  
 000000 R CA2B 000142 R FETCH  
 EXTERNAL NAMES  
 SYMBOLS  
 000002 A B 000000 R CA2B 000037 R CAB010 000041 R CAB012  
 000055 R CAB015 000064 R CAB020 000012 R CAB05 000024 R CAB07  
 000161 R CAB350 000166 R CAB90 000171 R CABTCB 000171 R CASGN  
 000154 R FET10 000142 R FETCH 000174 R MAX 000170 R N260  
 000463 A R1W 000471 A TEN 000136 R TERM 000172 R TRB  
 000173 R TRCHR 000076 R TRM10 000101 R TRM20 000112 R TRM30  
 000126 R TRM40 000133 R TRM50 000001 A X  
 0 ERRORS ASSEMBLY COMPLETE



## E.2 VORTEX LISTING

CA2B

PROGRAM PAGE 3

LISTING PAGE ( 266 )

25	CA2B	23	24					
49	CAB010	60						
51	CAB012	48						
61	CAB015	52	58	73				
70	CAB020	43	76					
35	CAB05	41						
42	CAB07	39						
124	CAB50	63	66	104				
130	CAB90	26	82	126	127			
131	CABTCE	30						
133	CASGN	32	40	62				
120	FET10	114						
112	FETCH	24	36	50	57	72	119	123
136	MAX	28	45	91				
132	N260	94						
21	RHW	116						
20	TEN	56	59					
105	TERM	52	58	73	97	98	99	
134	TRB	81	96	101				
135	TRCHR	86	90	93	106			
81	TRM10	107						
84	TRM20	89						
90	TRM30	85						
99	TRM40	87						
103	TRM50	92	95					
18	X	29	34	115	121			



```

1  *
2  *      SUBROUTINE--MOVE
3  *
4  *      PURPOSE--TO MOVE A BLOCK OF N WORDS FROM ADDR F TO ADDR T
5  *
6  *      CALLING SEQUENCE
7  *
8  *      JSR      MOVE,X
9  *      DATA   N
10 *      DATA  F
11 *      DATA  T
12 *
13 *      EXIT PARAMETERS
14 *      (A) AND (B) RESTORED
15 *
16 X      EQU      1
17 B      EQU      2
18
19 *      TITLE   MOVE
20 *      NAME    MOVE
21 *      MOVE
22 *      EQU     *
23 *      STX    MOV50      SAVE RETURN ADDRESS
24 *      STA    ASAVE
25 *      STB    BSAVE
26 *      LDA    0,X
27 *      CPA
28 *      IAR
29 *      LRLA   1
30 *      LSRA   1
31 *      STA    MOV40      CLEAR SIGN
32 *      LDA    1,X
33 *      SUB    2,X
34 *      JAN    MOV20      SAVE AS LOOP COUNT
35 *                                     GET F ADDRESS
36 *                                     - T ADDRESS
37 *      LDB    1,X
38 *      LDX    2,X
39 *      RDF
40 *      MOVE FORWARD
41 *      MOV10  EQU     *
42 *      LDA    0,B
43 *      STA    0,X
44 *      IER
45 *      IXR
46 *      INR    MOV40      BUMP LOOP COUNT
47 *      JOFN   MOV10      MOVE NEXT WORD
48 *      LDX    MOV50      GET RETURN ADDRESS
49 *      IJMP   3,X
50 *      MOVE REVERSE
51 *      MOV20  EQU     *
52 *      LDA    1,X
53 *      ADD    0,X
54 *      TAB
55 *      LDA    2,X
56 *      ADD    0,X
57 *      TAX
58 *      RDF
59 *      MOV30  EQU     *
60 *      DBR
61 *      DXR
62 *      LDA    0,B
63 *      STA    0,X
64 *      INR    MOV40      GET WORD
65 *      JOFN   MOV30      STORE WORD
66 *      LDA    ASAVE      BUMP POINTERS
67 *      LDB    BSAVE
68 *      LDX    MOV50      BUMP LOOP COUNT
69 *      IJMP   3,X
70 *      MOV40  BSS     1
71 *      MOV50  BSS     1
72 *      ASAVE  DATA   0
73 *      BSAVE  DATA   0
74 *      END
75
000001 A
000002 A
000000 R
000000 A
000001 A
000002 A
000003 A
000004 A
000005 A
000006 A
000007 A
000010 A
000011 A
000012 A
000013 A
000014 R
000015 A
000016 A
000017 A
000020 R
000021 A
000022 A
000023 A
000024 A
000025 A
000026 R
000027 A
000030 A
000031 A
000032 R
000033 A
000034 A
000035 A
000036 A
000037 A
000040 A
000041 R
000042 A
000043 A
000044 A
000045 A
000046 A
000047 R
000050 A
000051 A
000052 A
000053 A
000054 A
000055 R
000056 R
000057 A
000060 A

```

ENTRY NAMES  
000000 R MOVE  
EXTERNAL NAMES  
SYMBOLS

000057 R ASAVE 000002 A B 000060 R BSAVE 000020 R MOV10  
000032 R MOV20 000041 R MOV30 000055 R MOV40 000056 R MOV50  
000000 R MOVE 000001 A X

0 ERRORS ASSEMBLY COMPLETE

73 ASAVE 23 67  
17 B 41 63  
74 BSAVE 24 68  
40 MOV10 46



E.2 VORTEX LISTING

MOVE

PROGRAM PAGE 2

LISTING PAGE ( 268)

52	MOV20	33								
60	MOV30	66								
71	MOV40	30	45	65						
72	MOV50	22	47	69						
21	MOVE	19	20							
16	X	25	31	32	34	35	42	48	53	54
		56	57	64	70					



```

1  *
2  *      SUBROUTINE--CTIME
3  *
4  *      PURPOSE--TO CONVERT THE TIME OF DAY TO AN ASCII STRING
5  *                OF THE FORM:  HH:MM:SS.MMM
6  *
7  *      CALLING SEQUENCE
8  *
9  *      JSR      CTIME,X
10 *
11 *      EXIT PARAMETERS
12 *      (A) = ADDR OF ASCII STRING
13 *      (B) RESTORED
14 *
15 *      NAME      CTIME
16 *      TITLE     CTIME
17 *      EQU       1
18 *      EQU       2
19 *      SIX      EQU      0466
20 *      TEN     EQU      0471
21 *      CTIME   EQU      *
22 *      STB     BSAVE
23 *      STX     XSAVE
24 *
25 *      STA      TMS      SAVE MS
26 *      TZA
27 *      DIV     TEN      GET L.O. MIN IN (A)
28 *      LRLA   8
29 *      ADDI   '0:'
30 *
31 *      STA      CTBLK+2  STORE IN STRING
32 *      TZA
33 *      DIV     SIX      GET H.O. MIN
34 *      ADDI   ':0'
35 *
36 *      STA      CTBLK+1  STORE IN STRING
37 *      TZA
38 *      DIV     TEN      GET HOURS
39 *      LRLA   8
40 *      LRLA   24      L.O.
41 *      ADD    CTM10    H.O.
42 *      STA      CTBLK    STORE IN STRING
43 *      LDB    TMS      MILLISECONDS
44 *      TZA
45 *      DIVI   2000     10 S IN (B), 1 S IN (A)
46 *
47 *      STA      TMS
48 *      TBA
49 *      LRLA   8
50 *      STA      CTBLK+3  H.O. SEC
51 *      LDB    TMS
52 *      TZA
53 *      DIVI   200
54 *
55 *      STA      TMS
56 *      TBA
57 *      ADDI   '00'
58 *
59 *      CTM10  BEB      0
60 *      ADD    CTBLK+3
61 *      STA      CTBLK+3
62 *      TZA
63 *      LDB    TMS      MILLISECONDS
64 *      DIVI   20      GET 100 MS COUNT
65 *
66 *      STA      TMS
67 *      TBA
68 *      ADDI   '.0'
69 *
70 *      STA      CTBLK+4
71 *      TZA
72 *      LDB    TMS      MILLISECONDS
73 *      DIVI   2      GET 10 MS COUNT
74 *
75 *      LRLB   8
76 *      MERGE  031
77 *      ADDI   '00'
78 *
79 *      STA      CTBLK+5
80 *      LDB    CTBLK
81 *
82 *      LDB    BSAVE
83 *      LDB    XSAVE
84 *      IJMP   0,X
85 *
86 *      TMS    DATA    0      MILLISECOND COUNT
87 *      BSAVE  DATA    0
88 *      XSAVE  DATA    0
89 *      CTBLK  DATA    'HH:MM:SS.MMM'  ASCII STRING STORAGE

```



000105 135315 A  
000106 146672 A  
000107 151723 A  
000110 127315 A  
000111 146715 A

80 END

00 00080

ENTRY NAMES  
000000 R CTIME  
EXTERNAL NAMES  
000000 E V\$EXEC

SYMBOLS  
000002 A B 000102 R BSAVE 000104 R CTBLK 000000 R CTIME  
000046 R CTM10 000466 A SIX 000471 A TEN 000101 R TMS  
000000 E V\$EXEC 000001 A X 000103 R XSAVE  
0 ERRORS ASSEMBLY COMPLETE

77	BSAVE	22	72							
79	CTBLK	30	34	40	47	55	56	63	70	71
21	CTIME	15	16							
54	CTM10	39								
19	SIX	32								
20	TEN	27	36							
76	TMS	25	41	44	48	51	58	60	65	
17	X	74								
78	XSAVE	23	73							



```

1 * THIS IS A COPYRIGHTED PROGRAM. COPYRIGHT BY VARIAN DATA MACHINE 01 00001
2 * V.D.M. PART NO. 01 00002
3 * 01 00003
4 * 01 00004
5 * 01 00005
6 * 01 00006
7 * 01 00007
8 * 01 00008
9 * 01 00009
10 * 01 00010
11 * ***** 01 00011
12 * 01 00012
13 * 01 00013
14 * DELAY REQUEST - FORTRAN TO RTE INTERFACE ROUTINE 01 00014
15 * FORTRAN CALL 01 00015
16 * CALL LDELAY (P1,P2,P3,P4) 01 00016
17 * WHERE 01 00017
18 * P1 = DELAY TIME IN 5 MILLISECOND INCREMENTS (INTEGER) 01 00018
19 * P2 = DELAY TIME IN 1 MINUTE INCREMENTS (INTEGER) 01 00019
20 * P3 = LIB, LOGICAL UNIT NUMBER (INTEGER) 01 00020
21 * P4 = KEY CHARACTER (RIGHT JUSTIFIED INTEGER VALUE) 01 00021
22 * RTE MACRO CALL 01 00022
23 * LDELAY P1,P2,P3,P4 01 00023
24 * 01 00024
25 * ***** 01 00025
26 * 01 00026
27 * NAME LDELAY 01 00027
28 * THREE EQU 0464 01 00028
29 * BMS EQU 0464 01 00029
30 * LDLAY STA SA+1 01 00030
31 * STB SB+1 01 00031
32 * STX SX+1 01 00032
33 * LDXI DEPM1 01 00033
34 * LDB 0,1 01 00034
35 * LDA 0,2 01 00035
36 * STA LDLAYQ+3 01 00036
37 * LDB 1,1 01 00037
38 * LDA 0,2 01 00038
39 * STA LDLAYQ+4 01 00039
40 * LDB 3,1 01 00040
41 * LDA 0,2 01 00041
42 * LRLA 8 01 00042
43 * LDB 2,1 01 00043
44 * ORA 0,2 01 00044
45 * STA LDLAYQ+5 01 00045
46 * SA LDAI *-# 01 00046
47 * SB LDBI *-# 01 00047
48 * LDLAYQ LDELAY 0,0,0,0 01 00048
49 * 01 00049
50 * 01 00050
51 * 01 00051
52 * 01 00052
53 * 01 00053
54 * 01 00054
55 * 01 00055

```

```

000000 054021 A
000001 064022 A
000002 074031 A
000003 006030 A
000004 000042 R
000005 025000 A
000006 016000 A
000007 054020 A
000010 025001 A
000011 016000 A
000012 054016 A
000013 025003 A
000014 016000 A
000015 004250 A
000016 025002 A
000017 116000 A
000020 054011 A
000021 006010 A
000022 000000 A
000023 006020 A
000024 000000 A
000025 006505 A
000026 000406 A
000027 001107 A
000030 000000 A
000031 000000 A
000032 000000 A
000033 006030 A
000034 000000 A
000035 001000 A
000036 000000 A
000036
000037 002000 A
000040 000000 E
000041 000004 A
000042
000046 001000 A
000047 000000 R

```

```

ENTRY NAMES
000036 R LDELAY
EXTERNAL NAMES
000040 E $SE 000000 E V$EXEC
SYMBOLS
000040 E $SE 000464 A BMS 000042 R DEPM1 000036 R LDELAY
000000 R LDLAY 000025 R LDLAYQ 000021 R SA 000023 R SB
000033 R SX 000464 A THREE 000000 E V$EXEC
0 ERRORS ASSEMBLY COMPLETE

```

```

0 $SE 51 52
53 DEPM1 32
50 LDELAY 10 26
29 LDLAY 54
47 LDLAYQ 35 38 44
45 SA 29
46 SB 30
48 SX 31

```



```

000001 A 1 VORTEX SET 1 00 00001
3 TITLE $6E 00 00003
5 ***** 00 00005
6 * * 00 00006
7 * DP INTEGER TO DP INTEGER POWER * 00 00007
8 * * 00 00008
9 * ($ 6 E ) * 00 00009
10 * * 00 00010
11 * FUNCTION: TO CALCULATE DP1**DP2, DP1 AND DP2 DP INTEGERS * 00 00011
12 * * 00 00012
13 * ENTRY: AB=DP1 * 00 00013
14 * * 00 00014
15 * CALLING SEQUENCE: JPM $6E * 00 00015
16 * DATA DP2 * 00 00016
17 * * 00 00017
18 * EXIT : AB=DP1**DP2 * 00 00018
19 * X SAVED * 00 00019
20 * * 00 00020
21 * ERRORS: DVFL SET * 00 00021
22 * * 00 00022
23 * AB=MAX DP INTEGER OF CORRECT SIGN * 00 00023
24 * * 00 00024
25 ***** 00 00025
27 ***** 00 00027
28 * ENTRIES * 00 00028
29 ***** 00 00029
31 NAME $6E 00 00031
33 ***** 00 00033
34 * EXTERNALS * 00 00034
35 ***** 00 00035
37 IFF VORTEX-4 00 00037
38 GOTO FRMWR2 00 00038
39 IFF VORTEX-2 00 00039
40 GOTO FRMWR1 00 00040
41 EXT $SE SOFTWARE PARAMETER XFER 00 00041
42 FRMWR1 CONT 00 00042
43 EXT $6M SOFTWARE DP INTEGER MULTIPLY 00 00043
44 FRMWR2 CONT 00 00044
46 ***** 00 00046
47 * SET BLOCK * 00 00047
48 ***** 00 00048
000040 A 50 ARST SET 040 TEST A-REG BIT SET 00 00050
000000 A 51 B0 SET 0 BIT 0 00 00051
000420 A 52 MT SET 0420 00 00052
000421 A 53 BS0 SET MT+1 00 00053
000460 A 54 BR15 SET MT+32 00 00054
000440 A 55 BS15 SET MT+16 00 00055
000001 A 56 X SET 1 X-REGISTER 00 00056
58 ***** 00 00058
59 * MACROS * 00 00059
60 ***** 00 00060
62 DIM MAC 00 00062
63 IFF VORTEX-4 00 00063
64 GOTO FRMWR1 00 00064
65 CALL $6M SOFTWARE DP INTEGER MULTIPLY 00 00065
66 DATA P(1) 00 00066
67 GOTO FRMWR2 00 00067
68 FRMWR1 CONT 00 00068
69 DATA 0105227 BCS DP INTEGER MULTIPLY 00 00069
70 DATA P(1) 00 00070
71 FRMWR2 CONT 00 00071
72 EMAC 00 00072
74 FSE MAC 00 00074
75 IFT VORTEX-2 00 00075
76 IFF VORTEX-4 00 00076
77 GOTO FRMWR1 00 00077
78 CALL $SE 00 00078
79 GOTO FRMWR2 00 00079
80 FRMWR1 CONT 00 00080
81 DATA 0105036 BCS PARAMETER XFER 00 00081
82 FRMWR2 CONT 00 00082
83 EMAC 00 00083
85 LDAB MAC 00 00085
86 IFT VORTEX-2 00 00086
87 IFF VORTEX-4 00 00087
88 GOTO FRMWR1 00 00088
89 LDA P(1) 00 00089
90 LDB P(1)+1 00 00090
91 GOTO FRMWR2 00 00091
92 FRMWR1 CONT 00 00092
93 DATA 0105032 BCS LOAD AB 00 00093
94 DATA P(1) 00 00094
95 FRMWR2 CONT 00 00095
96 EMAC 00 00096
98 LDABD1 MAC 00 00098
99 TZA 00 00099
100 INCR 2 00 00100
101 EMAC 00 00101
103 LDABX MAC 00 00103
104 LDA P(1),X 00 00104
105 LDB P(1)+1,X 00 00105
106 EMAC 00 00106
108 MDVPAP MAC 00 00108

```



```

109      IFT      VORTEX-2      00 00109
110      IFF      VORTEX-4      00 00110
111      GOTO     FRMWR1        00 00111
112      LDA      P(1)         00 00112
113      STA      P(2)         00 00113
114      GOTO     FRMWR2        00 00114
115  FRMWR1  CONT              00 00115
116      DATA   0105037      WCS 2 WORD MOVE AB 00 00116
117      DATA   P(1)         00 00117
118      DATA   P(2)         00 00118
119  FRMWR2  CONT              00 00119
120      EMAC                    00 00120
122  STAB   MAC                00 00122
123      IFT      VORTEX-2      00 00123
124      IFF      VORTEX-4      00 00124
125      GOTO     FRMWR1        00 00125
126      STA      P(1)         00 00126
127      STB      P(1)+1       00 00127
128      GOTO     FRMWR2        00 00128
129  FRMWR1  CONT              00 00129
130      DATA   0105033      BCS STORE AB    00 00130
131      DATA   P(1)         00 00131
132  FRMWR2  CONT              00 00132
133      EMAC                    00 00133
135  TEQ1AP  MAC                00 00135
136      LDA      P(1)         00 00136
137      DAB                    00 00137
138      JAZ      P(2)         00 00138
139      EMAC                    00 00139
141  TGEAP   MAC                00 00141
142      LDA      P(1)         00 00142
143      SUB      P(2)         00 00143
144      JAP      P(3)         00 00144
145      EMAC                    00 00145
147  TNAP    MAC                00 00147
148      LDA      P(1)         00 00148
149      JAN      P(2)         00 00149
150      EMAC                    00 00150
152  TNZAP   MAC                00 00152
153      LDA      P(1)         00 00153
154      JANZ     P(2)         00 00154
155      EMAC                    00 00155
157  TPAP    MAC                00 00157
158      LDA      P(1)         00 00158
159      JAP      P(2)         00 00159
160      EMAC                    00 00160
162  TRAP    MAC                00 00162
163      LDA      P(1)         00 00163
164      BT       BKST+P(2),P(3) 00 00164
165      EMAC                    00 00165
167 *****
168 * STORE DPS LOCALLY *      00 00168
169 *****
171 E66     STAB   DP1          SAVE DP1/INITIALIZE P=DP1**1 00 00171

000000 054174 A
000001 064174 A
000002 054174 A
000003 034160 A
172      STA      DP1SGF      SAVE DP1 SIGN      00 00172
173      LDX      E66PT       POINT X AT DP2      00 00173
175      LDABX                    GET DP2          00 00175

000004 015000 A
000005 025001 A
176      STAB   DP2          SAVE DP2/SET E=DP2(2) 00 00176

000006 054171 A
000007 064171 A
000010 064171 A
177      STB     DP2DEF      SAVE DP2 ODD/EVEN FLAG 00 00177
178 *****
179 * TEST FOR SPECIAL VALUES OF DPS * 00 00179
180 *****
000011 005031 A
000012 114162 A
000013 114162 A
000014 001010 A
000015 000121 R
000016 005021 A
000017 114160 A
000020 001010 A
000021 000143 R
000022 014152 A
000023 114152 A
000024 001016 A
000025 000033 R
182      MORG   001          00 00182
183      ORA    DP1          00 00183
184      ORA    DP1+1        00 00184
185      JAZ    E66EON      0**0 = ERROR      00 00185

000016 005021 A
000017 114160 A
000020 001010 A
000021 000143 R
000022 014152 A
000023 114152 A
000024 001016 A
000025 000033 R
186      TBA                    00 00186
187      ORA    DP2          00 00187
188      JAZ    E66ONE      I**0 = 1          00 00188

000022 014152 A
000023 114152 A
000024 001016 A
000025 000033 R
189      LDA    DP1          00 00189
190      ORA    DP1+1        00 00190
191      JANZ   E661         DP1=0 ?          00 00191

000026 014151 A
000027 001004 A
000030 000137 R
000031 001000 A
000032 000147 R
192      TNAP   DP2,E66D20   YES. 0**(-1) = OVFL 00 00192

000033 014141 A
000034 001016 A
000035 000042 R
193      JMP    E66ZER      0**(I) = 0          00 00193

000033 014141 A
000034 001016 A
000035 000042 R
194 E661    TNZAP   DP1,E662  DP1(1)=0 ?          00 00194

000036 014137 A
195      TEQ1AP DP1+1,E66ONE YES. 1**(I) = 1      00 00195

```



```

000037 005311 A
000040 001010 A
000041 000143 R
196 E662 TNAP DP2,E66ZER I**(-J) = 0 00 00196
000042 014135 A
000043 001004 A
000044 000147 R
000045 001016 A
000046 000125 R
197 JANZ E66D2 OVFL IF DP2(1) .NE. ZERO 00 00197
198 TGEAP DP2+1,KD30,E66D2D OVERFLOW IF DP2 .GE. 30 00 00198
000047 014131 A
000050 144123 A
000051 001002 A
000052 000137 R
199 *****
200 * EXPONENTIAL LOOP *
201 *****
203 MDVPAP BR15,E66CNT INITIALIZE LOOP COUNT 00 00199
000053 010460 A 00 00200
000054 054113 A 00 00201
204 E66L TRAP E66E,B0,E66LX IS EXPONENT BIT SET ? 00 00204
000055 014123 A
000056 006440 A
000057 000075 R
205 LDAB E66P YES 00 00205
000060 014114 A
000061 024114 A
000062 007400 A
000063 044104 A
000064 001001 A
000065 000073 R
206 RDF 00 00206
207 INR E66CNT BUMP COUNT 00 00207
208 JDF E66L1 SKIP MULTIPLY BY 1 ON 1ST LOOP 00 00208
209 DIM E66V SET V=V*P 00 00209
000066 002000 A
000067 000000 E
000070 000172 R
000071 001001 A
000072 000125 R
210 JDF E66D2 OVERFLOW ? 00 00210
211 E66L1 STAB E66V NO 00 00211
000073 054076 A
000074 064076 A
000075 014103 A
000076 004341 A
000077 054101 A
000100 001010 A
000101 000115 R
212 E66LX LDA E66E 00 00212
213 LSRA 1 00 00213
214 STA E66E GET NEXT BIT OF E 00 00214
215 JAZ E66LY FINISHED ? 00 00215
216 LDAB E66P NO 00 00216
000102 014072 A
000103 024072 A
217 DIM E66P SET P=P**2 00 00217
000104 002000 A
000105 000067 E
000106 000175 R
000107 001001 A
000110 000125 R
218 JDF E66D2 OVERFLOW ? 00 00218
219 STAB E66P NO 00 00219
000111 054063 A
000112 064063 A
000113 001000 A
000114 000055 R
220 JMP E66L LOOP TILL DONE 00 00220
221 E66LY LDAB E66V EXIT WITH AB=V 00 00221
000115 014054 A
000116 024054 A
000117 001000 A
000120 000155 R
222 JMP E66Y TAKE OK EXIT 00 00222
223 ***** 00 00223
224 * 0**0 ERROR * 00 00224
225 ***** 00 00225
227 E66EON LDABD1 SET AB=1 00 00227
000121 005001 A
000122 005102 A
000123 001000 A
000124 000152 R
228 JMP E66X TAKE ERROR EXIT 00 00228
229 ***** 00 00229
230 * DP2 OVERFLOW * 00 00230
231 ***** 00 00231
233 E66D2 TRAP DP1SGF,E66D2D IS DP1 NEGATIVE ? 00 00233
000125 014051 A
000126 001002 A
000127 000137 R
234 TRAP DP2DEF,B0,E66D2D YES. IS DP2 ODD ? 00 00234
000130 014051 A
000131 006440 A
000132 000137 R
235 LDA BS15 YES 00 00235
000133 010440 A 236 INCR 2 LOAD MAX NEG NUMBER 00 00236
000134 005102 A 237 JMP E66X TAKE ERROR EXIT 00 00237
000135 001000 A
000136 000152 R
238 ***** 00 00238
239 * 0**(-I) OVERFLOW * 00 00239
240 ***** 00 00240
242 E66D2D LDA BR15 LOAD AB WITH MAX POSITIVE NUMBER 00 00242
000137 010460 A 243 TAB 00 00243
000140 005012 A 244 JMP E66X TAKE ERROR EXIT 00 00244
000141 001000 A

```



```

000142 000152 R
245 *****
246 * RETURN 1 VALID *
247 *****
249 E66DNE LDABD1          SET AB=1
000143 005001 A
000144 005102 A
000145 001000 A 250          JMP          E66Y          TAKE OK EXIT
000146 000155 R
251 *****
252 * RETURN ZERO VALID *
253 *****
255 E66ZER ZERO          3          ZERO AB
000147 005003 A
000150 001000 A 256          JMP          E66Y          TAKE OK EXIT
000151 000155 R
257 *****
258 * INVALID EXIT *
259 *****
000152 007401 A 261 E66X          SDF          SET DVFL TO FLAG ERROR
000153 001000 A 262          JMP          E66Z
000154 000156 R
263 *****
264 * VALID EXIT *
265 *****
000155 007400 A 267 E66Y          RDF          RESET DVFL TO FLAG RESULT OK
000156 004012 A 269 E66Z          LDX          E66SVX      RESTORE X
000157 001000 A 270          JMP          0          EXIT
000160
271 *****
272 * ENTRY *
273 *****
000160
275 $6E          BES          0
276          FSE          XFER PARAMETERS
000161 002000 A
000162 000000 E
000163 000001 A 277          DATA          1
000164          BSS          1          POINTER TO DP2
000165 074003 A 279          STX          E66SVX      SAVE X
000166 001000 A 280          JMP          E66          JUMP BACK FOR FORWARD REF
000167 000000 R
000170 000000 A 281 E66CNT DATA          0          LOOP COUNT
000171 000000 A 282 E66SVX DATA          0          SAVE X-REG
000172 000000 A 283 E66V          DATA          0.0          CURRENT VALUE
000173 000000 A
000174 000036 A 284 KD30          DATA          30
000175 000000 A 285 DP1          DATA          0.0          DP1
000176 000000 A
000175 R 286 E66P          EQU          DP1          POWER: P = DP1**((2**I)
000177 000000 A 287 DP1SGF DATA          0          DP1 SIGN FLAG
000200 000000 A 288 DP2          DATA          0.0          DP2
000201 000000 A
000201 R 289 E66E          EQU          DP2+1          CURRENT EXPONENT
000202 000000 A 290 DP2DEF DATA          0          DP2 ODD/EVEN FLAG
000202 000000 A 291          END

```

ENTRY NAMES

000160 R \$6E

EXTERNAL NAMES

000105 E \$6M

000162 E \$6E

SYMBOLS

```

000160 R $6E          000105 E $6M          000162 E $6E          000040 A ARST
000000 A B0          000460 A BR15          000421 A BS0          000440 A BS15
000000 R E66          000030 R E661          000042 R E662          000170 R E66CNT
000201 R E66E          000121 R E66EDN          000055 R E66L          000073 R E66L1
000075 R E66LX          000115 R E66LY          000125 R E66D2          000137 R E66D2D
000143 R E66DNE          000175 R E66P          000164 R E66PT          000171 R E66SVX
000172 R E66V          000152 R E66X          000155 R E66Y          000156 R E66Z
000147 R E66ZER          000174 R KD30          000420 A NT          000175 R DP1
000177 R DP1SGF          000200 R DP2          000202 R DP2DEF          000001 A VORTEX
000001 A X

```

0 ERRORS ASSEMBLY COMPLETE

```

275 $6E          3          31
0 $6M          43          65
0 $6E          41          78
50 ARST          164
51 B0           204          234
54 BR15          203          242
55 BS15          235
171 E66          280
194 E661          191
196 E662          194
281 E66CNT          203          207
289 E66E          204          212          214
227 E66EDN          185
204 E66L          280
211 E66L1          208
212 E66LY          204
221 E66LY          215
233 E66D2          197          210          218
242 E66D2D          192          198          233          234
249 E66DNE          188          195
286 E66P          205          216          217          219

```







```

000001 A 1 VORTEX SET 1 00 00001
3 TITLE SFC 00 00003
5 ***** 00 00005
6 * 00 00006
7 * FIX REAL TO DP INTEGER ( $ F C ) 00 00007
8 * 00 00008
9 * FUNCTION: TO FIX A REAL R TO A DP INTEGER I 00 00009
10 * 00 00010
11 * ENTRY: AB = R 00 00011
12 * 00 00012
13 * CALLING SEQUENCE: JPM $FC CONVERT 00 00013
14 * 00 00014
15 * JPM $HS2 CONVERT/STORE IN DP 00 00015
16 * DATA DP 00 00016
17 * 00 00017
18 * EXIT : AB = I 00 00018
19 * DP = I IF $HS2 ENTRY 00 00019
20 * 00 00020
21 * ERRORS: OVERFLOW: OVFL SET 00 00021
22 * AB = MAX DP INTEGER OF CORRECT SIGN 00 00022
23 * SEE CALLED TO OUTPUT ' ARITH OVFL ' 00 00023
24 * 00 00024
25 ***** 00 00025
27 ***** 00 00027
28 * ENTRIES * 00 00028
29 ***** 00 00029
31 NAME $FC CONVERT ENTRY 00 00031
32 NAME $HS2 CONVERT/STORE ENTRY 00 00032
34 ***** 00 00034
35 * EXTERNALS * 00 00035
36 ***** 00 00036
38 EXT SEE ERROR MESSAGE PROCESSOR 00 00038
39 IFT VORTEX-2 00 00039
40 IFF VORTEX-4 00 00040
41 GOTO FRMR1 00 00041
42 EXT $SE 00 00042
43 FRMR1 CONT SOFTWARE PARAMETER XFER 00 00043
44 EXT XDCU NEGATE AB 00 00044
46 ***** 00 00046
47 * SET BLOCK * 00 00047
48 ***** 00 00048
000420 A 50 MT SET 0420 00 00050
000475 A 51 BM177 SET MT+45 00 00051
000460 A 52 BR15 SET MT+32 00 00052
000430 A 53 BS7 SET MT+8 00 00053
000430 A 54 D200 SET $S7 00 00054
000470 A 55 NINE SET MT+40 00 00055
000001 A 56 X SET 1 X-REGISTER 00 00056
58 ***** 00 00058
59 * MACROS * 00 00059
60 ***** 00 00060
62 FSE MAC 00 00062
63 IFT VORTEX-2 00 00063
64 IFF VORTEX-4 00 00064
65 GOTO FRMR1 00 00065
66 CALL $SE SOFTWARE PARAMETER XFER 00 00066
67 GOTO FRMR2 00 00067
68 FRMR1 CONT BCS PARAMETER XFER 00 00068
69 DATA 0105036 00 00069
70 FRMR2 CONT 00 00070
71 EMAC 00 00071
73 STABX MAC 00 00073
74 STA R(1),X 00 00074
75 STB R(1)+1,X 00 00075
76 EMAC 00 00076
78 ***** 00 00078
79 * TEST FOR NEGATIVE/ZERO * 00 00079
80 ***** 00 00080
000000 005004 A 82 C06 TZX CLEAR SIGN FLAG 00 00082
000001 001002 A 83 JAF *+4 IS R NEGATIVE ? 00 00083
000002 000005 R 00 00084
000003 005211 A 84 CPA YES. GET ABS VALUE 00 00084
000004 005304 A 85 DECR SET SIGN FLAG 00 00085
000005 074110 A 86 STX C36SGF STORE SIGN FLAG 00 00086
000006 054103 A 87 STA C36RH SAVE R(1) 00 00087
000007 004047 A 88 LSRA 7 GET EXPONENT 00 00088
000010 140430 A 89 SUB D200 SUBTRACT OFF BIAS 00 00089
000011 054100 A 90 STA C36E SAVE 00 00090
000012 014102 A 91 LDA C36RH RESTORE R(1) IN A 00 00091
000014 054100 A 92 ANA BM177 CLEAR EXPONENT FIELD 00 00092
000015 005031 A 93 STA C36RH 00 00093
000016 001010 A 94 MERG $S1 00 00094
000017 000046 R 95 JAZ C36Y R = 0.0 ? 00 00095
000020 014071 A 96 LDA C36C NO. GET EXPONENT 00 00096
000021 005311 A 97 DAR 00 00097
000022 001004 A 98 JAN C36ZER I = 0 IF ABS(R) .LT. 1.0 00 00098
000023 000064 F 00 00099
000024 144071 A 99 SUB D30 00 00099
000025 001002 A 100 JAF C36OVF OVERFLOW IF EXPONENT .GT. 30 00 00100
000026 000067 R 00 00101
000027 120470 P 101 ADD NINE 00 00101
000030 054057 A 102 LDX C36ALS 00 00102

```



000031	001002	A	103	JAP	C362	LEFT SHIFT ?	00	00103
000032	000036	R						
000033	034055	A	104	LDX	C36ARS	NO. RIGHT	00	00104
000034	005211	A	105	CPA		GET POSITIVE SHIFT COUNT	00	00105
000035	005111	A	106	IAR			00	00106
000036	005051	A	107	C362	MERG 051	CONSTRUCT SHIFT INSTRUCTION	00	00107
000037	054057	A	108	STA	C36SHF	STORE	00	00108
000040	014054	A	109	LDA	C36RH	RESTORE R(1) IN A	00	00109
000041	003000	A	110	XEC	C36SHF	EXECUTE SHIFT	00	00110
000042	000117	R						
000043	034052	A	111	LDX	C36SGF		00	00111
000044	002046	A	112	JXNZM	XDCD	NEGATE AB IF SIGN FLAG SET	00	00112
000045	000000	E						
			113	*****			00	00113
			114	* VALID EXIT *			00	00114
			115	*****			00	00115
000046	007400	A	117	C36Y	RDF	RESET OVFL TO FLAG OK	00	00117
			119	*****			00	00119
			120	* EXIT *			00	00120
			121	*****			00	00121
000047	034010	A	123	C36Z	LDX C36PT	POINT X AT OP	00	00123
			124		STABX 0	STORE R IN OP	00	00124
000050	055000	A						
000051	065001	A						
000052	034045	A	125	LDX	C36SVX	RESTORE X	00	00125
000053	001000	A	126	JMP	0	EXIT	00	00126
000054	000000	A						
			127	*****			00	00127
			128	* SHS2 ENTRY *			00	00128
			129	*****			00	00129
000054			131	\$HS2	BES 0		00	00131
			132		FSE	XFER PARAMETER	00	00132
000055	002000	A						
000056	000000	E						
000057	000001	A	133	DATA	1		00	00133
000060			134	C36PT	BSS 1		00	00134
000061	074036	A	135	STX	C36SVX	SAVE X	00	00135
000062	001000	A	136	JMP	C36	JUMP BACK FOR FORWARD REF	00	00136
000063	000000	R						
			137	*****			00	00137
			138	* VALID ZERO EXIT *			00	00138
			139	*****			00	00139
000064	005003	A	141	C36ZER	ZERO 3	LOAD AB = 0	00	00141
000065	001000	A	142	JMP	C36Y	TAKE OK EXIT	00	00142
000066	000046	R						
			143	*****			00	00143
			144	* OVERFLOW *			00	00144
			145	*****			00	00145
000067	005003	A	147	C36OVF	ZERO 3		00	00147
000070	002000	A	148		CALL \$EE	OUTPUT * ARITH OVFL *	00	00148
000071	000000	E						
000072	010460	A	149	LDA	BR15	LOAD MAX DP INTEGER	00	00149
000073	005012	A	150	TAB			00	00150
000074	034021	A	151	LDX	C36SGF		00	00151
000075	002046	A	152	JXNZM	XDCD	NEGATE AB IF SIGN FLAG SET	00	00152
000076	000045	E						
000077	007401	A	153	SDF		SET OVFL TO FLAG ERROR	00	00153
000100	001000	A	154	JMP	C36Z	EXIT	00	00154
000101	000047	R						
			155	*****			00	00155
			156	* \$FC ENTRY *			00	00156
			157	*****			00	00157
000102	000000	A	159	\$FC	ENTR		00	00159
000103	002000	A	160		CALL \$HS2		00	00160
000104	000054	R						
000105	000113	R	161	PZE	C36DP	DP ADDRESS	00	00161
000106	001000	A	162	JMP*	\$FC	EXIT	00	00162
000107	100102	R						
000110	004400	A	163	C36ALS	LASL 0	LEFT SHIFT INSTRUCTION FRAME	00	00163
000111	004500	A	164	C36ARS	LASR 0	RIGHT SHIFT INSTRUCTION FRAME	00	00164
000112	000000	A	165	C36E	DATA 0	EXPONENT	00	00165
000113	000000	A	166	C36DP	DATA 0,0	STORE I	00	00166
000114	000000	A						
000115	000000	A	167	C36RH	DATA 0	R(1)	00	00167
000116	000000	A	168	C36SGF	DATA 0	SIGN FLAG	00	00168
000117	000000	A	169	C36SHF	DATA 0	SHIFT INSTRUCTION	00	00169
000120	000000	A	170	C36SVX	DATA 0	SAVE X	00	00170
000121	000036	A	171	D30	DATA 30		00	00171
			172	END			00	00172

ENTRY NAMES  
 000102 R \$FC  
 EXTERNAL NAMES  
 000071 E \$EE  
 SYMBOLS  
 000071 E \$EE  
 000475 A BM177  
 000036 R C362  
 000113 R C36DP  
 000116 R C36SGF  
 000047 R C36Z  
 000470 A NINE  
 000076 E XDCD  
 000054 R \$HS2  
 000056 E \$SE  
 000076 E XDCD  
 000102 R \$FC  
 000460 A BR15  
 000110 R C36ALS  
 000067 R C36OVF  
 000117 R C36SHF  
 000064 R C36ZER  
 000430 A D200  
 000054 R \$HS2  
 000430 A BS7  
 000111 R C36ARS  
 000060 R C36PT  
 000120 R C36SVX  
 000121 R D30  
 000001 A VORTEX  
 000056 E \$SE  
 000000 R C36  
 000112 R C36E  
 000115 R C36RH  
 000046 R C36Y  
 000420 A MT  
 000001 A X



0	\$EE	38	148			
159	\$FC	3	31	162		
131	\$HS2	32	160			
0	\$SE	42	66			
51	BM177	92				
52	BR15	149				
53	BS7	54				
82	CS6	136				
107	CS62	103				
163	CS6ALS	102				
164	CS6ARS	104				
165	CS6E	90	96			
166	CS6DP	161				
147	CS6DVF	100				
134	CS6PT	123				
167	CS6RH	87	91	93	109	
168	CS6SGF	86	111	151		
169	CS6SHF	108	110			
170	CS6SVX	125	135			
117	CS6Y	95	142			
123	CS6Z	154				
141	CS6ZER	98				
171	D30	99				
43	FRMWR1	41	65			
70	FRMWR2	67				
50	NT	51	52	53	55	
55	NINE	101				
54	Q200	89				
0	P	74	75			
1	VORTEX	39	40	63	64	
56	X	74	75			
0	XDCD	44	112	152		



```

000001 A 1 VORTEX SET 1 00 00001
3 TITLE $D2 00 00003
5 ***** 00 00005
6 * 00 00006
7 * DP INTEGER DO-TERMINATION ($D2) * 00 00007
8 * 00 00008
9 * FUNCTION: TO TERMINATE A DO-LOOP WHEN ALL PARAMS ARE DP INTEGERS * 00 00009
10 * 00 00010
11 * ENTRY: NO SPECIAL CONDITIONS * 00 00011
12 * 00 00012
13 * CALLING SEQUENCE: JMPM $D2 * 00 00013
14 * DATA ADDRESS OF DO-INCREMENT I * 00 00014
15 * DATA ADDRESS OF DO-VARIABLE V * 00 00015
16 * DATA ADDRESS OF DO-LIMIT L * 00 00016
17 * DATA ADDRESS OF LOOP RETURN R * 00 00017
18 * 00 00018
19 * EXIT : V = V+I * 00 00019
20 * X,A REGS DESTROYED * 00 00020
21 * TO R IF V.LE.L * 00 00021
22 * OTHERWISE DROP THRU * 00 00022
23 * 00 00023
24 ***** 00 00024
26 ***** 00 00026
27 * ENTRIES * 00 00027
28 ***** 00 00028
30 NAME $D2 00 00030
32 ***** 00 00032
33 * EXTERNALS * 00 00033
34 ***** 00 00034
36 IFF VORTEX-4 00 00036
37 GOTO FRMWR1 00 00037
38 EXT $6K SOFTWARE DP INTEGER ADD 00 00038
39 EXT $6L SOFTWARE DP INTEGER SUBTRACT 00 00039
40 FRMWR1 CONT 00 00040
42 ***** 00 00042
43 * SET BLOCK * 00 00043
44 ***** 00 00044
000420 A 46 MT SET 0420 00 00046
000460 A 47 BR15 SET MT+32 00 00047
000002 A 48 B SET 2 B-REGISTER 00 00048
000001 A 49 X SET 1 X-REGISTER 00 00049
51 ***** 00 00051
52 * MACROS * 00 00052
53 ***** 00 00053
55 DIA MAC 00 00055
56 IFF VORTEX-4 00 00056
57 GOTO FRMWR1 00 00057
58 CALL $6K SOFTWARE DP INTEGER ADD 00 00058
59 DATA P(1) 00 00059
60 GOTO FRMWR2 00 00060
61 FRMWR1 CONT 00 00061
62 DATA 0105334 BCS DP INTEGER ADD 00 00062
63 DATA P(1) 00 00063
64 FRMWR2 CONT 00 00064
65 EMAC 00 00065
67 DILD MAC 00 00067
68 IFT VORTEX-2 00 00068
69 IFF VORTEX-4 00 00069
70 GOTO FRMWR1 00 00070
71 LDX *+4 POINT X AT DP 00 00071
72 LDA 0,X GET DP IN AB 00 00072
73 LDB 1,X 00 00073
74 DATA 01006 SKIP 00 00074
75 GOTO FRMWR2 00 00075
76 FRMWR1 CONT 00 00076
77 DATA 0105032 BCS LOAD AB 00 00077
78 FRMWR2 CONT 00 00078
79 EMAC 00 00079
80 DIS MAC 00 00080
81 IFF VORTEX-4 00 00081
82 GOTO FRMWR1 00 00082
83 CALL $6L SOFTWARE DP INTEGER SUBTRACT 00 00083
84 DATA P(1) 00 00084
85 GOTO FRMWR2 00 00085
86 FRMWR1 CONT 00 00086
87 DATA 0105374 BCS DP INTEGER SUBTRACT 00 00087
88 DATA P(1) 00 00088
89 FRMWR2 CONT 00 00089
90 EMAC 00 00090
92 DIST MAC 00 00092
93 IFT VORTEX-2 00 00093
94 IFF VORTEX-4 00 00094
95 GOTO FRMWR1 00 00095
96 LDX *+4 POINT X AT DP 00 00096
97 STA 0,X STORE DP 00 00097
98 STB 1,X 00 00098
99 DATA 01006 SKIP 00 00099
100 GOTO FRMWR2 00 01000
101 FRMWR1 CONT 00 01001
102 DATA 0105033 BCS STORE AB 00 01002
103 FRMWR2 CONT 00 01003
104 EMAC 00 01004
000000 000000 A 106 $D2 ENTR 00 01006
    
```







```

000001 A 1 VORTEX SET 1 00 00001
3 TITLE $TC 00 00003
5 ***** 00 00005
6 * 00 00006
7 * FLOAT DP INTEGER ( $TC ) * 00 00007
8 * 00 00008
9 * FUNCTION: TO FLOAT A DP INTEGER I TO A REAL R 00 00009
10 * 00 00010
11 * ENTRY: AB = I 00 00011
12 * 00 00012
13 * CALLING SEQUENCE: JPM $TC CONVERT 00 00013
14 * 00 00014
15 * JPM $Q$2 CONVERT/STORE 00 00015
16 * DATA DP 00 00016
17 * 00 00017
18 * EXIT : AB = R 00 00018
19 * DP = R IF $Q$2 ENTRY 00 00019
20 * 00 00020
21 ***** 00 00021
23 ***** 00 00023
24 * ENTRIES * 00 00024
25 ***** 00 00025
27 NAME $TC CONVERT 00 00027
28 NAME $Q$2 CONVERT/STORE 00 00028
30 ***** 00 00030
31 * EXTERNALS * 00 00031
32 ***** 00 00032
34 IFT VORTEX-2 00 00034
35 IFF VORTEX-4 00 00035
36 GOTO FRMWR1 00 00036
37 EXT $SE SOFTWARE PARAMETER XFER 00 00037
38 FRMWR1 CONT 00 00038
39 EXT XDCC NEGATE AB 00 00039
41 ***** 00 00041
42 * SET BLOCK * 00 00042
43 ***** 00 00043
000040 A 45 ARST SET 040 A-REG BIT RESET 00 00045
000000 A 46 ASET SET 0 A-REG BIT SET 00 00046
000420 A 47 MT SET 0420 00 00047
000430 A 48 BS7 SET MT+8 00 00048
000001 A 49 X SET 1 X-REGISTER 00 00049
51 ***** 00 00051
52 * MACROS * 00 00052
53 ***** 00 00053
54 NLIS 00 00054
84 LIST 00 00084
86 ***** 00 00086
87 * STORE I LOCALLY * 00 00087
88 ***** 00 00088
000000 004041 A 90 C63 LRLB 1 CLEAR BIT B(15) 00 00090
000001 004141 A 91 LSRB 1 SAVE I(1) 00 00091
000002 054111 A 92 STA C63I 00 00092
000003 005031 A 93 MERG 031 00 00093
000004 001010 A 94 JAZ C63Z I=0 ? 00 00094
000005 000070 R 00 00095
000006 014105 A 95 LDA C63I NO. RESTORE I(1) 00 00095
000007 005004 A 96 TZX CLEAR SIGN FLAG 00 00096
000010 001002 A 97 JAP *+3 IS I NEGATIVE ? 00 00097
000011 000013 R 00 00098
000012 005304 A 98 DECR 4 YES. SET SIGN FLAG 00 00098
000013 074107 A 99 STX C63SGF 00 00099
000014 002004 A 100 JANM XDCC COMPLEMENT AB IF NEGATIVE 00 00100
000015 000000 E 00 00101
000016 001002 A 101 JAP C63I IS I MAX NEGATIVE ? 00 00101
000017 000024 R 102 LDAP C63MXM YES. LOAD AB WITH REAL EQUIVALENT 00 00102
000020 014076 A 00 00103
000021 024076 A 103 JMP C63Z AND EXIT 00 00103
000022 001000 A 00 00104
000023 000070 R 00 00105
000024 034071 A 104 C63I LDX C63IE2 LOAD EXPONENT 00 00104
000025 001016 A 105 JANZ C63Z HIGH-ORDER WORD ZERO ? 00 00105
000026 000031 R 00 00106
000027 004417 A 106 LASL 15 YES. IGNORE IT 00 00106
000030 034064 A 107 LDX C63IE1 ADJUST EXPONENT 00 00107
000031 074061 A 108 C63Z STX C63E STORE EXPONENT 00 00108
109 ***** 00 00109
110 * NORMALIZE LOOP * 00 00110
111 ***** 00 00111
000032 006416 A 113 C63L BT ASET+14,C63LX AB NORMALIZED ? 00 00113
000033 000040 R 00 00114
000034 004401 A 114 LASL 1 SHIFT LEFT 1 00 00114
000035 044055 A 115 INR C63E BUMP EXPONENT 00 00115
000036 001000 A 116 JMP C63L LOOP TILL DONE 00 00116
000037 000032 R 00 00117
000040 004507 A 117 C63LX LASR 7 POSITION MANTISSA 00 00117
000041 004460 A 118 LLRL 16 SWAP REGS 00 00118
000042 005111 A 119 IAR ROUND MANTISSA 00 00119
000043 001002 A 120 JAP C63L2 OVERFLOW ? 00 00120
000044 000047 R 00 00121
000045 005001 A 121 TZA YES 00 00121
000046 005122 A 122 IBR BUMP HIGH-ORDER WORD 00 00122
000047 004460 A 123 C63L2 LLRL 16 SWAP REGS 00 00123

```



```

000050 006450 A 124 BT ARST+8,C63L3 OVERFLOW ? 00 00124
000051 000056 R 125 LDX C63E YES 00 00125
000052 034040 A 126 DNR DROP EXPONENT 00 00126
000053 005344 A 127 STX C63E 00 00127
000054 074030 A 128 LDA BS7 UPDATE A 00 00128
000055 010430 A 129 C63L3 LAR 1 POSITION MANTISSA 00 00129
000056 004501 A 130 STA C63T SAVE A 00 00130
000057 054034 A 131 LDA C63E GET EXPONENT 00 00131
000058 005211 A 132 CPA 00 00132
000059 004247 A 133 LRLA 7 POSITION 00 00133
000060 114030 A 134 ORA C63T MERGE IN HIGH-ORDER MANTISSA WORD 00 00134
000061 034036 A 135 LDX C63SGF 00 00135
000062 001040 A 136 JNZ *+3 NEGATIVE ? 00 00136
000063 000070 R 137 CPA YES, TAKE 1-COMPLEMENT 00 00137
000064 005211 A 138 ***** 00 00138
000065 140 * EXIT * 00 00139
000066 141 ***** 00 00140
000067 034010 A 143 C63Z LDX C63PT POINT X AT OP 00 00143
000068 055000 A 144 STABX 0 STORE R IN OP 00 00144
000069 065001 A 145 LDX C63SVX RESTORE X 00 00145
000070 034030 A 146 JMP 0 EXIT 00 00146
000071 000000 A 147 ***** 00 00147
000072 002000 A 148 * $Q32 ENTRY * 00 00148
000073 000001 A 149 ***** 00 00149
000074 001000 A 151 $Q32 RES 0 00 00151
000075 000000 A 152 FSE XFER PARAMETER 00 00152
000076 002000 A 153 DATA 1 00 00153
000077 000000 C 154 C63PT BSS 1 00 00154
000078 000001 A 155 STX C63SVX SAVE X 00 00155
000079 074021 A 156 JMP C63 JUMP BACK FOR FORWARD REF 00 00156
000080 000000 R 157 ***** 00 00157
000081 002000 A 158 * $TC ENTRY * 00 00158
000082 000001 A 159 ***** 00 00159
000083 000000 A 161 $TC ENTR 00 00161
000084 002000 A 162 CALL $Q32 00 00162
000085 000075 R 163 RDE C63DP DP ADDRESS 00 00163
000086 001000 A 164 JMP* $TC EXIT 00 00164
000087 100105 R 165 C63E DATA 0 EXPONENT 00 00165
000088 000000 A 166 C63I DATA 0 SAVE I(1) 00 00166
000089 177560 A 167 C63IE1 DATA 0177560 1-WORD INITIAL EXPONENT 00 00167
000090 177541 A 168 C63IE2 DATA 0177541 2-WORD INITIAL EXPONENT 00 00168
000091 130077 A 169 C63MXN DATA 0130077,0 REAL EQUIV OF MAX NEG DP INTEGER 00 00169
000092 000000 A 170 C63DP DATA 0,0 DP 00 00170
000093 000000 A 171 C63SGF DATA 0 SIGN FLAG 00 00171
000094 000000 A 172 C63SVX DATA 0 SAVE X 00 00172
000095 000114 R 173 C63T EQU C63I TEMP STORE 00 00173
000096 000000 A 174 END 00 00174

```

ENTRY NAMES

000075 R \$Q32 000105 R \$TC

EXTERNAL NAMES

000077 E \$SE 000015 E XDCO

SYMBOLS

```

000075 R $Q32 000077 E $SE 000105 R $TC 000040 A ARST
000000 A ASET 000430 D BS7 000000 R C63 000024 R C63I
000031 R C63E 000113 R C63E 000114 R C63I 000115 R C63IE1
000116 R C63IE2 000032 R C63L 000047 R C63L2 000056 R C63L3
000040 R C63LX 000117 R C63MXN 000121 R C63DP 000101 R C63PT
000123 R C63SGF 000124 R C63SVX 000114 R C63T 000070 R C63Z
000420 A NT 000001 A VORTEX 000001 A X 000015 E XDCO

```

0 ERRORS ASSEMBLY COMPLETE

```

151 $Q32 28 162
0 $SE 37 60
161 $TC 3 27 164
45 ARST 124
46 ASET 113
48 BS7 128
99 C63 156
104 C63I 101
108 C63E 105
165 C63E 100 115 125 127 131
166 C63I 98 95 123
167 C63IE1 107
168 C63IE2 104
113 C63L 116
123 C63L2 120
129 C63L3 124
117 C63LX 113
169 C63MXN 102
170 C63DP 163

```



E.2 VORTEX LISTING

\*TC

PROGRAM PAGE 3

LISTING PAGE ( 284 )

154	C63PT	143						
171	C63SGF	99	135					
172	C63SVX	145	155					
173	C63T	130	134					
143	C63Z	94	103					
38	FRMWR1	36	59	70				
64	FRMWR2	61	73					
47	MT	48						
0	P	71	72	76	81	82		
1	VORTEX	34	35	57	58	68	69	
49	X	81	82					
0	XDCD	39	100					



000001 A

```

1 VORTEX SET 1 00 00001
2 TITLE STE 00 00003
3 ***** 00 00005
4 * 00 00006
5 * RAISE REAL TO DP INTEGER POWER * 00 00007
6 * (STE) * 00 00008
7 * * 00 00009
8 * FUNCTION: TO PERFORM: R**I WHERE R REAL, I DP INTEGER * 00 00010
9 * ENTRY: AB=R * 00 00012
10 * CALLING SEQUENCE: JMPM STE * 00 00014
11 * DATA I * 00 00016
12 * * 00 00017
13 * EXIT : AB=R**I * 00 00018
14 * X SAVED * 00 00019
15 * * 00 00020
16 * ERRORS: OVFL SET * 00 00022
17 * * 00 00023
18 * UNDERFLOW: AB=0 * 00 00024
19 * OVERFLOW : AB=MAX REAL NUMBER, WITH CORRECT SIGN * 00 00025
20 ***** 00 00026
21 * * 00 00028
22 * ENTRIES * 00 00029
23 ***** 00 00030
24 NAME STE 00 00032
25 ***** 00 00034
26 * EXTERNALS * 00 00035
27 ***** 00 00036
28 IFT VORTEX-1 00 00038
29 GOTO FRMWR1 00 00039
30 EXT 00N SOFTWARE REAL MULTIPLY 00 00040
31 EXT 00N SOFTWARE REAL DIVIDE 00 00041
32 FRMWR1 CONT 00 00042
33 IFT VORTEX-2 00 00043
34 IFF VORTEX-4 00 00044
35 GOTO FRMWR1 00 00045
36 EXT 00E SOFTWARE PARAMETER XFER 00 00046
37 FRMWR1 CONT 00 00047
38 EXT X000 NEGATE REGS AB 00 00048
39 ***** 00 00050
40 * MACROS * 00 00051
41 ***** 00 00052
42 FDV MAC 00 00054
43 IFT VORTEX-3 00 00055
44 IFF VORTEX-4 00 00056
45 GOTO FRMWR2 00 00057
46 IFT VORTEX-1 00 00058
47 GOTO FRMWR1 00 00059
48 CALL 00N SOFTWARE REAL DIVIDE 00 00060
49 DATA P(1) 00 00061
50 GOTO FRMWR3 00 00062
51 FRMWR1 CONT 00 00063
52 DATA 0105034 BCS REAL DIVIDE 00 00064
53 DATA P(1) 00 00065
54 GOTO FRMWR3 00 00066
55 FRMWR2 CONT 00 00067
56 DATA 0105401 FPP REAL DIVIDE 00 00069
57 DATA P(1) 00 00070
58 FRMWR3 CONT 00 00071
59 EMAC 00 00073
60 FLB MAC 00 00074
61 IFF VORTEX-1 00 00075
62 GOTO FRMWR1 00 00076
63 IFT VORTEX-2 00 00077
64 GOTO FRMWR2 00 00078
65 FRMWR1 CONT 00 00079
66 LEAB P(1) LOAD REGS AB 00 00080
67 GOTO FRMWR3 00 00081
68 FRMWR2 CONT 00 00082
69 DATA 0105420 FPP REAL LOAD 00 00083
70 DATA P(1) 00 00084
71 FRMWR3 CONT 00 00085
72 EMAC 00 00087
73 FMU MAC 00 00088
74 IFT VORTEX-3 00 00089
75 IFF VORTEX-4 00 00090
76 GOTO FRMWR2 00 00091
77 IFT VORTEX-1 00 00092
78 GOTO FRMWR1 00 00093
79 CALL 00N SOFTWARE REAL MULTIPLY 00 00094
80 DATA P(1) 00 00095
81 GOTO FRMWR3 00 00096
82 FRMWR1 CONT 00 00097
83 DATA 0105074 BCS REAL MULTIPLY 00 00098
84 DATA P(1) 00 00099
85 GOTO FRMWR3 00 00100
86 FRMWR2 CONT 00 00101
87 DATA 0105416 FPP REAL MULTIPLY 00 00102
88 DATA P(1) 00 00103
89 FRMWR3 CONT 00 00103

```



104		EMAC				00	00	104
106	FSE	MAC				00	00	106
107		IFT	VORTEX-2			00	00	107
108		IFF	VORTEX-4			00	00	108
109		GOTO	FRMWR1			00	00	109
110		CALL	\$SE			00	00	110
111		GOTO	FRMWR2			00	00	111
112	FRMWR1	CONT				00	00	112
113		DATA	0105036	BCS	PARAMETER XFER	00	00	113
114	FRMWR2	CONT				00	00	114
115		EMAC				00	00	115
117	FST	MAC				00	00	117
118		IFT	VORTEX-1			00	00	118
119		GOTO	FRMWR1			00	00	119
120		IFT	VORTEX-2			00	00	120
121		GOTO	FRMWR2			00	00	121
122	FRMWR1	CONT				00	00	122
123		STAB	P(1)			00	00	123
124		GOTO	FRMWR3			00	00	124
125	FRMWR2	CONT				00	00	125
126		DATA	0105600	FPP	REAL STORE	00	00	126
127		DATA	P(1)			00	00	127
128	FRMWR3	CONT				00	00	128
129		EMAC				00	00	129
131	LDAB	MAC				00	00	131
132		IFT	VORTEX-2			00	00	132
133		IFF	VORTEX-4			00	00	133
134		GOTO	FRMWR1			00	00	134
135		LDA	P(1)			00	00	135
136		LDB	P(1)+1			00	00	136
137		GOTO	FRMWR2			00	00	137
138	FRMWR1	CONT				00	00	138
139		DATA	0105032	WCS	LOAD AB	00	00	139
140		DATA	P(1)			00	00	140
141	FRMWR2	CONT				00	00	141
142		EMAC				00	00	142
144	LDABX	MAC				00	00	144
145		LDA	P(1),X			00	00	145
146		LDB	P(1)+1,X			00	00	146
147		EMAC				00	00	147
149	MOVPAP	MAC				00	00	149
150		IFT	VORTEX-2			00	00	150
151		IFF	VORTEX-4			00	00	151
152		GOTO	FRMWR1			00	00	152
153		LDA	P(1)			00	00	153
154		STA	P(2)			00	00	154
155		GOTO	FRMWR2			00	00	155
156	FRMWR1	CONT				00	00	156
157		DATA	0105037	WCS	MOVE 2 WORDS THRU AB	00	00	157
158		DATA	P(1)			00	00	158
159		DATA	P(2)			00	00	159
160	FRMWR2	CONT				00	00	160
161		EMAC				00	00	161
163	STAB	MAC				00	00	163
164		IFT	VORTEX-2			00	00	164
165		IFF	VORTEX-4			00	00	165
166		GOTO	FRMWR1			00	00	166
167		STA	P(1)			00	00	167
168		STB	P(1)+1			00	00	168
169		GOTO	FRMWR2			00	00	169
170	FRMWR1	CONT				00	00	170
171		DATA	0105033	WCS	STORE AB	00	00	171
172		DATA	P(1)			00	00	172
173	FRMWR2	CONT				00	00	173
174		EMAC				00	00	174
176	TNAP	MAC				00	00	176
177		LDA	P(1)			00	00	177
178		JAN	P(2)			00	00	178
179		EMAC				00	00	179
181	TNEPP	MAC				00	00	181
182		LDA	P(1)			00	00	182
183		ERA	P(2)			00	00	183
184		JANZ	P(3)			00	00	184
185		EMAC				00	00	185
187	TNZAP	MAC				00	00	187
188		LDA	P(1)			00	00	188
189		JANZ	P(2)			00	00	189
190		EMAC				00	00	190
191	TPAP	MAC				00	00	191
192		LDA	P(1)			00	00	192
193		JAP	P(2)			00	00	193
194		EMAC				00	00	194
196	TRAP	MAC				00	00	196
197		LDA	P(1)			00	00	197
198		BT	ARST+P(2),P(3)			00	00	198
199		EMAC				00	00	199
201	TZAP	MAC				00	00	201
202		LDA	P(1)			00	00	202
203		JAZ	P(2)			00	00	203
204		EMAC				00	00	204
206		LIST				00	00	206
207	*****					00	00	207
208	* SET BLOCK *					00	00	208



```

000420 A 209 *****
000040 A 211 MT SET 0420
000000 A 212 ARST SET 040 A-REG BIT RESET
000421 A 213 B0 SET 0 BIT 0
000460 A 214 B30 SET MT+1
000001 A 215 BR15 SET MT+32
216 X SET 1 X-REGISTER
218 *****
219 * STORE OPS LOCALLY *
220 *****
222 E36 STAB E36P SAVE R/INITIALIZE POWER P = R**1
000000 054205 A
000001 064205 A
000002 004317 A 223 ASRA 15
000003 054201 A 224 STA E36SM STORE SIGN MASK
000004 034167 A 226 LDX E36PT POINT X AT I
228 LDABX 0 LOAD I
000005 015000 A
000006 025001 A
000007 004041 A 229 LRLB 1
000010 004141 A 230 LSRB 1 CLEAR B(15)
231 STAB E36I SAVE DP INTEGER EXPONENT I
000011 054171 A
000012 064171 A
232 *****
233 * TEST FOR SPECIAL VALUES OF OPS *
234 *****
000013 005031 A 236 MERG 031
000014 114171 A 237 ORA E36R
000015 114171 A 238 ORA E36R+1
000016 001010 A 239 JAZ E36EON 0.0**0 = ERROR
000017 000143 R
000020 005021 A 240 TBA
000021 114161 A 241 ORA E36I
000022 001010 A 242 JAZ E36UNE R**0 = 1.0
000023 000154 R
000024 014161 A 243 LRA E36P
000025 114161 A 244 ORA E36R+1
000026 001016 A 245 JANZ E36I R=0.0 ?
000027 000035 R
246 TNAP E36I,E36D20 YES. 0.0**(-I) = OVERFLOW
000030 014152 A
000031 001004 A
000032 000147 R
000033 001000 A 247 JMP E36ZER 0**I = 0.0
000034 000160 R
248 E36I TNEPP E36F,E36F1,E36E R=1.0 ?
000035 014150 A
000036 134142 A
000037 001016 A
000040 000044 R
249 TZAP E36R+1,E36ONE
000041 014145 A
000042 001010 A
000043 000154 R
250 E36E TPAP E36I,E36E TEST SIGN OF EXPONENT I
000044 014136 A
000045 001002 A
000046 000065 R
251 *****
252 * NEGATIVE I *
253 *****
000047 014133 A 255 LRA E36I RESTORE A
000050 002000 A 256 CALL RUCN NEGATE I
000051 000000 E
000052 001004 A 257 JAN E36D20 ERROR IF INVALID I
000053 000147 R
258 STAB E36I STORE ABC I
000054 054123 A
000055 064123 A
259 FLD E36F1 GET 1.0
000056 014122 A
000057 024122 A
260 FDV E36P SET P = 1.0/R
000060 002000 A
000061 000000 E
000062 000200 R
261 FST E36P
000063 054121 A
000064 064121 A
262 *****
263 * INITIALIZE EXPONENT LOOP *
264 *****
266 E36E MCVAP BR15,E36CNT
000065 010460 A
000066 054111 A
000067 014111 A 267 LDA E36I+1
000070 150421 A 268 ANA B00
000071 001016 A 269 JANZ E36L IS EXPONENT I EVEN ?
000072 000071 R
270 STA E36SM YES. CLEAR OVERFLOW MASK
000073 054111 A
271 *****
272 * EXPONENTIAL LOOP *

```



```

273 *****
275 E36L TRAP E36I+1,B0,E36L2 IS EXPONENT BIT SET ? 00 00273
000074 014107 A 00 00275
000075 006440 A
000076 000114 R
276 FLD E36P YES 00 00276
000077 014106 A
000100 024106 A
000101 007400 A 277 RDF 00 00277
000102 044075 A 278 INR E36CNT BUMP LOOP COUNT 00 00278
000103 001001 A 279 JDF E36L1 SKIP MULTIPLY BY 1.0 ON 1ST LOOP 00 00279
000104 000112 R
280 FMU E36V GET V=Y*P 00 00280
000105 002000 A
000106 000000 E
000107 000211 R
281 IFF VORTEX-1 00 00281
282 JDF E36X OVER/UNDER/FLOW ? 00 00282
000110 001001 A
000111 000163 R
283 E36L1 FST E36V NO 00 00283
000112 054076 A
000113 064076 A
284 E36L2 LDAB E36I GET EXPONENT 00 00284
000114 014066 A
000115 024066 A
000116 004501 A 285 LASR 1 SHIFT OFF LOW BIT 00 00285
286 STAB E36I UPDATE I 00 00286
000117 054063 A
000120 064063 A
000121 005031 A 287 MERGE 031 00 00287
000122 001010 A 288 JAZ E36LY FINISHED ? 00 00288
000123 000137 R
289 FLD E36P NO 00 00289
000124 014061 A
000125 024061 A
290 FMU E36P SET P=P**2 00 00290
000126 002000 A
000127 000106 E
000130 000206 R
291 IFF VORTEX-1 00 00291
292 JDF E36X OVER/UNDER/FLOW ? 00 00292
000131 001001 A
000132 000163 R
293 FST E36P NO 00 00293
000133 054052 A
000134 064052 A
000135 001000 A 294 JMP E36L LOOP TILL DONE 00 00294
000136 000074 R
295 E36LY LDAB E36V LOAD AB=V ON EXIT 00 00295
000137 014051 A
000140 024051 A
000141 001000 A
000142 000165 R
296 JMP E36Y TAKE OK EXIT 00 00296
297 ***** 00 00297
298 * 0000 ERROR * 00 00298
299 ***** 00 00299
301 E36EDM LDAB E36F1 LOAD AB=1.0 00 00301
000143 014035 A
000144 024035 A
000145 001000 A
000146 000163 R
302 JMP E36X TAKE ERROR EXIT 00 00302
303 ***** 00 00303
304 * 000(-I) ERROR * 00 00304
305 ***** 00 00305
000147 010460 A 307 E36D20 LDA BR15 LOAD AB WITH MAX REAL 00 00307
000150 005012 A 308 TAB 00 00308
000151 134033 A 309 ERA E36SM ADJUST SIGN 00 00309
000152 001000 A 310 JMP E36X TAKE ERROR EXIT 00 00310
000153 000163 R
311 ***** 00 00311
312 * RETURN ONE VALID * 00 00312
313 ***** 00 00313
315 E36ONE LDAB E36F1 LOAD AB=1.0 00 00315
000154 014024 A
000155 024024 A
000156 001000 A
000157 000165 R
316 JMP E36Y TAKE OK EXIT 00 00316
317 ***** 00 00317
318 * RETURN ZERO VALID * 00 00318
319 ***** 00 00319
000160 005003 A 321 E36ZER ZER 0 LOAD AB=0.0 00 00321
000161 001000 A 322 JMP E36Y TAKE OK EXIT 00 00322
000162 000165 R
323 ***** 00 00323
324 * INVALID EXIT * 00 00324
325 ***** 00 00325
000163 007401 A 327 E36X SDF SET OVFL TO FLAG ERROR 00 00327
000164 001006 A 328 DATA 01006 SKIP 00 00328
329 ***** 00 00329
330 * VALID EXIT * 00 00330
331 ***** 00 00331
000165 007400 A 333 E36Y RDF RESET OVFL TO FLAG OK 00 00333
000166 034021 A 334 E36Z LDX E36SVX RESTORE X 00 00334
000167 001000 A 335 JMP 0 EXIT 00 00335

```



```

000170 000000 A
336 *****
337 * ENTRY *
338 *****
000170 340 STE BSS 0 ENTR
341 FDE PARAMETER XFER
000171 002000 A
000172 000000 E
000173 000001 A 342 DATA 1
000174 343 E36PT BSS 1 POINTER TO I
000175 074012 A 344 STX E36SVX SAVE X-REG
000176 001000 A 345 JMP E36 JUMP BACK FOR FORWARD REFERENCE
000177 000001 R
000200 000000 A 346 E36CNT DATA 0 LOOP COUNT
000201 040000 A 347 E36F1 DATA 040000,0 REAL 1.0
000202 000000 R
000203 000000 A 348 E36I DATA 0,0 IF INTEGER EXPONENT I
000204 000000 R
000205 000000 A 349 E36SM DATA 0 SIGN MASK
000206 000000 A 350 E36R DATA 0,0 REAL OPERAND R
000207 000000 A
000208 000000 A 351 E36P EQU E36R POWER P = R**K
000209 000000 R 352 E36SVX DATA 0 SAVE X-REG
000210 000000 A 353 E36V DATA 0,0 CURRENT VALUE
000211 000000 R
000212 000000 A 354 END

```

ENTRY NAMES

000170 R STE

EXTERNAL NAMES

000187 E \$OM 000061 E \$ON 000172 E \$SE 000051 E XDCD

SYMBOLS

```

000187 E $OM 000061 E $ON 000172 E $SE 000175 R $STE
000040 A ARST 000000 A B0 000460 A BR15 000421 A B30
000000 R E36 000035 R E361 000044 R E362 000075 R E363
000200 R E36CNT 000143 R E36CDM 000201 R E36F1 000203 F E36I
000074 R E36L 000112 R E36L1 000114 R E36L2 000137 R E36LY
000147 R E36Q2D 000154 R E36QNE 000206 R E36P 000174 R E36PT
000206 R E36R 000205 R E36SM 000210 R E36SVX 000211 R E36V
000160 R E36X 000165 R E36Y 000166 F E36Z 000160 R E36ZER
000420 A MT 000001 A VORTEX 000001 A X 000051 E XDCD

```

0 ERRORS ASSEMBLY COMPLETE

0	\$OM	40	93							
0	\$ON	41	60							
0	\$SE	46	110							
340	STE	3	32							
212	ARST	198								
213	B0	275								
215	BR15	266	307							
214	B30	260								
222	E36	343								
248	E361	248								
250	E362	248								
266	E363	250								
346	E36CNT	266	278							
301	E36CDM	239								
347	E36F1	248	259	301	315					
348	E36I	231	241	246	250	255	258	267	275	284
		286								
275	E36L	269	294							
283	E36L1	279								
284	E36L2	275								
295	E36LY	280								
307	E36Q2D	246	257							
315	E36QNE	242	249							
351	E36P	248	249	260	261	276	289	290	293	
343	E36PT	226								
350	E36R	202	237	238	243	244	351			
349	E36SM	224	270	302						
352	E36SVX	373	344							
353	E36V	280	283	295						
327	E36X	287	278	310						
333	E36Y	296	316	321						
301	E36ZER	247								
42	FRMR1	39	45	50	75	92	109	119	134	152
		156								
67	FRMR2	57	77	90	111	121	137	155	169	
70	FRMR3	60	66	80	95	99	124			
211	MT	214	215							
0	R	31	65	69	79	83	94	98	102	123
		127	135	136	140	143	146	151	154	159
		159	167	168	172	177	178	182	183	184
		191	199	190	197	197	198	190	202	203
1	VORTEX	28	43	44	57	58	58	74	76	88
		89	71	107	108	118	120	137	137	150
		151	164	167	207	201				
210	X	141	146							
0	XDCD	48	256							



```

1      TITLE $4E                                00 00001
2      C                                          00 00002
3      C*****                                00 00003
4      C                                          * 00 00004
5      C      DOUBLE PRECISION FLOATING          * 00 00005
6      C                                          * 00 00006
7      C      TO DOUBLE PRECISION INTEGER POWER * 00 00007
8      C                                          * 00 00008
9      C      ( $ 4 E )                          * 00 00009
10     C                                          * 00 00010
11     C      FUNCTION: TO CALCULATE D**I: D IS DP FLOATING, I IS DP INTEGER * 00 00011
12     C                                          * 00 00012
13     C      ENTRY: AC = D                       * 00 00013
14     C                                          * 00 00014
15     C      CALLING SEQUENCE:  JPM $4E         * 00 00015
16     C                               DATA I   * 00 00016
17     C                                          * 00 00017
18     C      EXIT : AC = D**I                   * 00 00018
19     C                                          * 00 00019
20     C*****                                00 00020
21     C                                          00 00021
22     C      SUBROUTINE $4E(I)                   00 00022
23     C      INTEGER*4 I,J,L                     00 00023
24     C      DOUBLE PRECISION POWER,VALUE       00 00024
25     C                                          00 00025
26     C      INITIALIZE POWER TO D              00 00026
27     C                                          00 00027
28     C      CALL $ZS(POWER)                    00 00028
29     C                                          00 00029
30     C      INITIALIZE VALUE                   00 00030
31     C                                          00 00031
32     C      VALUE=1.0D0                        00 00032
33     C                                          00 00033
34     C      INITIALIZE EXPONENT COUNTER L      00 00034
35     C                                          00 00035
36     C      L=I                                00 00036
37     C                                          00 00037
38     C*****                                00 00038
39     C      EXPONENTIATION LOOP *              00 00039
40     C*****                                00 00040
41     C                                          00 00041
42     C      EXIT WHEN EXPONENT COUNT = 0      00 00042
43     C                                          00 00043
44     C      10 IF(L) 20,50,20                 00 00044
45     C                                          00 00045
46     C      MULTIPLY VALUE BY POWER IF LOWEST EXPONENT BIT SET 00 00046
47     C                                          00 00047
48     C      20 J=L/2                            00 00048
49     C          J=2*J                            00 00049
50     C          IF(L-J) 30,40,30                00 00050
51     C      30 VALUE=VALUE*POWER               00 00051
52     C                                          00 00052
53     C      BUMP POWER                          00 00053
54     C                                          00 00054
55     C      40 POWER=POWER*POWER               00 00055
56     C                                          00 00056
57     C      SHIFT EXPONENT TO POSITION NEXT BIT AND CONTINUE LOOP 00 00057
58     C                                          00 00058
59     C      L=L/2                                00 00059
60     C      GO TO 10                            00 00060
61     C                                          00 00061
62     C      EXPONENTIATION COMPLETE. CHECK SIGN 00 00062
63     C                                          00 00063
64     C      50 IF(I) 60,70,70                  00 00064
65     C                                          00 00065
66     C      NEGATIVE EXPONENT. EXIT WITH AC=1/VALUE 00 00066
67     C                                          00 00067
68     C      60 =1.0D0/VALUE                     00 00068
69     C      RETURN                               00 00069
70     C                                          00 00070
71     C      POSITIVE EXPONENT. EXIT WITH AC=VALUE 00 00071
72     C                                          00 00072
73     C      70 =VALUE                            00 00073
74     C      RETURN                               00 00074
75     C      END                                  00 00075
ENTRY/Common BLOCK NAMES
EXTERNAL NAMES
      R 000000 $4E
      E 000002 $SE
      E 000112 $ZS
      E 000152 $ZF
      E 000121 $6N
      E 000054 $6M
      E 000063 $6L
      E 000066 $6D
      E 000107 $ZM
      E 000143 $ZN
SYMBOL TABLE
      R 100004 I
      R 000176 J
      R 000172 L
      R 000156 POWER
      R 000166 VALUE

```



```
R 000162 000201 040000 000000 000000
R 000031 )10
R 000124 )D00
R 000040 )20
R 000131 )50
R 000174 000000 000002
R 000072 )30
R 000103 )40
R 000141 )60
R 000151 )70
```

PROGRAM SIZE 000200

0 ERRORS COMPILATION COMPLETE



```

1      TITLE $DE
2      C
3      C*****
4      C
5      C COMPLEX TO DP INTEGER POWER ($DE)
6      C
7      C FUNCTION: TO CALCULATE C**I: C COMPLEX, I DP INTEGER
8      C
9      C ENTRY: CA = C (CA IS COMPLEX ACCUMULATOR)
10     C
11     C CALLING SEQUENCE: JPM $DE
12     C DATA I
13     C
14     C EXIT : CA = C**2
15     C
16     C*****
17     C
18     SUBROUTINE $DE(I)
19     INTEGER*4 I,J
20     COMPLEX Z1,Z2
21     C
22     STORE C IN Z1 AND Z2
23     C
24     CALL $8S(Z1)
25     CALL $8S(Z2)
26     C
27     SET J = IABS(I)
28     C
29     J=I
30     IF(J.LT.0) J=-I
31     C
32     REPEAT MULTIPLY LOOP
33     C
34     10 J=J-1
35     IF(J) 60,30,20
36     20 Z1=Z1*Z2
37     GO TO 10
38     C
39     ADJUST FOR SIGN OF I
40     C
41     30 IF(I) 40,50,50
42     C
43     NEGATIVE I. C**I = (1.0,0.0)/C**(-I)
44     C
45     40 =(1.0,0.0)/Z1
46     RETURN
47     C
48     POSITIVE I
49     C
50     50 =Z1
51     RETURN
52     C
53     I=0. C**0 = (1.0,0.0)
54     C
55     60 =(1.0,0.0)
56     RETURN
57     END

```

ENTRY/Common BLOCK NAMES

EXTERNAL NAMES

SYMBOL TABLE

R	000000	\$DE
E	000002	\$SE
E	000074	\$8S
E	000040	\$6D
E	000052	\$6L
E	000126	\$8F
E	000071	\$8M
E	000114	\$8N
R	100004	I
R	000142	J
R	000132	Z1
R	000136	Z2
R	000053	>D00
R	000045	>10
R	000144	000000 000001
R	000125	>60
R	000100	>30
R	000065	>20
R	000110	>40
R	000120	>50
R	000146	040300 000000 000000 000000

PROGRAM SIZE 000152

0 ERRORS COMPILATION COMPLETE



```

000001 A 1 VORTEX SET 1 00 00001
3 TITLE $GC 00 00003
5 ***** 00 00005
6 * 00 00006
7 * FIX DP FLOATING TO DP INTEGER * 00 00007
8 * * 00 00008
9 * ($GC) * 00 00009
10 * * 00 00010
11 * FUNCTION: TO FIX A DOUBLE PRECISION FLOATING POINT NUMBER D * 00 00011
12 * TO A DOUBLE PRECISION INTEGER I * 00 00012
13 * * 00 00013
14 * ENTRY: AC = D * 00 00014
15 * * 00 00015
16 * EXIT : AB = I * 00 00016
17 * * 00 00017
18 * ERRORS: OVERFLOW: OVFL SET * 00 00018
19 * AB = MAX DP INTEGER OF CORRECT SIGN * 00 00019
20 * $SEE CALLED TO OUTPUT ' ARITH OVFL' * 00 00020
21 * * 00 00021
22 ***** 00 00022
23 ***** 00 00023
24 ***** 00 00024
25 * ENTRIES * 00 00025
26 ***** 00 00026
27 ***** 00 00027
28 NAME $GC 00 00028
29 ***** 00 00029
30 ***** 00 00030
31 * EXTERNALS * 00 00031
32 ***** 00 00032
33 ***** 00 00033
34 EXT SEE ERROR MESSAGE PROCESSOR 00 00034
35 EXT $ZS STORE AC 00 00035
36 EXT XDCD NEGATE AB V75 00 00036
37 ***** 00 00037
38 ***** 00 00038
39 * SET BLOCK * 00 00039
40 ***** 00 00040
000420 A 42 MT SET 0420 00 00042
000460 A 43 BR15 SET MT+32 00 00043
000430 A 44 BS7 SET MT+8 00 00044
000430 A 45 D200 SET BS7 00 00045
000001 A 46 X SET 1 X-REGISTER 00 00046
47 ***** 00 00047
48 ***** 00 00048
49 * MACROS * 00 00049
50 ***** 00 00050
51 ***** 00 00051
52 LDAB MAC 00 00052
53 IFT VORTEX-2 00 00053
54 IFF VORTEX-4 00 00054
55 GOTO FRMWR1 00 00055
56 LDA P(1) 00 00056
57 LDB P(1)+1 00 00057
58 GOTO FRMWR2 00 00058
59 FRMWR1 CONT 00 00059
60 DATA 0105032 WCS LOAD AB 00 00060
61 DATA P(1) 00 00061
62 FRMWR2 CONT 00 00062
63 ENAC 00 00063
64 ***** 00 00064
65 ***** 00 00065
66 * STORE D LOCALLY * 00 00066
67 ***** 00 00067
000000 000000 A 69 $GC ENTR 00 00069
000001 074073 A 70 STX C46SVX SAVE X 00 00070
000002 002000 A 71 CALL $ZS STORE D FROM AC 00 00071
000003 000000 E
000004 000065 R 72 PZE C46D 00 00072
73 ***** 00 00073
74 ***** 00 00074
75 * TEST FOR SPECIAL VALUES OF D * 00 00075
76 ***** 00 00076
000005 005004 A 78 TZX CLEAR SIGN FLAG 00 00078
000006 014057 A 79 LDA C46D+1 00 00079
000007 001002 A 80 JAP *+4 IS D NEGATIVE ? 00 00080
000010 000013 R
000011 005211 A 81 CPA YES. CONVERT TO ABS 00 00081
000012 005304 A 82 DECR 4 SET SIGN FLAG 00 00082
000013 074057 A 83 STX C46SGF LOAD SIGN FLAG 00 00083
000014 054051 A 84 STA C46D+1 UPDATE D SIGN WORD 00 00084
000015 114051 A 85 ORA C46D+2 00 00085
000016 114051 A 86 ORA C46D+3 00 00086
000017 001010 A 87 JAZ C46ZER D=0.0D0 ? 00 00087
000020 000051 R
000021 014043 A 88 LDA C46D GET EXPONENT OF D 00 00088
000022 140430 A 89 SUB D200 00 00089
000023 054045 A 90 STA C46E 00 00090
000024 005311 A 91 DAR 00 00091
000025 001004 A 92 JAM C46ZER I=0 IF ABS(D) .LT. 1.0D0 00 00092
000026 000051 R
000027 144046 A 93 SUB D30 00 00093
000030 001002 A 94 JAP C46OVF OVERFLOW ? 00 00094
000031 000055 R
000032 014043 A 95 LDA D30 00 00095
000033 144035 A 96 SUB C46E GET SHIFT COUNT 00 00096
000034 114035 A 97 ORA C46RSH CONSTRUCT SHIFT INSTRUCTION 00 00097
000035 054036 A 98 STA C46SHF STORE 00 00098
99 LDAB C46D+1 GET D(1),D(2) 00 00099
000036 014027 A
000037 024027 A
000040 003000 A 100 XEC C46SHF POSITION 00 00100

```



```

000041 000074 R
000042 007400 A 101 R0F RESET OVFL TO FLAG OK 00 00101
000043 034027 A 102 C46Y LDX C46SGF 00 00102
000044 002046 A 103 JXNZM XDCD NEGATE AB IF D NEGAT IVE V700 00103
000045 000000 E
104 ***** 00 00104
105 * EXIT * 00 00105
106 ***** 00 00106
000046 034026 A 108 LDX C46SVX SAVE X 00 00108
000047 001000 A 109 JMP* $GC 00 00109
000050 100000 R
110 ***** 00 00110
111 * SET I = 0 * 00 00111
112 ***** 00 00112
000051 005003 A 114 C46ZER ZERO 3 SET AB = 0 00 00114
000052 007400 A 115 R0F RESET OVFL TO FLAG OK 00 00115
000053 001000 A 116 JMP* $GC EXIT 00 00116
000054 100000 R
117 ***** 00 00117
118 * OVERFLOW * 00 00118
119 ***** 00 00119
000055 005003 A 121 C46OVF ZERO 3 00 00121
000056 002000 A 122 $EE OUTPUT ' ARITH OVFL' 00 00122
000057 000000 E
000060 010460 A 123 LDA BR15 LOAD AB WITH MAX DP INTEGER 00 00123
000061 005012 A 124 TAB 00 00124
000062 007401 A 125 SDF SET OVFL TO FLAG ERROR 00 00125
000063 001000 A 126 JMP C46Y 00 00126
000064 000043 R
000065 000000 A 127 C46D DATA 0,0,0,0 D 00 00127
000066 000000 A
000067 000000 A
000070 000000 A
000071 000000 A 128 C46E DATA 0 EXPONENT 00 00128
000072 004500 A 129 C46RSH LASR 0 SHIFT INSTRUCTION FRAME 00 00129
000073 000000 A 130 C46SGF DATA 0 SIGN FLAG 00 00130
000074 000000 A 131 C46SHF DATA 0 SHIFT INSTRUCTION 00 00131
000075 000000 A 132 C46SVX DATA 0 SAVE X 00 00132
000076 000036 A 133 D30 DATA 30 V7500 00133
134 END 00 00134

```

ENTRY NAMES

000000 R \$GC

EXTERNAL NAMES

000057 E \$EE

SYMBOLS

```

000057 E $EE 000000 R $GC 000003 E $ZS 000460 A BR15
000430 A BS7 000065 R C46D 000071 R C46E 000055 R C46OVF
000072 R C46RSH 000073 R C46SGF 000074 R C46SHF 000075 R C46SVX
000043 R C46Y 000051 R C46ZER 000076 R D30 000420 A MT
000430 A Q200 000001 A VORTEX 000001 A X 000045 E XDCD

```

0 ERRORS ASSEMBLY COMPLETE

```

0 $EE 34 122
69 $GC 3 28 109 116
0 $ZS 35 71
43 BR15 123
44 BS7 45
127 C46D 72 79 84 85 86 88 99
128 C46E 90 96
121 C46OVF 94
129 C46RSH 97
130 C46SGF 83 102
131 C46SHF 98 100
132 C46SVX 70 108
102 C46Y 126
114 C46ZER 87 92
133 D30 93 95
59 FRMWR1 55
62 FRMWR2 58
42 MT 43 44
45 Q200 89
0 P 56 57 61
1 VORTEX 53 54
0 XDCD 36 103

```



```

000001 A      1 VORTEX SET      1      00 00001
3              TITLE      $4C      00 00003
5 *****      00 00005
6 *              *      00 00006
7 *  C O N V E R T  D P  I N T E G E R  T O  D P  F L O A T I N G  * 00 00007
8 *              *      00 00008
9 *              *      00 00009
10 *              *      00 00010
11 *  F U N C T I O N :  T O  C O N V E R T  A  D P  I N T E G E R  I  T O  A  D P  F L O A T I N G  P O I N T  * 00 00011
12 *              *      00 00012
13 *              *      00 00013
14 *  E N T R Y :  A B  =  I      * 00 00014
15 *              *      00 00015
16 *  E X I T  :  A C  =  D      ( A C  I S  D P  A C C U M U L A T O R )  * 00 00016
17 *              *      00 00017
18 *****      00 00018
20 *****      00 00020
21 *  E N T R I E S  *      00 00021
22 *****      00 00022
24          N A M E      $ 4 C      00 00024
26 *****      00 00026
27 *  E X T E R N A L S  *      00 00027
28 *****      00 00028
30          E X T      $ Z F      L O A D  A C  W I T H  D P  F L O A T I N G  N U M B E R      00 00030
31          E X T      A C      D P  F L O A T I N G  P O I N T  A C C U M U L A T O R      00 00031
32          E X T      X D C D      N E G A T E  A B      00 00032
34 *****      00 00034
35 *  S E T  B L O C K  *      00 00035
36 *****      00 00036
38 A S E T      S E T      0      A - R E G  B I T  S E T      00 00038
39 M T      S E T      0 4 2 0      00 00039
40 B R 1 4      S E T      M T + 3 1      00 00040
41 X      S E T      1      X - R E G I S T E R      00 00041
43 *****      00 00043
44 *  P R E P R O C E S S I N G  *      00 00044
45 *****      00 00045
47 C 6 4      L R L B      1      C L E A R  B ( 1 5 )      00 00047
48          L S R B      1      00 00048
49          T Z X      C L E A R  S I G N  F L A G      00 00049
50          J A P      * + 3      A B  N E G A T I V E  ?      00 00050
51          D E C R      4      Y E S ,  S E T  S I G N  F L A G      00 00051
52          S T X      C 6 4 S G F      L O A D  S I G N  F L A G      00 00052
53          J A N M      X D C D      G E T  A B  =  A B S ( I )      00 00053
54          J A N      C 6 4 M N      T E S T  F O R  M A X  N E G A T I V E  I      00 00054
55          J A N Z      C 6 4 1      I ( 1 ) = 0  ?      00 00055
56          J B Z      C 6 4 Z E R      Y E S ,  I = 0  ?      00 00056
57          S T A      C 6 4 D + 2      N O ,  C L E A R  D ( 2 )      00 00057
58          L A S L      1 5      P O S I T I O N  I      00 00058
59          L D X      C 6 4 E 1      L O A D  E X P O N E N T      00 00059
60          D A T A      0 1 0 0 6      S K I P      00 00060
61 C 6 4 1      L D X      C 6 4 E 2      L O A D  E X P O N E N T      00 00061
62          S T X      C 6 4 E      S A V E  E X P O N E N T      00 00062
64 *****      00 00064
65 *  N O R M A L I Z E  L O O P  *      00 00065
66 *****      00 00066
68 C 6 4 L      B T      A C E T + 1 4 , C 6 4 L X      N O R M A L I Z E D  ?      00 00068
69          L A S L      1      N O ,  S H I F T  L E F T  1      00 00069
70          I N R      C 6 4 E      B U M P  E X P O N E N T      00 00070
71          J M P      C 6 4 L      C O N T I N U E  L O O P      00 00071
72 C 6 4 L X      L D X      C 6 4 S G F      A B  N O R M A L I Z E D      00 00072
73          J X Z      * + 3      N E G A T I V E  ?      00 00073
74          C P A      Y E S ,  1 - C O M P L E M E N T  A      00 00074
75          S T A      C 6 4 D + 1      00 00075
76          S T B      C 6 4 D + 2      S T O R E  R E S U L T  I N  D      00 00076
77          L D A      C 6 4 E      00 00077
78          C P A      G E T  E X P O N E N T      00 00078
79          S T A      C 6 4 D      S T O R E  I N  D      00 00079
80 C 6 4 X      C A L L      $ Z F      G E T  A C  =  C 6 4 D      00 00080
81          P Z E      C 6 4 D      00 00081
82 *****      00 00082
83 *  E X I T  *      00 00083
84 *****      00 00084
86 C 6 4 Z      L D X      C 6 4 S V X      R E S T O R E  X      00 00086
87          J M P      0      E X I T      00 00087
88 *****      00 00088
89 *  E N T R Y  *      00 00089
90 *****      00 00090
92 $ 4 C      B E S      00 00092
93          S T X      C 6 4 S V X      S A V E  X      00 00093
94          J M P      C 6 4      J U M P  B A C K  F O R  F O R W A R D  R E F      00 00094
95 *****      00 00095
96 *  S E T  D  =  0 . 0 0 0  *      00 00096

```



```

000055 005001 A 97 *****
000056 054014 A 99 C64ZER TZA
000057 054014 A 100 STA C64D SET D = 0.000
000060 054014 A 101 STA C64D+1
000061 001000 A 102 STA C64D+2
000062 000044 R 103 JMP C64X EXIT
104 *****
105 * I = MAX NEG *
106 *****
000063 014017 A 108 C64MN LDA C64MXN LOAD D WITH EQUIV OF MAX NEG I
000064 054006 A 109 STA C64D
000065 010457 A 110 LDA BR14
000066 054005 A 111 STA C64D+1
000067 005001 A 112 TZA
000070 054004 A 113 STA C64D+2
000071 001000 A 114 JMP C64X EXIT
000072 000044 R
000073 000000 A 115 C64D DATA 0,0,0,0 D
000074 000000 A
000075 000000 A
000076 000000 A
000077 000000 A 116 C64E DATA 0 EXPONENT
000100 177560 A 117 C64E1 DATA 0177560 1-WORD EXPONENT
000101 177541 A 118 C64E2 DATA 0177541 2-WORD EXPONENT
000102 000000 A 119 C64SGF DATA 0 SIGN FLAG
000103 000237 A 120 C64MXN DATA 0237 EXPONENT OF MAX NEG I
000104 000000 A 121 C64SVX DATA 0 SAVE X
122 END 00 00122

```

ENTRY NAMES

000051 R \$4C

EXTERNAL NAMES

000045 E \$ZF

000000 E AC

000010 E XDCC

SYMBOLS

000051 R \$4C	000045 E \$ZF	000000 E AC	000000 A ASET
000457 A BR14	000000 R C64	000023 R C641	000073 R C64D
000077 R C64E	000100 R C64E1	000101 R C64E2	000025 R C64L
000033 R C64LX	000063 R C64MN	000103 R C64MXN	000102 R C64SGF
000104 R C64SVX	000044 R C64X	000047 R C64Z	000055 R C64ZER
000420 A MT	000001 A VORTEX	000001 A X	000010 E XDCC

0 ERRORS ASSEMBLY COMPLETE

92 \$4C	3	24							
0 \$ZF	30	80							
0 AC	31								
38 ASET	68								
40 BR14	110								
47 C64	94								
61 C641	55								
115 C64D	57	75	76	79	81	100	101	102	109
	111	113							
116 C64E	62	70	77						
117 C64E1	59								
118 C64E2	61								
68 C64L	71								
72 C64LX	68								
108 C64MN	54								
120 C64MXN	108								
119 C64SGF	52	72							
121 C64SVX	86	93							
80 C64X	103	114							
99 C64ZER	56								
39 MT	40								
0 XDCC	32	53							



```

000001 A 1 VORTEX SET 1 00 000001
2 * THIS IS A COPYRIGHTED PROGRAM. COPYRIGHT 1975 BY VARIAN DATA MACHINE 00 000002
3 * 00 000003
4 * V.D.M. PART NO. 00 000004
5 * 00 000005
6 * 00 000006
7 * V$8F LOAD COMPLEX 00 000007
8 * V$8S STORE COMPLEX 00 000008
9 * V$8G LOAD/STORE COMPLEX 00 000009
10 * 00 000010
11 * TITLE V$8G 00 000011
12 * 00 000012
13 FSE MAC PARAMETER TRANSFER 00 000013
14 IFT VORTEX-2 00 000014
15 IFF VORTEX-4 00 000015
16 GOTO FRMWR1 00 000016
17 EXT $SE 00 000017
18 CALL $SE 00 000018
19 GOTO FRMWR2 00 000019
20 FRMWR1 CONT 00 000020
21 DATA 0105036 00 000021
22 FRMWR2 CONT 00 000022
23 DATA P(1) 00 000023
24 BSS P(1) 00 000024
25 EMAC 00 000025
26 NAME $8S STORE COMPLEX ACCUMULATOR 00 000026
27 NAME $8F LOAD COMPLEX ACCUMULATOR 00 000027
28 NAME $8G LOAD/STORE COMPLEX ACCUMULATOR 00 000028
29 EXT $CAC 00 000029
30 EJEC 00 000030
31 ***** 00 000031
32 * 00 000032
33 * LOAD / STORE COMPLEX ACCUMULATOR 00 000033
34 * 00 000034
35 * ( $ 8 G ) 00 000035
36 * 00 000036
37 * 00 000037
38 * FUNCTION: TO LOAD OR STORE THE COMPLEX ACCUMULATOR CAC, WHERE: 00 000038
39 * 00 000039
40 * CAC(REAL) = REGISTERS AB 00 000040
41 * CAC(IMAGINARY) = VARIABLE R 00 000041
42 * 00 000042
43 * 00 000043
44 * ENTRY: NO SPECIAL CONDITIONS 00 000044
45 * 00 000045
46 * 00 000046
47 * CALLING SEQUENCE: FORTRAN: CALL $8G(M,Z) 00 000047
48 * DAS: PZE M 00 000048
49 * PZE Z 00 000049
50 * M=0: LOAD CAC FROM Z 00 000050
51 * M=1: STORE CAC IN Z 00 000051
52 * 00 000052
53 * 00 000053
54 * EXIT : M=0: CAC=Z 00 000054
55 * M=1: Z=CAC 00 000055
56 * 00 000056
57 * 00 000057
58 ***** 00 000058
000000 034016 A 59 C8G010 LDX C8G000-2 FETCH CONDITION ADDR 00 000059
000001 015000 A 60 LDA 0,1 AND CONDITION 00 000060
000002 034010 A 61 LDX $8G SET RETURN 00 000061
000003 074036 A 62 STX $8S 00 000062
000004 074060 A 63 STX $8F 00 000063
000005 034012 A 64 LDX C8G000-1 FETCH COMPLEX ADDR 00 000064
000006 001010 A 65 JAZ C8F020 GO LOAD 00 000065
000007 000053 R 66 LDA C8A RESTORE A FOR STORE 00 000066
000010 014064 A 67 JMP C8S020 GO STORE 00 000067
000011 001000 A
000012 000026 R
000013 000000 A 68 $8G ENTR ENTRY 00 000068
69 FSE 2 FETCH CONDITION AND ADDR 00 000069
000014 002000 A
000015 000000 E
000016 000002 A
000021 074054 A 70 C8G000 STX C8X SAVE X 00 000070
000022 054052 A 71 STA C8A SAVE A 00 000071
000023 001000 A 72 JMP C8G010 GO TEST CONDITION 00 000072
000024 000000 R
73 EJEC 00 000073
74 ***** 00 000074
75 * 00 000075
76 * STORE COMPLEX ACCUMULATOR ( $ 8 S ) 00 000076
77 * 00 000077
78 * 00 000078
79 * FUNCTION: TO STORE THE COMPLEX CONSTANT CONTAINED IN THE COMPLEX 00 000079
80 * ACCUMULATOR CAC INTO LOCATION Z. 00 000080
81 * 00 000081
82 * 00 000082
83 * ENTRY: CAC = COMPLEX CONSTANT 00 000083
84 * 00 000084
85 * 00 000085
86 * CALLING SEQUENCE: FORTRAN: CALL $8S(Z) 00 000086
87 * 00 000087

```



```

88 *          DAS:      JMPM $8S      *00 00088
89 *          PZE      Z              *00 00089
90 *                                     *00 00090
91 *                                     *00 00091
92 *      EXIT :  Z = CAC              *00 00092
93 *                                     *00 00093
94 *                                     *00 00094
95 * *****
000025 034020 A 96 C8S010 LDX      C8S000-1      FE*TC*H ADDR OF STORAGE *00 00095
000026 055000 A 97 C8S020 STA      0,1              STORE REAL              *00 00096
000027 065001 A 98          STB      1,1              *00 00097
000030 006020 A 99          LDBI     $CAC              STORE COMPLEX          *00 00098
000031 000000 E                                     *00 00099
000032 016000 A 100         LDA      0,2              *00 00100
000033 055002 A 101         STA      2,1              *00 00101
000034 016001 A 102         LDA      1,2              *00 00102
000035 055003 A 103         STA      3,1              *00 00103
000036 015000 A 104         LDA      0,1              (RESTORE REAL)        *00 00104
000037 025001 A 105         LDB      1,1              *00 00105
000040 034035 A 106         LDX      C8X              RESTORE X              *00 00106
000041 001000 A 107         JMP      $8S              EXIT                   *00 00107
000042 000042 R                                     *00 00107
000042                                     *00 00108
000043 002000 A 108 $8S      BES      0              ENTRY                 *00 00108
000044 000015 E 109         FSE      1              FETCH STORAGE ADDR    *00 00109
000045 000001 A
000047 074026 A
000050 001000 A
000051 000025 R
110 C8S000 STX      C8X              SAVE X                 *00 00110
111         JMP      C8S010          EXIT                   *00 00111
112         EJEC                      *00 00112
113 *****                          *00 00113
114 *                                     *00 00114
115 *      L O A D C O M P L E X A C C U M U L A T O R ( $ 8 F ) *00 00115
116 *                                     *00 00116
117 *                                     *00 00117
118 *      FUNCTION:  TO LOAD THE COMPLEX ACCUMULATOR CAC WITH THE COMPLEX *00 00118
119 *                  CONSTANT AT LOCATION Z.                               *00 00119
120 *                                     *00 00120
121 *                                     *00 00121
122 *      ENTRY:    Z = COMPLEX CONSTANT *00 00122
123 *                                     *00 00123
124 *                                     *00 00124
125 *      CALLING SEQUENCE:  FORTRAN:  CALL $8F(Z) *00 00125
126 *                                     *00 00126
127 *                                     *00 00127
128 *          DAS:      JMPM $8F      *00 00128
129 *          PZE      Z              *00 00129
130 *                                     *00 00130
131 *      EXIT :    CAC = Z          *00 00131
132 *                                     *00 00132
133 *                                     *00 00133
134 *****                          *00 00134
000052 034016 A 135 C8F010 LDX      C8F000-1      FE*TC*H ADDR OF COMPLEX *00 00135
000053 015002 A 136 C8F020 LDA      2,1              FE*TC*H IMAGINARY     *00 00136
000054 006020 A 137         LDBI     $CAC              *00 00137
000055 000031 E
000056 056000 A 138         STA      0,2              *00 00138
000057 015003 A 139         LDA      3,1              *00 00139
000060 056001 A 140         STA      1,2              *00 00140
000061 015000 A 141         LDA      0,1              FETCH REAL             *00 00141
000062 025001 A 142         LDB      1,1              *00 00142
000063 034012 A 143         LDX      C8X              RESTORE X              *00 00143
000064 001000 A 144         JMP      $8F              EXIT                   *00 00144
000065 000065 R                                     *00 00144
000065                                     *00 00145
000066 002000 A 145 $8F      BES      0              ENTRY                 *00 00145
000067 000044 E 146         FSE      1              FETCH COMPLEX ADDR    *00 00146
000070 000001 A
000072 074003 A 147 C8F000 STX      C8X              SAVE X                 *00 00147
000073 001000 A 148         JMP      C8F010          *00 00148
000074 000052 R
000075 150 C8A      BSS      1              TEMP A                *00 00150
000076 151 C8X      BSS      1              TEMP X                *00 00151
152         END                      *00 00152

```

```

ENTRY NAMES
000065 R $8F      000013 R $8G      000042 R $8S
EXTERNAL NAMES
000055 E $CAC      000067 E $SE
SYMBOLS
000065 R $8F      000013 R $8G      000042 R $8S      000055 E $CAC
000067 E $SE      000075 R C8A      000072 R C8F000 000052 R C8F010
000053 R C8F020 000021 R C8G000 000000 R C8G010 000047 R C8S000
000025 R C8S010 000026 R C8S020 000076 R C8X      000001 A VORTEX
0 ERRORS ASSEMBLY COMPLETE

```

145	\$8F	27	63	144
68	\$8G	28	61	
108	\$8S	26	62	107
0	\$CAC	29	99	137
0	\$SE	17	18	



E.2 VORTEX LISTING

V\$8G

PROGRAM PAGE

3

LISTING PAGE ( 299 )

150	CSA	66	71				
147	CSF000	135					
135	CSF010	148					
136	CSF020	65					
70	CSG000	59	64				
59	CSG010	72					
110	CSG000	96					
96	CSG010	111					
97	CSG020	67					
151	CSX	70	106	110	143	147	
20	FRMWR1	16					
22	FRMWR2	19					
0	P	23	24				
0	V\$8G	11					
1	VORTEX	14	15				



```

000001 A 1 VORTEX SET 1 00 00001
2 * THIS IS A COPYRIGHTED PROGRAM. COPYRIGHT 1975 BY VARIAN DATA MACHINE 00 00002
3 * 00 00003
4 * V.D.M. PART NO. 00 00004
5 * 00 00005
6 * 00 00006
7 * 00 00007
8 * 00 00008
9 * 00 00009
10 FSE MAC 00 00010
11 IFT VORTEX-2 00 00011
12 IFF VORTEX-4 00 00012
13 GOTO FRMWR1 00 00013
14 EXT $SE 00 00014
15 CALL $SE 00 00015
16 GOTO FRMWR2 00 00016
17 FRMWR1 CONT 00 00017
18 DATA 0105036 00 00018
19 FRMWR2 CONT 00 00019
20 DATA P(1) 00 00020
21 BSS P(1) 00 00021
22 EMAC 00 00022
23 FST MAC 00 00023
24 IFT VORTEX-1 00 00024
25 GOTO FRMWR1 00 00025
26 STX *+6 SOFTWARE STORE 00 00026
27 LDXI P(1) 00 00027
28 STA 0,1 00 00028
29 STB 1,1 00 00029
30 LDXI * 00 00030
31 GOTO FRMWR4 00 00031
32 FRMWR1 CONT 00 00032
33 IFT VORTEX-2 00 00033
34 GOTO FRMWR2 00 00034
35 DATA 0105033 FIRMWARE STORE 00 00035
36 GOTO FRMWR3 00 00036
37 FRMWR2 CONT 00 00037
38 DATA 0105600 FPP STORE 00 00038
39 FRMWR3 CONT 00 00039
40 DATA P(1) 00 00040
41 FRMWR4 CONT 00 00041
42 EMAC 00 00042
43 FLD MAC 00 00043
44 IFT VORTEX-1 00 00044
45 GOTO FRMWR1 00 00045
46 STX *+6 SOFTWARE LOAD 00 00046
47 LDXI P(1) 00 00047
48 LDA 0,1 00 00048
49 LDB 1,1 00 00049
50 LDXI * 00 00050
51 GOTO FRMWR4 00 00051
52 FRMWR1 CONT 00 00052
53 IFT VORTEX-2 00 00053
54 GOTO FRMWR2 00 00054
55 DATA 0105032 FIRMWARE LOAD 00 00055
56 GOTO FRMWR3 00 00056
57 FRMWR2 CONT 00 00057
58 DATA 0105420 FPP LOAD 00 00058
59 FRMWR3 CONT 00 00059
60 DATA P(1) 00 00060
61 FRMWR4 CONT 00 00061
62 EMAC 00 00062
63 FLDI MAC 00 00063
64 IFT VORTEX-1 00 00064
65 GOTO FRMWR1 00 00065
66 STX *+6 SOFTWARE LOAD 00 00066
67 LDXE P(1) 00 00067
68 LDA 0,1 00 00068
69 LDB 1,1 00 00069
70 LDXI * 00 00070
71 GOTO FRMWR4 00 00071
72 FRMWR1 CONT 00 00072
73 IFT VORTEX-2 00 00073
74 GOTO FRMWR2 00 00074
75 DATA 0105032 FIRMWARE LOAD 00 00075
76 GOTO FRMWR3 00 00076
77 FRMWR2 CONT 00 00077
78 DATA 0105420 FPP LOAD 00 00078
79 FRMWR3 CONT 00 00079
80 DATA P(1)+0100000 00 00080
81 FRMWR4 CONT 00 00081
82 EMAC 00 00082
83 FSTI MAC 00 00083
84 IFT VORTEX-1 00 00084
85 GOTO FRMWR1 00 00085
86 STX *+6 00 00086
87 LDXE P(1) SOFTWARE STORE 00 00087
88 STA 0,1 00 00088
89 STB 1,1 00 00089
90 LDXI * 00 00090
91 GOTO FRMWR4 00 00091
92 FRMWR1 CONT 00 00092
93 IFT VORTEX-2 00 00093
94 GOTO FRMWR2 00 00094

```



```

95      DATA      0105033      FIRMWARE STORE      00 00095
96      GOTO      FRMWR3      00 00096
97  FRMWR2  CONT      00 00097
98      DATA      0105600      FPP STORE      00 00098
99  FRMWR3  CONT      00 00099
100     DATA      P(1)+0100000      00 00100
101  FRMWR4  CONT      00 00101
102     EMAC      00 00102
103  FAD     MAC      00 00103
104     IFT      VORTEX-1      00 00104
105     GOTO      FRMWR1      00 00105
106     EXT      $QK      00 00106
107     CALL      $QK      00 00107
108     GOTO      FRMWR3      00 00108
109  FRMWR1  CONT      00 00109
110     IFT      VORTEX-2      00 00110
111     GOTO      FRMWR2      00 00111
112     DATA      0105134      00 00112
113     GOTO      FRMWR3      00 00113
114  FRMWR2  CONT      00 00114
115     DATA      0105410      00 00115
116  FRMWR3  CONT      00 00116
117     DATA      P(1)      00 00117
118     EMAC      00 00118
120  FSB     MAC      00 00120
121     IFT      VORTEX-1      00 00121
122     GOTO      FRMWR1      00 00122
123     EXT      $QL      00 00123
124     CALL      $QL      00 00124
125     GOTO      FRMWR3      00 00125
126  FRMWR1  CONT      00 00126
127     IFT      VORTEX-2      00 00127
128     GOTO      FRMWR2      00 00128
129     DATA      0105174      00 00129
130     GOTO      FRMWR3      00 00130
131  FRMWR2  CONT      00 00131
132     DATA      0105450      00 00132
133  FRMWR3  CONT      00 00133
134     DATA      P(1)      00 00134
135     EMAC      00 00135
137  FMU     MAC      00 00137
138     IFT      VORTEX-1      00 00138
139     GOTO      FRMWR1      00 00139
140     EXT      $QM      00 00140
141     CALL      $QM      00 00141
142     GOTO      FRMWR3      00 00142
143  FRMWR1  CONT      00 00143
144     IFT      VORTEX-2      00 00144
145     GOTO      FRMWR2      00 00145
146     DATA      0105074      00 00146
147     GOTO      FRMWR3      00 00147
148  FRMWR2  CONT      00 00148
149     DATA      0105416      00 00149
150  FRMWR3  CONT      00 00150
151     DATA      P(1)      00 00151
152     EMAC      00 00152
154  FDV     MAC      00 00154
155     IFT      VORTEX-1      00 00155
156     GOTO      FRMWR1      00 00156
157     EXT      $QN      00 00157
158     CALL      $QN      00 00158
159     GOTO      FRMWR3      00 00159
160  FRMWR1  CONT      00 00160
161     IFT      VORTEX-2      00 00161
162     GOTO      FRMWR2      00 00162
163     DATA      0105034      00 00163
164     GOTO      FRMWR3      00 00164
165  FRMWR2  CONT      00 00165
166     DATA      0105401      00 00166
167  FRMWR3  CONT      00 00167
168     DATA      P(1)      00 00168
169     EMAC      00 00169
171     NAME      CABS      00 00171
172     EXT      SQRT      00 00172
173     NAME      CSQRT      00 00173
174     EXT      $CAC      00 00174
175     EJECT      00 00175
176 *****      00 00176
177 *      *00 00177
178 *      *00 00178
179 *  NAME -      CSQRT      *00 00179
180 *      *00 00180
181 *      *00 00181
182 *  PURPOSE -  TO COMPUTE THE SQUARE ROOT OF A COMPLEX ARGUMENT      *00 00182
183 *      *00 00183
184 *      *00 00184
185 *  CALLING SEQUENCE -  CALL CSQRT(Z)      *00 00185
186 *      *00 00186
187 *      *00 00187
188 *  RESULT -   ACC2 = Z**0.5      *00 00188
189 *      *00 00189
190 *      *00 00190
191 *****      00 00191

```



E.2 VORTEX LISTING

CORRT

PROGRAM PAGE 9

LISTING PAGE ( 302)

```

000000 002000 A 192 CSQ010 CALL CABS      CALC CABS      00 00192
000001 000172 R
000002 100111 R 193      DATA (CSQ000-1)* 00 00193
000003 054175 A 194      STA  ACCC      SAVE FOR POSSIBLE LATER USE 00 00194
000004 064175 A 195      STB  ACCC+1    00 00195
000005 074005 A 196      FLD  ACCC      CALC REAL PART 00 00196
000006 006030 A
000007 000201 R
000010 015000 A
000011 025001 A
000012 006030 A
000013 000012 R
000014 002000 A 197      FAD  (CSQ000-1)* 00 00197
000015 000000 E
000016 100111 R
000017 002000 A 198      FDV  CSQB      00 00198
000020 000000 E
000021 000206 R
000022 074005 A 199      FST  ACCR      00 00199
000023 006030 A
000024 000203 R
000025 055000 A
000026 065001 A
000027 006030 A
000030 000027 R
000031 002000 A 200      CALL  SQRT      00 00200
000032 000000 E
000033 000203 R 201      DATA ACCR      00 00201
000034 054146 A 202      STA  ACCR      00 00202
000035 064146 A 203      STB  ACCR+1    00 00203
000036 001010 A 204      JAZ  CSQ020    IF ZERO- IMAG=SQRT OF CABS 00 00204
000037 000072 R
000040 014050 A 205      LDA  CSQ000-1  OTHERWISE DIVIDE IMAG BY 2 AND REAL 00 00205
000041 006120 A 206      ADDI 2
000042 000002 A
000043 054141 A 207      STA  TEMP      00 00207
000044 074005 A 208      FLDI TEMP      00 00208
000045 006037 A
000046 000205 R
000047 015000 A
000050 025001 A
000051 006030 A
000052 000051 R
000053 002000 A 209      FDV  CSQ2      00 00209
000054 000020 E
000055 000206 R
000056 002000 A 210      FDV  ACCR      00 00210
000057 000054 E
000060 000203 R
000061 074005 A 211      FST  %CAC      SAVE IMAG 00 00211
000062 006030 A
000063 000000 E
000064 055000 A
000065 065001 A
000066 006030 A
000067 000066 R
000070 001000 A 212      JMP  CSQ030    00 00212
000071 000101 R
000072 002000 A 213 CSQ020 CALL  SQRT      TAKE SQRT OF CABS 00 00213
000073 000032 E
000074 000201 R 214      DATA ACCR      00 00214
000075 006030 A 215      LDXI %CAC      00 00215
000076 000063 E
000077 055000 A 216      STA  0,1      SAVE IMAG 00 00216
000100 065001 A 217      STB  1,1      00 00217
000101 014101 A 218 CSQ030 LDA  ACCR      SET REAL PART 00 00218
000102 024101 A 219      LDB  ACCR+1    00 00219
000103 034104 A 220      LDX  TEMPX     RESTORE X 00 00220
000104 001000 A 221      JMP  CSQRT     EXIT 00 00221
000105 000105 R
000106 002000 A 222 CSQRT BES  0      ENTRY 00 00222
000107 000000 E 223      FSE  1        FETCH COMPLEX ADDR 00 00223
000110 000001 A
000112 074075 A 224 CSQ000 STX  TEMPX     00 00224
000113 001000 A 225      JMP  CSQ010    00 00225
000114 000000 R
226      EJEC 00 00226
227 ***** 00 00227
228 * 00 00228
229 * NAME - CABS 00 00229
230 * 00 00230
231 * 00 00231
232 * PURPOSE - TO COMPUTE THE ABSOLUTE VALUE OF A COMPLEX ARGUMENT 00 00232
    
```



```

233 *                                *00 00233
234 *                                *00 00234
235 * CALLING SEQUENCE - CALL CABS(Z) *00 00235
236 *                                *00 00236
237 *                                *00 00237
238 * RESULT - ACCR = /Z/          *00 00238
239 *                                *00 00239
240 *                                *00 00240
241 *                                *00 00241
000115 014060 A 242 CAB010 LDA CAB000-1 CALC IMAG ADDR 00 00242
000116 006120 A 243 ADDI 2 00 00243
000117 000002 A
000120 054064 A 244 STA TEMP 00 00244
245 FLDI CAB000-1 IMAG SQUARE 00 00245
000121 074005 A
000122 006037 A
000123 000176 R
000124 015000 A
000125 025001 A
000126 006030 A
000127 000126 R
246 FMU (CAB000-1)* 00 00246
000130 002000 A
000131 000000 E
000132 100176 R
247 FST ACCR 00 00247
000133 074005 A
000134 006030 A
000135 000203 R
000136 055000 A
000137 065001 A
000140 006030 A
000141 000140 R
248 FLDI TEMP REAL SQUARE 00 00248
000142 074005 A
000143 006037 A
000144 000205 R
000145 015000 A
000146 025001 A
000147 006030 A
000150 000147 R
249 FMU (TEMP)* 00 00249
000151 002000 A
000152 000131 E
000153 100203 R
250 FAD ACCR 00 00250
000154 002000 A
000155 000015 E
000156 000203 R
251 FST ACCR 00 00251
000157 074005 A
000160 006030 A
000161 000203 R
000162 055000 A
000163 065001 A
000164 006030 A
000165 000164 R
000166 002000 A 252 CALL SQRT EXTRACT SQUARE ROOT 00 00252
000167 000073 E
000170 000203 R 253 DATA ACCR 00 00253
000171 001000 A 254 JMP CABS EXIT 00 00254
000172 000172 R 255 CABS BES 0 ENTRY 00 00255
256 FSE 1 FETCH COMPLEX ADDR 00 00256
000173 002000 A
000174 000107 E
000175 000001 A
000177 001000 A 257 CAB000 JMP CAB010 00 00257
000200 000115 R
000201 258 ACCC BSS 2 00 00258
000203 259 ACCR BSS 2 00 00259
000205 260 TEMP BSS 1 00 00260
000206 040500 A 261 CSQ2 DATA 040500.0 00 00261
000207 000000 A
000210 262 TEMPX BSS 1 00 00262
263 END 00 00263

ENTRY NAMES
000172 R CABS 000105 R CSQRT
EXTERNAL NAMES
000076 E $CAC 000155 E $QK 000152 E $QM 000057 E $QN
000174 E $SE 000167 E $SQRT
SYMBOLS
000076 E $CAC 000155 E $QK 000152 E $QM 000057 E $QN
000174 E $SE 000201 R ACCC 000203 R ACCR 000177 R CAB000
000115 R CAB010 000172 R CABS 000112 R CSQ000 000000 R CSQ010
000072 R CSQ020 000101 R CSQ030 000206 R CSQ2 000105 R CSQRT
000167 E $SQRT 000205 R TEMP 000210 R TEMPX 000001 A VORTEX
0 ERRORS ASSEMBLY COMPLETE
    
```

```

0 $CAC 174 211 215
0 $QK 106 107
0 $QL 123 124
    
```



E.2 VORTEX LISTING

CSQRT

PROGRAM PAGE

5

LISTING PAGE ( 304 )

0	\$QM	140	141							
0	\$QN	157	158							
0	\$SE	13	14							
259	ACCC	194	195	196	214					
259	ACCR	199	201	202	203	210	218	219	247	250
		251	253							
257	CAB000	242	245	246						
242	CAB010	257								
255	CABS	171	192	254						
224	CSQ000	193	197	205						
192	CSQ010	225								
213	CSQ020	204								
218	CSQ030	212								
261	CSQ2	198	209							
222	CSQRT	7	173	221						
16	FRMWR1	12	25	45	65	85	105	122	139	156
18	FRMWR2	15	34	54	74	94	111	128	145	162
39	FRMWR3	36	56	76	96	108	113	125	130	142
		147	159	164						
41	FRMWR4	31	51	71	91					
0	F	19	20	27	40	47	60	67	80	87
		100	117	134	151	168				
0	SQRT	172	200	213	252					
260	TEMP	207	208	244	248	249				
262	TEMPX	220	224							
1	VORTEX	10	11	24	33	44	53	64	73	84
		93	104	110	121	127	138	144	155	161



```

000001 A 1 VORTEX SET 1 00 00001
2 * THIS IS A COPYRIGHTED PROGRAM. COPYRIGHT 1975 BY VARIAN DATA MACHINE 00 00002
3 * 00 00003
4 * V.D.M. PART NO. 00 00004
5 * 00 00005
6 * 00 00006
7 * 00 00007
8 * TITLE CRMATH 00 00008
9 FSE MAC 00 00009
10 IFT VORTEX-2 00 00010
11 IFF VORTEX-4 00 00011
12 GOTO FRMWR1 00 00012
13 EXT $SE 00 00013
14 CALL $SE 00 00014
15 GOTO FRMWR2 00 00015
16 FRMWR1 CONT 00 00016
17 DATA 0105036 00 00017
18 FRMWR2 CONT 00 00018
19 DATA P(1) 00 00019
20 BSS P(1) 00 00020
21 EMAC 00 00021
23 FLD MAC 00 00023
24 IFT VORTEX-3 00 00024
25 IFF VORTEX-4 00 00025
26 GOTO FRMWR1 00 00026
27 STX *+6 00 00027
28 LDXI P(1) 00 00028
29 LDA 0,1 00 00029
30 LDB 1,1 00 00030
31 LDXI * 00 00031
32 GOTO FRMWR2 00 00032
33 FRMWR1 CONT 00 00033
34 DATA 0105420 00 00034
35 DATA P(1) 00 00035
36 FRMWR2 CONT 00 00036
37 EMAC 00 00037
39 FST MAC 00 00039
40 IFT VORTEX-3 00 00040
41 IFF VORTEX-4 00 00041
42 GOTO FRMWR1 00 00042
43 STX *+6 00 00043
44 LDXI P(1) 00 00044
45 STA 0,1 00 00045
46 STB 1,1 00 00046
47 LDXI * 00 00047
48 GOTO FRMWR2 00 00048
49 FRMWR1 CONT 00 00049
50 DATA 0105600 00 00050
51 DATA P(1) 00 00051
52 FRMWR2 CONT 00 00052
53 EMAC 00 00053
54 FAD MAC 00 00054
55 IFT VORTEX-1 00 00055
56 GOTO FRMWR1 00 00056
57 EXT $QK 00 00057
58 CALL $QK 00 00058
59 GOTO FRMWR3 00 00059
60 FRMWR1 CONT 00 00060
61 IFT VORTEX-2 00 00061
62 GOTO FRMWR2 00 00062
63 DATA 0105134 00 00063
64 GOTO FRMWR3 00 00064
65 FRMWR2 CONT 00 00065
66 DATA 0105410 00 00066
67 FRMWR3 CONT 00 00067
68 DATA P(1) 00 00068
69 EMAC 00 00069
71 FSB MAC 00 00071
72 IFT VORTEX-1 00 00072
73 GOTO FRMWR1 00 00073
74 EXT $QL 00 00074
75 CALL $QL 00 00075
76 GOTO FRMWR3 00 00076
77 FRMWR1 CONT 00 00077
78 IFT VORTEX-2 00 00078
79 GOTO FRMWR2 00 00079
80 DATA 0105174 00 00080
81 GOTO FRMWR3 00 00081
82 FRMWR2 CONT 00 00082
83 DATA 0105450 00 00083
84 FRMWR3 CONT 00 00084
85 DATA P(1) 00 00085
86 EMAC 00 00086
88 FMU MAC 00 00088
89 IFT VORTEX-1 00 00089
90 GOTO FRMWR1 00 00090
91 EXT $QM 00 00091
92 CALL $QM 00 00092
93 GOTO FRMWR3 00 00093
94 FRMWR1 CONT 00 00094
95 I. T VORTEX-2 00 00095
96 GOTO FRMWR2 00 00096
97 DATA 0105074 00 00097

```



```

98          GOTO      FRMWR3                      00 00098
99 FRMWR2   CONT                      00 00099
100         DATA    0105416                00 00100
101 FRMWR3   CONT                      00 00101
102         DATA    P(1)                   00 00102
103         EMAC                      00 00103
105 FDV     MAC                      00 00105
106         IFT      VORTEX-1                00 00106
107         GOTO     FRMWR1                  00 00107
108         EXT      $QN                      00 00108
109         CALL     $QN                      00 00109
110         GOTO     FRMWR3                  00 00110
111 FRMWR1   CONT                      00 00111
112         IFT      VORTEX-2                00 00112
113         GOTO     FRMWR2                  00 00113
114         DATA    0105034                00 00114
115         GOTO     FRMWR3                  00 00115
116 FRMWR2   CONT                      00 00116
117         DATA    0105401                00 00117
118 FRMWR3   CONT                      00 00118
119         DATA    P(1)                   00 00119
120         EMAC                      00 00120
122         NAME     $AK                      00 00122
123         NAME     $AL                      00 00123
124         NAME     $AM                      00 00124
125         NAME     $AN                      00 00125
126         EXT      $CAC                     00 00126
127         EJEC                      00 00127
128 *****
129 *
130 *
131 * NAME - $AK
132 *
133 *
134 * PURPOSE - TO ADD A REAL ARG. TO THE REAL PART OF THE COMPLEX ARG.
135 *
136 *
137 * CALLING SEQUENCE - CALL $AK(R)
138 *
139 *
140 * RESULT - ACCZ = ACCZ+(R,0.)
141 *
142 *
143 *****
000000 R 144 AK010 EQU *
145         IFT      VORTEX-1                00 00144
146         IFF      VORTEX-2                00 00145
147         GOTO     FRMWR1                  00 00146
148         FLD      ACCR                     00 00147
149 FRMWR1   CONT                      00 00148
150         FAD      (AK000-1)* ADD REAL PART 00 00149
000000 002000 A
000001 000000 E
000002 100010 R
151         IFT      VORTEX-1                00 00151
152         IFF      VORTEX-2                00 00152
153         GOTO     FRMWR1                  00 00153
154         FST      ACCR                     00 00154
155         LDA      ACCR                     00 00155
156         LDB      ACCR+1                   00 00156
157 FRMWR1   CONT                      00 00157
158         JMP      $AK EXIT                 00 00158
000003 001000 A
000004 000004 R
000004
159 $AK     BES      0 ENTRY                 00 00159
160         FSE      1 FETCH REAL ADDR      00 00160
000005 002000 A
000006 000000 E
000007 000001 A
000011 R
161 AK000   EQU      *
162         IFT      VORTEX-1                00 00161
163         IFF      VORTEX-2                00 00162
164         GOTO     FRMWR1                  00 00163
165         STA      ACCR                     00 00164
166         STB      ACCR+1                   00 00165
167 FRMWR1   CONT                      00 00166
168         JMP      AK010                    00 00167
000011 001000 A
000012 000000 R
169         EJEC                      00 00169
170 *****
171 *
172 *
173 * NAME - $AL
174 *
175 *
176 * PURPOSE - TO SUBTRACT A REAL ARGUMENT FROM THE REAL PART OF THE
177 *           COMPLEX ACCUMULATOR.
178 *
179 *
180 * CALLING SEQUENCE - CALL $AL(R)
181 *
182 *
183 * RESULT - ACCZ = ACCZ-(R,0.)
184 *

```



```

185 *
186 *****
000013 R 187 AL010 EQU *
188 IFT VORTEX-1
189 IFF VORTEX-2
190 GOTO FRMWR1
191 FLD ACCR
192 FRMWR1 CONT
193 FSB (AL000-1)* SUBTRACT REAL PART
000013 002000 A
000014 000000 E
000015 100023 R
194 IFT VORTEX+1
195 IFF VORTEX-2
196 GOTO FRMWR1
197 FST ACCR
198 LDA ACCR
199 LDB ACCR+1
000016 001000 A 200 FRMWR1 CONT
000017 000017 R 201 JMP $AL EXIT
000017 $AL BES 0 ENTRY
202 $AL FSE 1 FETCH REAL ADDR
000020 002000 A
000021 000006 E
000022 000001 A
000024 001000 A
000025 000013 R
204 AL000 EQU *
205 IFT VORTEX-1
206 IFF VORTEX-2
207 GOTO FRMWR1
208 STA ACCR
209 STB ACCR+1
000024 001000 A 210 FRMWR1 CONT
000025 000013 R 211 JMP AL010
212 EJEK
213 *****
214 *
215 *
216 * NAME - $AM
217 *
218 *
219 * PURPOSE - TO MULTIPLY THE COMPLEX ACC. BY A REAL ARGUMENT.
220 *
221 *
222 * CALLING SEQUENCE - CALL $AM(R)
223 *
224 *
225 * RESULT - ACCZ = ACCZ*(R,0.)
226 *
227 *
228 *****
229 AM010 FLD $CAC MULT IMAG
000026 074005 A
000027 006030 A
000030 000000 E
000031 015000 A
000032 025001 A
000033 006030 A
000034 000033 R
230 FMU (AM000-1)*
000035 002000 A
000036 000000 E
000037 100066 R
231 FST $CAC
000040 074005 A
000041 006030 A
000042 000030 E
000043 055000 A
000044 065001 A
000045 006030 A
000046 000045 R
232 FLD ACCR MULT REAL
000047 074005 A
000050 006030 A
000051 000140 R
000052 015000 A
000053 025001 A
000054 006030 A
000055 000054 R
233 FMU (AM000-1)*
000056 002000 A
000057 000036 E
000060 100066 R
234 IFT VORTEX-1
235 IFF VORTEX-2
236 GOTO FRMWR1
237 FST ACCR
238 LDA ACCR
239 LDB ACCR+1
000061 001000 A 240 FRMWR1 CONT
000062 000062 R 241 JMP $AM EXIT

```







E.2 VORTEX LISTING

CRMATH

PROGRAM PAGE

5

LISTING PAGE ( 309 )

202	\$AL	123	201							
242	\$AM	124	241							
277	\$AN	125	276							
0	\$CAC	126	229	231	264	266				
0	\$QK	57	58							
0	\$QL	74	75							
0	\$QM	91	92							
0	\$QN	108	109							
0	\$SE	13	14							
282	ACCR	148	154	155	156	165	166	191	197	198
		199	208	209	232	237	238	239	244	245
		267	272	273	274	279	280			
161	AK000	150								
144	AK010	168								
204	AL000	193								
187	AL010	211								
244	AM000	230	233							
229	AM010	246								
279	AN000	265	268							
264	AN010	281								
0	CRMATH	7								
16	FRMWR1	12	26	42	56	73	90	107	147	153
		164	190	196	207	236	271			
18	FRMWR2	15	32	48	62	79	96	113		
67	FRMWR3	59	64	76	81	93	98	110	115	
0	P	19	20	28	35	44	51	68	85	102
		119								
1	VORTEX	10	11	24	25	40	41	55	61	72
		78	89	95	105	112	145	146	151	152
		162	163	188	189	194	195	205	206	234
		235	269	270						



```

000001 A 1 VORTEX SET 1 00 00001
2 * THIS IS A COPYRIGHTED PROGRAM. COPYRIGHT 1975 BY VARIAN DATA MACHINE 00 00002
3 * 00 00003
4 * V.D.M. PART NO. 00 00004
5 * 00 00005
6 * 00 00006
7 * 00 00007
8 * 00 00008
9 FSE MAC 00 00009
10 IFT VORTEX-2 00 00010
11 IFF VORTEX-4 00 00011
12 GOTO FRMWR1 00 00012
13 EXT SSE 00 00013
14 CALL SSE 00 00014
15 GOTO FRMWR2 00 00015
16 FRMWR1 CONT 00 00016
17 DATA 0105036 00 00017
18 FRMWR2 CONT 00 00018
19 DATA P(1) 00 00019
20 BSS P(1) 00 00020
21 EMAC 00 00021
23 FST MAC 00 00023
24 IFT VORTEX-1 00 00024
25 GOTO FRMWR1 00 00025
26 STX *+6 SOFTWARE STORE 00 00026
27 LDXI P(1) 00 00027
28 STA 0,1 00 00028
29 STB 1,1 00 00029
30 LDXI * 00 00030
31 GOTO FRMWR4 00 00031
32 FRMWR1 CONT 00 00032
33 IFT VORTEX-2 00 00033
34 GOTO FRMWR2 00 00034
35 DATA 0105033 FIRMWARE STORE 00 00035
36 GOTO FRMWR3 00 00036
37 FRMWR2 CONT 00 00037
38 DATA 0105600 FPP STORE 00 00038
39 FRMWR3 CONT 00 00039
40 DATA P(1) 00 00040
41 FRMWR4 CONT 00 00041
42 EMAC 00 00042
43 FLD MAC 00 00043
44 IFT VORTEX-1 00 00044
45 GOTO FRMWR1 00 00045
46 STX *+6 SOFTWARE LOAD 00 00046
47 LDXI P(1) 00 00047
48 LDA 0,1 00 00048
49 LDB 1,1 00 00049
50 LDXI * 00 00050
51 GOTO FRMWR4 00 00051
52 FRMWR1 CONT 00 00052
53 IFT VORTEX-2 00 00053
54 GOTO FRMWR2 00 00054
55 DATA 0105032 FIRMWARE LOAD 00 00055
56 GOTO FRMWR3 00 00056
57 FRMWR2 CONT 00 00057
58 DATA 0105420 FPP LOAD 00 00058
59 FRMWR3 CONT 00 00059
60 DATA P(1) 00 00060
61 FRMWR4 CONT 00 00061
62 EMAC 00 00062
63 FLDI MAC 00 00063
64 IFT VORTEX-1 00 00064
65 GOTO FRMWR1 00 00065
66 STX *+6 SOFTWARE LOAD 00 00066
67 LDXE P(1) 00 00067
68 LDA 0,1 00 00068
69 LDB 1,1 00 00069
70 LDXI * 00 00070
71 GOTO FRMWR4 00 00071
72 FRMWR1 CONT 00 00072
73 IFT VORTEX-2 00 00073
74 GOTO FRMWR2 00 00074
75 DATA 0105032 FIRMWARE LOAD 00 00075
76 GOTO FRMWR3 00 00076
77 FRMWR2 CONT 00 00077
78 DATA 0105420 FPP LOAD 00 00078
79 FRMWR3 CONT 00 00079
80 DATA P(1)+0100000 00 00080
81 FRMWR4 CONT 00 00081
82 EMAC 00 00082
83 FSTI MAC 00 00083
84 IFT VORTEX-1 00 00084
85 GOTO FRMWR1 00 00085
86 STX *+6 00 00086
87 LDXE P(1) SOFTWARE STORE 00 00087
88 STA 0,1 00 00088
89 STB 1,1 00 00089
90 LDXI * 00 00090
91 GOTO FRMWR4 00 00091
92 FRMWR1 CONT 00 00092
93 IFT VORTEX-2 00 00093
94 GOTO FRMWR2 00 00094
    
```



```

95      DATA      0105033      FIRMWARE STORE      00 00095
96      GOTO      FRMWR3
97  FRMWR2  CONT
98      DATA      0105600      FPP STORE      00 00097
99  FRMWR3  CONT      00 00098
100     DATA      P(1)+0100000      00 00099
101  FRMWR4  CONT      00 00100
102     EMAC
103  FAD     MAC      00 00101
104     IFT      VORTEX-1      00 00102
105     GOTO      FRMWR1      00 00103
106     EXT      $QK      00 00104
107     CALL     $QK      00 00105
108     GOTO      FRMWR3      00 00106
109  FRMWR1  CONT      00 00107
110     IFT      VORTEX-2      00 00108
111     GOTO      FRMWR2      00 00109
112     DATA     0105134      00 00110
113     GOTO      FRMWR3      00 00111
114  FRMWR2  CONT      00 00112
115     DATA     0105410      00 00113
116  FRMWR3  CONT      00 00114
117     DATA     P(1)      00 00115
118     EMAC
120  FSB     MAC      00 00116
121     IFT      VORTEX-1      00 00117
122     GOTO      FRMWR1      00 00118
123     EXT      $QL      00 00119
124     CALL     $QL      00 00120
125     GOTO      FRMWR3      00 00121
126  FRMWR1  CONT      00 00122
127     IFT      VORTEX-2      00 00123
128     GOTO      FRMWR2      00 00124
129     DATA     0105174      00 00125
130     GOTO      FRMWR3      00 00126
131  FRMWR2  CONT      00 00127
132     DATA     0105450      00 00128
133  FRMWR3  CONT      00 00129
134     DATA     P(1)      00 00130
135     EMAC
137  FMU     MAC      00 00131
138     IFT      VORTEX-1      00 00132
139     GOTO      FRMWR1      00 00133
140     EXT      $QM      00 00134
141     CALL     $QM      00 00135
142     GOTO      FRMWR3      00 00136
143  FRMWR1  CONT      00 00137
144     IFT      VORTEX-2      00 00138
145     GOTO      FRMWR2      00 00139
146     DATA     0105074      00 00140
147     GOTO      FRMWR3      00 00141
148  FRMWR2  CONT      00 00142
149     DATA     0105416      00 00143
150  FRMWR3  CONT      00 00144
151     DATA     P(1)      00 00145
152     EMAC
154  FDV     MAC      00 00146
155     IFT      VORTEX-1      00 00147
156     GOTO      FRMWR1      00 00148
157     EXT      $ON      00 00149
158     CALL     $ON      00 00150
159     GOTO      FRMWR3      00 00151
160  FRMWR1  CONT      00 00152
161     IFT      VORTEX-2      00 00153
162     GOTO      FRMWR2      00 00154
163     DATA     0105034      00 00155
164     GOTO      FRMWR3      00 00156
165  FRMWR2  CONT      00 00157
166     DATA     0105401      00 00158
167  FRMWR3  CONT      00 00159
168     DATA     P(1)      00 00160
169     EMAC
171     NAME     CCDS      00 00161
172     NAME     CSIN      00 00162
173     EXT      COS      00 00163
174     EXT      SIN      00 00164
175     EXT      EXP      00 00165
176     EXT      $CACT      00 00166
177     EXT      $CAC      00 00167
178     EJECT
179 *****
180 *
181 *
182 * NAME - CCDS *
183 *
184 *
185 * PURPOSE - TO COMPUTE THE COSINE OF A COMPLEX ARGUMENT. *
186 *
187 *
188 * CALLING SEQUENCE - CALL CCDS(Z) *
189 *
190 *
191 * RESULT - ACC2 = CCDS(Z) *

```



```

192 *
193 *
194 *****
195 CCS010 FLDI CCS000-1 ADD MAGIC CONSTANT *00 00195

000000 074005 A
000001 006037 A
000002 000053 R
000003 015000 A
000004 025001 A
000005 006030 A
000006 000005 R

196 FAD CCSCON 00 00196

000007 002000 A
000010 000000 E
000011 000062 R

197 FST ACCC 00 00197

000012 074005 A
000013 006030 A
000014 000056 R
000015 055000 A
000016 065001 A
000017 006030 A
000020 000017 R
000021 014031 A
000022 006120 A
000023 000002 A
000024 054206 A

198 LDA CCS000-1 FETCH IMAGINARY 00 00198
199 ADDI 2 00 00199

200 STA TEMP 00 00200
201 FLDI TEMP 00 00201

000025 074005 A
000026 006037 A
000027 000233 R
000030 015000 A
000031 025001 A
000032 006030 A
000033 000032 R

202 FST ACCC+2 00 00202

000034 074005 A
000035 006030 A
000036 000060 R
000037 055000 A
000040 065001 A
000041 006030 A
000042 000041 R
000043 002000 A
000044 000212 R
000045 000056 R
000046 001000 A
000047 000047 R

203 CALL CSIN GET SIN 00 00203
204 DATA ACCC 00 00204
205 JMP CCDS EXIT 00 00205
206 CCDS BES 0 ENTRY 00 00206
207 FSE 1 FEICH COMPLEX ADDR 00 00207

000050 002000 A
000051 000000 E
000052 000001 A
000054 001000 A
000055 000000 R
000056 000000 A
000062 040344 A
000063 041767 A

208 CCS000 JMP CCS010 00 00208
209 ACCC BSS 4 00 00209
210 CCSCON DATA 040344,041767 1.5707963267 00 00210

211 EJEC 00 00211
212 *****
213 *
214 *
215 * NAME - CSIN *00 00215
216 * *00 00216
217 * *00 00217
218 * PURPOSE - TO COMPUTE THE SINE OF A COMPLEX ARGUMENT. *00 00218
219 * *00 00219
220 * *00 00220
221 * CALLING SEQUENCE - CALL CSIN(Z) *00 00221
222 * *00 00222
223 * *00 00223
224 * RESULT - ACCZ = CSIN(Z) *00 00224
225 * *00 00225
226 * *00 00226
227 *****
228 CSN010 LDA CSN000-1 CALC IMAG ADDR 00 00228
229 ADDI 2 00 00229

000064 014131 A
000065 006120 A
000066 000002 A
000067 054143 A
000070 002000 A
000071 000000 E
000072 100233 R
000073 054125 A
000074 064125 A

230 STA TEMP 00 00230
231 CALL EXP CALC INITIAL VALUES 00 00231

232 DATA (TEMP)* 00 00232
233 STA ETY 00 00233
234 STB ETY+1 00 00234
235 FLD CSN1 00 00235

000075 074005 A
000076 006030 A
000077 000223 R
000100 015000 A
000101 025001 A
000102 006030 A
000103 000102 R

236 FDV ETY 00 00236

```



000104	002000	A						
000105	000000	E						
000106	000221	R						
			237	FST	ETMY			00 00237
000107	074005	A						
000110	006030	A						
000111	000227	R						
000112	055000	A						
000113	065001	A						
000114	006030	A						
000115	000114	R						
			238	FLD	ETY			00 00238
000116	074005	A						
000117	006030	A						
000120	000221	R						
000121	015000	A						
000122	025001	A						
000123	006030	A						
000124	000123	R						
			239	FSB	ETMY			00 00239
000125	002000	A						
000126	000000	E						
000127	000227	R						
			240	FST	\$CACT			00 00240
000130	074005	A						
000131	006030	A						
000132	000000	E						
000133	055000	A						
000134	065001	A						
000135	006030	A						
000136	000135	R						
000137	002000	A	241	CALL	CDS	CALC IMAGINARY		00 00241
000140	000000	E						
000141	100216	R						
			242	DATA	(CSN000-1)*			00 00242
			243	IFT	VORTEX-1			00 00243
			244	IFF	VORTEX-2			00 00244
			245	GOTO	FRMWR1			00 00245
			246	STA	ACCR			00 00246
			247	STB	ACCR+1			00 00247
			248	FLD	ACCR			00 00248
			249	FRMWR1	CONT			00 00249
			250	FMU	\$CACT			00 00250
000142	002000	A						
000143	000000	E						
000144	000132	E						
			251	FDV	CSN2			00 00251
000145	002000	A						
000146	000105	E						
000147	000225	R						
			252	FST	\$CAC			00 00252
000150	074005	A						
000151	006030	A						
000152	000000	E						
000153	055000	A						
000154	065001	A						
000155	006030	A						
000156	000155	R						
			253	FLD	ETY	CALC REAL		00 00253
000157	074005	A						
000160	006030	A						
000161	000221	R						
000162	015000	A						
000163	025001	A						
000164	006030	A						
000165	000164	R						
			254	FAD	ETMY			00 00254
000166	002000	A						
000167	000010	E						
000170	000227	R						
			255	FST	\$CACT			00 00255
000171	074005	A						
000172	006030	A						
000173	000144	E						
000174	055000	A						
000175	065001	A						
000176	006030	A						
000177	000176	R						
000200	002000	A	256	CALL	SIN			00 00256
000201	000000	E						
000202	100216	R						
			257	DATA	(CSN000-1)*			00 00257
			258	IFT	VORTEX-1			00 00258
			259	IFF	VORTEX-2			00 00259
			260	GOTO	FRMWR1			00 00260
			261	STA	ACCR			00 00261
			262	STB	ACCR+1			00 00262
			263	FLD	ACCR			00 00263
			264	FRMWR1	CONT			00 00264
			265	FMU	\$CACT			00 00265
000203	002000	A						
000204	000143	E						
000205	000173	E						
			266	FDV	CSN2			00 00266
000206	002000	A						



```

000207 000146 E
000210 000225 R
      267 IFT VORTEX-1 00 00267
      268 IFF VORTEX-2 00 00268
      269 GOTO FRMWR1 00 00269
      270 FST ACCR 00 00270
      271 LDA ACCR 00 00271
      272 LDB ACCR+1 00 00272
      273 FRMWR1 CONT 00 00273
      274 JMP CSIN 00 00274
000211 001000 A
000212 000212 R
      275 CSIN BES 0 ENTRY
      276 FSE 1 FETCH COMPLEX ADDR 00 00275
      00 00276
000213 002000 A
000214 000051 E
000215 000001 A
000217 001000 A 277 CSN000 JMP CSN010 00 00277
000220 000064 R
000221 278 ETY BSS 2 00 00278
000223 040300 A 279 CSN1 DATA 040300,0 00 00279
000224 000000 A
000225 040500 A 280 CSN2 DATA 040500,0 00 00280
000226 000000 A
000227 281 ETMY BSS 2 00 00281
000231 282 ACCR BSS 2 00 00282
000233 283 TEMP BSS 1 00 00283
      284 END 00 00284

```

ENTRY NAMES

000047 R CCDS 000212 R CSIN

EXTERNAL NAMES

```

000152 E $CAC 000205 E $CACT 000167 E $QK 000126 E $QL
000204 E $QM 000207 E $QN 000214 E $SE 000140 E CDS
000071 E EXP 000201 E SIN

```

SYMBOLS

```

000152 E $CAC 000205 E $CACT 000167 E $QK 000126 E $QL
000204 E $QM 000207 E $QN 000214 E $SE 000056 R ACCC
000231 R ACCR 000047 R CCDS 000054 R CCS000 000000 R CCS010
000062 R CCSCDN 000140 E CDS 000212 R CSIN 000217 R CSN000
000064 R CSN010 000223 R CSN1 000225 R CSN2 000227 R ETMY
000221 R ETY 000071 E EXP 000201 E SIN 000233 R TEMP
000001 A VORTEX

```

0 ERRORS ASSEMBLY COMPLETE

0	\$CAC	177	252							
0	\$CACT	176	240	250	255	265				
0	\$QK	106	107							
0	\$QL	123	124							
0	\$QM	140	141							
0	\$QN	157	158							
0	\$SE	13	14							
209	ACCC	197	202	204						
282	ACCR	246	247	248	261	262	263	270	271	272
206	CCDS	171	205							
208	CCS000	195	198							
195	CCS010	208								
210	CCSCDN	196								
0	CDS	173	241							
275	CSIN	172	203	274						
0	CSINCC	7								
277	CSN000	228	242	257						
228	CSN010	277								
279	CSN1	235								
280	CSN2	251	266							
281	ETMY	237	239	254						
278	ETY	233	234	236	238	253				
0	EXP	175	231							
16	FRMWR1	12	25	45	65	85	105	122	139	156
		245	260	269						
18	FRMWR2	15	34	54	74	94	111	128	145	162
39	FRMWR3	36	56	76	96	108	113	125	130	142
		147	159	164						
41	FRMWR4	31	51	71	91					
0	P	19	20	27	40	47	60	67	80	87
		100	117	134	151	168				
0	SIN	174	256							
283	TEMP	200	201	230	232					
1	VORTEX	10	11	24	33	44	53	64	73	84
		93	104	110	121	127	138	144	155	161
		243	244	258	259	267	268			



000001 A

Line	Label	Instruction	Address	Store/Load	Hex
1	VORTEX SET	1			00 00001
2	* THIS IS A COPYRIGHTED PROGRAM. COPYRIGHT 1975 BY VARIAN DATA MACHINE				00 00002
3	* * * * *				00 00003
4	* V.D.M. PART NO.				00 00004
5	* * * * *				00 00005
6	* RELEASED				00 00006
7	* * * * *				00 00007
8		TITLE	CLOGCEXP		00 00008
9	FSE	MAC			00 00009
10		IFT	VORTEX-2		00 00010
11		IFF	VORTEX-4		00 00011
12		GOTO	FRMWR1		00 00012
13		EXT	\$SE		00 00013
14		CALL	\$SE		00 00014
15		GOTO	FRMWR2		00 00015
16	FRMWR1	CONT			00 00016
17		DATA	0105036		00 00017
18	FRMWR2	CONT			00 00018
19		DATA	P(1)		00 00019
20		BSS	P(1)		00 00020
21		EMAC			00 00021
22	FST	MAC			00 00023
23		IFT	VORTEX-1		00 00024
24		GOTO	FRMWR1		00 00025
25		STX	*+6	SOFTWARE STORE	00 00026
26		LDXI	P(1)		00 00027
27		STA	0,1		00 00028
28		STB	1,1		00 00029
29		LDXI	*		00 00030
30		GOTO	FRMWR4		00 00031
31	FRMWR1	CONT			00 00032
32		IFT	VORTEX-2		00 00033
33		GOTO	FRMWR2		00 00034
34		DATA	0105033	FIRMWARE STORE	00 00035
35		GOTO	FRMWR3		00 00036
36	FRMWR2	CONT			00 00037
37		DATA	0105600	FPP STORE	00 00038
38	FRMWR3	CONT			00 00039
39		DATA	P(1)		00 00040
40	FRMWR4	CONT			00 00041
41		EMAC			00 00042
42	FLD	MAC			00 00043
43		IFT	VORTEX-1		00 00044
44		GOTO	FRMWR1		00 00045
45		STX	*+6	SOFTWARE LOAD	00 00046
46		LDXI	P(1)		00 00047
47		LDA	0,1		00 00048
48		LDB	1,1		00 00049
49		LDXI	*		00 00050
50		GOTO	FRMWR4		00 00051
51	FRMWR1	CONT			00 00052
52		IFT	VORTEX-2		00 00053
53		GOTO	FRMWR2		00 00054
54		DATA	0105032	FIRMWARE LOAD	00 00055
55		GOTO	FRMWR3		00 00056
56	FRMWR2	CONT			00 00057
57		DATA	0105420	FPP LOAD	00 00058
58	FRMWR3	CONT			00 00059
59		DATA	P(1)		00 00060
60	FRMWR4	CONT			00 00061
61		EMAC			00 00062
62	FLDI	MAC			00 00063
63		IFT	VORTEX-1		00 00064
64		GOTO	FRMWR1		00 00065
65		STX	*+6	SOFTWARE LOAD	00 00066
66		LDXE	P(1)		00 00067
67		LDA	0,1		00 00068
68		LDB	1,1		00 00069
69		LDXI	*		00 00070
70		GOTO	FRMWR4		00 00071
71	FRMWR1	CONT			00 00072
72		IFT	VORTEX-2		00 00073
73		GOTO	FRMWR2		00 00074
74		DATA	0105032	FIRMWARE LOAD	00 00075
75		GOTO	FRMWR3		00 00076
76	FRMWR2	CONT			00 00077
77		DATA	0105420	FPP LOAD	00 00078
78	FRMWR3	CONT			00 00079
79		DATA	P(1)+0100000		00 00080
80	FRMWR4	CONT			00 00081
81		EMAC			00 00082
82	FSTI	MAC			00 00083
83		IFT	VORTEX-1		00 00084
84		GOTO	FRMWR1		00 00085
85		STX	*+6	SOFTWARE STORE	00 00086
86		LDXE	P(1)		00 00087
87		STA	0,1		00 00088
88		STB	1,1		00 00089
89		LDXI	*		00 00090
90		GOTO	FRMWR4		00 00091
91	FRMWR1	CONT			00 00092
92		IFT	VORTEX-2		00 00093
93		GOTO	FRMWR2		00 00094



```

95      DATA      0105033      FIRMWARE STORE      00 00095
96      GOTO      FRMWR3      00 00096
97  FRMWR2  CONT      00 00097
98      DATA      0105600      FPP STORE      00 00098
99  FRMWR3  CONT      00 00099
100     DATA      P(1)+0100000      00 00100
101  FRMWR4  CONT      00 00101
102     EMAC      00 00102
103  FAD     MAC      00 00103
104     IFT      VORTEX-1      00 00104
105     GOTO      FRMWR1      00 00105
106     EXT      $QK      00 00106
107     CALL      $QK      00 00107
108     GOTO      FRMWR3      00 00108
109  FRMWR1  CONT      00 00109
110     IFT      VORTEX-2      00 00110
111     GOTO      FRMWR2      00 00111
112     DATA      0105134      00 00112
113     GOTO      FRMWR3      00 00113
114  FRMWR2  CONT      00 00114
115     DATA      0105410      00 00115
116  FRMWR3  CONT      00 00116
117     DATA      P(1)      00 00117
118     EMAC      00 00118
120  FSB     MAC      00 00120
121     IFT      VORTEX-1      00 00121
122     GOTO      FRMWR1      00 00122
123     EXT      $QL      00 00123
124     CALL      $QL      00 00124
125     GOTO      FRMWR3      00 00125
126  FRMWR1  CONT      00 00126
127     IFT      VORTEX-2      00 00127
128     GOTO      FRMWR2      00 00128
129     DATA      0105174      00 00129
130     GOTO      FRMWR3      00 00130
131  FRMWR2  CONT      00 00131
132     DATA      0105450      00 00132
133  FRMWR3  CONT      00 00133
134     DATA      P(1)      00 00134
135     EMAC      00 00135
137  FMU     MAC      00 00137
138     IFT      VORTEX-1      00 00138
139     GOTO      FRMWR1      00 00139
140     EXT      $QM      00 00140
141     CALL      $QM      00 00141
142     GOTO      FRMWR3      00 00142
143  FRMWR1  CONT      00 00143
144     IFT      VORTEX-2      00 00144
145     GOTO      FRMWR2      00 00145
146     DATA      0105074      00 00146
147     GOTO      FRMWR3      00 00147
148  FRMWR2  CONT      00 00148
149     DATA      0105416      00 00149
150  FRMWR3  CONT      00 00150
151     DATA      P(1)      00 00151
152     EMAC      00 00152
154  FDV     MAC      00 00154
155     IFT      VORTEX-1      00 00155
156     GOTO      FRMWR1      00 00156
157     EXT      $QN      00 00157
158     CALL      $QN      00 00158
159     GOTO      FRMWR3      00 00159
160  FRMWR1  CONT      00 00160
161     IFT      VORTEX-2      00 00161
162     GOTO      FRMWR2      00 00162
163     DATA      0105034      00 00163
164     GOTO      FRMWR3      00 00164
165  FRMWR2  CONT      00 00165
166     DATA      0105401      00 00166
167  FRMWR3  CONT      00 00167
168     DATA      P(1)      00 00168
169     EMAC      00 00169
171     NAME      CLOG      00 00171
172     NAME      CEXP      00 00172
173     EXT      $CAC      00 00173
174     EXT      ATAN2      00 00174
175     EXT      ALG      00 00175
176     EXT      EXP      00 00176
177     EXT      SIN      00 00177
178     EXT      COS      00 00178
179     EJECT      00 00179
180 *****      00 00180
181 *      *00 00181
182 *      *00 00182
183 *  NAME -      CLOG      *00 00183
184 *      *00 00184
185 *      *00 00185
186 *  PURPOSE -      TO COMPUTE THE NATURAL LOGARITHM OF A COMPLEX ARGUMENT.      *00 00186
187 *      *00 00187
188 *      *00 00188
189 *  CALLING SEQUENCE -      CALL CLOG(Z)      *00 00189
190 *      *00 00190
191 *      *00 00191

```



```

192 * RESULT - ACCZ = CLOG(Z) *00 00192
193 * *00 00193
194 * *00 00194
195 ***** *00 00195
000000 014074 A 196 CLG010 LDA CLG000-1 00 00196
000001 006120 A 197 ADDI 2 00 00197
000002 000002 A
000003 054144 A 198 STA TEMP 00 00198
000004 002000 A 199 CALL ATAN2 CALCULATE IMAGINARY 00 00199
000005 000000 E
000006 100150 R 200 DATA (TEMP)* 00 00200
000007 100075 R 201 DATA (CLG000-1)* 00 00201
000010 006030 A 202 LDXI $CAC 00 00202
000011 000000 E
000012 055000 A 203 STA 0,1 00 00203
000013 065001 A 204 STB 1,1 00 00204
205 FLDI TEMP NOW REAL (REAL*REAL) 00 00205
000014 074005 A
000015 006037 A
000016 000150 R
000017 015000 A
000020 025001 A
000021 006030 A
000022 000021 R
206 FMU (TEMP)* 00 00206
000023 002000 A
000024 000000 E
000025 100150 R
207 FST ACCR 00 00207
000026 074005 A
000027 006030 A
000030 000151 R
000031 055000 A
000032 065001 A
000033 006030 A
000034 000033 R
208 FLDI CLG000-1 IMAG*IMAG 00 00208
000035 074005 A
000036 006037 A
000037 000075 R
000040 015000 A
000041 025001 A
000042 006030 A
000043 000042 R
209 FMU (CLG000-1)* 00 00209
000044 002000 A
000045 000024 E
000046 100075 R
210 FAD ACCR 00 00210
000047 002000 A
000050 000000 E
000051 000151 R
211 FST ACCR 00 00211
000052 074005 A
000053 006030 A
000054 000151 R
000055 055000 A
000056 065001 A
000057 006030 A
000060 000057 R
000061 002000 A
000062 000000 E
000063 000151 R
212 CALL ALOG LOG IT 00 00212
213 DATA ACCR 00 00213
214 IFT VORTEX-1 00 00214
215 IFF VORTEX-2 00 00215
216 GOTO FRMWR1 00 00216
217 STA ACCR 00 00217
218 STB ACCR+1 00 00218
219 FLD ACCR 00 00219
220 FRMWR1 CONT 00 00220
221 FDV CLG2 DIVIDE BY 2 00 00221
000064 002000 A
000065 000000 E
000066 000101 R
222 IFT VORTEX-1 00 00222
223 IFF VORTEX-2 00 00223
224 GOTO FRMWR1 00 00224
225 FST ACCR 00 00225
226 LDA ACCR 00 00226
227 LDB ACCR+1 00 00227
228 FRMWR1 CONT 00 00228
000067 034013 A 229 LDX TEMPX RESTORE X 00 00229
000070 001000 A 230 JMP CLDG EXIT 00 00230
000071 000071 R
231 CLOG BES 0 ENTRY 00 00231
232 FSE 1 FETCH COMPLEX ADDR 00 00232
000072 002000 A
000073 000000 E
000074 000001 A
000076 074004 A 233 CLG000 STX TEMPX SAVE X 00 00233
000077 001000 A 234 JMP CLG010 00 00234
000100 000000 R
000101 040500 A 235 CLG2 DATA 040500,0 00 00235

```



```

000102 000000 A
000103          236 TEMPX BSS      1
                237          EJEK
                238 *****
                239 *
                240 *
                241 * NAME -      CEXP
                242 *
                243 *
                244 * PURPOSE -  TO COMPUTE THE EXPONENTIAL, BASE E, OF A COMPLEX NO.
                245 *
                246 *
                247 * CALLING SEQUENCE - CALL CEXP(2)
                248 *
                249 *
                250 * RESULT -  ACCZ = E**Z
                251 *
                252 *
                253 *****
000104 002000 A 254 CXP010 CALL   EXP      EXPONENTIATE
000105 000000 E
000106 100145 R 255          DATA  (CXP000-1)*
000107 054041 A 256          STA   ACCR
000110 064041 A 257          STB   ACCR+1
000111 014033 A 258          LDA   CXP000-1   SET IMAG ADDR
000112 006120 A 259          ADDI  2
000113 000002 A
000114 054033 A 260          STA   TEMP
000115 002000 A 261          CALL  SIN      USE SIN FOR IMAG
000116 000000 E
000117 100150 R 262          DATA  (TEMP)*
                263          IFT   VORTEX-1
                264          IFF   VORTEX-2
                265          GOTO  FRMWR1
                266          STA   ACCC
                267          STB   ACCC+1
                268          FLD   ACCC
                269 FRMWR1 CONT
                270          FMU   ACCR
000120 002000 A
000121 000045 E
000122 000151 R 271          FST   SCAC
000123 074005 A
000124 006030 A
000125 000011 E
000126 055000 A
000127 065001 A
000130 006030 A
000131 000130 R
000132 002000 A 272          CALL  COS      USE COS FOR REAL
000133 000000 E
000134 100150 R 273          DATA  (TEMP)*
                274          IFT   VORTEX-1
                275          IFF   VORTEX-2
                276          GOTO  FRMWR1
                277          STA   ACCC
                278          STB   ACCC+1
                279          FLD   ACCC
                280 FRMWR1 CONT
                281          FMU   ACCR
000135 002000 A
000136 000121 E
000137 000151 R 282          IFT   VORTEX-1
                283          IFF   VORTEX-2
                284          GOTO  FRMWR1
                285          FST   ACCR
                286          LDA   ACCR
                287          LDB   ACCR+1
                288 FRMWR1 CONT
                289          JMP   CEXP      EXIT
000140 001000 A
000141 000141 R 290 CEXP  BES   0      ENTRY
                291          FSE   1      FETCH COMPLEX ADDR
000142 002000 A
000143 000073 E
000144 000001 A
000146 001000 A 292 CXP000 JMP   CXP010
000147 000104 R
000150          293 TEMP  BSS   1
000151          294 ACCR  BSS   2
000153          295 ACCC  BSS   2
                296          END

```

ENTRY NAMES

000141 R CEXP 000071 R CLOG

EXTERNAL NAMES

000125 E \$CAC 000050 E \$QK 000136 E \$QM 000065 E \$QN  
000143 E \$SE 000062 E ALDG 000005 E ATAN2 000133 E COS  
000105 E EXP 000116 E SIN  
SYMBOLS  
000125 E \$CAC 000050 E \$QK 000136 E \$QM 000065 E \$QN  
000143 E \$SE 000153 R ACCC 000151 R ACCR 000062 E ALDG







```

000001 A 1 VORTEX SET 1 00 00001
2 * THIS IS A COPYRIGHTED PROGRAM. COPYRIGHT 1975 BY VARIAN DATA MACHINE 00 00002
3 * 00 00003
4 * V.D.M. PART NO. 00 00004
5 * 00 00005
6 * 00 00006
7 * 00 00007
8 * TITLE CCMATH 00 00008
9 FSE MAC 00 00009
10 IFT VORTEX-2 00 00010
11 IFF VORTEX-4 00 00011
12 GOTO FRMWR1 00 00012
13 EXT $SE 00 00013
14 CALL $SE 00 00014
15 GOTO FRMWR2 00 00015
16 FRMWR1 CONT 00 00016
17 DATA 0105036 00 00017
18 FRMWR2 CONT 00 00018
19 DATA P(1) 00 00019
20 BSS P(1) 00 00020
21 EMAC 00 00021
23 FST MAC 00 00023
24 IFT VORTEX-1 00 00024
25 GOTO FRMWR1 00 00025
26 STX *+6 SOFTWARE STORE 00 00026
27 LDXI P(1) 00 00027
28 STA 0,1 00 00028
29 STB 1,1 00 00029
30 LDXI * 00 00030
31 GOTO FRMWR4 00 00031
32 FRMWR1 CONT 00 00032
33 IFT VORTEX-2 00 00033
34 GOTO FRMWR2 00 00034
35 DATA 0105033 FIRMWARE STORE 00 00035
36 GOTO FRMWR3 00 00036
37 FRMWR2 CONT 00 00037
38 DATA 0105600 FPP STORE 00 00038
39 FRMWR3 CONT 00 00039
40 DATA P(1) 00 00040
41 FRMWR4 CONT 00 00041
42 EMAC 00 00042
43 FLD MAC 00 00043
44 IFT VORTEX-1 00 00044
45 GOTO FRMWR1 00 00045
46 STX *+6 SOFTWARE LOAD 00 00046
47 LDXI P(1) 00 00047
48 LDA 0,1 00 00048
49 LDB 1,1 00 00049
50 LDXI * 00 00050
51 GOTO FRMWR4 00 00051
52 FRMWR1 CONT 00 00052
53 IFT VORTEX-2 00 00053
54 GOTO FRMWR2 00 00054
55 DATA 0105032 FIRMWARE LOAD 00 00055
56 GOTO FRMWR3 00 00056
57 FRMWR2 CONT 00 00057
58 DATA 0105420 FPP LOAD 00 00058
59 FRMWR3 CONT 00 00059
60 DATA P(1) 00 00060
61 FRMWR4 CONT 00 00061
62 EMAC 00 00062
63 FLDI MAC 00 00063
64 IFT VORTEX-1 00 00064
65 GOTO FRMWR1 00 00065
66 STX *+6 SOFTWARE LOAD 00 00066
67 LDXE P(1) 00 00067
68 LDA 0,1 00 00068
69 LDB 1,1 00 00069
70 LDXI * 00 00070
71 GOTO FRMWR4 00 00071
72 FRMWR1 CONT 00 00072
73 IFT VORTEX-2 00 00073
74 GOTO FRMWR2 00 00074
75 DATA 0105032 FIRMWARE LOAD 00 00075
76 GOTO FRMWR3 00 00076
77 FRMWR2 CONT 00 00077
78 DATA 0105420 FPP LOAD 00 00078
79 FRMWR3 CONT 00 00079
80 DATA P(1)+0100000 00 00080
81 FRMWR4 CONT 00 00081
82 EMAC 00 00082
83 FSTI MAC 00 00083
84 IFT VORTEX-1 00 00084
85 GOTO FRMWR1 00 00085
86 STX *+6 00 00086
87 LDXE P(1) SOFTWARE STORE 00 00087
88 STA 0,1 00 00088
89 STB 1,1 00 00089
90 LDXI * 00 00090
91 GOTO FRMWR4 00 00091
92 FRMWR1 CONT 00 00092
93 IFT VORTEX-2 00 00093
94 GOTO FRMWR2 00 00094

```



```

95      DATA      0105033      FIRMWARE STORE      00 00095
96      GOTO      FRMWR3
97  FRMWR2  CONT
98      DATA      0105600      FPP STORE      00 00097
99  FRMWR3  CONT      00 00098
100     DATA      P(1)+0100000      00 00099
101  FRMWR4  CONT      00 00100
102     EMAC
103  FAD     MAC      00 00101
104     IFT      VORTEX-1      00 00102
105     GOTO     FRMWR1      00 00103
106     EXT     $QK      00 00104
107     CALL    $QK      00 00105
108     GOTO     FRMWR3      00 00106
109  FRMWR1  CONT      00 00107
110     IFT      VORTEX-2      00 00108
111     GOTO     FRMWR2      00 00109
112     DATA    0105134      00 00110
113     GOTO     FRMWR3      00 00111
114  FRMWR2  CONT      00 00112
115     DATA    0105410      00 00113
116  FRMWR3  CONT      00 00114
117     DATA    P(1)      00 00115
118     EMAC
120  FSB     MAC      00 00116
121     IFT      VORTEX-1      00 00117
122     GOTO     FRMWR1      00 00118
123     EXT     $QL      00 00119
124     CALL    $QL      00 00120
125     GOTO     FRMWR3      00 00121
126  FRMWR1  CONT      00 00122
127     IFT      VORTEX-2      00 00123
128     GOTO     FRMWR2      00 00124
129     DATA    0105174      00 00125
130     GOTO     FRMWR3      00 00126
131  FRMWR2  CONT      00 00127
132     DATA    0105450      00 00128
133  FRMWR3  CONT      00 00129
134     DATA    P(1)      00 00130
135     EMAC
137  FMU     MAC      00 00131
138     IFT      VORTEX-1      00 00132
139     GOTO     FRMWR1      00 00133
140     EXT     $QM      00 00134
141     CALL    $QM      00 00135
142     GOTO     FRMWR3      00 00136
143  FRMWR1  CONT      00 00137
144     IFT      VORTEX-2      00 00138
145     GOTO     FRMWR2      00 00139
146     DATA    0105074      00 00140
147     GOTO     FRMWR3      00 00141
148  FRMWR2  CONT      00 00142
149     DATA    0105416      00 00143
150  FRMWR3  CONT      00 00144
151     DATA    P(1)      00 00145
152     EMAC
154  FDV     MAC      00 00146
155     IFT      VORTEX-1      00 00147
156     GOTO     FRMWR1      00 00148
157     EXT     $QN      00 00149
158     CALL    $QN      00 00150
159     GOTO     FRMWR3      00 00151
160  FRMWR1  CONT      00 00152
161     IFT      VORTEX-2      00 00153
162     GOTO     FRMWR2      00 00154
163     DATA    0105034      00 00155
164     GOTO     FRMWR3      00 00156
165  FRMWR2  CONT      00 00157
166     DATA    0105401      00 00158
167  FRMWR3  CONT      00 00159
168     DATA    P(1)      00 00160
169     EMAC
171     NAME     $8M      00 00161
172     NAME     $8N      00 00162
173     EXT     $CAC      00 00163
174     EXT     $CACT     00 00164
175     NAME     $8K      00 00165
176     NAME     $8L      00 00166
177     EJEC
178 *****
179 *
180 *
181 *   NAME-      $8K      *00 00171
182 *
183 *
184 *   PURPOSE -   TO ADD A COMPLEX ARGUMENT TO THE COMPLEX ACCUMULATOR *00 00172
185 *
186 *
187 *   CALLING SEQUENCE - CALL $8K(Z) *00 00173
188 *
189 *
190 *   RESULT -    ACCZ = ACCZ+Z *00 00174
191 *

```



```

192 *
193 *****
000000 014043 A 194 CAD010 LDA CAD000-1 CALC IMAG DP2 ADDR *00 00192
000001 006120 A 195 ADDI 2 *00 00193
000002 000002 A *00 00194
000003 054501 A 196 STA TEMP *00 00196
197 FLD $CAC IMAG+IMAG *00 00197
000004 074005 A
000005 006030 A
000006 000000 E
000007 015000 A
000010 025001 A
000011 006030 A
000012 000011 R
198 FAD (TEMP)* *00 00198
000013 002000 A
000014 000000 E
000015 100505 R
199 FST $CAC *00 00199
000016 074005 A
000017 006030 A
000020 000006 E
000021 055000 A
000022 065001 A
000023 006030 A
000024 000023 R
200 FLD ACCR REAL+REAL *00 00200
000025 074005 A
000026 006030 A
000027 000477 R
000030 015000 A
000031 025001 A
000032 006030 A
000033 000032 R
201 FAD (CAD000-1)* *00 00201
000034 002000 A
000035 000014 E
000036 100044 R
202 IFT VORTEX-1 *00 00202
203 IFF VORTEX-2 *00 00203
204 GOTO FRMWR1 *00 00204
205 FST ACCR *00 00205
206 LDA ACCR *00 00206
207 LDB ACCR+1 *00 00207
208 FRMWR1 CONT *00 00208
209 JMP $8K EXIT *00 00209
000037 001000 A
000040 000040 R
210 $8K BES 0 ENTRY *00 00210
211 FSE 1 FETCH DP2 ADDR *00 00211
000041 002000 A
000042 000000 E
000043 000001 A
000045 054431 A
000046 064431 A
000047 001000 A
000050 000000 R
212 CAD000 STA ACCR SAVE REAL DP1 *00 00212
213 STB ACCR+1 *00 00213
214 JMP CAD010 *00 00214
215 EJEJ *00 00215
216 ***** *00 00216
217 * *00 00217
218 * *00 00218
219 * NAME - $8L *00 00219
220 * *00 00220
221 * *00 00221
222 * PURPOSE - TO SUBTRACT A COMPLEX ARGUMENT FROM THE COMPLEX ACC. *00 00222
223 * *00 00223
224 * *00 00224
225 * CALLING SEQUENCE - CALL $8L(Z) *00 00225
226 * *00 00226
227 * *00 00227
228 * RESULT - ACCZ = ACCZ-Z *00 00228
229 * *00 00229
230 * *00 00230
231 ***** *00 00231
000051 014043 A 232 CSE010 LDA CSE000-1 CALC IMAG DP2 ADDR *00 00232
000052 006120 A 233 ADDI 2 *00 00233
000053 000002 A
000054 054430 A 234 STA TEMP *00 00234
235 FLD $CAC IMAG-IMAG *00 00235
000055 074005 A
000056 006030 A
000057 000020 E
000060 015000 A
000061 025001 A
000062 006030 A
000063 000062 R
236 FSB (TEMP)* *00 00236
000064 002000 A
000065 000000 E
000066 100505 R
237 FST $CAC *00 00237
000067 074005 A
000070 006030 A
000071 000057 E

```



```

000072 055000 A
000073 065001 A
000074 006030 A
000075 000074 R
238 FLD ACCR REAL-REAL 00 00238
000076 074005 A
000077 006030 A
000100 000477 R
000101 015000 A
000102 025001 A
000103 006030 A
000104 000103 R
239 FSD (CSB000-1)* 00 00239
000105 002000 A
000106 000065 E
000107 100115 R
240 IFT VORTEX-1 00 00240
241 IFF VORTEX-2 00 00241
242 GOTO FRMWR1 00 00242
243 FST ACCR 00 00243
244 LDA ACCR 00 00244
245 LDB ACCR+1 00 00245
246 FRMWR1 CONT 00 00246
247 JMP $8L EXIT 00 00247
000110 001000 A
000111 000111 R
248 $8L BES 0 ENTRY 00 00248
249 FSE 1 FETCH DP2 ADDR 00 00249
000112 002000 A
000113 000042 E
000114 000001 A
000116 054360 A 250 CSB000 STA ACCR SAVE REAL DP1 00 00250
000117 064360 A 251 STB ACCR+1 00 00251
000120 001000 A 252 JMP CSB010 00 00252
000121 000051 R
253 EJEC 00 00253
254 ***** 00 00254
255 * 00 00255
256 * 00 00256
257 * NAME - $8M 00 00257
258 * 00 00258
259 * 00 00259
260 * PURPOSE - TO MULTIPLY THE COMPLEX ACC. BY A COMPLEX ARGUMENT 00 00260
261 * 00 00261
262 * 00 00262
263 * CALLING SEQUENCE - CALL $8M(Z) 00 00263
264 * 00 00264
265 * 00 00265
266 * RESULT - ACCZ = ACCZ*Z 00 00266
267 * 00 00267
268 * 00 00268
269 ***** 00 00269
000122 014114 A 270 CMU010 LDA CMU000-1 00 00270
000123 006120 A 271 ADDI 2 00 00271
000124 000002 A
000125 054357 A 272 STA TEMP 00 00272
273 FLDI CMU000-1 CALC IMAGINARY PART 00 00273
000126 074005 A
000127 006037 A
000130 000237 R
000131 015000 A
000132 025001 A
000133 006030 A
000134 000133 R
274 FMU ACCI 00 00274
000135 002000 A
000136 000000 E
000137 000503 R
275 FST $CACT 00 00275
000140 074005 A
000141 006030 A
000142 000000 E
000143 055000 A
000144 065001 A
000145 006030 A
000146 000145 R
276 FLDI TEMP 00 00276
000147 074005 A
000150 006037 A
000151 000505 R
000152 015000 A
000153 025001 A
000154 006030 A
000155 000154 R
277 FMU ACCR 00 00277
000156 002000 A
000157 000136 E
000160 000477 R
278 FAD $CACT 00 00278
000161 002000 A
000162 000035 E
000163 000142 E
279 FST $CAC 00 00279
000164 074005 A

```



```

000165 006030 A
000166 000071 E
000167 055000 A
000168 065001 A
000171 006030 A
000172 000171 R
280      FLDI      TEMP      CALC REAL PART      00 00280
000173 074005 A
000174 006037 A
000175 000505 R
000176 015000 A
000177 025001 A
000200 006030 A
000201 000200 R
281      FMU      ACCI      00 00281
000202 002000 A
000203 000157 E
000204 000503 R
282      FST      $CACT      00 00282
000205 074005 A
000206 006030 A
000207 000163 E
000210 055000 A
000211 065001 A
000212 006030 A
000213 000212 R
283      FLDI      CMU000-1      00 00283
000214 074005 A
000215 006037 A
000216 000237 R
000217 015000 A
000220 025001 A
000221 006030 A
000222 000221 R
284      FMU      ACCR      00 00284
000223 002000 A
000224 000203 E
000225 000477 R
285      FSB      $CACT      00 00285
000226 002000 A
000227 000106 E
000230 000207 E
286      IFF      VORTEX-1      00 00286
287      IFF      VORTEX-2      00 00287
288      GOTO     FRMWR1      00 00288
289      FST      ACCR      00 00289
290      LDA      ACCR      00 00290
291      LDB      ACCR+1      00 00291
292 FRMWR1  CONT      00 00292
293      LDX      TEMPX      RESTORE X
294      JMP      $8M      EXIT
295 $8M     BES      0      ENTRY
296      FSE      1      FETCH DP2 ADDR      00 00296
000234 002000 A
000235 000113 E
000236 000001 A
000240 074245 A
000241 054235 A
000242 064235 A
297 CMU000  STX      TEMPX      SAVE X
298      STA      ACCR      SAVE REAL DP1
299      STB      ACCR+1      00 00299
300      FLD      $CAC      SAVE IMAG DP1      00 00300
000243 074005 A
000244 006030 A
000245 000166 E
000246 015000 A
000247 025001 A
000250 006030 A
000251 000250 R
301      FST      ACCI      00 00301
000252 074005 A
000253 006030 A
000254 000503 R
000255 055000 A
000256 065001 A
000257 006030 A
000260 000257 R
000261 001000 A
000262 000122 R
302      JMP      CMU010      00 00302
303      EJEC
304 *****
305 *
306 *
307 * NAME - $8N
308 *
309 *
310 * PURPOSE - TO DIVIDE THE COMPLEX ACC. BY A COMPLEX ARGUMENT.
311 *
312 *
313 * CALLING SEQUENCE - CALL $8N(Z)
314 *
315 *
316 * RESULT - ACCZ = ACCZ/Z
317 *
00 00303
00 00304
*00 00305
*00 00306
*00 00307
*00 00308
*00 00309
*00 00310
*00 00311
*00 00312
*00 00313
*00 00314
*00 00315
*00 00316
*00 00317

```



			318 *			*00 00318
			319 *****			00 00319
000263	014167	A	320 CDV010	LDA	CDV000-1	00 00320
000264	006120	A	321	ADDI	2	00 00321
000265	000002	A				
000266	054216	A	322	STA	TEMP	00 00322
			323	FLDI	TEMP	00 00323
000267	074005	A				
000270	006037	A				
000271	000505	R				
000272	015000	A				
000273	025001	A				
000274	006030	A				
000275	000274	R				
			324	FMU	(TEMP)*	00 00324
000276	002000	A				
000277	000224	E				
000300	100505	R				
			325	FST	%CACT	00 00325
000301	074005	A				
000302	006030	A				
000303	000230	E				
000304	055000	A				
000305	065001	A				
000306	006030	A				
000307	000306	R				
			326	FLDI	CDV000-1	00 00326
000310	074005	A				
000311	006037	A				
000312	000453	R				
000313	015000	A				
000314	025001	A				
000315	006030	A				
000316	000315	R				
			327	FMU	(CDV000-1)*	00 00327
000317	002000	A				
000320	000277	E				
000321	100453	R				
			328	FAD	%CACT	00 00328
000322	002000	A				
000323	000162	E				
000324	000303	E				
			329	FST	%CACT	00 00329
000325	074005	A				
000326	006030	A				
000327	000324	E				
000330	055000	A				
000331	065001	A				
000332	006030	A				
000333	000332	R				
			330	FLD	ACCR	00 00330
000334	074005	A				
000335	006030	A				
000336	000477	R				
000337	015000	A				
000340	025001	A				
000341	006030	A				
000342	000341	R				
			331	FMU	(TEMP)*	00 00331
000343	002000	A				
000344	000320	E				
000345	100505	R				
			332	FST	ACCT	00 00332
000346	074005	A				
000347	006030	A				
000350	000501	R				
000351	055000	A				
000352	065001	A				
000353	006030	A				
000354	000353	R				
			333	FLDI	CDV000-1	00 00333
000355	074005	A				
000356	006037	A				
000357	000453	R				
000360	015000	A				
000361	025001	A				
000362	006030	A				
000363	000362	R				
			334	FMU	ACCI	00 00334
000364	002000	A				
000365	000344	E				
000366	000503	R				
			335	FSE	ACCT	00 00335
000367	002000	A				
000370	000227	E				
000371	000501	R				
			336	FDV	%CACT	00 00336
000372	002000	A				
000373	000000	E				
000374	000327	E				
			337	FST	%CAC	00 00337
000375	074005	A				
000376	006030	A				



```

000377 000245 E
000400 053000 A
000401 065001 A
000402 006030 A
000403 000402 R
338      FLDI      CDV000-1      CALCULATE REAL      00 00338
000404 074005 A
000405 006037 A
000406 000453 R
000407 015000 A
000410 025001 A
000411 006030 A
000412 000411 R
339      FMU      ACCR      00 00339
000413 002000 A
000414 000365 E
000415 000477 R
340      FST      ACCR      00 00340
000416 074005 A
000417 006030 A
000420 000477 R
000421 055000 A
000422 065001 A
000423 006030 A
000424 000423 R
341      FLDI      TEMP      00 00341
000425 074005 A
000426 006037 A
000427 000505 R
000430 015000 A
000431 025001 A
000432 006030 A
000433 000432 R
342      FMU      ACCI      00 00342
000434 002000 A
000435 000414 E
000436 000503 R
343      FAD      ACCR      00 00343
000437 002000 A
000440 000323 E
000441 000477 R
344      FDV      $CACT      00 00344
000442 002000 A
000443 000373 E
000444 000374 E
345      IFT      VORTEX-1      00 00345
346      IFF      VORTEX-2      00 00346
347      GOTO     FRMR1      00 00347
348      FST      ACCR      SAVE REAL      00 00348
349      LDA      ACCR      00 00349
350      LDB      ACCR+1      00 00350
351 FRMR1 CONT
352      LDX      TEMPX      RESTORE X      00 00351
353      JMP      $8N      EXIT      00 00352
000445 034040 A
000446 001000 A
000447 000447 R
354 $8N BES 0 ENTRY      00 00354
355      FSE      1      FETCH COMPLEX ADDR (DP2)      00 00355
000450 002000 A
000451 000235 E
000452 000001 A
000454 074031 A
000455 054021 A
000456 064021 A
356 CDV000 STX TEMPX SAVE X      00 00356
357      STA      ACCR      SAVE REAL (DP1)      00 00357
358      STB      ACCR+1      00 00358
359      FLD      $CAC      SAVE IMAGINARY (DP1)      00 00359
000457 074005 A
000460 006030 A
000461 000377 E
000462 015000 A
000463 025001 A
000464 006030 A
000465 000464 R
360      FST      ACCI      00 00360
000466 074005 A
000467 006030 A
000470 000503 R
000471 055000 A
000472 065001 A
000473 006030 A
000474 000473 R
000475 001000 A
000476 000263 R
361      JMP      CDV010      00 00361
000477 362 ACCR BSS 2 00 00362
000501 363 ACCT BSS 2 00 00363
000503 364 ACCI BSS 2 00 00364
000505 365 TEMP BSS 1 00 00365
000506 366 TEMPX BSS 1 00 00366
367      END      00 00367

```

```

ENTRY NAMES
000040 R $8K 000111 R $8L 000233 R $8M 000447 R $8N
EXTERNAL NAMES
000461 E $CAC 000444 E $CACT 000440 E $QK 000370 E $QL
000435 E $QM 000443 E $8N 000451 E $SE
SYMBOLS

```



```

000040 R $BK      000111 R $BL      000233 R $BM      000447 R $BN
000461 E $CAC     000444 E $CACT    000440 E $QK      000370 E $QL
000435 E $QM      000443 E $QN      000451 E $SE      000503 R ACCI
000477 R ACCR     000501 R ACCT     000045 R CAD000  000000 R CAD010
000454 R CDV000  000263 R CDV010  000240 R CMU000  000122 R CMU010
000116 R CSB000  000051 R CSB010  000505 R TEMP    000506 R TEMPX
000001 A VORTEX
0 ERRORS ASSEMBLY COMPLETE
    
```

210	\$BK	175	209							
248	\$BL	176	247							
295	\$BM	171	294							
354	\$BN	172	353							
0	\$CAC	173	197	199	235	237	279	300	337	359
0	\$CACT	174	275	278	282	285	325	328	329	336
		344								
0	\$QK	106	107							
0	\$QL	123	124							
0	\$QM	140	141							
0	\$QN	157	158							
0	\$SE	13	14							
364	ACCI	274	281	301	334	342	360			
362	ACCR	200	205	206	207	212	213	238	243	244
		245	250	251	277	284	289	290	291	298
		299	330	339	340	343	348	349	350	357
		358								
363	ACCT	332	335							
212	CAD000	194	201							
194	CAD010	214								
0	CCMATH	7								
356	CDV000	320	326	327	333	338				
320	CDV010	361								
297	CMU000	270	273	283						
270	CMU010	302								
250	CSB000	232	239							
232	CSB010	252								
16	FRMWR1	12	25	45	65	85	105	122	139	156
		204	242	288	347					
18	FRMWR2	15	34	54	74	94	111	128	145	162
39	FRMWR3	36	56	76	96	108	113	125	130	142
		147	159	164						
41	FRMWR4	31	51	71	91					
0	P	19	20	27	40	47	60	67	80	87
		100	117	134	151	168				
365	TEMP	196	198	234	236	272	276	280	322	323
		324	331	341						
366	TEMPX	293	297	352	356					
1	VORTEX	10	11	24	33	44	53	64	73	84
		93	104	110	121	127	138	144	155	161
		202	203	240	241	286	287	345	346	



000001 A

```

1 VORTEX SET 1 01 00001
2 * V.D.M. PART NO. 01 00002
3 * 01 00003
4 * 01 00004
5 * 01 00005
6 * DIMULDIV 01 00006
7 * 01 00007
8 * TITLE DIMULDIV 01 00008
9 ***** 01 00009
10 ***** 01 00010
11 ***** 01 00011
12 * DOUBLE PRECISION MULTIPLY/DIVIDE ($6M , $6N , $6NX ) 01 00012
13 * 01 00013
14 * FUNCTION: TO MULTIPLY OR DIVIDE TWO DOUBLE WORD INTEGERS 01 00014
15 * 01 00015
16 * ENTRY: $6M FOR MULTIPLY 01 00016
17 * $6N FOR DIVIDE (RETURN QUOTIENT) 01 00017
18 * $6NX FOR DIVIDE (RETURN REMAINDER) 01 00018
19 * 01 00019
20 * CALLING SEQ: JPM $6M MULTIPLY 01 00020
21 * DATA ADDRESS OF OPERAND 2 01 00021
22 * JPM $6N DIVIDE (RETURN QUOTIENT) 01 00022
23 * DATA ADDRESS OF DIVISOR 01 00023
24 * JPM $6NX DIVIDE (RETURN REMAINDER) 01 00024
25 * DATA ADDRESS OF DIVISOR 01 00025
26 * 01 00026
27 * EXIT: $6M : REGISTERS A AND B CONTAIN LEAST SIGNIFICANT TWO 01 00027
28 * WORDS AND LOCATIONS MSW1 AND MSW2 CONTAIN MOST 01 00028
29 * SIGNIFICANT TWO WORDS. 01 00029
30 * $6N : REGISTERS A AND B CONTAIN TWO WORD QUOTIENT. 01 00030
31 * $6NX : REGISTERS A AND B CONTAIN TWO WORD REMAINDER 01 00031
32 * 01 00032
33 * ERRORS: OVERFLOW: SET FOR $6N OR $6NX IF DIVISOR IS 0. 01 00033
34 * WHEN OVERFLOW IS SET BY THE ABOVE, RESULT 01 00034
35 * WILL BE SET TO THE MAXIMUM POSSIBLE VALUE 01 00035
36 * 01 00036
37 ***** 01 00037
38 EJEC 01 00038
39 ***** 01 00039
40 * ENTRIES * 01 00040
41 ***** 01 00041
42 NAME $2M DP TIMES SP INTEGER MULTIPLY ENTRY 01 00042
43 NAME $2N DP DIVIDED BY SP INTEGER ENTRY 01 00043
44 NAME $2NX DP BY SP DIVIDE (REMAINDER) 01 00044
45 NAME $6M DP INTEGER MULTIPLY ENTRY 01 00045
46 NAME $6N DP INTEGER DIVIDE ENTRY (FOUR WORD DIVIDEND) 01 00046
47 NAME $6NX DP INTEGER DIVIDE ENTRY (TWO WORD DIVIDEND) 01 00047
49 X SET 1 X-REGISTER 01 00049
50 B SET 2 B-REGISTER 01 00050
51 ***** 01 00051
52 ***** 01 00052
53 * EXTERNALS * 01 00053
54 ***** 01 00054
55 EXT $6K DOUBLE PRECISION INTEGER ADD 01 00055
56 EXT $6L DOUBLE PRECISION INTEGER SUBTRACT 01 00056
57 ***** 01 00057
58 ***** 01 00058
59 * MACROS * 01 00059
60 ***** 01 00060
61 FSE MAC 01 00061
62 IFT VORTEX-2 01 00062
63 IFF VORTEX-4 01 00063
64 GOTD FRMWR1 01 00064
65 EXT $SE 01 00065
66 CALL $SE XFER PARAMETERS 01 00066
67 GOTD FRMWR2 01 00067
68 FRMWR1 CONT 01 00068
69 DATA 0105036 BCS XFER PARAMETERS 01 00069
70 FRMWR2 CONT 01 00070
71 EMAC 01 00071
72 FLD MAC 01 00072
73 IFT VORTEX-2 01 00073
74 IFF VORTEX-4 01 00074
75 GOTD FRMWR1 01 00075
76 LDA P(1) LOAD MOST SIGNIFICANT WORD 01 00076
77 LDB P(1)+1 LOAD LEAST SIGNIFICANT WORD 01 00077
78 GOTD FRMWR2 01 00078
79 FRMWR1 CONT 01 00079
80 DATA 0105032 FIRMWARE TWO WORD LOAD TO A/B 01 00080
81 DATA P(1) 01 00081
82 FRMWR2 CONT 01 00082
83 EMAC 01 00083
84 FST MAC 01 00084
85 IFT VORTEX-2 01 00085
86 IFF VORTEX-4 01 00086
87 GOTD FRMWR1 01 00087
88 STA P(1) STORE MOST SIGNIFICANT WORD 01 00088
89 STB P(1)+1 STORE LEAST SIGNIFICANT WORD 01 00089
90 GOTD FRMWR2 01 00090
91 FRMWR1 CONT 01 00091
92 DATA 0105033 FIRMWARE TWO WORD STORE FROM A/B 01 00092
93 DATA P(1) 01 00093
94 FRMWR2 CONT 01 00094
95 EMPC 01 00095
96 M2010 LDX $2M SET RETURN 01 00096
97 ***** 01 00097
98 ***** 01 00098

```

000001 A  
000002 A

000000 034076 A











000222	000107	R	241	FST	DIVIS	SAVE DIVISOR	01	00241	
000223	054155	A							
000224	064155	A	242	FLD	LSW1	TEST DIVIDEND SIGN	01	00242	
000225	014160	A							
000226	024160	A							
000227	002004	A	243	JANM	COMP	DONT COMPLEMET IF POSITIVE	01	00243	
000230	000107	R							
			244	FST	LSW1	SAVE COMPLEMENTED DIVIDEND	01	00244	
000231	054154	A							
000232	064154	A							
000233	014145	A	245	LDA	DIVIS	TEST FOR INTEGER DIVIDE	01	00245	
			246	*		D*****	01	00246	
			247	*		* DIVISOR MSW ZERO? *	01	00247	
			248	*		*****	01	00248	
000234	001010	A	249	JAZ	DVDINT	YES, GO DO SINGLE PRECISION	01	00249	
000235	000327	R							
			250	*		P*****	01	00250	
			251	*		* DIVIDE *	01	00251	
			252	*		*****	01	00252	
000236	005001	A	253	TZA		NO, DO DOUBLE	01	00253	
000237	024146	A	254	LDB	LSW1		01	00254	
000240	174140	A	255	DIV	DIVIS	GET TRIAL QUOTIENT	01	00255	
000241	005001	A	256	TZA			01	00256	
000242	001020	A	257	JBZ	DVDZRO	QUOTIENT IS ZERO	01	00257	
000243	000344	R							
			258	FST	RESUL1	SAVE TRIAL QUOTIENT	01	00258	
000244	054136	A							
000245	064136	A							
000246	164132	A	259	MUL	DIVIS	TEST TRIAL QUOTIENT	01	00259	
000247	064126	A	260	STB	TEMP	SAVE LSW	01	00260	
000250	024131	A	261	LDB	DIVIS+1		01	00261	
000251	164132	A	262	MUL	RESUL1+1		01	00262	
000252	124123	A	263	ADD	TEMP		01	00263	
			264	FST	TEMP		01	00264	
000253	054122	A							
000254	064122	A	265	FLD	LSW1	TRIAL SUBTRACT	01	00265	
000255	014130	A							
000256	024130	A							
000257	002000	A	266	CALL	\$6L		01	00266	
000260	000000	E							
000261	000376	R	267	DATA	TEMP		01	00267	
000262	001002	A	268	JAP	DVD020	GOOD QUOTIENT, GO SAVE	01	00268	
000263	000272	R							
000264	034117	A	269	LDX	RESUL1+1	SET PROPER QUOTIENT	01	00269	
000265	005344	A	270	DXR			01	00270	
000266	074115	A	271	STX	RESUL1+1		01	00271	
000267	002000	A	272	CALL	\$6K	SET REMAINDER	01	00272	
000270	000000	E							
000271	000401	R	273	DATA	DIVIS		01	00273	
			274	DVD020	FST	LSW1	SAVE REMAINDER	01	00274
000272	054113	A							
000273	064113	A							
			275	*		D*****	01	00275	
			276	*		* \$6N CALLED? *	01	00276	
			277	*		*****	01	00277	
000274	034103	A	278	DVD030	LDX	DVDREM	RETURN REMAINDER?	01	00278
000275	001046	A	279	JXNZ	DVDRET	YES, GO RETURN REMAINDER	01	00279	
000276	000323	R							
			280	FLD	RESUL1	NO, RETURN QUOTIENT	01	00280	
000277	014103	A							
000300	024103	A							
			281	*		P*****	01	00281	
			282	*		* COMPLEMENT QUOTIENT IF *	01	00282	
			283	*		* NECESSARY *	01	00283	
			284	*		*****	01	00284	
000301	034106	A	285	LDX	SIGN	COMPLEMENT QUOTIENT?	01	00285	
000302	005344	A	286	DXR			01	00286	
000303	002040	A	287	JXZM	COMP	YES, GO COMPLEMENT	01	00287	
000304	000107	R							
000305	034106	A	288	DVD040	LDX	XSAVE	RESTORE X	01	00288
000306	001000	A	289	JMP	0	EXIT	01	00289	
000307	000000	A							
			290	*		E*****	01	00290	
			291	*		* \$6N DIVIDE QUOTIENT *	01	00291	
			292	*		*****	01	00292	
000307			293	\$6N	BES	0	01	00293	
			294	D66000	FSE		01	00294	
000310	002000	A							
000311	000177	E							
000312	000001	A	295	DATA	1		01	00295	
000313			296	DVD000	BSS	1	01	00296	
000314	074077	A	297	STX	XSAVE	SAVE X	01	00297	
			298	*		P*****	01	00298	
			299	*		* SET \$6N CALLED FLAG *	01	00299	
			300	*		*****	01	00300	
000315	005004	A	301	D66001	TZX	SET RETURN QUOTIENT FLAG	01	00301	
000316	074061	A	302	STX	DVDREM		01	00302	
000317	006037	A	303	LDXE	DVD000	SET ADDR OF DIVISOR	01	00303	
000320	000313	R							
000321	001000	A	304	JMP	DVD010	GO DIVIDE	01	00304	



```

000322 000212 R
306 *
307 *
308 *
309 DVDRET FLD LSW1 RETURN REMAINDER
*****
* RETURN REMAINDER *
*****
01 00306
01 00307
01 00308
01 00309

000323 014062 A
000324 024062 A
000325 001000 A
000326 000305 R
310 JMP DVD040 EXIT
01 00310

312 *
313 *
314 *
315 DVDINT LDB DIVIS+1 TEST FOR ZERO DIVISOR
316 JNZ DVDOVF YES, RETURN OVERFLOW
*****
* DIVISOR LSW ZERO? *
*****
01 00312
01 00313
01 00314
01 00315
01 00316

000327 024052 A
000330 001020 A
000331 000350 R
000332 024053 A
000333 174046 A
000334 064046 A
000335 024051 A
000336 174043 A
000337 064044 A
000340 005012 A
000341 005001 A
000342 001000 A
000343 000272 R
317 LDB LSW1 NO, NO SINGLE PRECISION
318 DIV DIVIS+1
319 STB RESULT1 SAVE MSW QUOTIENT
320 LDB LSW2
321 DIV DIVIS+1
322 STB RESULT1+1 SAVE LSW QUOTIENT
323 TAB
324 TZA
325 JMP DVD020 GO EXIT
01 00317
01 00318
01 00319
01 00320
01 00321
01 00322
01 00323
01 00324
01 00325

326 DVDZRD FST RESULT1
01 00326

000344 054036 A
000345 064036 A
000346 001000 A
000347 000274 R
327 JMP DVD030
01 00327

328 *
329 *
330 *
331 *
332 DVDOVF LDB MASK RETURN MAXIMUM
333 TBA
334 FST RESULT1
*****
* SET MAXIMUM VALUE IN *
* QUOTIENT AND REMAINDER *
*****
01 00328
01 00329
01 00330
01 00331
01 00332
01 00333
01 00334

000350 024040 A
000351 005021 A
335 SDF
336 JMP DVD020 OVERFLOW ERROR
GO EXIT
01 00335
01 00336

337
338 SINSUB EJEC
339 ENTR
340 STA TSING CONVERT SP TO DP
341 TXA
342 TZX
343 JAP SIN010 NO CONVERSION NECESSARY
01 00337
01 00338
01 00339
01 00340
01 00341
01 00342

000365 005211 A
000366 005111 A
000367 005304 A
000370 074024 A
000371 054024 A
000372 006010 A
000373 000373 R
343 CPA CONVERT TO TWO WORD NEGATIVE
344 IAR TWO'S COMPLIMENT
345 DECR 04 SET NEW MSW
346 SIN010 STX SINGLE STORE MSW
347 STA SINGLE+1 STORE LSW
348 LDAI TSING RESTORE A
01 00343
01 00344
01 00345
01 00346
01 00347
01 00348

349 TSING BES 0
350 JMP* SINSUB EXIT
01 00349
01 00350

351 * PARAMETERS
352 TEMP BSS ?
353 DVDREM BSS 1
354 DIVIS BSS 2
355 RESULT1 BSS 2
356 VAL BSS 1
357 LSW1 BSS 1
358 LSW2 BSS 1
359 SIGN BSS 1
360 MASK DATA 077777
361 FLAG BSS 1
362 B15 DATA 0100000
363 XSAVE BSS 1
364 SINGLE DATA 0,0 DP INTEGER FROM SP
01 00351
01 00352
01 00353
01 00354
01 00355
01 00356
01 00357
01 00358
01 00359
01 00360
01 00361
01 00362
01 00363
01 00364

365 END
01 00365
    
```

```

ENTRY NAMES
000077 R $2M 000153 R $2M 000101 R $2NX 000066 R $6M
000307 R $6N 000175 R $6NX
EXTERNAL NAMES
000270 E $6K 000260 E $6L 000311 E $SE
SYMBOLS
000077 R $2M 000153 R $2M 000131 R $2NX 000270 E $6K
000260 E $6L 000066 R $6M 000307 R $6N 000175 R $6NX
000311 E $SE 000002 A B 000413 R B15 000122 R CMP010
000126 R CMP020 000107 R COMP 000130 R CSAVE 000310 R D66000
000315 R D66001 000201 R D66X05 000203 R D66X10 000401 R DIVIS
000313 R DVD000 000212 R DVD010 000272 R DVD020 000274 R DVD030
000305 R DVD040 000327 R DVDINT 000350 R DVDOVF 000400 R DVDREM
000323 R DVDRET 000344 R DVDZRD 000412 R FLAG 000406 R LSW1
000407 R LSW2 000103 R M2000 000000 R M2010 000411 R MASK
000072 R MUL000 000011 R MUL010 000046 R MUL040 000076 R MULSDF
000157 R N2000 000135 R N2X000 000403 R RESULT1 000410 R SIGN
000370 R SIN010 000415 R SINGLE 000357 R SINSUB 000376 R TEMP
    
```



000373 R TSING 000405 R VAL 000001 A VORTEX 000001 A X  
 000414 R XSAVE  
 0 ERRORS ASSEMBLY COMPLETE

165	\$2M	42	98							
200	\$2N	43	203							
188	\$2NX	44	193							
0	\$6K	55	272							
0	\$6L	56	266							
158	\$6M	45	99							
293	\$6N	46	206	221						
215	\$6NX	47	194	220						
0	\$SE	65	66							
182	CMP010	175								
185	CMP020	182								
173	COMP	112	120	152	181	185	240	243	287	
301	D66001	211								
218	D66X05	196	227							
220	D66X10	199								
0	DIMULD	8								
354	DIVIS	121	129	133	144	241	245	255	259	261
		273	315	318	321					
296	DVD000	208	303							
230	DVD010	304								
274	DVD020	268	325	336						
278	DVD030	327								
288	DVD040	310								
315	DVDINT	249								
332	DVDVDF	316								
353	DVDREM	226	278	302						
309	DVDRET	279								
326	DVDZRD	257								
361	FLAG	141	145							
68	FRMWR1	64	76	89						
70	FRMWR2	67	79	92						
357	LSW1	135	148	200	242	244	254	265	274	309
		317								
358	LSW2	127	320							
168	M2000	102								
98	M2010	170								
360	MASK	139	332							
161	MUL000	101	114							
107	MUL010	163								
141	MUL040	138								
164	MULSDF	147								
203	M2000	209								
191	M2X000	197								
0	P	77	78	82	90	91	95			
355	RESUL1	258	262	269	271	280	319	322	326	334
359	SIGN	108	150	174	233	285				
346	SIN010	342								
364	SINGLE	100	195	207	346	347				
338	SINSUB	103	198	210	350					
352	TEMP	113	126	128	132	143	260	263	264	267
349	TSING	339	348							
356	VAL	130	134							
1	VORTEX	62	63	74	75	87	88			
49	X	234	235							
363	XSAVE	153	162	169	192	204	219	288	297	



```

000001 A 1 VORTEX SET 1 00 00001
2 * V.D.M. PART NO. 00 00002
3 * 00 00003
4 * 00 00004
5 * 00 00005
6 * DIADDSUB 00 00006
7 * 00 00007
8 * 00 00008
9 ***** 00 00009
10 * 00 00010
11 * DOUBLE PRECISION ADD/SUBTRACT ($6K , $6L ) 00 00011
12 * 00 00012
13 * FUNCTION: TO ADD OR SUBTRACT TWO DOUBLE WORD INTEGERS 00 00013
14 * 00 00014
15 * ENTRY: $6K FOR ADD 00 00015
16 * $6L FOR SUBTRACT 00 00016
17 * AB=OPERAND 1 00 00017
18 * 00 00018
19 * CALLING SEQ: JMPM $6K (OR $6L ) 00 00019
20 * DATA ADDRESS OF OPERAND 2 00 00020
21 * 00 00021
22 * EXIT: AB=RESULT(OP1+OP2 OR OP1-OP2) 00 00022
23 * OVFL RESET IF OPERATION OK 00 00023
24 * 00 00024
25 * ERRORS: OVERFLOW: OVFL SET, AB=RESULT OF OPERATION 00 00025
26 * 00 00026
27 ***** 00 00027
28 * EJECT 00 00028
29 ***** 00 00029
30 * ENTRIES * 00 00030
31 ***** 00 00031
32 NAME $2K DP INTEGER PLUS SP INTEGER ENTRY 00 00032
33 NAME $2L DP INTEGER MINUS SP INTEGER ENTRY 00 00033
34 NAME $6K DP INTEGER ADD ENTRY 00 00034
35 NAME $6L DP INTEGER SUBTRACT ENTRY 00 00035
000001 A 37 X SET 1 X-REGISTER 00 00037
000002 A 38 B SET 2 B-REGISTER 00 00038
39 ***** 00 00039
40 ***** 00 00040
41 * MACROS * 00 00041
42 ***** 00 00042
43 FSE MAC 00 00043
44 IFT VORTEX-2 00 00044
45 IFF VORTEX-4 00 00045
46 GOTO FRMWR1 00 00046
47 EXT SSE 00 00047
48 CALL SSE XFER PARAMETERS 00 00048
49 GOTO FRMWR2 00 00049
50 FRMWR1 CONT 00 00050
51 DATA 0105036 BCS XFER PARAMETERS 00 00051
52 FRMWR2 CONT 00 00052
53 EMAC 00 00053
54 EJECT 00 00054
000000 074137 A 55 S22010 STX TEMP3 SAVE X 00 00055
000001 034036 A 56 LDX $2L SET PROPER RETURN 00 00056
000002 074023 A 57 STX $6L 00 00057
000003 006037 A 58 LDXM S22000 LOAD INTEGER VALUE 00 00058
000004 100044 R 00 00059
000005 002000 A 59 CALL SINGLS PREPARE VALUES 00 00059
000006 000115 R 00 00060
000007 001000 A 60 JMP $66020 GO SUBTRACT 00 00060
000010 000012 R 00 00061
61 * ***** 00 00061
62 * * SUBTRACT OP2 LSW FROM * 00 00062
63 * * OP1 MSW * 00 00063
64 * ***** 00 00064
000011 034022 A 65 $66010 LDX $66000 GET OP2 ADDR 00 00065
000012 054123 A 66 $66020 STA TEMP1 DO LSW'S FIRST 00 00066
000013 005021 A 67 TBA 00 00067
000014 114125 A 68 DRA B15 ALLOW POSSIBLE OVERFLOW 00 00068
69 * ***** 00 00069
70 * * USE OVERFLOW FOR POSSIBLE * 00 00070
71 * * CARRY * 00 00071
72 * ***** 00 00072
73 * 00 00073
74 ***** 00 00074
000015 007400 A 75 RCF 00 00075
000016 145001 A 76 SUB 1,X 00 00076
000017 154121 A 77 ANA MASK CLEAR SIGN 00 00077
000020 005012 A 78 TAB 00 00078
000021 005001 A 79 TZA NOW DO MSW'S 00 00079
000022 005711 A 80 SDFA SUBTRACT CARRY 00 00080
000023 007400 A 81 RCF ALLOW FOR TRUE OVERFLOW 00 00081
82 * ***** 00 00082
83 * * SUBTRACT OP2 MSW AND * 00 00083
84 * * CARRY FROM OP1 MSW * 00 00084
85 * ***** 00 00085
000024 124111 A 86 ADD TEMP1 00 00086
000025 145000 A 87 SUB 0,X 00 00087
000026 034111 A 88 LDX TEMP3 RESTORE X REGISTER 00 00088
89 * ***** 00 00089
90 * * EXIT * 00 00090
91 * ***** 00 00091
000027 001000 A 92 JMP 0 RETURN TO CALLER 00 00092

```







```

000134 001000 A 166 JMP* SINGLS EXIT 00 00166
000135 100115 R
000136 167 TEMP1 BSS 1 00 00167
000137 168 TEMP2 BSS 1 00 00168
000140 169 TEMP3 BSS 1 00 00169
000141 077777 A 170 MASK DATA 077777 00 00170
000142 100000 A 171 B15 DATA 0100000 00 00171
000143 000000 A 172 SINGLE DATA 0,0 NEW DP INTEGER 00 00172
000144 000000 A 173 END 00 00173

```

```

ENTRY NAMES
000106 R $2K 000040 R $2L 000076 R $6K 000030 R $6L
EXTERNAL NAMES
000110 E $SE
SYMBOLS
000106 R $2K 000040 R $2L 000076 R $6K 000030 R $6L
000110 E $SE 000112 R A22000 000047 R A22010 000102 R A66000
000060 R A66010 000061 R A66020 000002 A B 000142 R B15
000141 R MASK 000044 R S22000 000000 R S22010 000034 R S66000
000011 R S66010 000012 R S66020 000126 R SIN010 000143 R SINGLE
000115 R SINGLS 000136 R TEMP1 000137 R TEMP2 000140 R TEMP3
000131 R TSING 000001 A VORTEX 000001 A X
0 ERRORS ASSEMBLY COMPLETE

```

147	\$2K	32	109						
102	\$2L	33	56						
141	\$6K	34	110						
96	\$6L	35	57						
0	\$SE	47	48						
150	A22000	111							
108	A22010	151							
144	A66000	117							
117	A66010	146							
118	A66020	113							
171	B15	68							
0	DIADDS	8							
50	FRMWR1	46							
52	FRMWR2	49							
170	MASK	77	122						
105	S22000	58							
55	S22010	106							
99	S66000	65							
65	S66010	101							
66	S66020	60							
161	SIN010	157							
172	SINGLE	161	162	165					
153	SINGLS	59	112	166					
167	TEMP1	66	86	118	131				
169	TEMP3	55	88	100	108	133	145		
164	TSING	154	163						
1	VORTEX	44	45						
37	X	76	87	121	132				



```

000001 A 1 VORTEX SET 1 PUT LAST FOR VORTEX V2 03 00001
2 * THIS IS A COPYRIGHTED PROGRAM. COPYRIGHT 1973 BY VARIAN DATA MACHINE V2 03 00002
3 * 03 00003
4 * V.D.M. PART NO. 92L1406-001B 03 00004
5 * 03 00005
6 * 03 00006
7 * 03 00007
8 * 03 00008
9 * MICSIM 03 00009
10 ***** 03 00010
11 * 03 00011
12 * THE FOLLOWING ARE THE MICRO REDEFINITIONS NECESSARY TO RUN 03 00012
13 * THIS PROGRAM USING THE INTERFACE SUBPROGRAM 03 00013
14 * THEIR EFFECT IS TO CHANGE VORTEX CALLS TO VSIOC, VSIDST, 03 00014
15 * AND V$EXEC TO CALLS TO THE INTERFACE SUBPROGRAM 03 00015
16 * TITLE MICSIM 03 00016
17 M1 MAC 03 00017
18 EXT INTR 03 00018
19 JMPM INTR 03 00019
20 DATA 0100000 03 00020
21 F FORM 1,3,4,8 03 00021
22 F P(1),P(2),P(3),P(4) 03 00022
23 DATA P(5),0,0 03 00023
24 EMAC 03 00024
25 STAT MAC 03 00025
26 EXT INTRST 03 00026
27 JMPM INTRST 03 00027
28 DATA P(1),P(2),P(3),P(4),P(5) 03 00028
29 EMAC 03 00029
30 IOLINK MAC 03 00030
31 EXT INLINK 03 00031
32 JMPM INLINK 03 00032
33 F FORM 4,6,6 03 00033
34 F 0,014,P(1) 03 00034
35 DATA P(2),P(3) 03 00035
36 EMAC 03 00036
37 EJEC 03 00037
38 NAME SMLTR 03 00038
39 * THIS IS SOME INITIALIZATION NEEDED AFTER LOADING IN ORDER TO * 03 00039
40 * SET UP FCBS AND DCBS FOR THE LOGICAL UNITS ST,PI,LD,AND BI * 03 00040
41 * DEPENDING UPON WHETHER THEY ARE ON A RMD OR NON-RMD DEVICE. * 03 00041
42 * * 03 00042
43 * IF ON A RMD THE GLOBAL FCB WILL BE USED * 03 00043
44 * IF ON A NON-RMD A LOCAL DCB WILL BE USED * 03 00044
45 * * 03 00045
46 * ***** F *****
47 * ***** F *****
48 MMEM BSS MMEM,EMEM MAIN MEMORY BLOCK ***** F *****
49 EMEM BES 0 END OF MAIN MEMORY ***** F *****
000000 000177 000200 120240 A 50 BUFR DATA 0120240 GENERAL USAGE BUFFER ***** F *****
51 * ***** F *****
52 * NOTE--THIS SECTION WILL BE OVERLAYED BY THE BUFFER BUFR ***** F *****
53 * ***** F *****
000201 002000 A 54 SMLTR CALL RMD,2 CHECK IF SI IS ON A RMD 03 00047
000202 011467 R
000203 000002 A
000204 001010 A 55 JAZ SIRMD YES 03 00048
000205 000227 R
000206 002000 A 56 SMPI CALL RMD,4 CHECK IF PI IS ON A RMD 03 00049
000207 011467 R
000210 000004 A
000211 001010 A 57 JAZ PIRMD YES 03 00050
000212 000236 R
000213 002000 A 58 SMLD CALL RMD,5 CHECK IF LD IS ON A RMD 03 00051
000214 011467 R
000215 000005 A
000216 001010 A 59 JAZ LDRMD YES 03 00052
000217 000261 R
000220 002000 A 60 SMBI CALL RMD,6 CHECK IF BI IS ON A RMD 03 00053
000221 011467 R
000222 000006 A
000223 001010 A 61 JAZ BIRMD YES 03 00054
000224 000304 R
000225 001000 A 62 JMP EXC BEGIN SIMULATOR EXEC 03 00055
000226 000716 R
63 EXT SIFCB 03 00056
64 EXT PIFCB 03 00057
65 EXT LOFCB 03 00058
66 EXT BIFCB 03 00059
67 * 03 00060
000227 014102 A 68 SIRMD LDA FCBSI 03 00061
000230 057000 I 69 STA SIIN1+4 STORE GLOBAL FCB IN READ REQUEST 03 00062
000231 005301 A 70 DECR 01 03 00063
000232 006057 A 71 STAE SIFLG SET SI ON RMD FLAG 03 00064
000233 015316 R
000234 001000 A 72 JMP SMPI 03 00065
000235 000206 R
000236 034074 A 73 PIRMD LDX FCBPI 03 00066
000237 015003 A 74 LDA 3,1 CURRENT POSITION OF FILE D.103 00067
000240 005311 A 75 DAR 03 00068
000241 001002 A 76 JAP P10PN+7 JUMP IF ALREADY OPEN 03 00069
000242 000252 R 77 P10PN OPEN PIFCB,4,0,0 OPEN AND REWIND PIFCB 03 00070
000243 002000 A

```



```

000244 000000 E
000245 100000 A
000246 003004 A
000247 000000 E
000250 000000 A
000251 000000 A
000252 014060 A 78 LDA FCBPI $03 00071
000253 057000 I 79 STA PIIN2+4 STORE GLOBAL FCB IN READ REQUEST $03 00072
000254 005301 A 80 DECR 01 $03 00073
000255 006057 A 81 STAE PIFLG SET PI ON RMD FLAG $03 00074
000256 015402 R
000257 001000 A 82 JMP SMLD $03 00075
000260 000213 R
000261 034052 A 83 LDRMB LDX FCBLD $03 00076
000262 015003 A 84 LDA 3,1 CURRENT POSITION OF FILE D.103 00077
000263 005311 A 85 DAR $03 00078
000264 001002 A 86 JAP LOOPN+7 JUMP IF ALREADY OPEN $03 00079
000265 000275 R 87 LOOPN OPEN LOFCB,5,0,0 OPEN AND REWIND LOFCB $03 00080

000266 002000 A
000267 000244 E
000270 100000 A
000271 003005 A
000272 000000 E
000273 000000 A
000274 000000 A
000275 014036 A 88 LDA FCBLD $03 00081
000276 057000 I 89 STA LO1+4 STORE GLOBAL FCB IN READ REQUEST $03 00082
000277 005301 A 90 DECR 01 $03 00083
000300 006057 A 91 STAE LOFLG SET LO ON RMD FLAG $03 00084
000301 015603 R
000302 001000 A 92 JMP SMBI $03 00085
000303 000220 R
000304 034030 A 93 BIRMD LDX FCBBI $03 00086
000305 015003 A 94 LDA 3,1 CURRENT POSITION OF FILE D.103 00087
000306 005311 A 95 DAR $03 00088
000307 001002 A 96 JAP BIOPN+7 JUMP IF ALREADY OPEN $03 00089
000310 000320 R 97 BIOPN_OPEN BIFCB,6,0,0 OPEN AND REWIND $03 00090

000311 002000 A
000312 000267 E
000313 100000 A
000314 003006 A
000315 000000 E
000316 000000 A
000317 000000 A
000320 014014 A 98 LDA FCBBI $03 00091
000321 057000 I 99 STA LREAD+4 STORE GLOBAL FCB IN READ REQUEST $03 00092
000322 006010 A 100 LDAI 120 $03 00093
000323 000170 A
000324 057000 I 101 STA BIBLK+1 SET WORD COUNT TO 120 $03 00094
000325 005301 A 102 DECR 01 $03 00095
000326 006057 A 103 STAE BIFLG SET BI ON RMD FLAG $03 00096
000327 011531 R
000330 001000 A 104 JMP EXC BEGIN STULATOR EXEC $03 00097
000331 000716 R
000332 000000 E 105 FCBSI DATA SIFCB $03 00098
000333 000247 E 106 FCBPI DATA PIFCB $03 00099
000334 000272 E 107 FCBLD DATA LOFCB $03 00100
000335 000315 E 108 FCBBI DATA BIFCB $03 00101
000336 109 BSS 121+BUFR-* FILL OUT TO MAKE 120 WORD BUFR SPACE F *****
111 *****
112 EJEK $03 00103
113 EXT EXIT $03 00104
114 X EQU 1 $03 00105
115 B EQU 2 $03 00106
116 SI EQU 2 SYSTEM INPUT $03 00107
117 SO EQU 3 SYSTEM OUTPUT $03 00108
118 PI EQU 4 PROCESSOR INPUT $03 00109
119 LO EQU 5 LIST OUTPUT $03 00110
120 AZ EQU 010 A ZERO $03 00111
121 BZ EQU 020 B ZERO $03 00112
122 XZ EQU 040 X ZERO $03 00113
123 * $03 00114
124 * ROM CONTROL BUFFER $03 00115
125 * $03 00116
126 EXT $DBUF CONTROL STORE PAGE 0 F *****
000371 000000 E 127 DBUF DATA $DBUF $03 00119
128 * $03 00120
129 * THE FOLLOWING TWO TABLES ARE FOR THE $03 00121
130 * DECODE ROM'S. $03 00122
131 * $03 00123
132 EXT $DRM1 DECODER STORE PAGE 0 DECODE 1 F *****
133 EXT $DRM2 DECODER STORE PAGE 0 DECODE 2 F *****
134 EXT $DRM1B,$DRM1C,$DRM1D F *****
000372 000000 E 135 DRM1 DATA $DRM1 $03 00127
000373 000000 E 136 DRM2 DATA $DRM2 $03 00128
137 * $03 00129
138 * $03 00130
139 * PRINT OUTPUT BUFFER $03 00131
000374 120240 A 140 DATA 0120240 $03 00132
000375 141 BUFI BSS 36 INPUT BUFFER $03 00133
142 * $03 00136

```



000441	000445	R	143	RHLT	DATA	RHLT0	HALT TABLE FOR PAGE 0	C 03	00137
000442	000452	R	144		DATA	RHLT1	HALT TABLE FOR PAGE 1	C 03	00138
000443	000457	R	145		DATA	RHLT2	HALT TABLE FOR PAGE 2	C 03	00139
000444	000464	R	146		DATA	RHLT3	HALT TABLE FOR PAGE 3	C 03	00140
000445	001000	A	147	RHLT0	DATA	512,512,512,512,512		C 03	00141
000446	001000	A							
000447	001000	A							
000450	001000	A							
000451	001000	A							
000452	001000	A	148	RHLT1	DATA	512,512,512,512,512		C 03	00142
000453	001000	A							
000454	001000	A							
000455	001000	A							
000456	001000	A							
000457	001000	A	149	RHLT2	DATA	512,512,512,512,512		C 03	00143
000460	001000	A							
000461	001000	A							
000462	001000	A							
000463	001000	A							
000464	001000	A	150	RHLT3	DATA	512,512,512,512,512		C 03	00144
000465	001000	A							
000466	001000	A							
000467	001000	A							
000470	001000	A							
000471	000000	A	151	STEP	DATA	0	SINGLE STEP FLAG	S03	00145
000472	000000	A	152	TRACE	DATA	0,0,0,0	TRACE FLAGS	D 03	00146
000473	000000	A							
000474	000000	A							
000475	000000	A							
			153	*				S03	00147
			154	*	INPUT HEX DIGIT STRING			S03	00148
000476	000000	A	155	V	DATA	0	DIGITS 1-4	S03	00149
000477	000000	A	156		DATA	0	DIGITS 5-8	S03	00150
000500	000000	A	157		DATA	0	DIGITS 9-12	S03	00151
000501	000000	A	158		DATA	0	DIGITS 13-16	S03	00152
			159	*				S03	00153
			160	*				S03	00154
			161	*	EACH CONTROL ROM WORD(DBUF) EXECUTED			S03	00156
			162	*				S03	00157
			163	*				S03	00158
000502	000000	A	164	JSPT	DATA	0		S03	00159
000503	000000	A	165	CPAG	DATA	0		S03	00160
000504	000000	A	166	PPAG	DATA	0		S03	00161
000505	000000	A	167	IMD	DATA	0		S03	00162
000506			168	STACK	BSS	16	PUSH-POP STACK	S03	00163
			169	*				S03	00164
			170	*	MICRO DATA PSEUDO REGISTERS			S03	00165
			171	*				S03	00166
000526	000000	A	172	R0	DATA	0		S03	00167
000527	000000	A	173	R1	DATA	0		S03	00168
000530	000000	A	174	R2	DATA	0		S03	00169
000531	000000	A	175	R3	DATA	0		S03	00170
000532	000000	A	176	R4	DATA	0		S03	00171
000533	000000	A	177	R5	DATA	0		S03	00172
000534	000000	A	178	R6	DATA	0		S03	00173
000535	000000	A	179	R7	DATA	0		S03	00174
000536	000000	A	180	R8	DATA	0		S03	00175
000537	000000	A	181	R9	DATA	0		S03	00176
000540	000000	A	182	RA	DATA	0		S03	00177
000541	000000	A	183	RB	DATA	0		S03	00178
000542	000000	A	184	RC	DATA	0		S03	00179
000543	000000	A	185	RD	DATA	0		S03	00180
000544	000000	A	186	RE	DATA	0		S03	00181
000545	000000	A	187	RF	DATA	0		S03	00182
			188		EJEC			S03	00183
			189	*				S03	00184
			190	*	OUTPUT SIGNALS FROM DATA ROM BUFFER			S03	00185
			191	*				S03	00186
000546	000000	A	192	DRDM	DATA	0	TS 4 BITS/TEST ADDR&OFFSET	S03	00187
000547	000000	A	193		DATA	0	AF 5 BITS/CONTROL STORE ADDR	S03	00188
000550	000000	A	194		DATA	0	MS 4 BITS/CONTROL ADDR MASK	S03	00189
000551	000000	A	195		DATA	0	MT 1 BITS/	S03	00190
000552	000000	A	196		DATA	0	FS 4 BITS/CONTROL FIELD SELECT GATING	S03	00191
000553	000000	A	197		DATA	0	T 2 BITS/TEST CONTROL	S03	00192
000554	000000	A	198		DATA	0	S 2 BITS/SPECIAL CONTROL	S03	00193
000555	000000	A	199		DATA	0	G 4 BITS/GENERAL CONTROL	S03	00194
000556	000000	A	200		DATA	0	M 1 BITS/FILE ADDR FIELD EXTR MASK	S03	00195
000557	000000	A	201		DATA	0	AB 2 BITS/FILE ADDR LOAD CONTROL	S03	00196
000560	000000	A	202		DATA	0	IMC 4 BITS/I/O AND MEMORY CONTROL	S03	00197
000561	000000	A	203		DATA	0	LB 2 BITS/FILE B CONTROL	S03	00198
000562	000000	A	204		DATA	0	LA 2 BITS/FILE A CONTROL	S03	00199
000563	000000	A	205		DATA	0	R 3 BITS/REGISTER CONTROL	S03	00200
000564	000000	A	206		DATA	0	F 4 BITS/FUNCTION	S03	00201
000565	000000	A	207		DATA	0	MD 1 BITS/ARITHMETIC-LOGICAL	S03	00202
000566	000000	A	208		DATA	0	C 2 BITS/CARRY CONTROL	S03	00203
000567	000000	A	209		DATA	0	W 1 BITS/WRITE FILE CONTROL	S03	00204
000570	000000	A	210		DATA	0	DS 1 BIT/OP REG SHIFT/NO-SHIFT CONTROL	S03	00205
000571	000000	A	211		DATA	0	V 1 BIT/OP REG GATING CONTROL	S03	00206
000572	000000	A	212		DATA	0	Y 1 BIT/CONTROL FOR QS(MUL/DIV OPS)	S03	00207
000573	000000	A	213		DATA	0	X 2 BITS/OP REG LONG-SHIFTING CONTROL	S03	00208
000574	000000	A	214		DATA	0	TC 3 BITS/OVERFLOW CONTROL	S03	00209
000575	000000	A	215		DATA	0	B 4 BITS/FILE B SOURCE ADDR SELECT/B-MUX	S03	00210
			216	*			SELECT INPUT TO LATCH B	S03	00210



000576	000000	A	217	DATA	0	A	4 BITS/FILE A SOURCE/FILE A,B DESTINATION	S03	00211
			218					S03	00212
			219					S03	00213
			220					S03	00214
000577	000000	A	221	DATA	0		MASK/16-BIT: FIELDS MD,C,W,DS,V,Y,X,TC,B	S03	00215
000600	000000	A	222	DATA	0		LATCH A	S03	00216
000601	000000	A	223	DATA	0		LATCH B	S03	00217
000602	000000	A	224	DATA	0		ALU OUTPUT	S03	00218
000603	000000	A	225	DATA	0		XCIN - CARRY IN	S03	00219
000604	000000	A	226	DATA	0		STORED CARRY - CARRY	S03	00220
000605	000000	A	227	DATA	0		OVERFLOW - OVRFL	S03	00221
000606	000000	A	228	DATA	0		IDD---I/O DATA REGISTER	S03	00222
000607	000000	A	229	DATA	0		STUS--STATUS REGISTER	S03	00223
			230				THE NEXT SEVEN MUST STAY	S03	00224
			231	DATA	0		IN THIS SEQ.FOR PROPER INDEX CONTROL	S03	00225
000610	000000	A	232	DATA	0		PROGRAM COUNTER	S03	00226
000611	000000	A	233	DATA	0		SHIFT COUNTER	S03	00227
000612	000000	A	234	DATA	0		OPERAND(O) REGISTER	S03	00228
000613	000000	A	235	DATA	0		NOT USED- FILLER FOR INDEXING PURPOSES	S03	00229
000614	000000	A	236	DATA	0		NOT USED- FILLER FOR INDEXING PURPOSES	S03	00230
000615	000000	A	237	DATA	0		KEY REGISTER	S03	00231
000616	000000	A	238	DATA	0		I/O KEY REGISTER	S03	00232
			239					S03	00233
000617	000000	A	240	DATA	0		INSTRUCTION REG #1	S03	00234
000620	000000	A	241	DATA	0		INSTRUCTION REG #2	S03	00235
000621	000000	A	242	DATA	0		MADS: MEM ADDR SOURCE CODE	S03	00236
000622	000000	A	243	DATA	0		MOPC: MEM OPERATION CODE	S03	00237
000623	000000	A	244	DATA	0		MCCD: MEM CONDITION CODE	S03	00238
000624	000000	A	245	DATA	0		MIL : MEMORY INTERFACE LATCH	S03	00239
000625	000000	A	246	DATA	0		NEXT ROM ADDR	S03	00240
000626	000000	A	247	DATA	0		BYTE DESIGNATOR FOR MEMORY OPERATIONS	S03	00241
			248				1=RIGHT BYTE 0=LEFT BYTE	C.1	03 00242
000627	000000	A	249	DATA	0		INTERRUPT PENDING FLAG	S03	00243
000630	000000	A	250	DATA	0		INTERRUPT ADDR FROM I/O	S03	00244
000631	000000	A	251	DATA	0		QS: SAVES ALU15/DR01 FOR MUL/DIV OPS	S03	00245
000632	000000	A	252	DATA	0		DS: SIGN STORAGE FOR DREG SHIFTING	S03	00246
000633	000000	A	253	DATA	0		SUPK: SUPERVISOR KEY	S03	00247
000634	000000	A	254	DATA	0		IDRF: I/O REQUEST * NOT SIMULATED *	S03	00248
000635	000000	A	255	DATA	0		INPF-INTERRUPT BEING PROCESSED FLAG	S03	00249
000636	000000	A	256	DATA	0		LREG: MEMORY ADDRESS SELECT REGISTER	S03	00250
000637	000000	A	257	DATA	0		MULS: MULTIPLY SIGN BIT	S03	00251
000640	000000	A	258	DATA	0		NSTP: STEP F/F (NO LOGIC HERE-IN SETS IT)	S03	00252
			259					S03	00253
			260				SEE DATA ITEMS ABOVE FOR NAMES/DESCRIPTIONS	S03	00254
000000	A	261	XTS	EQU	0			S03	00255
000001	A	262	XAF	EQU	1			S03	00256
000002	A	263	XMS	EQU	2			S03	00257
000003	A	264	XMT	EQU	3			S03	00258
000004	A	265	XFS	EQU	4			S03	00259
000005	A	266	XT	EQU	5			S03	00260
000006	A	267	XS	EQU	6			S03	00261
000007	A	268	XG	EQU	7			S03	00262
000010	A	269	XM	EQU	8			S03	00263
000011	A	270	XAB	EQU	9			S03	00264
000012	A	271	XIMC	EQU	10			S03	00265
000013	A	272	XLB	EQU	11			S03	00266
000014	A	273	XLA	EQU	12			S03	00267
000015	A	274	XR	EQU	13			S03	00268
000016	A	275	XF	EQU	14			S03	00269
000017	A	276	XMD	EQU	15			S03	00270
000020	A	277	XC	EQU	16			S03	00271
000021	A	278	XW	EQU	17			S03	00272
000022	A	279	XDS	EQU	18			S03	00273
000023	A	280	XV	EQU	19			S03	00274
000024	A	281	XY	EQU	20			S03	00275
000025	A	282	XX	EQU	21			S03	00276
000026	A	283	XTC	EQU	22			S03	00277
000027	A	284	XB	EQU	23			S03	00278
000030	A	285	XA	EQU	24			S03	00279
			286					S03	00280
000031	A	287	MASK	EQU	25			S03	00281
			288					S03	00282
000032	A	289	LTCHA	EQU	26			S03	00283
000033	A	290	LTCHB	EQU	27			S03	00284
000034	A	291	XALU	EQU	28			S03	00285
000035	A	292	XCIN	EQU	29			S03	00286
000036	A	293	CARRY	EQU	30			S03	00287
000037	A	294	OVRFL	EQU	31			S03	00288
			295					S03	00289
000040	A	296	IDD	EQU	32			S03	00290
000041	A	297	STUS	EQU	33			S03	00291
000042	A	298	PREG	EQU	34			S03	00292
000043	A	299	SREG	EQU	35			S03	00293
000044	A	300	DREG	EQU	36			S03	00294
000045	A	301	FIL1	EQU	37			S03	00295
000046	A	302	FIL2	EQU	38			S03	00296
000047	A	303	KREG	EQU	39			S03	00297
000050	A	304	IOKR	EQU	40			S03	00298
000051	A	305	IRG1	EQU	41			S03	00299
000052	A	306	IRG2	EQU	42			S03	00300
			307					S03	00301
000053	A	308	MADS	EQU	43			S03	00302
000054	A	309	MOPC	EQU	44			S03	00303







000733	000777	A		JMPM	SAR	INITIALIZE	D	03	00393	
000734	002000	R	399							
000735	014702	R								
000736	000004	A	400	DATA	4	END	D	03	00394	
000737	012132	R	401	DATA	ENDTRC	TRACE	D	03	00395	
000740	024135	A	402	LDB	EXC3	RHLT ADDR		S03	00396	
000741	006010	A	403	LDAI	512	ADDRESS OF LAST WORD IN PAGE + 1		S03	00397	
000742	001000	A								
000743	006030	A	404	LDXI	-20		C	03	00398	
000744	177754	A								
000745	001040	A	405	EXC0	JXZ	EXC1		C	03	00399
000746	000754	R				IF HALT TABLES DONE				
000747	056000	A	406	STA	0,2		C	03	00400	
000750	005122	A	407	IBR		ADVANCE POINTER	C	03	00401	
000751	005144	A	408	IXR			C	03	00402	
000752	001000	A	409	JMP	EXC0	GO BACK FOR MORE	C	03	00403	
000753	000745	R								
000754	024122	A	410	EXC1	LDB	EXC3+1		C	03	00404
000755	005301	A	411	DECR	01	ADDR OF TRACE FLAG		S03	00405	
000756	056000	A	412	STA	0,2	SET TRACE ON		S03	00406	
000757	056001	A	413	STA	1,2	FOR	D	03	00407	
000760	056002	A	414	STA	2,2	ALL	D	03	00408	
000761	056003	A	415	STA	3,2	PAGES	D	03	00409	
000762	024115	A	416	LDB	EXC3+2		D	03	00410	
000763	056000	A	417	STA	0,2	CLEAR RUN COUNT	D	03	00411	
000764	001001	A	418	JDF	*+2	RESET OVERFLOW F/F		S03	00412	
000765	000766	R								
000766	024410	A	419	LDB	ELDC			S03	00413	
000767	026000	A	420	LDB	0,2			S03	00414	
000770	016000	A	421	LDA	0,2	LAST LOADED LOCATION		S03	00415	
000771	005111	A	422	IAR		FIRST AVAILABLE LOCATION		S03	00416	
000772	054222	A	423	STA	PSTBL+1	BOUNDARY OF PAGE 1		S03	00417	
000773	124444	A	424	ADD	D2048	=2048		S03	00418	
000774	054221	A	425	STA	PSTBL+2	BOUNDARY OF PAGE 2		S03	00419	
000775	124442	A	426	ADD	D2048			S03	00420	
000776	054220	A	427	STA	PSTBL+3	BOUNDARY OF PAGE 3		S03	00421	
000777	006010	A	428	LDAI	\$DBUF			S03	00422	
001000	000371	E								
001001	057000	I	429	STA	DBUF	INITIALIZE CCS TO PAGE 0		S03	00423	
001002	006010	A	430	LDAI	\$DRM1			S03	00424	
001003	000372	E								
001004	057000	I	431	STA	DRM1	INITIALIZE DCSA TO PAGE 0		S03	00425	
001005	006010	A	432	LDAI	\$DRM2			S03	00426	
001006	000373	E								
001007	057000	I	433	STA	DRM2	INITIALIZE DCSB TO PAGE 0		S03	00427	
001010	005001	A	434	TZA				S03	00428	
001011	006057	A	435	STAE	PGND	SET PAGE NUMBER TO ZERO		S03	00429	
001012	015112	R								
001013	002000	A	436	CALL	TPFRM	TOP OF FORM		S03	00430	
001014	014760	R								
001015	002000	A	437	CALL	SIOUT,14,EXC2	OUTPUT PROGRAM HEADER MESSAGE		S03	00431	
001016	015406	R								
001017	000015	A								
001020	001060	R								
001021	002000	A	438	JMPM	PAG	GET PAGE LIMIT DECLARATION		S03	00432	
001022	001262	R								
001023	002000	A	439	EXC1A	CALL	SIOUT,7,EXC5		F	*****	
001024	015406	R				REQUEST MEMORY TYPE				
001025	000007	A								
001026	001101	R								
001027	002000	A	440	CALL	SIIN	GET MEMORY TYPE		F	*****	
001030	015220	R								
001031	002000	A	441	JMPM	FETCH			F	*****	
001032	015635	R								
001033	006140	A	442	SUBI	0260			F	*****	
001034	000260	A								
001035	005012	A	443	TAB				F	*****	
001036	006140	A	444	SUBI	3			F	*****	
001037	000003	A								
001040	001004	A	445	JAN	EXC1A	LT 2 NOT VALID		F	*****	
001041	001023	R								
001042	006140	A	446	SUBI	3			F	*****	
001043	000003	A								
001044	001002	A	447	JAP	EXC1A	GT 5 NOT VALID		F	*****	
001045	001023	R								
001046	064041	A	448	EXCS	STB	NTYP		F	*****	
001047	001047	R	449	EQU	*	SAVE MEMORY TYPE		F	*****	
001050	005001	A	450	TZA				F	*****	
001051	014702	R	451	JMPM	SAR	ZERO ALL TABLES AND FLAGS		F	*****	
001052	000163	A	452	DATA	COMM-V	WORD COUNT		F	*****	
001053	000476	R	453	DATA	V	START ADDR		F	*****	
001054	005301	A	454	DECR	01			E.2	*****	
001055	057000	I	455	STA	R5	SET R5 TO ALL 1'S FOR 620 EMULATION		E.2	*****	
001056	001000	A	456	JMP	EXC10	PROCESS OPERATOR INPUT		S03	00433	
001057	001111	R	457	*						
001060	120240	A	458	EXC2	DATA	VARIAN 73 MICRO SIMULATOR		S03	00434	
001061	158301	A						S03	00435	
001062	151311	A								
001063	140716	A								
001064	120267	A								
001065	131640	A								



```

001066 146711 A
001067 141722 A
001070 147640 A
001071 151711 A
001072 146725 A
001073 146301 A
001074 152317 A
001075 151240 A
001076 000445 R 459 EXC3 DATA RHLT0 CCS HALT TABLES C 03 00436
001077 000472 R 460 DATA TRACE ADDR OF TRACE ON/OFF FLAG S03 00437
001100 012060 R 461 DATA RCNT S03 00438
001101 120240 A 462 EXC5 DATA ' MEMORY TYPE?' F *****
001102 146705 A
001103 146717 A
001104 151331 A
001105 120324 A
001106 154720 A
001107 142677 A
001110 000000 A 463 MTFP DATA 0 MEMORY TYPE, 3=SC,4=CORE,5=SLOW CORE F *****
464 EJEC S03 00439
465 * S03 00440
466 * PROCESS OPERATOR INPUT S03 00441
467 * S03 00442
001111 002000 A 468 EXC10 CALL SIDUT,3,EXC4 OUTPUT EXECUTIVE INPUT SIGNAL S03 00443
001112 015406 R
001113 000003 A
001114 001155 R
001115 002000 R 469 CALL SIIN INPUT EXECUTIVE COMMAND S03 00444
001116 015220 R
001117 002000 A 470 EX10E JMPM FETCH FETCH FIRST CHAR FROM INPUT BUFFER S03 00445
001120 015635 R
001121 001010 R 471 JAZ EXC90 S03 00446
001122 001147 R
001123 054022 A 472 STA EXC19 SAVE CHAR S03 00447
001124 024017 A 473 LDB EXC17 ADDR OF INPUT CHAR LIST S03 00448
001125 034017 A 474 LDX EXC18 CORRESPONDING ROUTINE ADDRESSES S03 00449
475 * S03 00450
001126 016000 A 476 EXC12 LDA 0,2 LEGAL INPUT CHAR S03 00451
001127 001004 A 477 JAN EXC90 JUMP IF AT END OF TABLE S03 00452
001130 001147 R
001131 144014 A 478 SUB EXC19 LESS INPUT CHAR S03 00453
001132 001010 A 479 JAZ EXC14 JUMP IF FOUND INPUT S03 00454
001133 001140 R
001134 005144 A 480 IXR S03 00455
001135 005122 A 481 ISR S03 00456
001136 001000 A 482 JMP EXC12 CHECK NEXT CHAR S03 00457
001137 001126 R
483 * S03 00458
001140 015000 A 484 EXC14 LDA 0,1 ROUTINE ADDR S03 00459
001141 054001 A 485 STA EXC16 SAVE FOR JUMP S03 00460
001142 001000 A 486 JMP * CALL ROUTINE S03 00461
001143 001142 R
487 EXC16 BES 0 ROUTINE ADDR S03 00462
488 * S03 00463
001144 000661 R 489 EXC17 DATA COMM ADDR OF LEGAL INPUT CHAR LIST S03 00464
001145 000700 R 490 EXC18 DATA COMM1 ROUTINE ADDRESSES S03 00465
001146 000000 A 491 EXC19 DATA 0 INPUT CHAR S03 00466
492 * S03 00467
493 * INVALID INPUT S03 00468
494 * S03 00469
001147 002000 A 495 EXC90 CALL SIDUT,3,EXC92 OUTPUT ERROR MESSAGE S03 00470
001150 015406 R
001151 000003 A
001152 001160 R
001153 001000 A 496 JMP EXC10 GET NEXT INPUT S03 00471
001154 001111 R
497 * S03 00472
001155 120240 A 498 EXC4 DATA ' MS**' S03 00473
001156 146723 A
001157 125252 A
001160 120240 A 499 EXC92 DATA ' MS01' INVALID INPUT S03 00474
001161 146723 A
001162 130261 A
500 EJEC S03 00475
501 * S03 00476
502 * THIS ROUTINE HANDLES THE PAGE SELECT COMMAND (P) S03 00477
503 * S03 00478
504 * AVAILABLE MEMORY IS TESTED TO DETERMINE IF THERE IS ROOM S03 00479
505 * FOR THE PAGE AND IN NOT THEN ERROR MESSAGE IS GIVEN S03 00480
506 * S03 00481
001163 002000 A 507 PSEL JMPM FETCHA GET PAGE NUMBER S03 00482
001164 015644 R
001165 001010 A 508 JAZ EXC90 S03 00483
001166 001147 R
001167 006140 A 509 SUBI 0260 S03 00484
001170 000260 A
001171 002000 A 510 CALL PGDK CHECK IF PAGE AVAILADEL S03 00485
001172 001227 R
001173 001002 A 511 JAP PSELB NO ROOM S03 00486
001174 001177 R
001175 001000 A 512 JMP EXC10 S03 00487
001176 001111 R
001177 002000 A 513 PSELB CALL SIDUT,3,NRM OUTPUT ERROR S03 00488

```



001200	015406	R							
001201	000003	A							
001202	001224	R							
001203	005001	A	514	TZA					S03 00489
001204	054006	A	515	STA	PAGE	DEFAULT PAGE			S03 00490
001205	006057	A	516	STAE	CPAG				S03 00491
001206	000503	R							
001207	006057	A	517	STAE	PPAG				E.2*****
001210	000504	R							
001211	001000	A	518	JMP	EXC10				S03 00492
001212	001111	R							
001213	000000	A	519	PAGE	DATA	0			S03 00493
001214	001000	E	520	PSTBL	DATA	9DBUF	PAGE 0 BOUNDARY		S03 00494
001215	000000	A	521		DATA	0	PAGE 1 BOUNDARY		S03 00495
001216	004000	A	522		DATA	2048	PAGE 2 BOUNDARY		S03 00496
001217	010000	A	523		DATA	4096	PAGE 3 BOUNDARY		S03 00497
			524	*					S03 00498
001220	001003	E	525	DCTBL	DATA	\$DRM1	PAGE 0 DCS		S03 00499
001221	000000	E	526		DATA	\$DRM1B	PAGE 1 DCS		F *****
001222	000000	E	527		DATA	\$DRM1C	PAGE 2 DCS		F *****
001223	000000	E	528		DATA	\$DRM1D	PAGE 3 DCS		F *****
			529	*					S03 00503
001224	120240	A	530	NRM	DATA	MS03	NO ROOM IN CORE		S03 00504
001225	146723	A							
001226	130263	A							
			531		EJEC				S03 00505
			532	*					S03 00506
			533	*					S03 00507
			534	*					S03 00508
			535	*					S03 00509
			536	*					S03 00510
			537	*					S03 00511
			538	*					S03 00512
			539	*					S03 00513
			540	*					S03 00514
			541	*					S03 00515
			542	*					S03 00516
001227	000000	A	542	PGDK	ENTR				S03 00517
001230	057000	I	543		STA	PAGE			S03 00518
001231	006057	A	544		STAE	CPAG			S03 00519
001232	000503	R							S03 00520
001233	144113	A	545		SUB	PAG4	PAGE LIMIT		S03 00521
001234	001010	A	546		JAZ	*+4			S03 00522
001235	001240	R							
001236	001002	A	547		JAP*	PGDK	EXCEED PAGE LIMIT		S03 00523
001237	101227	R							
001240	006010	A	548		LDAI	PSTBL	PAGE BOUNDARY TABLE		S03 00524
001241	001214	R							
001242	127000	I	549		ADD	PAGE	INDEX INTO TABLE		S03 00525
001243	005012	A	550		TAB				S03 00526
001244	016000	A	551		LDA	0,2	GET TABLE ADDR		S03 00527
001245	057000	I	552		STA	DBUF	POINTER INTO TABLE		S03 00528
001246	006010	A	553		LDAI	DCTBL	DCS BOUNDARY TABLE		S03 00529
001247	001220	R							
001250	127000	I	554		ADD	PAGE	INDEX INTO TABLE		S03 00530
001251	005012	A	555		TAB				S03 00531
001252	016000	A	556		LDA	0,2	GET TABLE ADDR		S03 00532
001253	057000	I	557		STA	DRM1	SET DCSA ADDR		S03 00533
001254	006120	A	558		ADDI	16			S03 00534
001255	000020	A							
001256	057000	I	559		STA	DRM2	SET DCSB ADDR		S03 00535
001257	005301	A	560		DECR	01	SET A NEG		S03 00536
001260	001000	A	561		JMP*	PGDK			S03 00537
001261	101227	R							
			562		EJEC				S03 00538
			563	*					S03 00539
			564	*					S03 00540
			565	*					S03 00541
			566	*					S03 00542
			567	*					S03 00543
			568	*					S03 00544
			569	*					S03 00545
			570	*					S03 00546
001262	000000	A	571	PAG	ENTR				F *****
001263	002000	A	572		CALL	SIOUT,7,PAG5	OUTPUT REQUEST		
001264	015406	R							
001265	000007	A							
001266	001350	R							
001267	002000	A	573		CALL	SIIN	GET PAGE NUMBER		S03 00547
001270	015220	R							
001271	002000	A	574		JMPM	FETCH	GET FIRST CHAR		S03 00548
001272	015635	R							
001273	006140	A	575		SUBI	0260	ASCII ZERO		S03 00549
001274	000260	A							
001275	005012	A	576		TAB				S03 00550
001276	001004	A	577		JAN	PAG2	LESS THAN ZERO		S03 00551
001277	001333	R							
001300	006140	A	578		SUBI	04	ASCII FOUR		S03 00552
001301	000004	A							
001302	001002	A	579		JAP	PAG2	GREATER THAN THREE		S03 00553
001303	001333	R							
001304	005021	A	580		TBA				S03 00554
001305	054041	A	581		STA	PAG4			S03 00555
001306	002000	A	582		JMPM	FETCHA	CHECK IF MORE INPUT		S03 00556



```

001307 013644 R
001310 001010 A 583 JAZ PAG1 $03 00557
001311 001320 R
001312 006140 A 584 SUBI 0240 BLANK $03 00558
001313 000240 A
001314 001010 A 585 JAZ PAG1 $03 00559
001315 001320 R
001316 001000 A 586 JMP PAG2 ERROR--INVALID INPUT $03 00560
001317 001333 R
001320 014026 A 587 PAG1 LDA PAG4 $03 00561
001321 001010 A 588 JAZ* PAG RETURN, PAGE WITHIN SIMULATOR $03 00562
001322 101262 R
001323 002000 A 589 JPM PAVL CHECK IF ROOM FOR PAGES $03 00563
001324 001362 R
001325 001004 A 590 JAN PAG2 NO ROOM $03 00564
001326 001333 R
001327 006010 A 591 LDAI PSTBL PAGE BOUNDARY TABLE $03 00565
001330 001214 R
001331 001000 A 592 JMP* PAG $03 00566
001332 101262 R
001333 002000 A 593 PAG2 CALL SIOU,3,PAG6 OUTPUT ERROR $03 00567
001334 015406 R
001335 000003 A
001336 001357 R
001337 001000 A 594 JMP PAG+1 TRY AGAIN $03 00568
001340 001263 R
001341 002000 A 595 PAG3 CALL SIOU,3,NRM OUTPUT ERROR $03 00569
001342 015406 R
001343 000003 A
001344 001224 R
001345 001000 A 596 JMP PAG+1 TRY AGAIN $03 00570
001346 001263 R
001347 000000 A 597 PAG4 DATA 0 SELECTED LIMIT $03 00571
001350 120240 A 598 PAG5 DATA ' PAGE LIMIT?' F *****
001351 150301 A
001352 143705 A
001353 120314 A
001354 144715 A
001355 144724 A
001356 137640 A
001357 120240 A 599 PAG6 DATA ' MS04' INVALID PAGE $03 00573
001360 146723 A
001361 130264 R
600 EJEC $03 00574
601 * $03 00575
602 * THIS IS A SUBROUTINE TO DETERMINE IF THERE IS ENOUGH MEMORY $03 00576
603 * AVAILABLE FOR THE DESIRED PAGE $03 00577
604 * $03 00578
605 * ENTER: A REG CONTAINS PAGE NUMBER $03 00579
606 * $03 00580
607 * CALLING SEQUENCE $03 00581
608 * JPM PAVL $03 00582
609 * RETURN $03 00583
610 * $03 00584
611 * EXIT: A REG NEG=NO ROOM; A REG POS=PAGE AVAILABLE $03 00585
612 * $03 00586
001362 000000 A 613 PAVL ENTR $03 00587
001363 054052 A 614 STA PAB SAVE PAGE NUMBER $03 00588
001364 024012 A 615 LDB ELDC $03 00589
001365 026000 A 616 LDB 0,2 $03 00590
001366 016000 A 617 LDA 0,2 LAST LOADED LOCATION $03 00591
001367 054004 A 618 STA PAV1 STUFF INTO SUBTRACTION OPERAND $03 00592
001370 024007 A 619 LDB LLUP $03 00593
001371 026000 A 620 LDB 0,2 $03 00594
001372 016000 A 621 LDA 0,2 LAST AVAIL LOCATION $03 00595
001373 006140 A 622 SUBI 0 OPERAND OVERLAYED BY ABOVE-AREA FOR PAGE $03 00596
001374 000000 A
001374 623 PAV1 BES 0 $03 00597
001375 001000 A 624 JMP PA1 CHECK IF ENOUGH ROOM $03 00598
001376 001402 R
625 * $03 00599
626 * EXT SELDC $03 00600
627 * EXT V$LLUP $03 00601
001377 000000 E 628 ELDC DATA $03 00602
001400 000000 E 629 LLUP DATA V$LLUP FIRST AVAILABLE LOCATION POINTER $03 00603
630 * EXT $SYST $03 00604
001401 000000 E 631 SYST DATA $SYST POINTER TO SYSTEM FLAG $03 00605
632 * $03 00606
001402 054034 A 633 PA1 STA PAB $03 00607
001403 144034 A 634 SUB B2048 PAGE 1 $03 00608
001404 001002 A 635 JAP PA2 CHECK FOR NEXT PAGE $03 00609
001405 001412 R
001406 006030 A 636 LDXI 0 $03 00610
001407 000000 A
001410 001000 A 637 JMP PAB COMPARE PAGE NUMBER $03 00611
001411 001432 R
001412 144025 A 638 PA2 SUB B2048 PAGE 2 $03 00612
001413 001002 A 639 JAP PAB CHECK FOR NEXT PAGE $03 00613
001414 001421 R
001415 006030 A 640 LDXI 1 $03 00614
001416 000001 A
001417 001000 A 641 JMP PAB COMPARE PAGE NUMBER $03 00615
001420 001432 R

```



Address	Hex	Op	Label	Op	Op	Description	Page
001421	144016	A	642 PA3	SUB	D2048	PAGE 3	S03 00616
001422	001002	A	643	JAP	PA4	CHECK FOR NEXT PAGE	S03 00617
001423	001430	R					
001424	006030	A	644	LDXI	2		S03 00618
001425	000002	A					
001426	001000	A	645	JMP	PA5	COMPARE PAGE NUMBER	S03 00619
001427	001432	R					
001430	006030	A	646 PA4	LDXI	3		S03 00620
001431	000003	A					
001432	005041	A	647 PA5	TXA			S03 00621
001433	144002	A	648	SUB	PA8	DESIRED PAGE	S03 00622
001434	001000	A	649	JMP*	PAVL	RETURN--A REG SET	S03 00623
001435	101362	R					
001436	000000	A	650 PA8	DATA	0		S03 00624
001437	000000	A	651 PA9	DATA	0		S03 00625
001440	004000	A	652 D2048	DATA	2048	WCS PAGE SIZE (512 64 BIT WORDS)	S03 00626
			653	EJEC			S03 00627
			654	*			S03 00628
			655	*		THIS ROUTINE WILL CONTROL THE SIMULATED OPERATION	S03 00629
			656	*		OF THE COMPUTER	S03 00630
			657	*			S03 00631
			658	*		ENTER VIA THE BEGIN COMMAND	S03 00632
			659	*			S03 00633
			660	S100	BSS	0	S03 00634
001441	017000	I	661	LDA	EXLIM	EXECUTION LIMIT	E.2*****
001442	057000	I	662	STA	RCNT	RESET RUN COUNT	E.2*****
001443	017000	I	663	LDA	CPAG		E.2*****
001444	057000	I	664	STA	PPAG	SET CURRENT MICRO PAGE	E.2*****
001445	002000	A	665	JMPM	INA	GET START SIMULATION ADDRESS	03 00635
001446	013364	R					
001447	147240	A	666	DATA	'N'		03 00636
001450	006030	A	667	LDXI	DR0M		S03 00637
001451	000546	R					
001452	001020	A	668	JBZ	S101	NO ADDR GIVEN--CONTINUE FROM LAST ADDR	S03 00638
001453	001455	R					
001454	055057	A	669	STA	NROM,1		S03 00639
001455	002000	A	670 S101	CALL	FELD	BREAK ROM WORD INTO FIELDS	S03 00640
001456	012766	R					
001457	002000	A	671 S102	CALL	LIST	PRINT ROM LOC. AND DECODED FIELDS	S03 00641
001460	014175	R					
001461	002000	A	672	CALL	CRAS	DETERMINE NEXT ROM ADDR	S03 00643
001462	001673	R					
001463	002000	A	673	CALL	CRXA	OUTPUT NEXT ROM ADDR TO LINE PRINTER	S03 00644
001464	003347	R					
001465	006030	A	674	LDXI	DR0M		S03 00645
001466	000546	R					
001467	002000	A	675 S103	CALL	S300	DATA LOOP PROCESSING	S03 00654
001470	003431	R					
001471	002000	A	676 S104	CALL	MOPA	MEMORY OPERATIONS	S03 00655
001472	007172	R					
001473	006030	A	677	LDXI	DR0M		S03 00656
001474	000546	R					
001475	002000	A	678 S108	CALL	X100	DETERMINE STATUS REGISTER SETTINGS	S03 00657
001476	006112	R					
001477	002000	A	679	CALL	LTMX	LIST TEST MUX STATUS	S03 00658
001500	004074	R					
001501	002000	A	680 S105	CALL	S106		S03 00659
001502	001507	R					
001503	017000	I	681	LDA	CPAG	NEXT MICRO PAGE	E.2*****
001504	057000	I	682	STA	PPAG	SET CURRENT PAGE TO NEXT PAGE	E.2*****
001505	001000	A	683	JMP	S101	GO UPDATE ROM CONTROL BUFFER	S03 00660
001506	001455	R					
			684	*			S03 00661
			685	*		CHECK FOR RETURN TO EXEC (STEP MODE OR RUN COUNT SATISFIED)	S03 00665
001507	000000	A	686 S106	ENTR			S03 00666
001510	006020	A	687	LDBI	STEP		S03 00667
001511	000471	R					
001512	016000	A	688	LDA	0,2	STEP/RUN FLAG	S03 00668
001513	001010	A	689	JAZ	*+4		S03 00669
001514	001517	R					
001515	001000	A	690	JMP	EXC10	RETURN TO EXEC (STEP MODE)	S03 00670
001516	001111	R					
001517	001400	A	691	JSS3	EXC10	RETURN TO EXEC IF ABORT RUN SET	E.2*****
001520	001111	R					
001521	002000	A	692	CALL	S120	CHECK FOR ROM HALT ADDR	E.2*****
001522	001560	R					
001523	017000	I	693	LDA	RCNT	MICRO COUNT	S03 00671
001524	001004	A	694	JAN*	S106	RETURN IF NOT SET	S03 00672
001525	101507	R					
001526	001010	A	695	JAZ	S106A	COUNT SATISFIED	S03 00673
001527	001534	R					
001530	005311	A	696	DAR			S03 00674
001531	057000	I	697	STA	RCNT	DECR RUN COUNT	S03 00675
001532	001000	A	698	JMP*	S106		S03 00676
001533	101507	R					
001534	002000	A	699 S106A	CALL	SIDUT,14,S106B	OUTPUT MESSAGE	S03 00677
001535	015406	R					
001536	000016	A					
001537	001542	R					
001540	001000	A	700	JMP	EXC10	RETURN TO EXEC	S03 00678
001541	001111	R					
001542	120240	A	701 S106B	DATA	' EXECUTION LIMIT SATISFIED '		S03 00679
001543	142730	A					















```

002102 001000 A 881 JMP CRA7 IF S=1 OR 2 THEN USE TS FOR OFFSET F *****
002103 002126 R 882 * DON'T USE TS FIELD FOR B-OFFSET IF I/O REQUEST (IM=E/F) FF *****
002104 015012 A 883 CRAB LDA XIMC,1 $03 00867
002105 006140 A 884 SUBI 14 FF *****
002106 000016 A 885 JAZ CRA6 IM=E FF *****
002107 001010 A 886 DAR IM=F FF *****
002110 002142 R 887 JAZ CRA6 $03 00868
002111 005311 A 888 LDA XAB,1 $03 00869
002112 001010 A 889 JAZ CRA7 AB FIELD=0 $03 00870
002113 002142 R 890 SUBI 3 $03 00871
002114 015011 A 891 JAP CRA7 AB=3 $03 00872
002115 001010 A 892 TZA $03 00873
002116 002126 R 893 JMP CRA6 $03 00874
002117 006140 A 894 * FORM B-OFFSET $03 00875
002118 000003 A 895 CRAB LDA XAB,1 AB FIELD C 03 00876
002119 001002 A 896 SUBI 2 C 03 00877
002120 002126 R 897 JAZ CRA6 JUMP IF BIT 1 NOT SET C 03 00878
002121 000002 A 898 LDA XIMC,1 D 03 00879
002122 001010 A 899 SUBI 13 IM=D D 03 00880
002123 000013 A 900 JAZ CRA6 DO NOT USE TS D 03 00881
002124 001010 A 901 LDA XTS,1 PUT TS FIELD INTO BITS 4-1. $03 00882
002125 002142 R 902 LRLA 1 BITS 0 & 5-8=0. $03 00883
002126 004241 A 903 CRA6 STAE CRBD STORAGE FOR B OFFSET. $03 00884
002127 006037 A 904 * $03 00885
002128 003427 R 905 * FORM BASE ADDRESS: AF FIELD INTO BITS 8-4, BITS 3-0 ARE ZERO $03 00886
002129 015001 A 906 CR10 LDA XAF,1 GET AF FIELD $03 00887
002130 004244 A 907 LRLA 4 POSITION FOR UPPER 5 BITS OF BASE ADDR $03 00888
002131 057000 I 908 STA CRBA STORAGE FOR BASE ADDR $03 00889
002132 002142 R 909 * $03 00890
002133 015004 A 910 * FORM A OFFSET: THE UPPER FOUR BITS ARE ZERO, THE LOWER 5 BITS ARE $03 00891
002134 006140 A 911 * SET BY SELECTING 5 CONTIGUOUS BITS OF INST REG2 (IRG2) $03 00892
002135 000004 A 912 * VIA THE FS FIELD, AND MASKING THEM WITH 5 BITS $03 00893
002136 002165 R 913 * OF THE MT/MS FIELDS, OPEN BIT POSITIONS ARE FORCED $03 00894
002137 006130 A 914 * TO "1" (EX, FOR FS=0: SELECTED IRG2 BITS=0XXXX) $03 00895
002138 004340 A 915 CR15 LDA XFS,1 $03 00896
002139 054713 A 916 SUBI 4 FOR FS<4, FORCE UNUSED POSITIONS TO "1" $03 00897
002140 015052 A 917 JAN CR17 GO PERFORM SPECIAL PROCESSING $03 00898
002141 003000 A 918 ERAI 04340 FORM LSRA TO SELECT THE SPECIFIED 5 $03 00899
002142 003072 R 919 STA CRTS+2 BITS OF IRG2 $03 00900
002143 154710 A 920 LDA IRG2,1 $03 00901
002144 002231 R 921 XEC CRTS+2 RIGHT JUSTIFY SELECTED BITS $03 00902
002145 001000 A 922 ANA CRM1 USE ONLY 5LSB'S $03 00903
002146 002231 R 923 JMP CR30 GO MASK SELECTED IRG2 BITS $03 00904
002147 015004 A 924 * $03 00905
002148 006140 A 925 * SPECIAL PROCESSING FOR FS<4. $03 00906
002149 000004 A 926 CR17 LDA XFS,1 FS=0 ? $03 00907
002150 001010 A 927 JAZ CR23 YES- $03 00908
002151 002227 R 928 DAR FS=0001 ? $03 00909
002152 001004 A 929 JAZ CR21 YES- $03 00910
002153 002165 R 930 DAR FS=0010 ? $03 00911
002154 006130 A 931 JAZ CR19 YES- $03 00912
002155 004340 A 932 * FS=0011 $03 00913
002156 054713 A 933 LDA NSTP,1 STEM F/F $03 00914
002157 015052 A 934 ERAI 036 FORCE THE 4 MSB'S TO "1" $03 00915
002158 003000 A 935 JMP CR30 GO MASK BITS $03 00916
002159 003072 R 936 * FS=0010 $03 00917
002160 154710 A 937 CR19 LDA MBYC,1 MEMORY BYTE DESIGNATOR $03 00918
002161 002231 R 938 STA CRTS+2 TEMP STORE $03 00919
002162 015060 A 939 LDA DS,1 PUT STATUS OF DS F/F $03 00920
002163 054665 A 940 LRLA 1 INTO BIT POSITION 1. $03 00921
002164 004241 A 941 ERA CRTS+2 $03 00922
002165 134662 A 942 STA CRTS+2 $03 00923
002166 054661 A 943 LDA IRG2,1 PUT BIT ONE $03 00924
002167 002223 R 944 LRLA 2 IRG2 WORD $03 00925
002168 015052 A 945 ANAI 010 MASK OFF BIT POSITION $03 00926
002169 002223 R 946 ERA CRTS+2 INTO BIT POSITION 3. $03 00927
002170 054654 A 947 STA CRTS+2 $03 00928
002171 134654 A 948 DRAI 024 FORCE BITS 4 + 2 TO "1" $03 00929
002172 006110 A 949 $03 00929
002173 000024 A 950 $03 00929

```



Address	Hex	Op	Label	Op	Comment	Page
002221	001000	A	949	JMP	CR30	GO MASK BITS
002222	002231	R				003 00930
			950	* FS=0001		003 00931
002223	006010	A	951	CR21 LDAI	037	FORCE ALL 5 BITS TO "1"
002224	000037	A				003 00932
002225	001000	A	952	JMP	CR30	GO MASK BITS
002226	002231	R				003 00933
			953	* FS=0000		003 00934
002227	006010	A	954	CR23 LDAI	037	FORCE ALL 5 BITS TO "1"
002230	000037	A				003 00935
			955	* COME HERE FOR MASKING OF SELECTED IRG2 BITS.		003 00936
			956	* FIELD MT MASKS MSB OF SELECTED 5 BITS, THE MS FIELD		003 00937
			957	* MASKS THE OTHER 4 BITS.		003 00938
002231	057000	I	958	CR30 STA	CRAD	TEMP STORE OF SELECTED IRG2 BITS
002232	015003	A	959	LDA	XMT,1	MAKE 5 BIT MASK OUT
002233	004244	A	960	LRLA	4	OF THE ONE BIT MT FIELD
002234	135002	A	961	ERA	XMS,1	AND THE 4 BIT MS FIELD.
002235	157000	I	962	ANA	CRAD	MASK IRG2 BITS.
002236	057000	I	963	STA	CRAD	STORAGE FOR A-OFFSET
			964	* FORM EFFECTIVE NEXT ROM ADDRESS BY INCLUSIVE ORING		003 00945
			965	* BASE ADDR & A-OFFSET & B-OFFSET.		003 00946
002237	117000	I	966	ORA	CRBA	BASE ADDR & A-OFFSET
002240	117000	I	967	ORA	CRBD	& B-OFFSET
002241			968	CR32 BSS	0	
002241	055057	A	969	STA	NRDM,1	THIS IS THE NEXT ROM ADDR
002242	017000	I	970	LDA	IMD	BRANCH PUSH ?
002243	001002	A	971	JAP*	CRAS	NO-RETURN
002244	101673	R				003 00952
002245	015021	A	972	LDA	XW,1	
002246	004254	A	973	LRLA	12	POSITION BIT 12
002247	054047	A	974	STA	CR33	MASK IN
002250	015022	A	975	LDA	XDS,1	
002251	004253	A	976	LRLA	11	POSITION BIT 11
002252	114044	A	977	ORA	CR33	MASK IN
002253	054043	A	978	STA	CR33	
002254	015023	A	979	LDA	XV,1	
002255	004252	A	980	LRLA	10	POSITION BIT 10
002256	114040	A	981	ORA	CR33	MASK IN
002257	054037	A	982	STA	CR33	
002260	015024	A	983	LDA	XY,1	
002261	004251	A	984	LRLA	9	POSITION BIT 9
002262	114034	A	985	ORA	CR33	MASK IN
002263	054033	A	986	STA	CR33	
002264	015025	A	987	LDA	XX,1	
002265	004247	A	988	LRLA	7	POSITION BIT 7
002266	114030	A	989	ORA	CR33	MASK IN
002267	054027	A	990	STA	CR33	
002270	015026	A	991	LDA	XTC,1	
002271	004244	A	992	LRLA	4	POSITION BIT 4
002272	114024	A	993	ORA	CR33	MASK IN
002273	054023	A	994	STA	CR33	
002274	015027	A	995	LDA	XB,1	
002275	114021	A	996	ORA	CR33	MASK IN
002276	005012	A	997	TAB		
002277	017000	I	998	LDA	JSPT	STACK COUNT
002300	006140	A	999	SUBI	16	STACK LIMIT
002301	000020	A				003 00980
002302	001002	A	1000	JAP	CR34-4	STACK OVERFLOW--GET ENTRY 0
002303	002320	R				003 00981
002304	006010	A	1001	LDAI	STACK	LOCATION OF STACK
002305	000506	R				003 00982
002306	127000	I	1002	ADD	JSPT	POINTER INTO STACK
002307	005014	A	1003	TAX		
002310	065000	A	1004	STB	0,1	*PUSH ON STACK*
002311	047000	I	1005	INR	JSPT	UPDATE POINTER
002312	005001	A	1006	TZA		
002313	057000	I	1007	STA	IMD	CLEAR BRANCH PUSH/POP FLAG
002314	054002	A	1008	STA	CR33	CLEAR ADDR WORD
002315	001000	A	1009	RETUR*	CRAS	
002316	101673	R				003 00989
002317	000000	A	1010	CR33 DATA	0	
			1011	* DATA	5	
			1012	* DATA	6	
002320	006010	A	1013	LDAI	STACK	
002321	000506	R				003 00992
002322	001000	A	1014	JMP	*+5	GET ENTRY ZERO
002323	002327	R				003 00995
002324	006010	A	1015	CR34 LDAI	STACK	STACK ADDRESS
002325	000506	R				003 00996
002326	127000	I	1016	ADD	JSPT	POINTER INTO STACK
002327	005311	A	1017	DAR		POINT TO LAST ENTRY
002330	005012	A	1018	TAB		
002331	016000	A	1019	LDA	0,2	RETURN ADDRESS
002332	054027	A	1020	STA	CR35	
002333	004351	A	1021	LSRA	9	GET PAGE
002334	006150	A	1022	ANAI	15	
002335	000017	A				003 01003
002336	002000	A	1023	CALL	PGDK	CHECK IF LEGAL PAGE
002337	001227	R				FF *****
002340	001004	A	1024	JAN	*+4	YES
002341	002344	R				FF *****
002342	001000	A	1025	JMP	CRPE	ILLEGAL PAGE JUMP
002343	002373	R				003 01008



```

002344 014015 A 1026 LDA CR35 RETURN ADDR S03 01009
002345 006150 A 1027 ANAI 0777 MASK OFF ADDR, LES PAGE NO. S03 01010
002346 000777 A
002347 055057 A 1028 STA NRDM,1 SET NEXT CCS ADDR S03 01011
002350 017000 I 1029 LDA JSPT JUMP STACK POINTER C 03 01012
002351 005311 A 1030 DAR C 03 01013
002352 057000 I 1031 STA JSPT BUMP STACK POINTER C 03 01014
002353 005012 A 1032 TAB D 03 01015
002354 005001 A 1033 TZA D 03 01016
002355 006056 A 1034 STAE STACK,2 CLEAR ENTRY D 03 01017
002356 000506 R
002357 057000 I 1035 STA IMD CLEAR POP FLAG D 03 01018
002360 001000 A 1036 JMP* CRAS RETURN S03 01019
002361 101673 R
002362 000000 A 1037 CR35 DATA 0 S03 01020
1038 * S03 01021
1039 * S03 01022
1040 * S03 01023
1041 * COME HERE (SEE CRA4) IF G NOT=X0XX TO SELECT ROM PAGE ADDR. S03 01024
1042 * IF YES: PUT TS FIELD BITS INTO CRAZ (BITS 12-9) FOR LATER DRING S03 01025
1043 * WITH THE 9 BIT ADDR. S03 01026
002363 015000 A 1044 CRAX LDA XTS,1 GET TS FIELD S03 01027
002364 002000 A 1045 CALL PGOK CHECK IF PAGE AVAILABLE S03 01028
002365 001227 R
002366 001002 A 1046 JAP CRPE ILLEGAL PAGE S03 01029
002367 002373 R
002370 005001 A 1047 TZA S03 01030
002371 001000 A 1048 JMP CRA6 GO FORM 9-BIT ADDR(512-WORD ROM) S03 01031
002372 002142 R
1049 * S03 01032
1050 * S03 01033
002373 002000 A 1051 CRPE CALL SIDUT,3,CRP OUTPUT ERROR S03 01034
002374 015406 R
002375 000003 A
002376 002401 R
002377 001000 A 1052 JMP EXC10 S03 01035
002400 001111 R
002401 120240 A 1053 CRP DATA ' MS05' PAGE JUMP TO UNAVAILABLE PAGE S03 01036
002402 146723 A
002403 130265 A
1054 * S03 01037
1055 * S03 01038
1056 * COME HERE IF T FIELD IS 01,10,OR 11 S03 01039
1057 * T=01 TEST STATUS CONDITION WITH PREVIOUSLY ESTABLISHED MODE S03 01040
1058 * T=10 SET TEST MODE AND TEST SELECTED TEST CONDITION. S03 01041
1059 * T=11 RESET TEST MODE AND TEST SELECTED TEST CONDITION. S03 01042
1060 * S03 01043
1061 * S03 01044
002404 006140 A 1062 CR50 SUBI 1 T=01 ? S03 01045
002405 000001 A
002406 001010 A 1063 JAZ CR54 YES- S03 01046
002407 002422 R
002410 006140 A 1064 SUBI 1 T=10 ? S03 01047
002411 000001 A
002412 001010 A 1065 JAZ CR52 YES- S03 01048
002413 002420 R
1066 * T=11: RESET TEST MODE S03 01049
002414 005001 A 1067 TZA -- S03 01050
002415 054457 A 1068 STA TMDT RESET TEST MODE FLAG S03 01051
002416 001000 A 1069 JMP CR54 S03 01052
002417 002422 R
1070 * T=10:SET TEST MODE S03 01053
002420 005301 A 1071 CR52 DECR 01 SET A=-1 S03 01054
002421 054453 A 1072 STA TMDT SET TEST-MODE-TRUE FLAG S03 01055
1073 * S03 01056
1074 * SELECT TEST CONDITION SPECIFIED BY THE G FIELD S03 01057
1075 * S03 01058
002422 015007 A 1076 CR54 LDA XG,1 GET G FIELD S03 01059
002423 006120 A 1077 ADDI TMUX ADDR OF TEST CONDITIONS TABLE S03 01060
002424 000641 R
002425 005012 A 1078 TAB IS STATUS CONDITION SELECTED BY S03 01061
002426 016000 A 1079 LDA 0,2 G FIELD TRUE ? S03 01062
002427 001010 A 1080 JAZ CR56 NO- S03 01063
002430 002465 R
002431 015007 A 1081 LDA XG,1 S03 01064
002432 006140 A 1082 SUBI 5 620/F TEST ? S03 01065
002433 000005 A
002434 001010 A 1083 JAZ CR60 YES-GO PROCESS S03 01066
002435 002514 R
002436 001000 A 1084 JMP CR58 S03 01067
002437 002457 R
1085 * COME HERE IF TESTED CONDITION(S) TRUE. S03 01068
1086 * S03 01069
1087 * RESET OVERFLOW F/F IF : T=NOT ZERO AND G=5 AND TEST COND.TRUE AND S03 01070
1088 * BIT 0 OF IRG2=1 S03 01071
1089 * THIS MEANS: RESET OVFL IF DOING JDF, JDFM, S03 01072
1090 * XOF, OR THE "NOT" EQUIVALENTS S03 01073
1091 * S03 01074
002440 015052 A 1092 CR55 LDA IRG2,1 IS OVFL BIT OF S03 01075
002441 006150 A 1093 ANAI 1 INST. WORD SET ? S03 01076
002442 000001 A
002443 001010 A 1094 JAZ CR58 NO- S03 01077
002444 002457 R

```







002572	001020	A	1162	JBZ	*+4			S03 01145
002573	002576	R						
002574	001000	A	1163	JMP	CR6W	010: CHECK A=0		S03 01146
002575	002735	R						
002576	004541	A	1164	CR6E	LLSR	1		S03 01147
002577	054270	A	1165		STA	CRTS		S03 01148
002600	001020	A	1166		JBZ	*+4		S03 01149
002601	002604	R						
002602	001000	A	1167	JMP	CR6V	020: CHECK B=0		S03 01150
002603	002760	R						
002604	004541	A	1168	CR6F	LLSR	1		S03 01151
002605	054262	A	1169		STA	CRTS		S03 01152
002606	001020	A	1170		JBZ	*+4		S03 01153
002607	002612	R						
002610	001000	A	1171	JMP	CR6U	040: CHECK X=0		S03 01154
002611	003003	R						
002612	004541	A	1172	CR6G	LLSR	1		S03 01155
002613	054254	A	1173		STA	CRTS		S03 01156
002614	001020	A	1174		JBZ	*+4		S03 01157
002615	002620	R						
002616	001000	A	1175	JMP	CR6T	100: CHECK IF SS1 SET		S03 01158
002617	003026	R						
002620	004541	A	1176	CR6H	LLSR	1		S03 01159
002621	054246	A	1177		STA	CRTS		S03 01160
002622	001020	A	1178		JBZ	*+4		S03 01161
002623	002626	R						
002624	001000	A	1179	JMP	CR6S	200: CHECK IF SS2 SET		S03 01162
002625	003047	R						
002626	004541	A	1180	CR6I	LLSR	1		S03 01163
002627	001020	A	1181		JBZ	CR55	NO-BUT PREV COND WAS TRUE TO GET HERE	S03 01164
002630	002440	R						
002631	014244	A	1182	LDA	CNOT	IS INST A NOT TYPE		S03 01165
002632	001010	A	1183	JAZ	CR6L	NO-		S03 01166
002633	002642	R						
002634	006017	A	1184	LDAE	TMUX+2	SS3 SET?		S03 01167
002635	000643	R						
002636	001010	A	1185	JAZ	CR55	NO-COND. MET-GO CHECK TEST MODE FLAG		S03 01168
002637	002440	R						
002640	001000	A	1186	JMP	CR56	GO CHECK TEST MODE FLAG		S03 01169
002641	002465	R						
002642	006017	A	1187	CR6L	LDAE	SS3 SET ?		S03 01170
002643	000643	R						
002644	001010	A	1188	JAZ	CR56	NO-GO TEST MODE-FALSE FLAG		S03 01171
002645	002465	R						
002646	001000	A	1189	JMP	CR55	YES-GO TEST MODE-TRUE FLAG		S03 01172
002647	002440	R						
			1190	*				S03 01173
			1191	*	CHECK OVFL			S03 01174
002650	014225	A	1192	CR6Z	LDA	CNOT	IS INST. A "NOT" TYPE ?	S03 01175
002651	001010	A	1193		JAZ	CRZ1	NO-	S03 01176
002652	002663	R						
002653	006017	A	1194	LDAE	TMUX+0	YES-OVERFLOW ON ?		S03 01177
002654	000641	R						
002655	001010	A	1195	JAZ	*+4			S03 01178
002656	002661	R						
002657	001000	A	1196	JMP	CR56	YES-COND. NOT MET		S03 01179
002660	002465	R						
002661	001000	A	1197	JMP	CRZ2	NO-		S03 01180
002662	002667	R						
002663	006017	A	1198	CRZ1	LDAE	TMUX+0	OVFL ON ?	S03 01181
002664	000641	R						
002665	001010	A	1199	JAZ	CR56	NO--CONDITION NOT MET		S03 01182
002666	002465	R						
002667	005002	A	1200	CRZ2	TZB			S03 01183
002670	014177	A	1201	LDA	CRTS	GET SHIFTED 9 BITS OF INST. WORD		S03 01184
002671	001000	A	1202	JMP	CR6B	YES		S03 01185
002672	002545	R						
			1203	*	CHECK IF A REGISTER(R0) IS POSITIVE			S03 01186
002673	014202	A	1204	CR6Y	LDA	CNOT	"NOT" INST ?	S03 01187
002674	001010	A	1205		JAZ	CRY1	NO-	S03 01188
002675	002704	R						
002676	006017	A	1206	LDAE	R0	YES- A=POS?		S03 01189
002677	000526	R						
002700	001004	A	1207	JAN	CRY2	NO-COND MET		S03 01190
002701	002710	R						
002702	001000	A	1208	JMP	CR56			S03 01191
002703	002465	R						
002704	006017	A	1209	CRY1	LDAE	R0	A=POSITIVE ?	S03 01192
002705	000526	R						
002706	001004	A	1210	JAN	CR56	NO-COND. NOT MET		S03 01193
002707	002465	R						
002710	005002	A	1211	CRY2	TZB			S03 01194
002711	014156	A	1212	LDA	CRTS	GET SHIFTED 9 BITS OF INST. WORD		S03 01195
002712	001000	A	1213	JMP	CR6C	YES		S03 01196
002713	002562	R						
			1214	*	CHECK IF A REGISTER(R0) IS NEGATIVE			S03 01197
002714	014161	A	1215	CR6X	LDA	CNOT	"NOT" INST ?	S03 01198
002715	001010	A	1216		JAZ	CRX1	NO-	S03 01199
002716	002725	R						
002717	006017	A	1217	LDAE	R0			S03 01200
002720	000526	R						
002721	001004	A	1218	JAN	CR56	YES-COND NOT MET		S03 01201
002722	002465	R						



002723	001000	A	1219	JMP	CRX2				\$03 01202
002724	002731	R							
002725	006017	A	1220	CRX1 LDAE	R0				\$03 01203
002726	000526	R							
002727	001002	A	1221	JAF	CR56		NO-COND NOT MET		\$03 01204
002730	002465	R							
002731	005002	A	1222	CRX2 TZB					\$03 01205
002732	014135	A	1223	LDA	CRT5		GET SHIFTED 9 BITS OF INST. WORD		\$03 01206
002733	001000	A	1224	JMP	CR6D		YES		\$03 01207
002734	002570	R							
			1225	* CHECK IF A REGISTER(R0) IS ZERO					\$03 01208
002735	014140	A	1226	CR6W LDA	CNOT				\$03 01209
002736	001010	A	1227	JAZ	CRW1				\$03 01210
002737	002746	R							
002740	006017	A	1228	LDAE	R0		A=0?		\$03 01211
002741	000526	R							
002742	001010	A	1229	JAZ	CR56		YES-COND NOT MET		\$03 01212
002743	002465	R							
002744	001000	A	1230	JMP	CRW2				\$03 01213
002745	002754	R							
002746	006017	A	1231	CRW1 LDAE	R0		A=0 ?		\$03 01214
002747	000526	R							
002750	001010	A	1232	JAZ	*+4				\$03 01215
002751	002754	R							
002752	001000	A	1233	JMP	CR56		NO-COND NOT MET		\$03 01216
002753	002465	R							
002754	005002	A	1234	CRW2 TZB					\$03 01217
002755	014112	A	1235	LDA	CRT5		GET SHIFTED 9 BITS OF INST. WORD		\$03 01218
002756	001000	A	1236	JMP	CR6E		YES		\$03 01219
002757	002576	R							
			1237	* CHECK IF B REGISTER(R1) IS ZERO					\$03 01220
002760	014115	A	1238	CR6V LDA	CNOT		"NOT" INST ?		\$03 01221
002761	001010	A	1239	JAZ	CRV1		NO-		\$03 01222
002762	002771	R							
002763	006017	A	1240	LDAE	R1		B=0 ?		\$03 01223
002764	000527	R							
002765	001010	A	1241	JAZ	CR56		YES-COND NOT MET		\$03 01224
002766	002465	R							
002767	001000	A	1242	JMP	CRV2				\$03 01225
002770	002777	R							
002771	006017	A	1243	CRV1 LDAE	R1		B=0 ?		\$03 01226
002772	000527	R							
002773	001010	A	1244	JAZ	*+4				\$03 01227
002774	002777	R							
002775	001000	A	1245	JMP	CR56		NO-COND NOT MET		\$03 01228
002776	002465	R							
002777	005002	A	1246	CRV2 TZB					\$03 01229
003000	014067	A	1247	LDA	CRT5		GET SHIFTED 9 BITS OF INST. WORD		\$03 01230
003001	001000	A	1248	JMP	CR6F		YES		\$03 01231
003002	002604	R							
			1249	* CHECK IF X REGISTER(R2) IS ZERO					\$03 01232
003003	014072	A	1250	CR6U LDA	CNOT		"NOT" INST ?		\$03 01233
003004	001010	A	1251	JAZ	CRU1		NO-		\$03 01234
003005	003014	R							
003006	006017	A	1252	LDAE	R2		X=0 ?		\$03 01235
003007	000530	R							
003010	001010	A	1253	JAZ	CR56		YES-COND NOT MET		\$03 01236
003011	002465	R							
003012	001000	A	1254	JMP	CRU2				\$03 01237
003013	003022	R							
003014	006017	A	1255	CRU1 LDAE	R2		X=0 ?		\$03 01238
003015	000530	R							
003016	001010	A	1256	JAZ	*+4				\$03 01239
003017	003022	R							
003020	001000	A	1257	JMP	CR56		NO-COND NOT MET		\$03 01240
003021	002465	R							
003022	005002	A	1258	CRU2 TZB					\$03 01241
003023	014044	A	1259	LDA	CRT5		GET SHIFTED 9 BITS OF INST. WORD		\$03 01242
003024	001000	A	1260	JMP	CR6G		YES		\$03 01243
003025	002612	R							
			1261	* CHECK IF SS1 IS SET					\$03 01244
003026	014047	A	1262	CR6T LDA	CNOT		"NOT" INST ?		\$03 01245
003027	001010	A	1263	JAZ	CRT1		NO-		\$03 01246
003030	003037	R							
003031	006017	A	1264	LDAE	TMUX+4		SS1 SET ?		\$03 01247
003032	000645	R							
003033	001010	A	1265	JAZ	CRT2		NO-COND MET		\$03 01248
003034	003043	R							
003035	001000	A	1266	JMP	CR56		YES-COND NOT MET		\$03 01249
003036	002465	R							
003037	006017	A	1267	CRT1 LDAE	TMUX+4		SS1 SET?		\$03 01250
003040	000645	R							
003041	001010	A	1268	JAZ	CR56		NO-COND NOT MET		\$03 01251
003042	002465	R							
003043	005002	A	1269	CRT2 TZB					\$03 01252
003044	014023	A	1270	LDA	CRT5		GET SHIFTED 9 BITS OF INST. WORD		\$03 01253
003045	001000	A	1271	JMP	CR6H		YES		\$03 01254
003046	002620	R							
			1272	* CHECK IF SS2 IS SET					\$03 01255
003047	014026	A	1273	CR6S LDA	CNOT		"NOT" INST ?		\$03 01256
003050	001010	A	1274	JAZ	CR51		NO-		\$03 01257
003051	003060	R							
003052	006017	A	1275	LDAE	TMUX+3		SS2 SET ?		\$03 01258



```

003053 000644 R
003054 001010 A 1276 JAZ CRS2 NO-COND. MET S03 01259
003055 003064 R
003056 001000 A 1277 JMP CR56 YES S03 01260
003057 002465 R
003060 006017 A 1278 CRS1 LDAE TMUX+3 SS2 SET ? S03 01261
003061 000644 R
003062 001010 A 1279 JAZ CR56 NO-COND NOT MET S03 01262
003063 002465 R
003064 005002 A 1280 CRS2 TZB S03 01263
003065 014002 A 1281 LDA CRTS GET SHIFTED 9 BITS OF INST. WORD S03 01264
003066 001000 A 1282 JMP CR6I YES S03 01265
003067 002626 R
1283 * S03 01266
003070 1284 CRJS BSS 3 TEMP STORAGE S03 01267
003073 000037 A 1285 CRM1 DATA 037 MASK S03 01268
003074 000020 A 1286 CRM2 DATA 020 MASK S03 01269
003075 000000 A 1287 TMDT DATA 0 TEST-MODE-TRUE FLAG S03 01270
003076 000000 A 1288 CNDT DATA 0 FLAG FOR "NOT" TYPES OF INSTRUCTIONS S03 01271
1289 EJEC S03 01272
1290 * S03 01273
1291 * S03 01274
1292 * S03 01275
1293 * -DECODE ROM ADDRESS GENERATION- S03 01276
1294 * ROUTINE TO SELECT THE NEXT CONTROL ROM ADDRESS FROM THE OUTPUT S03 01277
003077 015051 A 1295 CR70A LDA IRG1,1 GET IBR S03 01278
003100 005012 A 1296 TAB S03 01279
003101 004350 A 1297 LSRA 8 GET 8 MSBS S03 01280
003102 006140 A 1298 SUBI 0212 BCS OPCODE C 03 01281
003103 000212 A
003104 001010 A 1299 JAZ BCS S03 01282
003105 003305 R
003106 015051 A 1300 CR70 LDA IRG1,1 GET IBR S03 01283
003107 004354 A 1301 LSRA 12 USE BITS 15,14,13,&12 S03 01284
003110 127000 I 1302 ADD DRM1 ADDR OF DCSB S03 01285
003111 005012 A 1303 TAB S03 01286
003112 016000 A 1304 LDA 0,2 S03 01287
003113 005002 A 1305 TZB S03 01288
003114 004444 A 1306 LLRL 4 PUT 4 MSBS IN B REG S03 01289
003115 005222 A 1307 CPB COMPLEMENT FOR SIMULATOR LOGIC S03 01290
003116 004474 A 1308 LLRL 28 SHIFT BACK INTO A REG S03 01291
003117 054300 A 1309 STA CR7A TEMP STORE OF SELECTED DRM1 WORD S03 01292
1310 * S03 01293
003120 015051 A 1311 LDA IRG1,1 S03 01294
003121 006150 A 1312 ANAI 07400 SELECT I1 BITS 11-8 S03 01295
003122 007400 A
003123 004350 A 1313 LSRA 8 RIGHT JUSTIFY S03 01296
003124 127000 I 1314 ADD DRM2 ADDR OF DCSA S03 01297
003125 005012 A 1315 TAB S03 01298
003126 016000 A 1316 LDA 0,2 S03 01299
003127 054271 A 1317 STA CR7B TEMP STORE S03 01300
1318 * S03 01301
003130 014267 A 1319 LDA CR7A TEMP SAVE OF DRM1 WORD S03 01302
003131 005002 A 1320 TZB S03 01303
003132 004441 A 1321 LLRL 1 GET BIT 15 S03 01304
003133 064266 A 1322 STB CR7C TEMP STORE S03 01305
003134 006150 A 1323 ANAI 020000 GET BIT 12 OF DRM1 WORD S03 01306
003135 020000 A
003136 114263 A 1324 ORA CR7C INCL-OR BITS 15&12 S03 01307
003137 001010 A 1325 JAZ CR7I S03 01308
003140 003160 R
003141 014256 A 1326 LDA CR7A TEMP 1 S03 01309
003142 004245 A 1327 LRLA 5 BIT "00"=1 ? S03 01310
003143 001004 A 1328 JAN CR73 YES- S03 01311
003144 003151 R
003145 014253 A 1329 LDA CR7B TEMP 2 S03 01312
003146 006150 A 1330 ANAI 0177760 MASK OUT S03 01313
003147 177760 A
003150 054250 A 1331 STA CR7B 4 LSB'S OF TEMP 2 S03 01314
1332 * "OR" 9 LSB'S OF TEMP 1 & TEMP 2 : RESULT INTO TEMP 3 S03 01315
003151 014246 A 1333 CR73 LDA CR7A TEMP 1 S03 01316
003152 114246 A 1334 ORA CR7B S03 01317
003153 006150 A 1335 ANAI 0777 S03 01318
003154 000777 A
003155 054244 A 1336 STA CR7C TEMP 3 S03 01319
003156 001000 A 1337 JMP CR72 S03 01320
003157 003164 R
003160 014237 A 1338 CR71 LDA CR7A DRM1 WORD S03 01321
003161 006150 A 1339 ANAI 0777 S03 01322
003162 000777 A
003163 054236 A 1340 STA CR7C TEMP STORE S03 01323
003164 014233 A 1341 CR72 LDA CR7A S03 01324
003165 006150 A 1342 ANAI 040000 IS BIT 14 OF DRM1 "1" S03 01325
003166 040000 A
003167 001010 A 1343 JAZ CR80 NO- S03 01326
003170 003216 R
003171 015051 A 1344 CR74 LDA IRG1,1 GET I REG #1 S03 01327
003172 006150 A 1345 ANAI 0360 SELECT BITS 7,6,5,&4 S03 01328
003173 000360 A
003174 004344 A 1346 LSRA 4 RIGHT JUSTIFY S03 01329
003175 054225 A 1347 STA CR7D TEMP STORE S03 01330
003176 114223 A 1348 ORA CR7C S03 01331
003177 054222 A 1349 STA CR7C S03 01332

```



```

003200 001000 A 1350      JMP      CR86      CHECK FOR OVERRRIDE      S03 01333
003201 003253 R
003202 014215 A 1351 CR76 LDA      CR7A      GET DRM1 WORD      S03 01334
003203 006150 A 1352 ANAI    020000     IS BIT 13 TRUE      S03 01335
003204 020000 A
003205 001010 A 1353      JAZ      CR84      NO-      S03 01336
003206 003233 R
003207 015051 A 1354 CR77 LIA      IRG1,1    GET IREG #1 WORD    S03 01337
003210 006150 A 1355 ANAI    017        SELECT BITS 3,2,1,0 S03 01338
003211 000017 A
003212 054210 A 1356      STA      CR7D      TEMP STORE          S03 01339
003213 114206 A 1357      ORA      CR7C
003214 001000 A 1358      JMP      CR86
003215 003253 R
1359 *
1360 * COME HERE IF S31=0 (BIT 14 OF DRM1) S03 01342
003216 005002 A 1361 CR80 TZR      CR80
1362 LDA      CR7A      SELECT BIT 15      S03 01343
1363 LLRL    1          OF DRM1 WORD      S03 01344
003220 004441 A 1363 LLRL    1          OF DRM1 WORD      S03 01345
003221 064202 A 1364 STB      CR7E      TEMP STORE          S03 01346
003222 014176 A 1365 LDA      CR7B      SELECT BIT 14      S03 01347
003223 006150 A 1366 ANAI    040000     OF DRM2 WORD      S03 01348
003224 040000 A
003225 004242 A 1367 LRLA    2          MOVE TO LSB POSITION S03 01350
003226 154175 A 1368 ANA      CR7E      "AND" THE TWO BITS S03 01351
003227 001010 A 1369 JAZ      CR76
003230 003202 R
003231 001000 A 1370      JMP      CR74
003232 003171 R
1371 *
1372 *
1373 * COME HERE IF S30=0 (BIT 13 OF DRM1) S03 01354
003233 005002 A 1374 CR84 TZR      CR84
1375 LDA      CR7A      SELECT BIT 15      S03 01355
1376 LLRL    1          OF DRM1      S03 01356
003234 014163 A 1376 LLRL    1          OF DRM1      S03 01357
003235 004441 A 1376 STB      CR7E      TEMP STORE          S03 01358
003236 064165 A 1377 LDA      CR7B      SELECT BIT 13      S03 01359
003237 014161 A 1378 ANAI    020000     OF DRM2      S03 01360
003240 006150 A 1379 ANAI    020000     OF DRM2      S03 01361
003241 020000 A
003242 004243 A 1380 LRLA    3          MOVE TO LSB POSITION S03 01362
003243 154160 A 1381 ANA      CR7E      "AND" THE TWO BITS S03 01363
003244 001010 A 1382 JAZ      *+4
003245 003250 R
003246 001000 A 1383      JMP      CR77      "AND" THE TWO BITS S03 01364
003247 003207 R
003250 014151 A 1384 LDA      CR7C      GENERATED ADDR.   S03 01365
003251 001000 A 1385      JMP      CR32
003252 002241 R
1386 *
1387 *
1388 * IF REGISTER-REGISTER INSTRUCTION, MODIFY THE CONTROL STORE S03 01366
1389 * ADDRESS GENERATED. S03 01367
1390 * IF BIT "00" OF TEMP 1(CR7A) AND BIT XX5 OF TEMP 2(CR7B) ARE S03 01368
1391 * BOTH TRUE: PUT BIT 3 OF IRG2 INTO BIT 2 OF GENERATED ADDRESS. S03 01369
1392 *
003253 054146 A 1393 CR86 STA      CR7C      SAVE ADDRESS GENERATED S03 01370
003254 014143 A 1394 LDA      CR7A      DRM1 WORD          S03 01371
003255 006150 A 1395 ANAI    020000     IS "00" BIT TRUE ? S03 01372
003256 002000 A
003257 001010 A 1396      JAZ      CR87      NO-      S03 01373
003260 003302 R
003261 014137 A 1397 LDA      CR7B
003262 006150 A 1398 ANAI    010000     IS BIT "XX5" TRUE ? S03 01374
003263 001000 A
003264 001010 A 1399      JAZ      CR87
003265 003302 R
003266 014133 A 1400 LDA      CR7C
003267 006150 A 1401 ANAI    0177773   CLEAR BIT 2 OF GENERATED ADDR S03 01375
003270 177773 A
003271 054130 A 1402 STA      CR7C
003272 015051 A 1403 LDA      IRG1,1
003273 006150 A 1404 ANAI    010        GET BIT 3 OF IRG1. S03 01376
003274 000010 A
003275 004341 A 1405 LSRA    1          MAKE IT BIT 2      S03 01377
003276 134122 A 1406 ORA      CR7C      OF THE GENERATED ADDR. S03 01378
003277 054132 A 1407 STA      CR7C
003300 001000 A 1408      JMP      CR76
003301 003202 R
1409 *
003302 014117 A 1410 CR87 LDA      CR7C
003303 001000 A 1411      JMP      CR32
003304 002241 R
1412 *
1413 * COME HERE FOR BCS INSTRUCTION S03 01379
003305 005021 A 1414 BCS    TEA
003306 006150 A 1415 ANAI    037        GET 5 LSBS          S03 01380
003307 000037 A
003310 054035 A 1416 STA      BCSA
003311 006010 A 1417 LDAL    1          SELECT PAGE 1      S03 01381
003312 000001 A
003313 002000 A 1418 CALL    PGOK      CHECK IF PAGE AVAIL AND SET POINTERS S03 01382
003314 001227 R
003315 001000 A 1419      JAP      BCSB

```



Address	Op	Op	Op	Op	Op	Op	Op	Op	Op
003316	003335	R							
003317	014026	A	1420	LDA	BCSA	ADDRESS			\$03 01403
003320	006030	A	1421	LDXI	DR0M				\$03 01404
003321	000546	R							
003322	055057	A	1422	STA	NR0M,1	SET NEXT CCS ADDRESS			\$03 01405
003323	006010	A	1423	LDAI	\$DRM1				\$03 01406
003324	001220	E							
003325	006057	A	1424	STAE	DRM1	SET DCSA BACK TO PAGE 0			\$03 01407
003326	000372	R							
003327	006120	A	1425	ADDI	16				\$03 01408
003330	000020	A							
003331	006057	A	1426	STAE	DRM2	SET DCSB BACK TO PAGE 0			\$03 01409
003332	000373	R							
003333	001000	A	1427	JMP*	CRAS	RETURN			\$03 01410
003334	101673	R							
003335	002000	A	1428	BCSB	CALL	SIDUT,3,BCSC	OUTPUT ERROR		\$03 01411
003336	015406	R							
003337	000003	A							
003340	003343	R							
003341	001000	A	1429	JMP	EXC10	RETURN, ABORT SIMULATION			\$03 01412
003342	001111	R							
003343	120240	A	1430	BCSC	DATA	' MS06'	BCS-NO PAGE 1		\$03 01413
003344	146723	A							
003345	130266	A							
003346	000000	A	1431	BCSA	DATA	0	TEMP STORAGE		\$03 01414
			1432	*	PRINT NEXT ROM ADDRESS ON LINE PRINTER				\$03 01415
			1433	*					\$03 01416
003347	000000	A	1434	CRXA	ENTR				\$03 01417
003350	002000	A	1435	JMPM	TRSETA	CHECK IF WITHIN TRACE BOUNDS			E.2*****
003351	014715	R							
003352	001004	A	1436	JAN*	CRXA	RETURN IF NOT TO TRACE			E.2*****
003353	103347	R							
003354	002000	A	1437	CALL	SPAC	SPACE LD			\$03 01421
003355	014747	R							
003356	006030	A	1438	LDXI	CRXZ+10				\$03 01422
003357	003411	R							
003360	006020	A	1439	LDBI	DR0M				\$03 01423
003361	000546	R							
003362	026057	A	1440	LDB	NR0M,2				\$03 01424
003363	002000	A	1441	CALL	DR				\$03 01425
003364	014514	R							
003365	017000	I	1442	LDA	CPAG	PAGE NUMBER			\$03 01426
003366	006120	A	1443	ADDI	0260	ASCII			\$03 01427
003367	000260	A							
003370	054026	A	1444	STA	CRXZ+16	STORE IN MESSAGE			\$03 01428
003371	002000	A	1445	CALL	LOOUT,17,CRXZ				\$03 01429
003372	015470	R							
003373	000021	A							
003374	003377	R							
003375	001000	A	1446	RETU*	CRXA				\$03 01430
003376	103347	R							
			1447	*	DATA ITEMS				\$03 01431
003377	120240	A	1448	CRXZ	DATA	' NEXT CCS ADDRESS XXX PAGE DD'			\$03 01432
003400	147305	A							
003401	154324	A							
003402	120303	A							
003403	141723	A							
003404	120301	A							
003405	142304	A							
003406	151305	A							
003407	151723	A							
003410	120240	A							
003411	120330	A							
003412	154330	A							
003413	120240	A							
003414	120320	A							
003415	140707	A							
003416	142640	A							
003417	142304	A							
003420	000000	A	1449	CR7A	DATA	0	TEMP STORE		\$03 01433
003421	000000	A	1450	CR7B	DATA	0	TEMP STORE		\$03 01434
003422	000000	A	1451	CR7C	DATA	0	TEMP STORE		\$03 01435
003423	000000	A	1452	CR7D	DATA	0	TEMP STORE		\$03 01436
003424	000000	A	1453	CR7E	DATA	0	TEMP STORE		\$03 01437
003425	000000	A	1454	CR8A	DATA	0	STORAGE FOR BASE ADDRESS		\$03 01438
003426	000000	A	1455	CR8D	DATA	0	STORAGE FOR A OFFSET		\$03 01439
003427	000000	A	1456	CR8D	DATA	0	STORAGE FOR B OFFSET		\$03 01440
003430	000000	A	1457	CR8Z	DATA	0	STORAGE FOR ROM PAGE ADDR		\$03 01441
			1458		EJEC				\$03 01442
			1459	*					\$03 01443
			1460	*	DATA LOOP PROCESSING				\$03 01444
			1461	*					\$03 01445
			1462	*	CALLING SEQUENCE				\$03 01446
			1463	*	JMPM	S300			\$03 01447
			1464	*					\$03 01448
			1465	*	RETURN	ROM PROCESSING WILL BE COMPLETE			\$03 01449
			1466	*					\$03 01450
003431	000000	A	1467	S300	ENTR				\$03 01451
			1468	*					\$03 01452
003432	034224	A	1469	LDX	S316	ADDR OF ROM FIELDS			\$03 01453
003433	002000	A	1470	S302	CALL	DLMS	DETERMINE STATE OF MULTIPLY SIGN		\$03 01454
003434	006057	R							
			1471	*	IF V FIELD =1--PUT FILE A BIT 15 INTO DS F/F				\$03 01455



```

003435 015023 A 1472 LDA XV,1 V=1 ?
003436 001010 A 1473 JAZ S304
003437 003430 R
1474 * PUT FILE A BIT 15 INTO DS
003440 015030 A 1475 LDA XA,1 FILE A SOURCE ADDR
003441 006120 A 1476 ADDI R0 ADDR OF FILE A REGISTERS
003442 000526 R
003443 005012 A 1477 TAB
003444 016000 A 1478 LDA 0,2
003445 005002 A 1479 T2B
003446 004441 A 1480 LLRL 1
003447 065064 A 1481 STB DS,1 DS IS F/F FOR SIGN STORAGE
003450 002000 A 1482 S304 CALL X000 DETERMINE LATCH A INPUT
003451 004402 R
003452 055032 A 1483 STA LTCHA,1 SAVE LATCH A INPUT
1484 *
003453 002000 A 1485 JMPM X010 DETERMINE LATCH B INPUT TO ALU
003454 005057 R
003455 055033 A 1486 STA LTCHB,1 SAVE LATCH B INPUT
1487 *
003456 002000 A 1488 JMPM X020 FORM ALU OUTPUT
003457 005163 R
003460 055034 A 1489 STA XALU,1 SAVE ALU OUTPUT
1490 *
003461 002000 A 1491 CALL DORG PERFORM DP REGISTER SHIFTING
003462 006624 R
003463 002000 A 1492 CALL X200 * TRANSFER ALU OUTPUT TO DESIGNATED REGS.
003464 007061 R
1493 *
1494 * TRANSFER INST REG #1(IRG1) TO INST REG #2(IRG2) IF
1495 * T=0 & S=0 & G=XXX1
003465 015005 A 1496 LDA XT,1 T FIELD=00
003466 001010 A 1497 JAZ *+4
003470 001000 A 1498 JMP S305
003471 003511 R
003472 015007 A 1499 LDA XG,1 YES-
003473 006150 A 1500 ANAI 1 G FIELD=XXX1
003474 000001 A
003475 001010 A 1501 JAZ S305
003476 003511 R
003477 015006 A 1502 LDA XS,1 S=0 ?
003500 001010 A 1503 JAZ *+4
003501 003504 R
003502 001000 A 1504 JMP S305
003503 003511 R
003504 015052 A 1505 LDA IRG2,1 SAVE CONTENTS OF IRG2 AT LAST CLOCK.
003505 006050 A 1506 STAI USED FOR OVFL SAMPLE FOR
003506 000000 A
003507 015051 A 1507 XIRG2 BES 0 FAST REG LOGIC. SEE X108.
003510 055052 A 1508 LDA IRG1,1 YES--MOVE IRG1
003511 003511 R 1509 STA IRG2,1 TO IRG2.
003512 002000 A 1510 S305 EQU *
003513 014715 R 1511 JMPM TRSETA CHECK IF WITHIN BOUNDS
003514 001004 A 1512 JAN* S300 NO--RETURN
103431 R
1513 *
1514 * OUTPUT TOP OF JUMP STACK TO LD
1515 *
003515 002000 A 1516 JMPM SPAC
003516 014747 R
003517 006030 A 1517 LDXI S320+12
003520 003707 R
003521 017000 I 1518 LDA JSPT JUMP STACK POINTER
003522 001010 A 1519 JAZ *+3
003523 003525 R
003524 005311 A 1520 DAR SET BACK TO LAST ITEM ON STACK
003525 006120 A 1521 ADDI STACK INDEX INTO STACK
003526 000506 R
003527 005012 A 1522 TAB
003530 026000 A 1523 LDB 0,2 STACK CONTENTS
003531 002000 A 1524 JMPM OH CONVERT TO ASCII
003532 014514 R
003533 002000 A 1525 CALL LOOUT,14,S320
003534 015470 R
003535 000016 A
003536 003673 R
003537 017000 I 1526 LDA JSPT STACK COUNT
003540 005012 A 1527 TAB
003541 006140 A 1528 SUBI 012
003542 000012 A
003543 001004 A 1529 JAN *+5 TWO DIGITS ?
003544 003530 R
003545 006120 A 1530 ADDI 0130400 YES--PUT 1 IN TENS DIGIT
003546 130400 A
003547 001000 A 1531 DATA 01006 SKIP NEXT INST
003550 005021 A 1532 TBA NO
003551 006120 A 1533 ADDI 0260
003552 000260 A
003553 054153 A 1534 STA S322+14
003554 002000 A 1535 CALL LOOUT,15,S322
003555 015470 R

```



003556	000017	A							
003557	003711	R							
			1536	*					\$03 01522
			1537	*					\$03 01523
			1538	*	OUTPUT LATCH A TO LD				\$03 01524
			1539	*					\$03 01525
003560	002000	A	1540		JMPM	SPAC	SPACE LD		\$03 01526
003561	014747	R							
003562	006010	A	1541		LDAI	0140640	A SPACE		\$03 01527
003563	140640	A							
003564	054103	A	1542		STA	S318+7	PLACE IN MESSAGE		\$03 01528
003565	034072	A	1543		LDX	S317			\$03 01529
003566	024070	A	1544		LDB	S316	ADDR OF ROM FIELDS/DATA		\$03 01530
003567	026032	A	1545		LDB	LTCHA,2	LATCH A INPUT TO ALU		\$03 01531
003570	002000	A	1546		JMPM	OH	CONVERT TO ASCII		\$03 01532
003571	014514	R							
003572	002000	A	1547		CALL	LOAD,10,S318	OUTPUT LINE		\$03 01533
003573	015470	R							
003574	000012	A							
003575	003661	R							
			1548	*					\$03 01534
			1549	*	OUTPUT LATCH B TO LD				\$03 01535
			1550	*					\$03 01536
003576	006010	A	1551		LDAI	0141240	B SPACE		\$03 01537
003577	141240	A							
003600	054067	A	1552		STA	S318+7	PLACE IN MESSAGE		\$03 01538
003601	034056	A	1553		LDX	S317			\$03 01539
003602	024054	A	1554		LDB	S316	ADDR OF ROM FIELDS/DATA		\$03 01540
003603	026033	A	1555		LDB	LTCHB,2	LATCH B INPUT TO ALU		\$03 01541
003604	002000	A	1556		JMPM	OH	CONVERT TO ASCII		\$03 01542
003605	014514	R							
003606	002000	A	1557		CALL	LOAD,10,S318	OUTPUT LINE		\$03 01543
003607	015470	R							
003610	000012	A							
003611	003661	R							
			1558	*					\$03 01544
			1559	*	OUTPUT ALU OUTPUT TO LD				\$03 01545
			1560	*					\$03 01546
003612	002000	A	1561		JMPM	SPAC	SPACE LD		\$03 01547
003613	014747	R							
003614	034113	A	1562		LDX	S319			\$03 01548
003615	024041	A	1563		LDB	S316	ADDR OF ROM FIELDS/DATA		\$03 01549
003616	026034	A	1564		LDB	XALU,2	ALU OUTPUT		\$03 01550
003617	002000	A	1565		JMPM	OH	CONVERT TO ASCII		\$03 01551
003620	014514	R							
003621	002000	A	1566		CALL	LOAD,10,S31A	OUTPUT LINE TO LD		\$03 01552
003622	015470	R							
003623	000012	A							
003624	003731	R							
			1567	*					\$03 01553
			1568	*	OUTPUT CARRY IN TO LD				\$03 01554
			1569	*					\$03 01555
003625	002000	A	1570		JMPM	SPAC	SPACE LD		\$03 01556
003626	014747	R							
003627	034027	A	1571		LDX	S316	ADDR OF ROM FIELDS		\$03 01557
003630	015035	A	1572		LDA	XCIN,1	CARRY IN		\$03 01558
003631	006120	A	1573		ADDI	0120260	SPACE ZERO		\$03 01559
003632	120260	A							
003633	054114	A	1574		STA	S31D+4			\$03 01560
003634	002000	A	1575		CALL	LOAD,5,S31D	OUTPUT MESSAGE		\$03 01561
003635	015470	R							
003636	000005	A							
003637	003744	R							
			1576	*					\$03 01562
			1577	*	OUTPUT CARRY OUT TO LD				\$03 01563
			1578	*					\$03 01564
003640	034016	A	1579		LDX	S316	ADDR OF ROM FIELDS		\$03 01565
003641	015036	A	1580		LDA	CARRY,1	CARRY		\$03 01566
003642	006120	A	1581		ADDI	0120260	SPACE ZERO		\$03 01567
003643	120260	A							
003644	054110	A	1582		STA	S31E+4			\$03 01568
003645	002000	A	1583		CALL	LOAD,5,S31E	OUTPUT MESSAGE		\$03 01569
003646	015470	R							
003647	000005	A							
003650	003751	R							
003651	002000	A	1584		JMPM	REGS	DUMP CONTENTS OF REGISTERS		\$03 01570
003652	014606	R							
			1585	*					\$03 01571
003653	002000	A	1586		CALL	LTAA	LIST V73 REGISTERS		\$03 01572
003654	003756	R							
003655	001000	A	1587		JMP*	S300	RETURN		\$03 01573
003656	103431	R							
			1588	*					\$03 01574
			1589	*					\$03 01575
003657	000346	R	1590		S316	DATA	DRDM	ADDR OF FIRST ROM FIELD	\$03 01576
003660	003671	R	1591		S317	DATA	S318+8		\$03 01577
003661	120240	A	1592		S318	DATA	ALU INPUT A DDDD		\$03 01578
003662	120240	A							
003663	140714	A							
003664	152640	A							
003665	144716	A							
003666	150325	A							
003667	152240	A							















```

004301 151723 A
004302 153663 A
004303 120240 A
004304 151723 A
004305 153662 A
004306 120240 A
004307 151723 A
004310 153661 A
004311 120240 A
004312 142713 A
004313 152714 A
004314 120240 A
004315 140714 A
004316 152717 A
004317 120240 A
004320 140714 A
004321 152723 A
004322 120240 A 1711 LTAP DATA ALUC ALUZ SHFT MIRS SFTC ROAD NORM QUOS' S03 01700
004323 140714 A
004324 152703 A
004325 120240 A
004326 140714 A
004327 152732 A
004330 120240 A
004331 151710 A
004332 143324 A
004333 120240 A
004334 146711 A
004335 151323 A
004336 120240 A
004337 151706 A
004340 152303 A
004341 120240 A
004342 151260 A
004343 140717 A
004344 120240 A
004345 147317 A
004346 151313 A
004347 120240 A
004350 150723 A
004351 147723 A

1712 *
1713 *
1714 *
1715 *
1716 *
1717 *
1718 * DETERMINE IF SPECIAL ALU MODE: LA=0&LB=0/1&SH=1XX .
1719 * IF NOT: INCR RETURN BY 2.
004352 000000 A 1719 SALU ENTR
004353 015014 A 1720 LDA XLA,1 LA FIELD
004354 001010 A 1721 JAZ *+4
004355 004360 R
004356 001000 A 1722 JMP SAL2 S03 01711
004357 004374 R
004360 015013 A 1723 LDA XLB,1 LB FIELD
004361 006140 A 1724 SUBI 2 S03 01712
004362 000802 A
004363 001002 A 1725 JAP SAL2 S03 01713
004364 004374 R
004365 015026 A 1726 LDA XTC,1 SH(MY TC FIELD)
004366 006130 A 1727 ANAI 4 S03 01715
004367 000004 A
004370 001010 A 1728 JAZ SAL2 S03 01716
004371 004374 R
004372 001000 A 1729 RETUM SALU S03 01717
004373 104352 R
004374 006047 A 1730 SAL2 INRE SALU S03 01718
004375 004352 R
004376 006047 A 1731 INRE SALU S03 01719
004377 004352 R
004400 001000 A 1732 RETUM SALU S03 01720
004401 104352 R
1733 EJEC S03 01721
1734 *
1735 * DETERMINE LATCH A INPUT TO ALU
1736 *
1737 * CALLING SEQUENCE
1738 * LDX ADDR OF ROM DATA FIELDS
1739 * JMPM X000
1740 *
1741 * RETURN LATCH A INPUT IN A REGISTER
1742 *
004402 000000 A 1743 X000 ENTR S03 01722
004403 014447 A 1744 LDA X009 ADDR OF PSEUDO-REGS
004404 125030 A 1745 ADD XA,1 PLUS FILE A SOURCE ADDR
004405 005012 A 1746 TAB S03 01723
004406 016000 A 1747 LDA 0,2 GET REGISTER CONTENTS
1748 *
004407 025014 A 1749 LDB XLA,1 LATCH A CONTROL
004410 001020 A 1750 JBZ XA30 LA=00 S03 01724
004411 004422 R
004412 005322 A 1751 DBR S03 01725
004413 001020 A 1752 JBZ X004 JUMP IF PGM COUNTER IS INPUT S03 01726

```



```

004414 005047 R
004415 005322 A 1753 DBR
004416 001020 A 1754 JBZ X002 JUMP IF A LEFT SHIFT S03 01742
004417 004616 R 1755 JMP XA49 LA=11: RIGHT SHIFT S03 01743
004420 001000 A 1755
004421 004500 R 1756 * S03 01744
1757 * S03 01745
1758 * S03 01746
1759 * S03 01747
1760 * IF LB=0-/R-1 AND TC=001: FORCE LATCH A TO ZERO S03 01748
1761 * IF LB=0-/R-1 AND TC=010: FORCE LATCH A TO ALL 1'S S03 01749
1762 * IF LB=0/1 AND TC=101, SET LATCH A=0 IF IRG2 BIT 7+6=01,10,00. IF S03 01750
1763 * IRG2 BITS 7+6=11(DECR),SET LATCH A=-1 S03 01751
1764 * OTHERWISE, SELECT CONTENTS OF REGISTER DESIGNATED BY A FIELD S03 01752
004422 005012 A 1764 XA30 TAB SAVE FILE CONTENTS S03 01753
004423 015013 A 1765 LDA XLB,1 S03 01754
004424 006140 A 1766 SUBI 2 LB =0-OR-1 ? S03 01755
004425 000002 A
004426 001004 A 1767 JAN *+5 YES S03 01756
004427 004433 R
004430 005021 A 1768 XA32 TBA GET FILE REG. CONTENTS S03 01757
004431 001000 A 1769 RETUM X000 EXIT S03 01758
004432 104402 R
004433 015026 A 1770 LDA XTC,1 S03 01759
004434 006150 A 1771 ANAI 4 TC=1XX ? S03 01760
004435 000004 A
004436 001010 A 1772 JAZ *+4 S03 01761
004437 004442 R
004440 001000 A 1773 JMP XS33 YES S03 01762
004441 004460 R
004442 015026 A 1774 LDA XTC,1 S03 01763
004443 006150 A 1775 ANAI 2 TC=X1X ? S03 01764
004444 000002 A
004445 001010 A 1776 JAZ *+4 S03 01765
004446 004451 R
004447 001000 A 1777 JMP XS36 YES S03 01766
004450 004475 R
004451 015026 A 1778 LDA XTC,1 S03 01767
004452 006150 A 1779 ANAI 1 TC=XX1 ? S03 01768
004453 000001 A
004454 001010 A 1780 JAZ XA32 NO-GO GET FILE REG CONTENTS AND EXIT S03 01769
004455 004430 R
004456 001000 A 1781 JMP XS34 YES S03 01770
004457 004472 R
004460 015032 A 1782 XS33 LDA IRG2,1 S03 01771
004461 006150 A 1783 ANAI 0300 IF BITS 7&6 OF IRG2 =11, S03 01772
004462 000300 A
004463 004346 A 1784 LSRA 6 SET LATCH A TO -1. S03 01773
004464 006140 A 1785 SUBI 3 IF BITS 7&6 ARE 00,01,10, S03 01774
004465 000003 A
004466 001010 A 1786 JAZ XS36 SET LATCH A TO ZERO. S03 01775
004467 004475 R
004470 001000 A 1787 JMP XS34 S03 01776
004471 004472 R
004472 005001 A 1788 XS34 TZA SET LATCH A=0 S03 01777
004473 001000 A 1789 RETUM X000 S03 01778
004474 104402 R
004475 005301 A 1790 * S03 01779
004476 001000 A 1791 XS36 DECR 01 S03 01780
004477 104402 R 1792 RETUM X000 SET LATCH A=-1 S03 01781
1793 * S03 01782
1794 * S03 01783
1795 * S03 01784
1796 * S03 01785
1797 * FORM RIGHT SHIFTED LATCH A INPUT S03 01786
1798 * S03 01787
004500 054351 A 1799 XA49 STA X008 SAVE FILE A CONTENTS S03 01788
004501 006150 A 1800 ANAI 1 S03 01789
004502 000001 A
004503 055060 A 1801 STA MBYC,1 BYTE DESIGNATOR FOR MEMORY OPERATIONS S03 01790
004504 014345 A 1802 LDA X008 S03 01791
004505 004341 A 1803 LSRA 1 S03 01792
004506 054345 A 1804 STA X00A TEMP STORE OF SHIFED FILE A S03 01793
004507 015026 A 1805 LDA XTC,1 TC FIELD LESS THAN OR S03 01794
004510 006140 A 1806 SUBI 4 GREATER THAN 100 ? S03 01795
004511 000004 A
004512 001004 A 1807 JAN XA40 TC<100 S03 01796
004513 004522 R
004514 001010 A 1808 JAZ *+4 S03 01797
004515 004520 R
004516 001000 A 1809 JMP XA48 TC>100 S03 01798
004517 004573 R
004520 001000 A 1810 JMP XA46 TC=100 S03 01799
004521 004567 R
004522 015026 A 1811 XA40 LDA XTC,1 GET TC FIELD S03 01800
004523 001010 A 1812 JAZ *+4 TC = 0 ? S03 01801
004524 004527 R
004525 001000 A 1813 JMP XA41 NO S03 01802
004526 004536 R
1814 * TC=000: FA01 INTO LA00 AND MUL SIGN INTO LA15 S03 01803
004527 002000 A 1815 CALL XA90 PUT FA01 INTO LA00 S03 01804
004530 005004 R

```



004531	015071	A	1816	LDA	MULS,1	MUL SIGN F/F	S03	01805
004532	004257	A	1817	LRLA	15		S03	01806
004533	114322	A	1818	DRA	X00D		S03	01807
004534	001000	A	1819	RETU*	X000		S03	01808
004535	104402	R	1820	*				
004536	006140	A	1821	XA41	SUBI	2	TC= 010 ?	S03 01809
004537	000002	A	1822	JAZ	XA42	YES-		S03 01810
004540	001010	A	1822	JAZ	XA42	YES-		S03 01811
004541	004552	R	1823	JAP	XA44	NO: TC=011		S03 01812
004542	001002	A	1823	JAP	XA44	NO: TC=011		S03 01812
004543	004561	R	1824	*	TC=001: FA01 INTO LA00 AND FA00 INTO FA15			S03 01813
004544	002000	A	1825	CALL	XA90	PUT FA01 INTO LA00		S03 01814
004545	005004	R	1826	CALL	XA92	PUT FA00 INTO LA15		S03 01815
004546	002000	A	1826	CALL	XA92	PUT FA00 INTO LA15		S03 01815
004547	005021	R	1827	RETU*	X000			S03 01816
004550	001000	A	1827	RETU*	X000			S03 01816
004551	104402	R	1828	*				S03 01817
004552	002000	A	1829	*	TC=010: FA01 INTO LA00 AND FA15 INTO LA15			S03 01818
004553	005004	R	1830	XA42	CALL	XA90	PUT FA01 INTO LA00	S03 01819
004554	014275	A	1831	LDA	X008	OR		S03 01820
004555	154277	A	1832	ANA	X00C	FA15 BIT		S03 01821
004556	114277	A	1833	DRA	X00D	INTO LA15		S03 01822
004557	001000	A	1834	RETU*	X000			S03 01823
004560	104402	R	1835	*				S03 01824
004561	002000	A	1836	*	TC=011: FA01 INTO LA00 AND DR00 INTO LA15			S03 01825
004562	005004	R	1837	XA44	CALL	XA90	PUT FA01 INTO LA00	S03 01826
004563	002000	A	1838	CALL	XA96	PUT DR00 INTO LA15		S03 01827
004564	005037	R	1839	RETU*	X000			S03 01828
004565	001000	A	1839	RETU*	X000			S03 01828
004566	104402	R	1840	*				S03 01829
004567	002000	A	1841	*				S03 01830
004570	005004	R	1842	*	TC=100: FA01 INTO LA00 AND "ZERO" INTO LA15			S03 01831
004571	001000	A	1843	XA46	CALL	XA90		S03 01832
004572	104402	R	1844	*	LA15 IS ZERO FROM PREVIOUS LSRA SHIFT			S03 01833
004573	015026	A	1845	RETU*	X000	RETURN		S03 01834
004574	006140	A	1846	*				S03 01835
004575	000006	A	1847	*				S03 01836
004576	001010	A	1848	XA48	LDA	XTC,1		S03 01837
004577	004606	R	1849	SUBI	6	TC=110		S03 01838
004600	001002	A	1850	JAZ	XA50	YES-		S03 01839
004601	004612	R	1851	JAP	XA52	NO: TC=111		S03 01840
004602	002000	A	1852	*	TC=101: FA01 INTO LA00 AND "ZERO" INTO LA15			S03 01841
004603	005004	R	1853	CALL	XA90	PUT FA01 INTO LA00		S03 01842
004604	001000	A	1854	CALL	XA90	PUT FA01 INTO LA00		S03 01843
004605	104402	R	1855	*	LA15 IS ZERO FROM PREVIOUS LSRA SHIFT			S03 01844
004606	002000	A	1856	RETU*	X000			S03 01845
004607	005004	R	1857	*				S03 01846
004610	001000	A	1858	*	TC=110: FA01 INTO LA00 AND "ZERO" INTO LA15			S03 01847
004611	104402	R	1859	XA50	CALL	XA90	PUT FA01 INTO LA00	S03 01848
004612	002000	A	1860	*	LA15 IS ZERO FROM PREVIOUS LSRA SHIFT			S03 01849
004613	005004	R	1861	RETU*	X000			S03 01850
004614	001000	A	1862	*				S03 01851
004615	104402	R	1863	*	TC=111: FA01 INTO LA00 AND "ZERO" INTO LA15			S03 01852
004616	054233	A	1864	XA52	CALL	XA90	PUT FA01 INTO LA00	S03 01853
004617	005002	A	1865	*	LA15 IS ZERO FROM PREVIOUS LSRA SHIFT			S03 01854
004620	004441	A	1866	RETU*	X000			S03 01855
004621	054232	A	1867	*				S03 01856
004622	015026	A	1868	*				S03 01857
004623	006140	A	1869	*				S03 01858
004624	000004	A	1870	*				S03 01859
004625	001004	A	1871	*				S03 01860
004626	004665	R	1872	*	COME HERE IF LA=10: FORM LEFT SHIFTED LATCH A INPUT			S03 01861
004627	001010	A	1873	*				S03 01862
004630	004633	R	1874	X002	STA	X008	SAVE FILE A CONTENTS	S03 01863
004631	001000	A	1875	TZB				S03 01864
004632	004441	A	1876	LLRL	1			S03 01865
004633	054232	A	1877	STA	X00A	TEMP STORE OF SHIFTED FILE A		S03 01866
004634	015026	A	1878	LDA	XTC,1	GET TC FIELD		S03 01867
004635	006140	A	1879	SUBI	4	TC LESS THAN OR GREATER THAN 100 ?		S03 01868
004636	000004	A	1880	JAN	XA20	TC<100		S03 01869
004637	001010	A	1881	JAZ	*+4			S03 01870
004638	004633	R	1882	JMP	XA10	TC>100		S03 01871







```

004733 014116 A 1946 LDA X008 MERGE IN S03 01935
004734 154120 A 1947 ANA X00C BIT 15 OF "OLD" S03 01936
004735 134120 A 1948 ERA X00D FILE A WORD S03 01937
004736 054117 A 1949 STA X00D TEMP STORE S03 01938
004737 001000 A 1950 JMP* XA80 S03 01939
004740 104726 R 1951 * S03 01940
1952 * S03 01941
1953 * STORE BIT 15 OF FILE A INTO BIT 00 OF LATCH A WORD S03 01942
004741 000000 A 1954 XA82 ENTR S03 01943
004742 014107 A 1955 LDA X008 GET BIT 15 S03 01944
004743 154111 A 1956 ANA X00C OF FILE A. S03 01945
004744 004241 A 1957 LRLA 1 MERGE INT. S03 01946
004745 134110 A 1958 ERA X00D SHIFTED WORD S03 01947
004746 001000 A 1959 JMP* XA82 S03 01948
004747 104741 R 1960 * S03 01949
1961 * STORE BIT 15 OF OP REG. INTO BIT 00 OF LATCH A WORD S03 01950
004750 000000 A 1962 XA84 ENTR S03 01951
004751 015044 A 1963 LDA DREG,1 S03 01952
004752 154102 A 1964 ANA X00C S03 01953
004753 004241 A 1965 LRLA 1 S03 01954
004754 134101 A 1966 ERA X00D SHIFTED FILE A WITH NEW BIT 15 S03 01955
004755 001000 A 1967 JMP* XA84 S03 01956
004756 104750 R 1968 * S03 01957
1969 * STORE BIT 14 OF OP REG. INTO BIT 00 OF LATCH A WORD S03 01958
004757 000000 A 1970 XA86 ENTR S03 01959
004760 015044 A 1971 LDA DREG,1 S03 01960
004761 006150 A 1972 ANAI 040000 S03 01961
004762 040000 A 1973 LRLA 2 S03 01962
004763 004242 A 1974 ERA X00D S03 01963
004764 134071 A 1975 JMP* XA86 S03 01964
004765 001000 R 1976 * S03 01965
1977 * STORE BIT 14 OF FILE A INTO BIT 15 OF LATCH A WORD S03 01966
1978 * PUT RESULTS IN X00D S03 01967
004767 000000 A 1979 XA88 ENTR S03 01968
004770 014063 A 1980 LDA X00A SELECT 15 LSB'S S03 01969
004771 006150 A 1981 ANAI 077777 OF SHIFTED S03 01970
004772 077777 A 1982 STA X00A FILE A (NEW LATCH A WORD). S03 01971
004773 054060 A 1983 LDA X008 MERGE IN S03 01972
004774 014053 A 1984 ANAI 040000 BIT 14 OF S03 01973
004775 006150 A 1985 LRLA 1 OLD WORD. S03 01974
004776 040000 A 1986 ERA X00A TEMP STORE OF RESULTS S03 01975
004777 004241 A 1987 STA X00D S03 01976
005000 134053 A 1988 JMP* XA88 S03 01977
005001 054054 A 1989 * S03 01978
005002 001000 A 1990 * STORE BIT 01 OF FILE A INTO BIT 00 OF LATCH A WORD S03 01979
005003 104767 R 1991 * PUT RESULTS IN X00D S03 01980
005004 000000 A 1992 XA90 ENTR S03 01981
005005 014046 A 1993 LDA X00A SELECT 15 MSB'S S03 01982
005006 006150 A 1994 ANAI 0177776 OF SHIFTED S03 01983
005007 177776 A 1995 STA X00A FILE A WORD. S03 01984
005010 054043 A 1996 LDA X008 MERGE IN S03 01985
005011 014040 A 1997 ANAI 02 BIT 01 S03 01986
005012 006150 A 1998 LSRA 1 OF FILE S03 01987
005013 000002 A 1999 ERA X00A A WORD S03 01988
005014 004341 A 2000 STA X00D TEMP STORE OF RESULTS S03 01989
005015 134036 A 2001 JMP* XA90 S03 01990
005016 054037 A 2002 * S03 01991
005017 001000 A 2003 * STORE BIT 00 OF FILE A INTO BIT 15 OF LATCH A WORD S03 01992
005018 105004 R 2004 XA92 ENTR S03 01993
005021 000000 A 2005 LDA X008 SELECT BIT 00 S03 01994
005022 014027 A 2006 ANAI 1 OF FILE A WORD S03 01995
005023 006150 A 2007 LRLA 15 AND MOVE TO POSITION 15. S03 01996
005024 000001 A 2008 ERA X00D MERGE INTO NEW WORD S03 01997
005025 004257 A 2009 JMP* XA92 S03 01998
005026 134027 A 2010 * S03 01999
005027 001000 A 2011 * STORE BIT 15 OF FILE A INTO BIT 15 OF LATCH A (RIGHT SHIFTS) S03 02000
005028 105021 R 2012 XA94 ENTR S03 02001
005031 000000 A 2013 LDA X008 SELECT BIT 15 S03 02002
005032 014017 A 2014 ANA X00C OF FILE A WORD. S03 02003
005033 154021 A 2015 ERA X00D MERGE INTO NEW WORD S03 02004
005034 134021 A 2016 JMP* XA94 S03 02005
005035 001000 A 2017 * S03 02006
005036 105031 R 2018 * STORE BIT 00 OF OP REG. INTO BIT 15 OF LATCH A WORD S03 02007
005037 000000 A 2019 XA96 ENTR S03 02008
005040 015044 A 2020 LDA DREG,1 SELECT BIT 00 S03 02009
005041 006150 A 2021 ANAI 1 OF DREG AND S03 02010
005042 000001 A 2022 LRLA 15 MOVE TO BIT 15 POSITION. S03 02011
005043 004257 A 2023 ERA X00D MERGE INTO LATCH A WORD. S03 02012
005044 134011 A

```



```

005045 001000 A 2024 JMP* XA96 S03 02013
005046 105037 R 2025 * S03 02014
2026 * PROGRAM COUNTER IS INPUT S03 02015
2027 * S03 02016
005047 015042 A 2028 X004 LDA PREG,1 GET PROGRAM COUNTER S03 02017
005050 001000 A 2029 JMP* X000 S03 02018
005051 104402 R 2030 * S03 02019
005052 000000 A 2031 X008 DATA 0 TEMP STORAGE S03 02020
005053 000526 R 2032 X009 DATA R0 ADDR OF PSEUDO-REGS S03 02021
005054 000000 A 2033 X00A DATA 0 TEMP STORE FOR SHIFTED FILE A S03 02022
005055 100000 A 2034 X00C DATA 0100000 MASK S03 02023
005056 000000 A 2035 X00D DATA 0 TEMP STORE OF SHIFTED WORD WITH NEW BIT 15 S03 02024
2036 * S03 02025
2037 * S03 02026
2038 * DETERMINE LATCH B INPUT TO ALU S03 02027
2039 * S03 02028
2040 * CALLING SEQUENCE S03 02029
2041 * LDX ADDR OF DATA ROM FIELDS S03 02030
2042 * JMPM X010 S03 02031
2043 * S03 02032
2044 * RETURN LATCH B INPUT TO ALU IN A REGISTER S03 02033
2045 * S03 02034
005057 000000 A 2046 X010 ENTR S03 02035
005060 015027 A 2047 LDA XB,1 FILE B SOURCE ADDR S03 02036
005061 124100 A 2048 ADD X019 PLUS ADDR OF PSEUDO REGS S03 02037
005062 005012 A 2049 TAB S03 02038
005063 016000 A 2050 LDA 0,2 REGISTER CONTENTS S03 02039
2051 * S03 02040
005064 025013 A 2052 LDB XLB,1 LATCH B CONTROL S03 02041
005065 001020 A 2053 JBZ* X010 RETURN IF REG CONTENTS IS INPUT S03 02042
005066 105057 R 2054 DBR S03 02043
005067 005322 A 2055 JBZ X012 B MUX INPUT S03 02044
005070 001020 A 2056 LDA MASK,1 16-BIT MASK S03 02045
005071 005103 R 2057 DBR S03 02046
005072 015031 A 2058 JBZ *+4 JUMP IF I1 AND MASK S03 02047
005073 005322 A 2059 JMP* X010 MASK IS INPUT S03 02048
005074 001020 A 2060 ANA IRG2,1 MASK INSTRUCTION WORD S03 02049
005075 005100 R 2061 JMP* X010 RETURN WITH MASK RESULT S03 02050
005076 001000 A 2062 * S03 02051
005077 105057 R 2063 * S03 02052
2064 * COME HERE IF LB FIELD=01: SELECT B MUX FOR INPUT TO LATCH B S03 02053
2065 * INPUTS ARE OP REG, MAIN MEM. DATA REG, I/O DATA REG, STATUS S03 02054
2066 * REG, AND 4 CONFIGURATIONS OF BYTES FROM THE OP REG. S03 02055
2067 * S03 02056
2068 * S03 02057
005103 015027 A 2069 X012 LDA XB,1 FILE B SOURCE ADDR S03 02058
005104 006150 A 2070 ANAI 7 3 LSB OF ADDR S03 02059
005105 000007 A 2071 TAB -SAVE FOR DATA SELECTION S03 02060
005106 005012 A 2072 * S03 02061
005107 015044 A 2073 LDA DREG,1 RETURN: INPUT IS DREG S03 02062
005110 001020 A 2074 JBZ* X010 S03 02063
005111 105057 R 2075 * S03 02064
005112 015056 A 2076 LDA MIL,1 MEMORY INTERFACE LATCH S03 02065
005113 005322 A 2077 DBR B=X001 S03 02066
005114 001020 A 2078 JBZ* X010 RETURN S03 02067
005115 105057 R 2079 * S03 02068
005116 015040 A 2080 LDA IOD,1 IOD S03 02069
005117 005322 A 2081 DBR B=X010 S03 02070
005120 001020 A 2082 JBZ* X010 RETURN IF IOD INPUT S03 02071
005121 105057 R 2083 LDA STUS,1 STATUS S03 02072
005122 015041 A 2084 DBR B=X011 S03 02073
005123 005322 A 2085 JBZ* X010 RETURN IF STUS INPUT S03 02074
005124 001020 A 2086 DBR B=X100 S03 02075
005125 105057 R 2087 JBZ X013 OP1 RIGHT BYTE/SIGN EXTENDED S03 02076
005126 005322 A 2088 * S03 02077
005127 001020 A 2089 DBR B=X101 S03 02078
005130 005145 R 2090 JBZ X014 OP1 LEFT BYTE/SIGN EXTENDED S03 02079
005131 005322 A 2091 * S03 02080
005132 001020 A 2092 DBR B=X110 S03 02081
005133 005152 R 2093 JBZ X015 OP1 RIGHT BYTE TO RIGHT BYTE S03 02082
005134 005322 A 2094 * S03 02083
005135 001020 A 2095 * B=X111 OP1 RIGHT BYTE TO LEFT BYTE S03 02084
005136 005155 R 2096 * S03 02085
005137 015044 A 2097 LDA DREG,1 GET DPERAND REG S03 02086
005140 006150 A 2098 ANAI 0377 MASK OUT RIGHT BYTE S03 02087
005141 000377 A 2099 LRLA 8 LEFT JUSTIFY BYTE S03 02088
005142 004250 A 2100 JMP* X010 RETURN S03 02089
005143 001000 A

```



```

005144 105057 R      2101 *
                   2102 *      B=X100  DP1 RIGHT BYTE/SIGN EXTENDED      $03 02090
                   2103 *      $03 02091
005145 015044 A      2104 X013 LDA  DREG,1  GET OPERAND REG      $03 02092
005146 004250 A      2105      LRLA  8      LEFT JUSTIFY BYTE      $03 02093
005147 004310 A      2106      ASRA  8      EXTEND SIGN      $03 02094
005150 001000 A      2107      JMP*  X010  RETURN      $03 02095
005151 105057 R      2108 *
                   2109 *      B=X101  DP1 LEFT BYTE/SIGN EXTENDED      $03 02097
                   2110 *      $03 02098
005152 015044 A      2111 X014 LDA  DREG,1  GET OPERAND REG      $03 02099
005153 001000 A      2112      JMP  X013+2  EXTEND SIGN      $03 02100
005154 005147 R      2113 *
                   2114 *      B=X110  DP1 RIGHT BYTE      $03 02102
                   2115 *      $03 02103
005155 015044 A      2116 X015 LDA  DREG,1  GET OPERAND REG      $03 02104
005156 006150 A      2117      ANAI  0377  MASK OUT BYTE      $03 02105
005157 000377 A      2118      JMP*  X010  RETURN      $03 02106
005160 001000 A      2119 *
005161 105057 R      2120 X019 DATA  R0      ADDR OF PSEUDO REGS      $03 02108
                   2121      EJEC      $03 02109
                   2122 *      $03 02110
                   2123 *      FORM ALU OUTPUT      $03 02111
                   2124 *      $03 02112
                   2125 *      CALLING SEQUENCE      $03 02113
                   2126 *      LDX  ADDR OF ROM FIELDS/DATA      $03 02114
                   2127 *      JMPM  X020      $03 02115
                   2128 *      $03 02116
                   2129 *      RETURN OUTPUT IN A REGISTER      $03 02117
                   2130 *      $03 02118
005163 000000 A      2131 X020 ENTR      $03 02119
                   2132 *      $03 02120
                   2133 *      ARITHMETIC MODE:(M=0-AND-LB=0DR1)OR(LB=2DR3-AND-F=XX0X      $03 02121
                   2134 *      LOGICAL MODE:(M=1-AND-LB=0DR1)OR(LB=2DR3-AND-F=XX1X      $03 02122
005164 015017 A      2135      LDA  XMD,1  ALU FUNCTION MODE IS "LOGICAL" ?      $03 02123
005165 001010 A      2136      JAZ  *+4      $03 02124
005166 005171 R      2137      JMP  XAL1  I=YES 0=NO      $03 02125
005167 001000 A      2138      LDA  XLB,1  LB=3DR4 ?      $03 02126
005170 005205 R      2139      SUBI  2      $03 02127
005171 015013 A      2140      JAP  *+4  YES-      $03 02128
005172 006140 A      2141      JMP  AR10  NO-GO TO ARITHMETIC MODE      $03 02129
005173 000002 A      2142      LDA  XF,1  F CODE=XX0X      $03 02130
005174 001002 A      2143      ANAI  2      $03 02131
005175 005200 R      2144      JAZ  AR10  YES-GO TO ARITH. MODE      $03 02132
005176 001000 A      2145 *      MD=1      $03 02133
005177 005223 R      2146 XAL1 LDA  XLB,1  LB=3DR4 ?      $03 02134
005200 015013 A      2147      SUBI  2      $03 02135
005201 006150 A      2148      JAP  *+4  YES      $03 02136
005202 000002 A      2149      JMP  X023  GO TO LOGICAL FUNCTIONS      $03 02137
005203 001010 A      2150      LDA  XF,1  F CODE=XX1X ?      $03 02138
005204 005223 R      2151      ANAI  2      $03 02139
005205 015013 A      2152      JAZ  *+4      $03 02140
005206 006140 A      2153      JMP  X023  GO TO LOGICAL FUNCTIONS      $03 02141
005207 000002 A      2154 *
005210 001002 A      2155 *      DETERMINE CARRY IN FOR ARITHMETIC MODE OR SPECIAL ALU MODE      $03 02142
005211 005214 R      2156 *      $03 02143
005212 001000 A      2157 AR10 LDA  XLB,1  GET LB FIELD      $03 02144
005213 005331 R      2158      SUBI  02      $03 02145
005214 015016 A      2159      JAP  AR12  LB=3 DR 4      $03 02146
005215 006150 A      2160      CALL  SALU  DETERMINE IF SPECIAL ALU MODE      $03 02147
005216 000002 A      2161      JMP  AR20  YES-      $03 02148
005217 001010 A      2162      LDB  XC,1  CARRY CONTROL      $03 02149
005220 005223 R      2163      TZA      $03 02150
005221 001000 A      2164      JBZ  X026  JUMP IF ZERO CARRY IN      $03 02151
005222 005331 R      2165      LDA  CARRY,1  STORED CARRY      $03 02152
005223 015013 A      2166      DBR      $03 02153
005224 006140 A      2167      JBZ  X026  JUMP IF USE STORED CARRY      $03 02154
005225 000002 A      2168      COMPL 011  COMPLEMENT CARRY      $03 02155
005226 001002 A      2169      ANAI  01  USE COMPLEMENTED CARRY      $03 02156

```







005354	005435	R	2252	DATA	X052	1011 AND A AND B	S03	02240
005355	005440	R	2253	DATA	X054	1100 GENERATE ALL ONES	S03	02241
005356	005443	R	2254	DATA	X056	1101 COMPLEMENT B; OR WITH A	S03	02242
005357	005450	R	2255	DATA	X058	1110 OR A AND B	S03	02243
005360	005453	R	2256	DATA	X060	1111 A	S03	02244
			2257	*			S03	02245
			2258	*			S03	02246
			2259	*			S03	02247
			2260	*			S03	02248
			2261	*			S03	02249
			2262	*			S03	02250
			2263	*			S03	02251
			2264	*			S03	02252
			2265	*			S03	02253
			2266	*			S03	02254
			2267	*			S03	02255
			2268	*			S03	02256
			2269	*			S03	02257
			2270	*			S03	02258
005361	015032	A	2271	X030	LDA	LTCHA,1	A	02259
005362	005211	A	2272		COMPL	011	COMPLEMENT	02260
005363	001000	A	2273		JMP*	X020	RETURN	02261
005364	105163	R						
			2274	*			S03	02262
			2275	*			S03	02263
			2276	*			S03	02264
005365	015032	A	2277	X032	LDA	LTCHA,1	A	02265
005366	115033	A	2278		ORA	LTCHB,1	OR WITH B	02266
005367	001000	A	2279		JMP	X030+1	COMPLEMENT	02267
005370	005362	R						
			2280	*			S03	02268
			2281	*			S03	02269
			2282	*			S03	02270
005371	015032	A	2283	X034	LDA	LTCHA,1	A	02271
005372	005211	A	2284		COMPL	011	COMPLEMENT	02272
005373	155033	A	2285		ANA	LTCHB,1	AND WITH B	02273
005374	001000	A	2286		JMP*	X020	RETURN	02274
005375	105163	R						
			2287	*			S03	02275
			2288	*			S03	02276
			2289	*			S03	02277
005376	005001	A	2290	X036	TZA			02278
005377	001000	A	2291		JMP*	X020	RETURN	02279
005400	105163	R						
			2292	*			S03	02280
			2293	*			S03	02281
			2294	*			S03	02282
005401	015032	A	2295	X038	LDA	LTCHA,1	A	02283
005402	155033	A	2296		ANA	LTCHB,1	AND WITH B	02284
005403	001000	A	2297		JMP	X030+1	COMPLEMENT	02285
005404	005362	R						
			2298	*			S03	02286
			2299	*			S03	02287
			2300	*			S03	02288
005405	015033	A	2301	X040	LDA	LTCHB,1	B	02289
005406	001000	A	2302		JMP	X030+1	COMPLEMENT	02290
005407	005362	R						
			2303	*			S03	02291
			2304	*			S03	02292
			2305	*			S03	02293
005410	015032	A	2306	X042	LDA	LTCHA,1	A	02294
005411	135033	A	2307		ERA	LTCHB,1	EXCLUSIVE OR WITH B	02295
005412	001000	A	2308		JMP*	X020	RETURN	02296
005413	105163	R						
			2309	*			S03	02297
			2310	*			S03	02298
			2311	*			S03	02299
005414	015033	A	2312	X044	LDA	LTCHB,1	B	02300
005415	005211	A	2313		COMPL	011	COMPLEMENT	02301
005416	155032	A	2314		ANA	LTCHA,1	AND WITH A	02302
005417	001000	A	2315		JMP*	X020	RETURN	02303
005420	105163	R						
			2316	*			S03	02304
			2317	*			S03	02305
			2318	*			S03	02306
005421	015032	A	2319	X046	LDA	LTCHA,1	A	02307
005422	005211	A	2320		COMPL	011	COMPLEMENT	02308
005423	115033	A	2321		ORA	LTCHB,1	OR WITH B	02309
005424	001000	A	2322		JMP*	X020	RETURN	02310
005425	105163	R						
			2323	*			S03	02311
			2324	*			S03	02312
			2325	*			S03	02313
005426	015032	A	2326	X048	LDA	LTCHA,1	A	02314
005427	135033	A	2327		ERA	LTCHB,1	EXCLUSIVE OR WITH B	02315
005430	001000	A	2328		JMP	X030+1	COMPLEMENT	02316
005431	005362	R						
			2329	*			S03	02317
			2330	*			S03	02318
			2331	*			S03	02319
005432	015033	A	2332	X050	LDA	LTCHB,1	B	02320
005433	001000	A	2333		JMP*	X020	RETURN	02321
005434	105163	R						

NOTE - IN THE FOLLOWING ROUTINES A REFERS TO THE LATCH A INPUT TO THE ALU AND B REFERS TO THE LATCH B INPUT







			2411	*		ADD CIN			S03 02399
			2412	*					S03 02400
005530	015032	A	2413	X072	LDA	LTCHA,1	A		S03 02401
005531	115033	A	2414		ORA	LTCHB,1	OR WITH B		S03 02402
005532	054322	A	2415		STA	X0AA	FIRST RESULT		S03 02403
005533	015033	A	2416		LDA	LTCHB,1	B		S03 02404
005534	005211	A	2417		COMPL	011	COMPLEMENT		S03 02405
005535	155032	A	2418		ANA	LTCHA,1	AND WITH A		S03 02406
005536	054317	A	2419		STA	X0AB	SECOND RESULT		S03 02407
005537	124315	A	2420		ADD	X0AB	ADD FIRST RESULT		S03 02408
005540	125035	A	2421		ADD	XCIN,1	ADD CIN		S03 02409
005541	002000	A	2422		JMPM	X094	SAVE OVERFLOW		S03 02410
005542	005752	R							
005543	001000	A	2423		JMP	X071	DO CARRY CALCULATION		S03 02411
005544	005520	R							
			2424	*					S03 02412
			2425	*	0110	ADD A AND CIN, SUBTRACT B, SUBTRACT 1			S03 02413
			2426	*					S03 02414
005545	015032	A	2427	X074	LDA	LTCHA,1	A		S03 02415
005546	145033	A	2428		SUB	LTCHB,1	SUBTRACT B		S03 02416
005547	005311	A	2429		DAR		SUBTRACT 1		S03 02417
005550	125035	A	2430		ADD	XCIN,1	ADD CIN		S03 02418
005551	002000	A	2431		JMPM	X094	SAVE OVERFLOW		S03 02419
005552	005752	R							
005553	015035	A	2432		LDA	XCIN,1	CIN		S03 02420
005554	001010	A	2433		JAZ	X075	JUMP IF NO CARRY IN		S03 02421
005555	005575	R							
			2434	*					S03 02422
005556	015032	A	2435		LDA	LTCHA,1	A		S03 02423
005557	135033	A	2436		ERA	LTCHB,1	B		S03 02424
005560	001002	A	2437		JAP	*+7	JUMP IF SIGNS THE SAME		S03 02425
005561	005567	R							
005562	015032	A	2438		LDA	LTCHA,1	A		S03 02426
005563	001004	A	2439		JAN	X097	SET CARRY IF A NEGATIVE		S03 02427
005564	005771	R							
005565	001000	A	2440		JMP	X096	NO CARRY		S03 02428
005566	005762	R							
			2441	*					S03 02429
005567	015032	A	2442		LDA	LTCHA,1	A		S03 02430
005570	145033	A	2443		SUB	LTCHB,1	LESS B		S03 02431
005571	001002	A	2444		JAPI	X097	SET CARRY IF A GREATER		S03 02432
005572	005771	R							
005573	001000	A	2445		JMP	X096	NO CARRY		S03 02433
005574	005762	R							
			2446	*					S03 02434
005575	014227	A	2447	X075	LDA	X099	RESULT		S03 02435
005576	005211	A	2448		CPA				S03 02436
005577	001010	A	2449		JAZ	X096	NO CARRY ON -1 RESULT		S03 02437
005600	005762	R							
005601	001000	A	2450		JMP	X097	SET CARRY		S03 02438
005602	005771	R							
			2451	*					S03 02439
			2452	*	0111	COMPLEMENT B, AND WITH A, SUBTRACT 1, ADD CIN			S03 02440
			2453	*					S03 02441
005603	015033	A	2454	X076	LDA	LTCHB,1	B		S03 02442
005604	005211	A	2455		COMPL	011	COMPLEMENT		S03 02443
005605	155032	A	2456		ANA	LTCHA,1	AND WITH A		S03 02444
005606	005311	A	2457		DAR		SUBTRACT 1		S03 02445
005607	125035	A	2458		ADD	XCIN,1	ADD CIN		S03 02446
005610	002000	A	2459		JMPM	X094	SAVE OVERFLOW		S03 02447
005611	005752	R							
005612	015035	A	2460		LDA	XCIN,1	CIN		S03 02448
005613	001010	A	2461		JAZ	X075	JUMP IF NO CARRY IN		S03 02449
005614	005575	R							
005615	001000	A	2462		JMP	X096	NO CARRY OUT		S03 02450
005616	005762	R							
			2463	*					S03 02451
			2464	*	1000	AND A AND B, ADD A, ADD CIN			S03 02452
			2465	*					S03 02453
005617	015032	A	2466	X078	LDA	LTCHA,1	A		S03 02454
005620	054234	A	2467		STA	X0AA	FIRST RESULT		S03 02455
005621	155033	A	2468		ANA	LTCHB,1	AND WITH B		S03 02456
005622	054233	A	2469		STA	X0AB	SECOND RESULT		S03 02457
005623	125032	A	2470		ADD	LTCHA,1	ADD A		S03 02458
005624	125035	A	2471		ADD	XCIN,1	ADD CIN		S03 02459
005625	002000	A	2472		JMPM	X094	SAVE OVERFLOW		S03 02460
005626	005752	R							
005627	001000	A	2473		JMP	X071	DO CARRY CALCULATION		S03 02461
005630	005520	R							
			2474	*					S03 02462
			2475	*	1001	ADD A AND B, ADD CIN			S03 02463
			2476	*					S03 02464
005631	015032	A	2477	X080	LDA	LTCHA,1	A		S03 02465
005632	054222	A	2478		STA	X0AA	FIRST RESULT		S03 02466
005633	125033	A	2479		ADD	LTCHB,1	ADD B		S03 02467
005634	125035	A	2480		ADD	XCIN,1	ADD CIN		S03 02468
005635	002000	A	2481		JMPM	X094	SAVE OVERFLOW		S03 02469
005636	005752	R							
005637	015033	A	2482		LDA	LTCHB,1	B		S03 02470
005640	054215	A	2483		STA	X0AB	SECOND RESULT		S03 02471
005641	001000	A	2484		JMP	X071	DO CARRY CALCULATION		S03 02472
005642	005520	R							
			2485	*					S03 02473



		2486	*	1010	ADD (COMPLEMENT B; OR WITH A) WITH (AND A AND B);		S03	02474
		2487	**		ADD CIN		S03	02475
		2488	*				S03	02476
005643	015033	A	2489	X082	LDA	LTCHB,1	B	S03 02477
005644	005211	A	2490		COMPL	011	COMPLEMENT	S03 02478
005645	115032	A	2491		DRA	LTCHA,1	OR WITH A	S03 02479
005646	054206	A	2492		STA	XOAA	FIRST RESULT	S03 02480
005647	015032	A	2493		LDA	LTCHA,1	A	S03 02481
005650	155033	A	2494		ANA	LTCHB,1	AND WITH B	S03 02482
005651	054204	A	2495		STA	XOAB	SECOND RESULT	S03 02483
005652	124202	A	2496		ADD	XOAA	ADD FIRST RESULT	S03 02484
005653	125035	A	2497		ADD	XCIN,1	ADD CIN	S03 02485
005654	002000	A	2498		JMPM	X094	SAVE OVERFLOW	S03 02486
005655	005752	R						
005656	001000	A	2499		JMP	X071	DO CARRY CALCULATION	S03 02487
005657	005520	R						
		2500	*					S03 02488
		2501	**	1011	AND A AND B; SUBTRACT 1; ADD CIN		S03	02489
		2502	*				S03	02490
005660	015032	A	2503	X084	LDA	LTCHA,1	A	S03 02491
005661	155033	A	2504		ANA	LTCHB,1	AND WITH B	S03 02492
005662	005311	A	2505		DAR		SUBTRACT 1	S03 02493
005663	125035	A	2506		ADD	XCIN,1	ADD CIN	S03 02494
005664	002000	A	2507		JMPM	X094	SAVE OVERFLOW	S03 02495
005665	005752	R						
005666	015035	A	2508		LDA	XCIN,1	CIN	S03 02496
005667	001010	A	2509		JAZ	*+4	JUMP IF NO CARRY IN	S03 02497
005670	005673	R						
005671	001000	A	2510		JMP	X096	NO CARRY OUT	S03 02498
005672	005762	R						
005673	014131	A	2511		LDA	X099	ALU RESULT	S03 02499
005674	005211	A	2512		CPA		COMPLEMENT	S03 02500
005675	001010	A	2513		JAZ	X096	NO CARRY OUT ON -1 RESULT	S03 02501
005676	005762	R						
005677	001000	A	2514		JMP	X097	SET CARRY OUT	S03 02502
005700	005771	R						
		2515	*					S03 02503
		2516	**	1100	ADD A AND A; ADD CIN		S03	02504
		2517	*				S03	02505
005701	015032	A	2518	X086	LDA	LTCHA,1	A	S03 02506
005702	125032	A	2519		ADD	LTCHA,1	ADD A	S03 02507
005703	125035	A	2520		ADD	XCIN,1	ADD CIN	S03 02508
005704	002000	A	2521		JMPM	X094	SAVE OVERFLOW	S03 02509
005705	005752	R						
005706	015032	A	2522		LDA	LTCHA,1	A	S03 02510
005707	001004	A	2523		JAN	X097	SET CARRY IF A NEGATIVE	S03 02511
005710	005771	R						
005711	001000	A	2524		JMP	X096	NO CARRY OUT	S03 02512
005712	005762	R						
		2525	*					S03 02513
		2526	**	1101	OR A AND B; ADD A; ADD CIN		S03	02514
		2527	*				S03	02515
005713	015032	A	2528	X088	LDA	LTCHA,1	A	S03 02516
005714	115033	A	2529		DRA	LTCHB,1	OR WITH B	S03 02517
005715	054140	A	2530		STA	XOAB	SECOND RESULT	S03 02518
005716	125032	A	2531		ADD	LTCHA,1	ADD A	S03 02519
		2532	*					S03 02520
005717	125035	A	2533	X089	ADD	XCIN,1	ADD CIN	S03 02521
005720	002000	A	2534		JMPM	X094	SAVE OVERFLOW	S03 02522
005721	005752	R						
005722	001000	A	2535		JMP	X071-2	DO CARRY CALCULATION	S03 02523
005723	005516	R						
		2536	*					S03 02524
		2537	**	1110	COMPLEMENT B; OR WITH A; ADD A; ADD CIN		S03	02525
		2538	*				S03	02526
005724	015032	A	2539	X090	LDA	LTCHB,1	B	S03 02527
005725	005211	A	2540		COMPL	011	COMPLEMENT	S03 02528
005726	115032	A	2541		DRA	LTCHA,1	OR WITH A	S03 02529
005727	054126	A	2542		STA	XOAB	SECOND RESULT	S03 02530
005730	125032	A	2543		ADD	LTCHA,1	ADD A	S03 02531
005731	001000	A	2544		JMP	X089	DO CARRY CALCULATION	S03 02532
005732	005717	R						
		2545	*					S03 02533
		2546	**	1111	ADD A AND CIN; SUBTRACT 1		S03	02534
		2547	*				S03	02535
005733	015032	A	2548	X092	LDA	LTCHA,1	A	S03 02536
005734	005311	A	2549		DAR		SUBTRACT 1	S03 02537
005735	125035	A	2550		ADD	XCIN,1	ADD CIN	S03 02538
005736	002000	A	2551		JMPM	X094	SAVE OVERFLOW	S03 02539
005737	005752	R						
005740	015035	A	2552		LDA	XCIN,1	CIN	S03 02540
005741	001010	A	2553		JAZ	*+4	JUMP IF NO CARRY IN	S03 02541
005742	005743	R						
005743	001000	A	2554		JMP	X096	NO CARRY OUT	S03 02542
005744	005762	R						
005745	015032	A	2555		LDA	LTCHA,1	A	S03 02543
005746	001010	A	2556		JAZ	X096	NO CARRY OUT IF A ZERO	S03 02544
005747	005762	R						
005750	001000	A	2557		JMP	X097	SET CARRY OUT	S03 02545
005751	005771	R						
		2558	*					S03 02546
		2559	*	EJEC				S03 02547
		2560	*					S03 02548



Address	OpCode	OpType	OpLabel	Description	Comments
2561	*			SAVE OVERFLOW FROM ARITHMETIC OPERATION	S03 02549
2562	*				S03 02550
005752	000000	A	X094	ENTR	S03 02551
005753	054051	A		STA X099	S03 02552
005754	005001	A		TZA	S03 02553
005755	005511	A		ADFA	S03 02554
005756	055037	A		STA OVRFL,1	S03 02555
005757	014045	A		LDA X099	S03 02556
005760	001000	A		JMP# X094	S03 02557
005761	105752	R			
2570	*			SET ZERO CARRY	S03 02558
2571	*				S03 02559
2572	*				S03 02560
005762	002000	A	X096	EQU *	E.2*****
005763	005777	R	X095	JMP# X09A	C 03 02561
005764	005001	A		TZA	C 03 02562
005765	055036	A		STA CARRY,1	S03 02563
005766	014036	A	X096A	LDA X099	E.2*****
005767	001000	A		JMP# X020	S03 02565
005770	105163	R			
2579	*			SET CARRY OF ONE	S03 02566
2580	*				S03 02567
2581	*				S03 02568
005771	002000	A	X097	JMP# X09A	C 03 02569
005772	005777	R			
005773	005101	A		INCR 01	C 03 02570
005774	055036	A		STA CARRY,1	S03 02571
005775	001000	A		JMP X096A	E.2*****
005776	005766	R			
2586	*			SUBROUTINE TO CHECK IF SAMPLING (S=0, T=0, AND G=XXIX)	C 03 02573
2587	*			RETURN INCR BY TWO IF NOT SAMPLING	C 03 02574
2588	*				C 03 02575
2589	*				C 03 02576
005777	000000	A	X09A	ENTR	C 03 02577
006000	015006	A		LDA XS,1	C 03 02578
006001	115005	A		DRA XT,1	C 03 02579
006002	001010	A		JAZ X09C	C 03 02580
006003	006016	R			
006004	015006	A		LDA XS,1	FF *****
006005	006140	A		SUBI 2	FF *****
006006	000002	A			
006007	115005	A		DRA XT,1	FF *****
006010	001010	A		JAZ X09C	FF *****
006011	006016	R			
006012	047000	I	X09B	INR X09A	C 03 02581
006013	047000	I		INR X09A	C 03 02582
006014	001000	A		JMP# X09A	C 03 02583
006015	105777	R			
006016	015007	A	X09C	LDA XG,1	C 03 02584
006017	006150	A		ANAI 02	C 03 02585
006020	000002	A			
006021	001010	A		JAZ X09B	C 03 02586
006022	006012	R			
006023	001000	A		JMP# X09A	C 03 02587
006024	105777	R			
2605	*			DATA 0	S03 02588
006025	000000	A	X099	DATA 0	S03 02589
2607	*			TEMP STORAGE	S03 02590
2608	*				S03 02591
2609	*				S03 02592
2610	*			CARRY CALCULATION ROUTINE	S03 02593
2611	*				S03 02594
006026	014026	A	X0A0	LDA X0AA	S03 02595
006027	154026	A		ANA X0AB	S03 02596
006030	001004	A		JAN X097	S03 02597
006031	005771	R			
006032	014022	A		LDA X0AA	S03 02598
006033	001004	A		JAN X0A1	S03 02599
006034	006045	R			
006035	014020	A		LDA X0AB	S03 02600
006036	001002	A		JAP X095	D 03 02601
006037	005762	R			
006040	124014	A		ADD X0AA	S03 02602
006041	001002	A		JAP X097	S03 02603
006042	005771	R			
006043	001000	A		JMP X095	D 03 02604
006044	005762	R			
2622	*				S03 02605
2623	*				S03 02606
006045	014010	A	X0A1	LDA X0AB	S03 02607
006046	001004	A		JAN X095	S03 02608
006047	005762	R			
006050	124004	A		ADD X0AA	S03 02609
006051	001004	A		JAN X095	S03 02610
006052	005762	R			
006053	001000	A		JMP X097	S03 02611
006054	005771	R			
2629	*				S03 02612
006055	000000	A	X0AA	DATA 0	S03 02613
006056	000000	A	X0AB	DATA 0	S03 02614
2632	*			EJEC	S03 02615
2633	*				S03 02616



```

2634 * DETERMINE STATE OF MULTIPLY SIGN(MULS).          $03 02617
2635 * MULS=(LA15-AND-LB15)-OR-(LB15-AND-AL15)-OR-(LA15-AND-AL15) $03 02618
2636 * $03 02619
006057 000000 A 2637 DLM5 ENTR          $03 02620
006060 015032 A 2638 LDA LTCHA,1      LATCH A SIGN BIT ON $03 02621
006061 001004 A 2639 JAN DLM1        YES*          $03 02622
006062 006072 R
006063 015033 A 2640 LDA LTCHB,1      LATCH B SIGN BIT ON ? $03 02623
006064 001004 A 2641 JAN DLM4        YES-          $03 02624
006065 006102 R
006066 005001 A 2642 DLM3 TZA          RESET MULS.          $03 02625
006067 055071 A 2643 DLM2 STA MULS,1   $03 02626
006070 001000 A 2644 RETUR* DLM5      EXIT          $03 02627
006071 106057 R
006072 015033 A 2645 DLM1 LDA LTCHB,1   $03 02628
006073 001004 A 2646 JAN DLM7        SET MULS     $03 02629
006074 006107 R
006075 015034 A 2647 LDA XALU,1      $03 02630
006076 001004 A 2648 JAN DLM7        SET MULS     $03 02631
006077 006107 R
006100 001000 A 2649 JMP DLM3        RESET MULS   $03 02632
006101 006066 R
006102 015034 A 2650 DLM4 LDA XALU,1   ALU RESULT NEGATIVE ? $03 02633
006103 001004 A 2651 JAN DLM7        YES-SET MULS $03 02634
006104 006107 R
006105 001000 A 2652 JMP DLM3        RESET MULS   $03 02635
006106 006066 R
006107 005101 A 2653 DLM7 INCR 01     A=1          $03 02636
006110 001000 A 2654 JMP DLM2        SET MULS     $03 02637
006111 006067 R
2655 * EJEC          $03 02638
2656 * $03 02639
2657 * $03 02640
2658 * $03 02641
2659 * $03 02642
2660 * $03 02643
2661 * FORM MACHINE STATUS REGISTER SETTING(STUS) $03 02644
2662 * TEST CONDITION SETTINGS FOR TEST MUX(TMUX) $03 02645
2663 * AND MISC SETTINGS: SUPERVISOR KEY, I/O KEY REG, INTERRUPT FLAG, $03 02646
2664 * MUL SIGN $03 02647
2665 * $03 02648
2666 * THE MACHINE STATUS REGISTER(STUS) IS AN INPUT TO THE LATCH B MUX $03 02649
2667 * $03 02650
2668 * THE TEST CONDITIONS(SEE TMUX TABLE UP FRONT) ARE SELECTED BY THE $03 02651
2669 * G FIELD(WHEN T FIELD IS NOT=00) IN DETERMINING THE NEXT ROM $03 02652
2670 * ADDRESS:THIS IS DONE IN-COMPONENT CRAS. $03 02653
2671 * $03 02654
2672 * A PSEUDO 16-BIT STATUS REGISTER(STUS) IS USED IN THE PROGRAM. IN $03 02655
2673 * THE HARDWARE THERE IS NO REGISTER, ITS JUST GATING OF F/F'S,ETC. $03 02656
2674 * INTO THE BMUX. $03 02657
2675 * SIMILARLY, A TEST CONDITION TABLE(TMUX) IS USED HERE-IN. $03 02658
2676 * $03 02659
2677 * $03 02660
2678 * MACHINE STATUS "REGISTER" (STUS) $03 02661
2679 * BIT $03 02662
2680 * 0 NOT USED $03 02663
2681 * 1 NOT USED $03 02664
2682 * 2 ALU ZERO $03 02665
2683 * 3 SHIFT COUNTER BIT 0 $03 02666
2684 * 4 SHIFT COUNTER BIT 1 $03 02667
2685 * 5 SHIFT COUNTER BIT 2 $03 02668
2686 * 6 SHIFT COUNTER BIT 3 $03 02669
2687 * 7 SHIFT COUNTER BIT 4 $03 02670
2688 * 8 ALU OVERFLOW $03 02671
2689 * 9 ALU EQUALS $03 02672
2690 * 10 ALU SIGN $03 02673
2691 * 11 ALU CARRY $03 02674
2692 * 12 KEY REG BIT 0,DK12 THE DAT LOOP KEY REGISTER IS $03 02675
2693 * 13 KEY REG BIT 1,DK13 A 4-BIT REGISTER THAT $03 02676
2694 * 14 KEY REG BIT 2,DK14 STORES THE STATE OF $03 02677
2695 * 15 KEY REG BIT 3,DK15 ALU-OUT BITS 12-15 $03 02678
2696 * $03 02679
2697 * $03 02680
2698 * $03 02681
2699 * TEST MUX INPUTS $03 02682
2700 * $03 02683
2701 * 0 ALU OVERFLOW $03 02684
2702 * 1 I/O SENSE $03 02685
2703 * 2 SSW3 $03 02686
2704 * 3 SSW2 $03 02687
2705 * 4 SSW1 $03 02688
2706 * 5 620/F TEST (FOR JMP, JMPN, $XEC GROUPS) $03 02689
2707 * 6 ALU EQUALS $03 02690
2708 * 7 ALU SIGN $03 02691
2709 * 8 ALU CARRY $03 02692
2710 * 9 ALU ZERO $03 02693
2711 * 10 DS FLIP/FLOP (SIGN STORAGE FOR DREG SHIFTING $03 02694
2712 * 11 MIL15 SIGN BIT OF MEMORY LATCH $03 02695
2713 * 12 SHIFT COUNT = -1 $03 02696
2714 * 13 A15-SIGN OF A REG FOR MUL. OPERATIONS $03 02697
2715 * 14 DAL15 NOT EQUAL TO DAL14 NALU OUTPUT BITS 14 & 15) $03 02698
2716 * 15 QS FLIP/FLOP (SAVES ALU15/DR01 FOR MUL/DIV OPS) $03 02699
2717 * $03 02700

```



```

2718 *****
2719 * BIT 11 (MIL15) IS ESTABLISHED IN MEM. OPERATIONS COMPONENT. *
2720 *
2721 *
2722 *
2723 * CALLING SEQUENCE
2724 * LDX ADDR OF ROM FILEDS/DATA
2725 * CALL X100
2726 *
2727 *
006112 000000 A 2728 X100 ENTR
2729 *
2730 * STORE 3-BIT D.L. KEY REGISTER INTO BITS 13-15 OF STATUS REGISTER
006113 015041 A 2731 LDA STUS,1
006114 006150 A 2732 ANAI 07777 CLEAR BITS 12-15
006115 007777 A
006116 055041 A 2733 STA STUS,1 OF STATUS REGISTER
006117 015047 A 2734 LDA KREG,1 KEY REG IS 4 BITS, RIGHT JUSTIFIED
006120 004254 A 2735 LRLA 12
006121 135041 A 2736 ERA STUS,1 INSERT CURRENT CONTENTS OF KREG
006122 055041 A 2737 STA STUS,1 INTO STATUS REG
2738 * STORE SHIFT COUNTER INTO BITS 3-7 OF STATUS REGISTER
006123 015041 A 2739 LDA STUS,1
006124 006150 A 2740 ANAI 0177407 RESET BITS 3-7
006125 177407 A
006126 055041 A 2741 STA STUS,1 OF STATUS REGISTER.
006127 015043 A 2742 LDA SREG,1 SHIFT COUNTER
006130 006150 A 2743 ANAI 037 GET 5 LSB'S
006131 000037 A
006132 004243 A 2744 LRLA 3 POSITION IT
006133 135041 A 2745 ERA STUS,1
006134 055041 A 2746 STA STUS,1
2747 *
2748 *
2749 * THIS SEQUENCE CONTROLS TEST CONDITION BITS 1-5,10, AND 12-15
2750 * THE ALU RELATED BITS: 0 & 6-9 FOLLOW.
2751 *
2752 *
2753 *
2754 * TEST BIT 1: I/O SENSE
006135 005000 A 2755 XS10 NOP * NOT SIMULATED
2756 *
2757 *
2758 *
2759 * TEST BITS 2,3,4: SENSE SWITCHES 0,2,1
2760 *
006136 006030 A 2761 LDXI TMUX
006137 000641 R
006140 005101 A 2762 XS15 INCR 01 A=01
006141 005002 A 2763 TZB B=0
006142 001100 A 2764 JSS1 *+5
006143 006147 R
006144 065004 A 2765 STB 4,1 SS1=0
006145 001000 A 2766 JMP *+3
006146 006150 R
006147 055004 A 2767 STA 4,1 SS1=1
006150 001200 A 2768 JSS2 *+5
006151 006155 R
006152 065003 A 2769 STB 3,1 SS2=0
006153 001000 A 2770 JMP *+3
006154 006156 R
006155 055003 A 2771 STA 3,1 SS2=1
006156 001400 A 2772 JSS3 *+5
006157 006163 R
006160 065002 A 2773 STB 2,1 SS3=0
006161 001000 A 2774 JMP *+3
006162 006164 R
006163 055002 A 2775 STA 2,1 SS3=1
006164 006030 A 2776 LDXI DROM
006165 000546 R
006166 006020 A 2777 LDBI TMUX ADDR OF TEST CONDITIONS TABLE
006167 000641 R
2778 *
2779 *
2780 * SET 620/F TEST BIT-5- IF INST. IS
2781 * JMP, JPM, OR XEC
006170 015052 A 2782 XS20 LDA IRG2,1 GET INST.REG#2
006171 005012 A 2783 TAB TEMP SAVE
006172 006150 A 2784 ANAI 0177000
006173 177000 A
006174 004351 A 2785 LSRA 9
006175 001010 A 2786 JAZ XS23 NOT CORRECT TYPE OF INST
006176 006214 R
006177 005311 A 2787 DAR
006200 001010 A 2788 JAZ XS21 JUMP INST'S
006201 006213 R
006202 005311 A 2789 DAR
006203 001010 A 2790 JAZ XS21 JPM INSTRUCTIONS
006204 006213 R
006205 005311 A 2791 DAR
006206 001010 A 2792 JAZ XS21 XEC INSTRUCTIONS
006207 006213 R
006210 005001 A 2793 XS24 TZA

```



006211	001000	A	2794	JMP	XS23	RESET BIT 5	S03	02777
006212	006214	R						
			2795	*				
006213	005101	A	2796	XS21	INCR	01	A=1	S03 02778
006214	006020	A	2797	XS28	LDBI	TMUX		S03 02779
006215	000641	R						S03 02780
006216	056005	A	2798		STA	5,2	SET 620/F TEST CONDITIONS INTO	S03 02781
			2799	*			POSITION 5 OF TMUX TABLE	S03 02782
			2800	*	TEST BIT 13: STORES SIGN	BIT(DAL15) OF R0 IN A0R0	E.2*****	S03 02781
006217	017000	I	2801		LDA	R0	E.2*****	S03 02793
006220	015034	A	2802		LDA	XALU,1		S03 02794
006221	004241	A	2803		LRLA	1		S03 02795
006222	006150	A	2804		ANAI	1		S03 02796
006223	000001	A						S03 02797
006224	056015	A	2805		STA	13,2	TEST BIT 10: STATUS OF DS F/F 1=SET 0=RESET	S03 02798
			2806	*	TEST BIT 10: STATUS OF DS F/F 1=SET 0=RESET			S03 02799
006225	015064	A	2807	XS30	LDA	DS,1		S03 02800
006226	001010	A	2808		JAZ	XS32		S03 02801
006227	006231	R						S03 02802
006230	005101	A	2809		INCR	01		S03 02803
006231	056012	A	2810	XS32	STA	10,2	TEST BIT 12: SHIFT COUNT=-1	S03 02804
			2811	*	TEST BIT 12: SHIFT COUNT=-1			S03 02805
006232	015043	A	2812	XS45	LDA	SREG,1		S03 02806
006233	006130	A	2813		ERAI	0177777		S03 02807
006234	177777	A						S03 02808
006235	001010	A	2814		JAZ	XS46		S03 02809
006236	006242	R						S03 02810
006237	005001	A	2815		TZA			S03 02811
006240	001000	A	2816		JMP	*+3		S03 02812
006241	006243	R						S03 02813
006242	005101	A	2817	XS46	INCR	01		S03 02814
006243	056014	A	2818		STA	12,2	TEST BIT 14: DAL15 NOT EQUAL TO DAL14.	S03 02815
			2819	*	TEST BIT 14: DAL15 NOT EQUAL TO DAL14.		ALU OUTPUT	S03 02816
006244	015034	A	2820	XS50	LDA	XALU,1	POSITION BIT 15 TO 14	C 03 02817
006245	004341	A	2821		LSRA	1	COMPARE BITS	C 03 02818
006246	135034	A	2822		ERA	XALU,1	POSITION RESULT	C 03 02819
006247	004356	A	2823		LSRA	14	SET NORMALIZE FLAG	C 03 02820
006250	056016	A	2824		STA	14,2	TEST BIT 15: STATUS OF QS F/F 1=SET 0=RESET	S03 02821
			2825	*	TEST BIT 15: STATUS OF QS F/F 1=SET 0=RESET			S03 02822
006251	015063	A	2826	XS60	LDA	QS,1		S03 02823
006252	001010	A	2827		JAZ	*+4		S03 02824
006253	006256	R						S03 02825
006254	001000	A	2828		JMP	XS61		S03 02826
006255	006260	R						S03 02827
006256	001000	A	2829		JMP	*+3		S03 02828
006257	006261	R						S03 02829
006260	005101	A	2830	XS61	INCR	01	SET/RESET "EQUALS", "STORED-CARRY", "ZEROS", "OVERFLOW" & "ALU SIGN" IF	S03 02830
006261	056017	A	2831		STA	15,2	(S=0&T=0&G=XX1X)-OR-(S=1&T=0&GX11X)	S03 02831
			2832	*			OTHERWISE SKIP TO X104	S03 02832
			2833	*				S03 02833
			2834	*				S03 02834
			2835	*				S03 02835
			2836	*				S03 02836
			2837	*				S03 02837
			2838	*				S03 02838
			2839	*				S03 02839
			2840	*				S03 02840
			2841	*				S03 02841
			2842	*				S03 02842
006262	015006	A	2843		LDA	XS,1	S FIELD=0 ?	S03 02843
006263	001010	A	2844		JAZ	*+4		S03 02844
006264	006267	R						S03 02845
006265	001000	A	2845		JMP	XS64	NO	S03 02846
006266	006303	R						S03 02847
006267	015005	A	2846		LDA	XT,1	T FIELD=0 ?	S03 02848
006270	001010	A	2847		JAZ	*+4		S03 02849
006271	006274	R						S03 02850
006272	001000	A	2848		JMP	XS90	NO	S03 02851
006273	006543	R						S03 02852
006274	015007	A	2849		LDA	XG,1	G FIELD=XX1X ?	S03 02853
006275	006150	A	2850		ANAI	02		S03 02854
006276	000002	A						S03 02855
006277	001010	A	2851		JAZ	*+4		S03 02856
006300	006303	R						S03 02857
006301	001000	A	2852		JMP	XS65	YES-60 SAMPLE CONDITION CODES	S03 02858
006302	006345	R						S03 02859
006303	001000	A	2853		JMP	X120	GO CHECK IF OVFL SHOULD BE SAMPLED	S03 02860
006304	006450	R						S03 02861
			2854	*				S03 02862
006305	015006	A	2855	XS64	LDA	XS,1	S FIELD=01 ?	S03 02863
006306	006140	A	2856		SUBI	1		S03 02864
006307	000001	A						FF *****
006310	001010	A	2857		JAZ	XS64A	IF SF=1	FF *****
006311	006327	R						FF *****
006312	005311	A	2858		DAR			FF *****
006313	115005	A	2859		DRA	XT,1		FF *****
006314	001010	A	2860		JAZ	*+4	IF SF=2 AND TF=0	FF *****
006315	006320	R						FF *****
006316	001000	A	2861		JMP	XS90	IF SF=3 OR TF NE 0	FF *****
006317	006543	R						FF *****
006320	015007	A	2862		LDA	XG,1		FF *****
006321	006150	A	2863		ANAI	2		FF *****
006322	000002	A						FF *****



006323	001010	A	2864	JAZ	XS90		FF	*****
006324	006543	R						
006325	001000	A	2865	JMP	XS65	IF SF=2, TF=0, AND GF=XX1X	FF	*****
006326	006345	R						
006327	006327	R	2866	XS64A EQU	*		FF	*****
006330	015005	A	2867	LDA	XT,1	T FIELD=0 ?	S03	02850
006331	001010	A	2868	JAZ	*+4		S03	02851
006332	006334	R						
006333	001000	A	2869	JMP	XS90	NO	S03	02852
006334	006543	R						
006335	015007	A	2870	LDA	XG,1		S03	02853
006336	006150	A	2871	ANAI	06		S03	02854
006337	000006	A						
006338	006140	A	2872	SUBI	06	G FIELD=X11X ?	S03	02855
006339	000006	A						
006341	001010	A	2873	JAZ	X103	GD SAMPLE OVFL	S03	02856
006342	006455	R						
006343	001000	A	2874	JMP	X104		S03	02857
006344	006506	R						
			2875	*	SET "EQUALS" F/F IF ALU RESULT=ALL ONES		S03	02858
006345	015034	A	2876	XS65 LDA	XALU,1	IS ALU OUTPUT	S03	02859
006346	005111	A	2877	IAR		EQUAL TO ALL ONES ?	S03	02860
006347	001016	A	2878	JANZ	XS70	NO-	S03	02861
006350	006360	R						
006351	015041	A	2879	LDA	STUS,1		S03	02862
006352	006110	A	2880	ORAI	01000	SET "EQUALS" BIT (9)	S03	02863
006353	001000	A						
006354	055041	A	2881	STA	STUS,1		S03	02864
			2882	*			S03	02865
006355	005101	A	2883	INCR	01		S03	02866
006356	001000	A	2884	JMP	XS71		S03	02867
006357	006365	R						
			2885	*	RESET "EQUALS" BIT IF ALU RESULT NOT=ALL ONES		S03	02868
006360	015041	A	2886	XS70 LDA	STUS,1	STATUS REGISTER	S03	02869
006361	006150	A	2887	ANAI	0176777	RESET STUS BIT 9	S03	02870
006362	176777	A						
006363	055041	A	2888	STA	STUS,1		S03	02871
006364	005001	A	2889	TZA			S03	02872
006365	056006	A	2890	XS71 STA	6,2	"EQUALS" IS POSITION 6 IN TMUX	S03	02873
			2891	*			S03	02874
			2892	*	SET STORED-CARRY F/F IF CARRY OUT WAS GENERATED		S03	02875
006366	015036	A	2893	X101 LDA	CARRY,1	IF CARRY-OUT WAS	S03	02876
006367	001010	A	2894	JAZ	XS73	GENERATED DURING ALU	S03	02877
006370	006400	R						
006371	015041	A	2895	LDA	STUS,1		S03	02878
006372	006110	A	2896	ORAI	04000	SET "STORED CARRY" BIT (11)	S03	02879
006373	004000	A						
006374	055041	A	2897	STA	STUS,1		S03	02880
			2898	*			S03	02881
006375	005101	A	2899	INCR	01		S03	02882
006376	001000	A	2900	JMP	XS74		S03	02883
006377	006405	R						
			2901	*	RESET STORED-CARRY BIT IF ALU CARRY-OUT WAS NOT GENERATED		S03	02884
006400	015041	A	2902	XS73 LDA	STUS,1		S03	02885
006401	006150	A	2903	ANAI	0173777	RESET STUS BIT 11	S03	02886
006402	173777	A						
006403	055041	A	2904	STA	STUS,1		S03	02887
006404	005001	A	2905	TZA			S03	02888
006405	056010	A	2906	XS74 STA	8,2	"CARRY" IS POSITION 8 IN TMUX TABLE	S03	02889
			2907	*			S03	02890
			2908	*	SET "ALU OUT=ZERO" F/F IF ALU RESULT IS ZERO		S03	02891
006406	015034	A	2909	X102 LDA	XALU,1	IS ALU OUTPUT EQUAL TO ZERO ?	S03	02892
006407	001010	A	2910	JAZ	*+4	NO	S03	02893
006410	006413	R						
006411	001000	A	2911	JMP	XS76		S03	02894
006412	006422	R						
006413	015041	A	2912	LDA	STUS,1		S03	02895
006414	006110	A	2913	ORAI	4		S03	02896
006415	000004	A						
006416	055041	A	2914	STA	STUS,1		S03	02897
			2915	*			S03	02898
006417	005101	A	2916	INCR	01		S03	02899
006420	001000	A	2917	JMP	XS78		S03	02900
006421	006427	R						
			2918	*	RESET ALU OUT=ZERO BIT IF ALU RESULT IS NOT ZERO		S03	02901
006422	015041	A	2919	XS76 LDA	STUS,1		S03	02902
006423	006150	A	2920	ANAI	0177773	RESET BIT 2 OF STATUS WORD	S03	02903
006424	177773	A						
006425	055041	A	2921	STA	STUS,1		S03	02904
006426	005001	A	2922	TZA		RESET	S03	02905
006427	056011	A	2923	XS78 STA	9,2	"ZEROS" IS POSITION 9 IN TMUX TABLE	S03	02906
			2924	*			S03	02907
			2925	*			S03	02908
			2926	*	SET ALU SIGN BIT IF ALU RESULT WAS NEGATIVE		S03	02909
006430	015034	A	2927	XS80 LDA	XALU,1	ALU OUTPUT STORAGE	S03	02910
006431	001002	A	2928	JAP	XS81		S03	02911
006432	006442	R						
006433	015041	A	2929	LDA	STUS,1		S03	02912
006434	006110	A	2930	ORAI	02000	SET ALU SIGN BIT (10)	S03	02913
006435	002000	A						
006436	055041	A	2931	STA	STUS,1		S03	02914
006437	005101	A	2932	INCR	01	A=1	S03	02915
006440	001000	A	2933	JMP	XS82	SET TMUX #7	S03	02916



```

006441 006447 R
006442 015041 A 2934 * RESET ALU SIGN BIT, IF ALU RESULT WAS POSITIVE          003 02917
006443 006150 A 2935 XS81 LDA STUS,1                                003 02918
006444 175777 A 2936 ANAI 0175777 RESET BIT 10                               003 02919
006445 055041 A 2937 STA STUS,1                                003 02920
006446 005001 A 2938 TZA                                003 02921
006447 056007 A 2939 XS82 STA 7,2 RESET TMUX #7                               003 02922
2940 * ALU SIGN BIT IS POSITION 7 IN TMUX TABLE          003 02923
2941 *                                                    003 02924
006450 015007 A 2942 X120 LDA XG,1                                003 02925
006451 006150 A 2943 ANAI 010 G=1XXX                               003 02926
006452 000010 A
006453 001010 A 2944 JAZ XS90                                003 02927
006454 006543 R
2945 * SAMPLE STORED OVERFLOW IF: 1. SPECIAL ALU MOVE(LA=0&LB=0/1&SH(TC)=1X 003 02928
2946 * AND BIT 6 OF IRG2=1.                                003 02929
2947 * 2. S=0&T=0&G=1XXX.                                003 02930
2948 * 3. S=1&T=NOT 0&G=X11X.                            003 02931
006455 002000 A 2949 X103 CALL SALU SPECIAL ALU MODE ?          003 02932
006456 004352 R
006457 001000 A 2950 JMP X108 YES-                                003 02933
006460 006474 R
006461 015037 A 2951 X109 LDA OVRFL,1 OVERFLOW ON?          003 02934
006462 001010 A 2952 JAZ X107 NO-                                003 02935
006463 006504 R
006464 015041 A 2953 LDA STUS,1                                003 02936
006465 006110 A 2954 DRAI 0400 SET "STORED OVERFLOW" BIT (8)    003 02937
006466 000400 A
006467 055041 A 2955 STA STUS,1                                003 02938
2956 *                                                    003 02939
006470 005101 A 2957 INCR 01 "OVERFLOW" IS POSITION 0 IN TMUX TABLE 003 02940
006471 056000 A 2958 STA 0,2 CONTINUE                                003 02941
006472 001000 A 2959 JMP X107 CONTINUE                                003 02942
006473 006504 R
2960 *                                                    003 02943
006474 006017 A 2961 X108 LDAR YIRG2 IRG2 AT LAST CLOCK          003 02944
006475 003506 R
006476 006150 A 2962 ANAI 0100 IRG2 BIT 6=1 ?          003 02945
006477 000100 A
006500 001010 A 2963 JAZ X107 NO-DON'T SAMPLE DVFL          003 02946
006501 006504 R
006502 001000 A 2964 JMP X109 YES-SAMPLE DVFL.          003 02947
006503 006461 R
2965 *                                                    003 02948
2966 * NO RESET OF "STORED-OVERFLOW"--FOR COMPATIBILITY WITH 620/F 003 02949
006504 001000 A 2967 X107 JMP XS90                                003 02950
006505 006543 R
2968 *                                                    003 02951
2969 * SET/RESET "OVERFLOW" BIT IN STUS & TMUX IF S=01&T=00&G=X01X/X10X 003 02952
2970 *                                                    003 02953
2971 *                                                    003 02954
006506 015007 A 2972 X104 LDA XG,1                                003 02955
006507 006150 A 2973 ANAI 06 G FIELD=X01X ?          003 02956
006510 000006 A
006511 006140 A 2974 SUBI 2 YES-GO SET DVFL BIT          003 02957
006512 000002 A
006513 001010 A 2975 JAZ X105 YES-GO SET DVFL BIT          003 02958
006514 006523 R
006515 006140 A 2976 SUBI 2 G FIELD=X10X ?          003 02959
006516 000002 A
006517 001010 A 2977 JAZ X106 YES-GO RESET DVFL BIT          003 02960
006520 006533 R
006521 001000 A 2978 JMP XS90                                003 02961
006522 006543 R
2979 * SET THE "STORED OVERFLOW" F/F : G=X01X          003 02962
006523 015041 A 2980 X105 LDA STUS,1                                003 02963
006524 006110 A 2981 DRAI 0400 BIT 8                                003 02964
006525 000400 A
006526 055041 A 2982 STA STUS,1                                003 02965
006527 005101 A 2983 INCR 01 "OVERFLOW" IS POSITION 0 IN TMUX TABLE 003 02966
006530 056000 A 2984 STA 0,2 "OVERFLOW" IS POSITION 0 IN TMUX TABLE 003 02967
006531 001000 A 2985 JMP XS90                                003 02968
006532 006543 R
2986 *                                                    003 02969
2987 * RESET THE "STORED OVERFLOW" F/F: G=X10X          003 02970
006533 015041 A 2988 X106 LDA STUS,1                                003 02971
006534 006150 A 2989 ANAI 0177377 BIT 8                                003 02972
006535 177377 A
006536 055041 A 2990 STA STUS,1                                003 02973
006537 005001 A 2991 TZA                                003 02974
006540 056000 A 2992 STA 0,2 "OVERFLOW" IS POSITION 0 IN TMUX TABLE 003 02975
006541 001000 A 2993 JMP XS90                                003 02976
006542 006543 R
2994 * IF S=0, SET/RESET INTERRUPT FLAG, SUPERVISOR KEY, AND I/O 003 02977
2995 * REQUEST FLAG--AS SPECIFIED BY FIELD IMC          003 02978
006543 015006 A 2996 XS90 LDA XS,1 S=0 ?                                003 02979
006544 001010 A 2997 JAZ *+4                                003 02980
006545 006550 R
006546 001010 A 2998 JMP* X100 NO-EXIT                                003 02981
006547 106102 R
006550 015002 A 2999 LDA XIMC,1                                003 02982
006551 006140 A 3000 SUBI 05 IMC=0101                                003 02983

```



```

006552 000005 A
006553 001010 A 3001 JAZ XS91 YES- S03 02984
006554 006577 R
006555 005311 A 3002 DAR IMC=0110 S03 02985
006556 001010 A 3003 JAZ XS91 YES- S03 02986
006557 006577 R
006560 005311 A 3004 DAR IMC=0111 ? S03 02987
006561 001010 A 3005 JAZ XS92 YES- S03 02988
006562 006602 R
006563 005311 A 3006 DAR IMC=1000 ? S03 02989
006564 001010 A 3007 JAZ X130 YES- S03 02990
006565 006615 R
006566 005311 A 3008 DAR IMC=1001 ? S03 02991
006567 005311 A 3009 DAR IMC=1010 ? S03 02992
006570 001010 A 3010 JAZ X134 YES- S03 02993
006571 006606 R
006572 005311 A 3011 DAR IMC=1011 ? S03 02994
006573 001010 A 3012 JAZ X136 YES S03 02995
006574 006611 R
006575 001000 A 3013 JMP* X100 EXIT S03 02996
006576 106112 R
3014 * S03 02997
3015 * S03 02998
3016 * IMC=0101/0110: RESET INTERRUPT FLAG S03 02999
3017 * XS91 STA INPF,1 CLEAR INT. BEING PROCESSED FLAG S03 03000
3018 * RETUM X100 EXIT
3019 * IMC=0111: SET INTERRUPT FLAG S03 03001
3020 * XS92 INCR 01 S03 03002
3021 * STA INPF,1 SET INT. BEING PROCESSED FLAG S03 03003
3022 * RETUM X100 EXIT S03 03004
3023 * IMC=1010: RESET SUPERVISOR KEY S03 03005
3024 * X134 STA SUPK,1 S03 03006
3025 * RETUM X100 EXIT S03 03007
3026 * IMC=1011: SET SUPERVISOR KEY S03 03008
3027 * X136 IAR A=1 S03 03009
3028 * STA SUPK,1 S03 03010
3029 * RETUM X100 EXIT S03 03011
3030 * IMC=1000: LOAD I/O KEY REGISTER WITH 3 MSB'S OF S03 03012
3031 * ALU OUTPUT; RIGHT JUSTIFIED S03 03013
3032 * X130 LDBI DROM+IOKR ADDR OF I/O KEY REGISTER S03 03014
006615 006020 A S03 03015
006616 000616 R
006617 015034 A 3033 LDA XALU,1 S03 03016
006620 004355 A 3034 LSRA 13 RIGHT JUSTIFY S03 03017
006621 036000 A 3035 STA 0,2 S03 03018
006622 001000 A 3036 RETUM X100 RETURN S03 03019
006623 106112 R
3037 * EJEC S03 03020
3038 * S03 03021
3039 * S03 03022
3040 * THIS ROUTINE PERFORMS THE OPERAND REGISTER SHIFTING OPERATIONS S03 03023
3041 * THE FOLLOWING CONTROL FIELDS ARE USED: DS(SC), Y(W), V, X, & LB S03 03024
3042 * ALSO USED: DS, QS, DREG, FILE BITS FA00&FA15, & ALU-OUT BIT 15. S03 03025
3043 * S03 03026
3044 * CALLING SEQUENCE S03 03027
3045 * LDX ADDR OF ROM FIELD S03 03028
3046 * CALL DORG S03 03029
3047 * S03 03030
3048 * RETU OPERAND REGISTER SHIFTING COMPLETE S03 03031
3049 * S03 03032
006624 000000 A 3050 DORG ENTR S03 03033
006625 015022 A 3051 LDA XDS,1 SHIFT DP REG. ? S03 03034
006626 001010 A 3052 JAZ *+4 S03 03035
006627 006632 R
006630 001000 A 3053 JMP D001 S03 03036
006631 006644 R
006632 015024 A 3054 LDA XY,1 IS Y(HARDWARE W FIELD)= 0 ? S03 03037
006633 001010 A 3055 JAZ* DORG YES-NO ACTION, EXIT. S03 03038
006634 106624 R
006635 015034 A 3056 LDA XALU,1 STORE SIGN S03 03039
006636 006150 A 3057 ANAI 0100000 BIT OF ALU OUTPUT S03 03040
006637 100000 A
006640 004241 A 3058 LRLA 1 IN S03 03041
006641 055063 A 3059 STA QS,1 QS F/F. S03 03042
006642 001000 A 3060 JMP* DORG EXIT S03 03043
006643 106624 R
006644 015013 A 3061 D001 LDA XLB,1 LB FIELD S03 03044
006645 004341 A 3062 LSRA 1 SPECIFIES MASKING ? S03 03045
006646 001010 A 3063 JAZ *+4 S03 03046
006647 006652 R
006650 001000 A 3064 JMP* DORG YES-EXIT S03 03047
006651 106624 R
006652 015044 A 3065 LDA DREG,1 GET PREV D REG CONTENTS S03 03048
006653 054203 A 3066 STA DOT1 TEMP SAVE S03 03049
3067 * Y(W) FIELD SPECIFIES LEFT/RIGHT SHIFTING S03 03050
006654 015024 A 3068 D002 LDA XY,1 SHIFT DREG LEFT ? S03 03051
006655 001010 A 3069 JAZ D044 YES- S03 03052
006656 006756 R
3070 * RIGHT SHIFTING S03 03053
3071 * S03 03054

```



```

006657 015025 A 3072 D020 LDA XX,1 GET X FIELD $03 03055
006660 001010 A 3073 JAZ *+4 $03 03056
006661 006664 R
006662 001000 A 3074 JMP D022 $03 03057
006663 006677 R
3075 * X FIELD=0 : D000 INTO DR15 $03 03058
006664 015044 A 3076 LDA DREG,1 $03 03059
006665 004341 A 3077 LSRA 1 RIGHT SHIFT ONE $03 03060
006666 054171 A 3078 STA DDT2 TEMP STORE $03 03061
006667 014167 A 3079 LDA DDT1 GET PREV DREG CONTENTS $03 03062
006670 005002 A 3080 TZB $03 03063
006671 004541 A 3081 LLSR 1 COPY PREV D000 BIT $03 03064
006672 005021 A 3082 TBA INTO BIT 15 $03 03065
006673 134164 A 3083 ERA DDT2 OF NEW DREG WORD $03 03066
006674 055044 A 3084 STA DREG,1 $03 03067
006675 001000 A 3085 RETUM DORG EXIT $03 03068
006676 106624 R
3086 * $03 03069
3087 * $03 03070
006677 006140 A 3088 D022 SUBI 1 X=01 ? $ 03 03071
006700 000001 A
006701 001010 A 3089 JAZ *+4 $03 03072
006702 006705 R
006703 001000 A 3090 JMP D024 NO $03 03073
006704 006724 R
3091 * X FIELD=01 : FA00 INTO DR15 $03 03074
006705 015044 A 3092 LDA DREG,1 GET OP REGISTER $03 03075
006706 004341 A 3093 LSRA 1 SHIFT ONE $03 03076
006707 054150 A 3094 STA DDT2 TEMP STORE $03 03077
006710 015030 A 3095 LDA XA,1 FILE A SOURCE ADDR $03 03078
006711 006120 A 3096 ADDI R0 ADDR OF FILE A REGISTERS $03 03079
006712 000526 R
006713 005012 A 3097 TAB $03 03080
006714 016000 A 3098 LDA 0,2 GET FILE A REGISTER $03 03081
006715 005002 A 3099 TZB $03 03082
006716 004541 A 3100 LLSR 1 $03 03083
006717 005021 A 3101 TBA COPY FILE A BIT 0 INTO $03 03084
006720 134137 A 3102 ERA DDT2 BIT 15 OF NEW OP REG WORD $03 03085
006721 055044 A 3103 STA DREG,1 $03 03086
006722 001000 A 3104 RETUM DORG EXIT $03 03087
006723 106624 R
3105 * $03 03088
006724 015025 A 3106 D024 LDA XX,1 GET X FIELD $03 03089
006725 006140 A 3107 SUBI 2 X=10 ? $03 03090
006726 000002 A
006727 001010 A 3108 JAZ *+4 $03 03091
006730 006733 R
006731 001000 A 3109 JMP D026 NO $03 03092
006732 006745 R
3110 * X FIELD=10: DR15 INTO DR15 $03 03093
006733 015044 A 3111 LDA DREG,1 GET CURRENT OP REG. $03 03094
006734 004341 A 3112 LSRA 1 SHIFT ONE $03 03095
006735 054122 A 3113 STA DDT2 TEMP STORE $03 03096
006736 014120 A 3114 LDA DDT1 GET PREV DREG CONTENTS $03 03097
006737 006150 A 3115 ANAI 0100000 SELECT BIT 15 $03 03098
006740 100000 A
006741 134116 A 3116 ERA DDT2 D.103 03099
006742 055044 A 3117 STA DREG,1 D.103 03100
006743 001000 A 3118 RETUM DORG EXIT $03 03101
006744 106624 R
3119 * $03 03102
3120 * X FIELD=11: SIGN STORAGE(DS) INTO DR15 $03 03103
006745 015044 A 3121 D026 LDA DREG,1 GET CURRENT OP REG. $03 03104
006746 004341 A 3122 LSRA 1 RIGHT SHIFT ONE $03 03105
006747 054110 A 3123 STA DDT2 TEMP $03 03106
006750 015064 A 3124 LDA DS,1 PREV SIGN STORAGE $03 03107
006751 004257 A 3125 LRLA 15 MOVE TO BIT 15 POSITION $03 03108
006752 134105 A 3126 ERA DDT2 $03 03109
006753 055044 A 3127 STA DREG,1 $03 03110
006754 001000 A 3128 RETUM DORG EXIT $03 03111
006755 106624 R
3129 * $03 03112
3130 * $03 03113
3131 * $03 03114
3132 * $03 03115
3133 * COME HERE FOR LEFT SHIFTING $03 03116
3134 * $03 03117
3135 * $03 03118
006756 015025 A 3136 D044 LDA XX,1 GET X FIELD $03 03119
006757 001010 A 3137 JAZ *+4 $03 03120
006760 006763 R
006761 001000 A 3138 JMP D046 $03 03121
006762 006777 R
3139 * X FIELD=0 : DR15 INTO DR00 $03 03122
006763 005002 A 3140 TZB $03 03123
006764 015044 A 3141 LDA DREG,1 GET PREV DREG WORD $03 03124
006765 004441 A 3142 LLRL 1 SHIFT LEFT ONE $03 03125
006766 054071 A 3143 STA DDT2 TEMP STORE $03 03126
006767 014067 A 3144 LDA DDT1 PREV DREG WORD $03 03127
006770 005002 A 3145 TZB $03 03128
006771 004441 A 3146 LLRL 1 $03 03129
006772 005021 A 3147 TBA COPY BIT 15 OF PREV DREG WORD $03 03130
006773 134064 A 3148 ERA DDT2 INTO NEW BIT 0 $03 03131

```



```

006774 055044 A 3149 STA DREG,1 S03 03132
006775 001000 A 3150 RETU# DORG EXIT S03 03133
006776 106624 R
3151 * S03 03134
3152 * S03 03135
006777 006140 A 3153 D046 SUBI 1 S03 03136
007000 000001 A
007001 001010 A 3154 JAZ *+4 S03 03137
007002 007003 R
007003 001000 A 3155 JMP D048 S03 03138
007004 007023 R
3156 * X FIELD=01: FA15 INTO DROO S03 03139
007005 015044 A 3157 LDA DREG,1 S03 03140
007006 005002 A 3158 TZE S03 03141
007007 004441 A 3159 LLRL 1 SHIFT PREV DREG WORD LEFT ONE S03 03142
007010 054047 A 3160 STA DOT2 TEMP STORE S03 03143
007011 015030 A 3161 LDA XA,1 FILE A SOURCE ADDR S03 03144
007012 006120 A 3162 ADDI R0 ADDR OF FILE A REGISTERS S03 03145
007013 000526 R
007014 005012 A 3163 TAB S03 03146
007015 016000 A 3164 LDA 0,2 GET LAST FILE A REG. S03 03147
007016 005002 A 3165 TZE CONTENTS AND S03 03148
007017 004441 A 3166 LLRL 1 COPY BIT 15 S03 03149
007020 005021 A 3167 TBA INTO BIT 00 S03 03150
007021 134036 A 3168 ERA OF NEW DREG WORD S03 03151
007022 055044 A 3169 STA DREG,1 S03 03152
007023 001000 A 3170 RETU# DORG EXIT S03 03153
007024 106624 R
3171 * S03 03154
3172 * S03 03155
007025 015025 A 3173 D048 LDA XX,1 S03 03156
007026 006140 A 3174 SUBI 2 X FIELD=10 S03 03157
007027 000002 A
007030 001010 A 3175 JAZ *+4 S03 03158
007031 007034 R
007032 001000 A 3176 JMP D050 NO S03 03159
007033 007031 R
3177 * X FIELD=10: BAR OF ALU-OUT BIT 15 INTO DREG BIT 0 S03 03160
007034 005002 A 3178 TZE S03 03161
007035 015044 A 3179 LDA DREG,1 S03 03162
007036 004441 A 3180 LLRL 1 LEFT SHIFT ONE, CONTENTS OF DREG S03 03163
007037 054020 A 3181 STA DOT2 S03 03164
007040 015034 A 3182 LDA XALU,1 COMPLIMENT ALU S03 03165
007041 005211 A 3183 CPA OUTPUT AND S03 03166
007042 006150 A 3184 ANAI 0100000 POSITION BIT 15 S03 03167
007043 100000 A
007044 004241 A 3185 LRLA 1 INTO BIT 0. S03 03168
007045 134012 A 3186 ERA BIT 00 OF NEW DREG WORD S03 03169
007046 055044 A 3187 STA DREG,1 S03 03170
007047 001000 A 3188 RETU# DORG EXIT S03 03171
007050 106624 R
3189 * S03 03172
3190 * X FIELD=11: ZERO INTO DROO S03 03173
007051 005002 A 3191 D050 TZE S03 03174
007052 015044 A 3192 LDA DREG,1 S03 03175
007053 004441 A 3193 LLRL 1 LEFT SHIFT ONE, CONTENTS OF DREG S03 03176
007054 055044 A 3194 STA DREG,1 S03 03177
007055 001000 A 3195 JMP# DORG S03 03178
007056 106624 R
3196 * S03 03179
3197 * S03 03180
007057 000000 A 3198 DOT1 DATA 0 TEMP STORE FOR PREVIOUS DREG CONTENTS S03 03181
007060 000000 A 3199 DOT2 DATA 0 TEMP STORE FOR NEW SHIFTED DREG S03 03182
3200 EJEK S03 03183
3201 * S03 03184
3202 * S03 03185
3203 * STORE ALU OUTPUT AS SPECIFIED BY R-FIELD AND W FIELD S03 03186
3204 * S03 03187
3205 * CALLING SEQUENCE S03 03188
3206 * LDX ADDR OF ROM FIELDS/DATA S03 03189
3207 * JMPM X200 S03 03190
3208 * RETURN S03 03191
3209 * S03 03192
3210 * S03 03193
007061 000000 A 3211 X200 ENTR ** S03 03194
007062 015013 A 3212 LDA XLB,1 DON'T OUTPUT TO S03 03195
007063 004341 A 3213 LSRA 1 FILE REGISTERS S03 03196
007064 001010 A 3214 JAZ *+4 S03 03197
007065 007070 R
007066 001000 A 3215 JMP X202 IF MSB OF LB FIELD IS "1" S03 03198
007067 007101 R
007070 015021 A 3216 LDA XW,1 WRITE TO FILE REGISTER ? S03 03199
007071 001010 A 3217 JAZ X202 NO- S03 03200
007072 007101 R
007073 006010 A 3218 LDAI R0 FORM ADDR S03 03201
007074 000526 R
007075 125030 A 3219 ADD XA,1 OF SPECIFIED S03 03202
007076 005012 A 3220 TAB REG. S03 03203
007077 015034 A 3221 LDA XALU,1 STORE ALU OUTPUT S03 03204
007100 056000 A 3222 STA 0,2 INTO FILE A REGISTER S03 03205
3223 * S03 03206
007101 015015 A 3224 X202 LDA XR,1 R-FIELD S03 03207
007102 001010 A 3225 JAZ# X200 EXIT-NO DESTINATION REG. SPECIFIED S03 03208

```



007103	107061	R							
007104	005012	A	3226	TAB					\$03 03209
007105	006140	A	3227	SUBI	5	R=5 MEANS INCR SHIFT COUNTER			\$03 03210
007106	000005	A							
007107	001010	A	3228	JAZ	X204				\$03 03211
007110	007142	R							
007111	001002	A	3229	JAP	X206	R=6 OR 7			\$03 03212
007112	007152	R							
007113	005111	A	3230	IAR		R=4 MEANS INCR P-REGISTER			\$03 03213
007114	001010	A	3231	JAZ	X205				\$03 03214
007115	007147	R							
007116	005021	A	3232	TBA					\$03 03215
007117	006120	A	3233	ADDI	DR0M+PREG-1	ADDR OF FIRST REG. DESIG. BY R FIELD			\$03 03216
007120	000607	R							
007121	005012	A	3234	TAB					\$03 03217
007122	015015	A	3235	LDA	XR,1				\$03 03218
007123	006140	A	3236	SUBI	2				\$03 03219
007124	000002	A							
007125	001010	A	3237	JAZ	*+4				\$03 03220
007126	007131	R							
007127	001000	A	3238	JMP	X207	NO- R=1 OR 3			\$03 03221
007130	007136	R							
007131	015034	A	3239	LDA	XALU,1	SHIFT COUNTER IS 5 BIT REG THAT IS			\$03 03222
007132	006110	A	3240	DRAI	0177400	INCREMENTED. MUST SET UPPER BITS OF			\$03 03223
007133	177400	A							
			3241			16 BIT WORD TO PROPERLY SIMULATE			\$03 03224
007134	001000	A	3242	JMP	*+3				\$03 03225
007135	007137	R							
007136	015034	A	3243	X207 LDA	XALU,1	STORE ALU			\$03 03226
007137	056000	A	3244	STA	0,2	OUTPUT			\$03 03227
007140	001000	A	3245	RETUM	X200	EXIT			\$03 03228
007141	107061	R							
007142	015043	A	3246	X204 LDA	SREG,1	INCREMENT	* SREG CONTENTS IS IN		\$03 03229
007143	005111	A	3247	IAR		THE SHIFT	1'S COMPLIMENT FORM		\$03 03230
007144	055043	A	3248	STA	SREG,1	COUNTER			\$03 03231
007145	001000	A	3249	RETUM	X200				\$03 03232
007146	107061	R							
			3250						\$03 03233
007147	045042	A	3251	X205 INR	PREG,1				\$03 03234
007150	001000	A	3252	RETUM	X200	EXIT			\$03 03235
007151	107061	R							
			3253			R=6: ALU BITS 13-15 TO DATA LOOP KEY REGISTER			\$03 03236
			3254			R=7: LOAD DREG AND INCREMENT P REGISTER			\$03 03237
007152	005311	A	3255	X206 DAR					\$03 03238
007153	001010	A	3256	JAZ	X208				\$03 03239
007154	007163	R							
			3257			R=7			\$03 03240
007155	006020	A	3258	LDBI	DR0M+DREG	ADDR OF DREG			\$03 03241
007156	000612	R							
007157	015034	A	3259	LDA	XALU,1				\$03 03242
007160	056000	A	3260	STA	0,2				\$03 03243
007161	001000	A	3261	JMP	X205	GO INCR P REG.			\$03 03244
007162	007147	R							
			3262			R=6			\$03 03245
007163	006020	A	3263	X208 LDBI	DR0M+KREG				\$03 03246
007164	000615	R							
007165	015034	A	3264	LDA	XALU,1				\$03 03247
007166	004355	A	3265	LSRA	13	RIGHT JUSTIFY 3 MSB'S OF ALU OUTPUT WORD			\$03 03248
007167	056000	A	3266	STA	0,2	STORE INTO PROPER KEY REGISTER			\$03 03249
007170	001000	A	3267	RETUM	X200	EXIT			\$03 03250
007171	107061	R							
			3268			EJEC			\$03 03251
			3269						\$03 03252
			3270						\$03 03253
			3271			***** MEMORY OPERATIONS COMPONENT *****			\$03 03254
			3272						\$03 03256
			3273						\$03 03257
			3274			* OPERATION CODES *			\$03 03258
			3275			MOPC=0: TRANSFER ALU OUTPUT TO MIL AND IREG#1.			\$03 03259
			3276			MOPC=1: READ FROM MEMORY TO MIL AND IREG#1.			\$03 03260
			3277			MOPC=2: READ FROM MEMORY TO MIL.			\$03 03261
			3278			MOPC=3: WRITE 16-BIT ALU OUTPUT TO MEMORY			\$03 03262
			3279			MOPC=4: WRITE ALU OUTPUT AS A BYTE TO MEMORY			\$03 03263
			3280			(SPECIFIED BY BYTE POINTER)			\$03 03264
			3281						\$03 03265
			3282						\$03 03266
			3283			* ADDRESS SOURCES *			\$03 03267
			3284			MADS=0: ADDRESS IS ALU OUTPUT			\$03 03268
			3285			MADS=1: ADDRESS IS PROGRAM COUNTER			\$03 03269
			3286			MADS=2: ADDRESS IS MEMORY INTERFACE LATCH(MIL)			\$03 03270
			3287						\$03 03271
			3288						\$03 03272
			3289						\$03 03273
			3290			* MEMORY CONDITION CODES *			\$03 03274
			3291			MCCD=0: IDLE			\$03 03275
			3292			MCCD=1: IDLE WITH REQUEST PENDING			\$03 03276
			3293			MCCD=2-N: ACTIVE (N=MEMORY TYPE)			\$03 03277
			3294						\$03 03278
			3295						\$03 03279
			3296						\$03 03280
			3297						\$03 03281
			3298			CALLING SEQUENCE			\$03 03282
			3299			CALL MOPA			\$03 03283



```

3300 *
3301 *
3302 *
3303 *
007172 000000 A 3304 MOPA ENTR
007173 006030 A 3305 LDXI DROM ADDR OF ROM FIELDS/DATA
007174 000546 R
3306 *
3307 *
3308 *
007175 015035 A 3309 M003 LDA M000,1 M000 IS THE COND. CODE FOR MEM. OPERATIONS
007176 001010 A 3310 JAZ *+4
007177 007202 R
007200 001000 A 3311 JMP M032 MEMORY IS ACTIVE F *****
007201 007346 R
3312 * MEMORY IS IDLE
3313 CALL MREQ ANY MEMORY REQUEST ?
007203 007663 R
007204 001010 A 3314 JAZ M070 NO-RTN VIA LISTING ROUTINE
007205 010045 R
007206 002000 A 3315 M004 CALL M010 DETERMINE MEMORY OPERATIONS
007207 007212 R
007210 001000 A 3316 JMP M020
007211 007267 R
3317 *
3318 *
3319 *
3320 *
3321 *
007212 000000 A 3322 M010 ENTR
007213 015006 A 3323 LDA XS,1 GET S FIELD
007214 001010 A 3324 JAZ M012
007215 007236 R
007216 015012 A 3325 M011 LDA XIMC,1 GET IMC FIELD
007217 006150 A 3326 ANAI 03 IMC=XX00
007220 000003 A
007221 001010 A 3327 JAZ M014 YES-
007222 007250 R
007223 006140 A 3328 SUBI 2 IMC=XX10
007224 000002 A
007225 001010 A 3329 JAZ M016 YES
007226 007255 R
007227 001002 A 3330 JAP M018 IMC=XX11
007230 007262 R
3331 * IMC=XX01
3332 LDAI 2
007231 006010 A
007232 000002 A
007233 055054 A 3333 STA M0PC,1 M0PC=2
007234 001000 A 3334 RETU# M010
007235 107212 R
3335 * S=0
3336 M012 LDA XIMC,1
007236 015012 A 3337 SUBI 04 IMC=0100 ?
007237 006140 A
007240 000004 A
007241 001010 A 3338 JAZ *+4
007242 007245 R
007243 001000 A 3339 JMP M011-1 NO
007244 007216 R
007245 055054 A 3340 STA M0PC,1 M0PC=0
007246 001000 A 3341 RETU# M010
007247 107212 R
3342 * IMC=XX00
3343 M014 LDAI 1
007250 006010 A
007251 000001 A
007252 055054 A 3344 STA M0PC,1 M0PC=1
007253 001000 A 3345 RETU# M010
007254 107212 R
3346 * IMC=XX10
3347 M016 LDAI 3
007255 006010 A
007256 000003 A
007257 055054 A 3348 STA M0PC,1 M0PC=3
007260 001000 A 3349 RETU# M010
007261 107212 R
3350 * IMC=XX11
3351 M018 LDAI 4
007262 006010 A
007263 000004 A
007264 055054 A 3352 STA M0PC,1 M0PC=4
007265 001000 A 3353 RETU# M010
007266 107212 R
3354 *
3355 *
3356 *
007267 015006 A 3357 M020 LDA XS,1
007270 001010 A 3358 JAZ M026 YES-NOT VALID ADDR SOURCE CONDITION
007271 007334 R
007272 015012 A 3359 LDA XIMC,1 GET FIELD IMC
007273 006150 A 3360 ANAI 014
007274 000014 A
007275 004342 A 3361 LSRA 2
007276 006140 A 3362 SUBI 2
007277 000002 A
007300 001010 A 3363 JAZ M022 IMC=10XX
007301 007316 R

```



```

007302 001002 A 3364 JAP MD24 IMC=11XX S03 03349
007303 007325 R
007304 005111 A 3365 IAR S03 03350
007305 001010 A 3366 JAZ *+4 S03 03351
007306 007311 R
007307 001000 A 3367 JMP MD26 S03 03352
007310 007334 R
3368 * ADDRESS IS ALU OUTPUT (S IS NOT 0 & IMC=01XX) S03 03353
007311 055053 A 3369 STA MADS,1 MADS=0 S03 03354
007312 015034 A 3370 LDA XALU,1 STORE ALU OUTPUT S03 03355
007313 055070 A 3371 STA LREG,1 INTO MEM ADDR SELECT REG S03 03356
007314 001000 A 3372 JMP MD30 CONTINUE S03 03357
007315 007337 R
3373 * MEM ADDR IS PROGRAM COUNTER S03 03358
007316 006010 A 3374 MD22 LDAI 1 S03 03359
007317 000001 A
007320 055053 A 3375 STA MADS,1 MADS=1 S03 03360
007321 015042 A 3376 LDA PREG,1 S03 03361
007322 055070 A 3377 STA LREG,1 S03 03362
007323 001000 A 3378 JMP MD30 CONTINUE S03 03363
007324 007337 R
3379 * MEM ADDR IS MIL S03 03364
007325 006010 A 3380 MD24 LDAI 2 S03 03365
007326 000002 A
007327 055053 A 3381 STA MADS,1 MADS=2 S03 03366
007330 015056 A 3382 LDA MIL,1 S03 03367
007331 055070 A 3383 STA LREG,1 S03 03368
007332 001000 A 3384 JMP MD30 CONTINUE S03 03369
007333 007337 R
3385 * SET MADS=050 TO INDICATE NOT VALID ADDR SOURCE CONDITION S03 03370
3386 * THIS WILL PRODUCE THE LETTER X ON PRINT OUT. S03 03371
007334 006010 A 3387 MD26 LDAI 050 S03 03372
007335 000050 A
007336 055053 A 3388 STA MADS,1 S03 03373
007337 006010 A 3389 MD30 LDAI 1 SET MEM. CONDITION CODE S03 03374
007340 000001 A
007341 055055 A 3390 STA MCCC,1 TO: ACTIVE BUT NOT DONE S03 03375
007342 005001 A 3391 TZA F *****
007343 054621 A 3392 STA MLIP,1 CLEAR COMPLETE MEMORY FLAG F *****
007344 001000 A 3393 JMP MD70 NO-RTN VIA LISTING ROUTINE S03 03376
007345 010045 R
3394 * S03 03377
3395 * COME HERE IF MCCC IS 1 TO N (MEMORY ACTIVE) 01/21/75 KERNS F *****
007346 005311 A 3396 MD32 DAR MCCC=1 S03 03379
007347 001010 A 3397 JAZ MD34 YES S03 03380
007350 007353 R
007351 001000 A 3398 JMP MD36 CHECK FOR COMPLETION F *****
007352 007401 R
3399 * MCCC=1 S03 03383
007353 015054 A 3400 MD34 LDA MDPC,1 MEM OP IS XFER ALU-OUT TO MIL/IRG1 S03 03384
007354 001010 A 3401 JAZ MD30 YES E.2 *****
007355 007443 R
007356 002000 A 3402 CALL MDDR OVERRIDE ? S03 03386
007357 007754 R
007360 001004 A 3403 JAN MD38 YES- S03 03387
007361 007404 R
007362 005001 A 3404 TZA F *****
007363 054640 A 3405 STA MPLE CLEAR MPLE FLAG F *****
007364 015054 A 3406 LDA MDPC,1 CHECK IF STORE REQ F *****
007365 006140 A 3407 SUBI 3 F *****
007366 000003 A
007367 001004 A 3408 JAN MD36 NO F *****
007370 007401 R
007371 015070 A 3409 LDA LREG,1 F *****
007372 145042 A 3410 SUB PREG,1 IF LREG=PREG, SET MPLE F *****
007373 001010 A 3411 JAZ *+4 YES F *****
007374 007377 R
007375 001000 A 3412 JMP MD36 NO F *****
007376 007401 R
007377 005101 A 3413 INCR 1 F *****
007400 054623 A 3414 STA MPLE F *****
3415 * MEMORY REQUESTED OR ACTIVE F *****
007401 045055 A 3416 MD36 INR MCCC,1 UPDATE MEMORY CONDITION CODE F *****
007402 001000 A 3417 JMP MD40 CHECK FOR MEMORY COMPLETE OR WAIT F *****
007403 007410 R
3418 * MCCC=1 WITH OVERRIDE S03 03393
007404 002000 A 3419 MD38 CALL MD10 DETERMINE MEMORY OPERATION S03 03394
007405 007212 R
3420 * S03 03395
007406 001000 A 3421 JMP MD36 MAINTAIN OLD ADDR SOURCE SET MCCC=2 AND EXIT S03 03396
007407 007401 R
3422 * S03 03397
3423 * S03 03398
3424 * ENTER HERE IF MEMORY IS REQUESTED OR ACTIVE F *****
3425 * F *****
3426 * MEMORY CYCLE COMPLETE? F *****
007410 007410 R 3427 MD40 EQU * F *****
007410 005001 A 3428 TZA F *****
007411 054553 A 3429 STA MLIP CLEAR COMPLETE MEMORY FLAG F *****
007412 015055 A 3430 LDA MCCC,1 F *****
007413 147000 I 3431 SUB MTYP F *****
007414 001002 A 3432 JAP MD50 IF MEMORY DONE F *****
007415 007443 R

```



```

007416 015006 A 3433 * WAIT FOR MEMORY DONE? F *****
007417 001010 A 3434 LDA XS,1 F *****
007418 007423 R 3435 JAZ *+4 IF S=0 F *****
007421 001000 A 3436 JMP MD41 F *****
007422 007427 R 3437 LDA XIMC,1 F *****
007423 015012 A 3438 DAR F *****
007424 005311 A 3439 JAZ MD45 IF IMC=1 F *****
007425 001010 A
007426 007435 R
3440 * PENDING MEMORY REQUEST? F *****
007427 002000 A 3441 MD41 CALL MREQ ANY NEW MEMORY REQUESTS F *****
007430 007663 R 3442 JAZ MD70 NO, RETURN VIA LISTING ROUTINE F *****
007431 001010 A 3443 JMP MD45 COMPLETE CURRENT REQUEST F *****
007432 010045 R
007433 001000 A
007434 007435 R
3444 MD45 EQU * F *****
007435 017000 I 3445 LDA MTPY MEMORY COMPLETION COUNT F *****
007436 055055 A 3446 STA MCCQ,1 SET COMPLETION CODE TO COMPLETE F *****
007437 005101 A 3447 INCR 1 F *****
007440 054524 A 3448 STA MLIP SET COMPLETE MEMORY FLAG F *****
007441 001000 A 3449 JMP MD70 RETURN VIA LISTING ROUTINE F *****
007442 010045 R
007443 002000 A 3450 MD50 CALL MOPB GET MEMORY ADDRESS S03 03401
007444 007646 R 3451 LDA MOPC,1 S03 03402
007445 015054 A 3452 JAZ MD52 MOPC=0 S03 03403
007446 001010 A
007447 007475 R 3453 DAR MOPC=1 ? S03 03404
007450 005311 A 3454 JAZ MD54 YES- S03 03405
007451 001010 A
007452 007525 R 3455 DAR MOPC=2 ? S03 03406
007453 005311 A 3456 JAZ MD56 YES- S03 03407
007454 001010 A
007455 007532 R 3457 DAR MOPC=3 ? S03 03408
007456 005311 A 3458 JAZ MD58 YES- S03 03409
007457 001010 A
007460 007536 R 3459 DAR MOPC=4 ? S03 03410
007461 005311 A 3460 JAZ MD60 YES- S03 03411
007462 001010 A
007463 007556 R 3461 CALL SIOUT,3,MD51 OUTPUT ERROR S03 03412
007464 002000 A
007465 015406 R
007466 000003 R
007467 007472 R
007470 001000 A 3462 JMP MD53 CONTINUE SIMULATION S03 03413
007471 007500 R
007472 120240 A 3463 MD51 DATA * * * * * UNDEFINED OPCODE S03 03414
007473 146723 A
007474 130663 A
3464 * S03 03415
3465 * S03 03416
007475 015034 A 3466 MD52 LDA XALU,1 S03 03417
007476 055056 A 3467 STA MIL,1 S03 03418
007477 055051 A 3468 STA IRG1,1 S03 03419
3469 * ESTABLISH TMUX BIT 11: MIL15= SIGN/INDIRECT BIT OF MEM LATCH S03 03420
3470 MD53 LDBI TMUX ADDR OF TEST CONDITIONS TABLE S03 03421
007500 006020 A
007501 000641 R
007502 015056 A 3471 LDA MIL,1 GET MIL REGISTER S03 03422
007503 001004 A 3472 JAN XS41 S03 03423
007504 007510 R
007505 005001 A 3473 TZA S03 03424
007506 001000 A 3474 JMP *+3 S03 03425
007507 007511 R
007510 005101 A 3475 XS41 INCR 01 S03 03426
007511 056013 A 3476 STA 11,2 S03 03427
007512 002000 A 3477 CALL MREQ ANY MEM REQUEST ? S03 03428
007513 007663 R
007514 001010 A 3478 JAZ *+4 NO- S03 03429
007515 007520 R
007516 001000 A 3479 JMP MD64 YES-GO DETERMINE MEM. OPERATION S03 03430
007517 007206 R
007520 005001 A 3480 TZA S03 03431
007521 055055 A 3481 STA MCCQ,1 SET MCCQ=0 S03 03432
007522 054442 A 3482 STA MLIP CLEAR COMPLETE MEMORY FLAG F *****
007523 001000 A 3483 JMP MD70 RTN VIA LISTING ROUTINE S03 03433
007524 010045 R
3484 * MOPC=1:READ FROM MEMORY TO MIL AND IRG1 S03 03434
007525 016000 A 3485 MD54 LDA 0,2 B REG CONTAINS MEM ADDR S03 03435
007526 055056 A 3486 STA MIL,1 S03 03436
007527 055051 A 3487 STA IRG1,1 S03 03437
007530 001000 A 3488 JMP MD53 GO CHECK FOR MEM REQUEST S03 03438
007531 007500 R
3489 * MOPC=2:READ FROM MEMORY TO MIL. S03 03439
007532 016000 A 3490 MD56 LDA 0,2 B REG CONTAINS MEM ADDR S03 03440
007533 055056 A 3491 STA MIL,1 S03 03441
007534 001000 A 3492 JMP MD53 S03 03442
007535 007500 R
3493 * WRITE 16-BIT ALU OUTPUT TO MEMORY S03 03443
007536 002000 A 3494 MD58 CALL PMEM CHECK PROTECTED MEMORY S03 03444
007537 007622 R
007540 015034 A 3495 LDA XALU,1 S03 03445
007541 056000 A 3496 STA 0,2 B REG. CONTAINS MEM ADDR VIA MOPB S03 03446

```



Address	Hex	Op	Label	Instruction	Comment	Flags	Value
007542	014461	A	3497	IF MPLE SET, WRITE OUTPUT INTO IRG1 (FOR PIPELINE PURPOSES)		F	*****
007543	005311	A	3498	LDA MPLE		F	*****
007544	001002	A	3499	DAR		F	*****
007545	007550	R	3500	JAP *+4	IF MPLE SET	F	*****
007546	001000	A	3501	JMP MD53	GO CHECK FOR MEM. REQUEST		S03 03451
007547	007500	R					
007550	015034	A	3502	LDA XALU,1			S03 03452
007551	055051	A	3503	STA IRG1,1			S03 03453
007552	005001	A	3504	TZA MD59		F	*****
007553	054450	A	3505	STA MPLE	CLEAR MPLE	F	*****
007554	001000	A	3506	JMP MD53	GO CHECK FOR MEM REQUEST		S03 03454
007555	007500	R					
007556	002000	A	3507	WRITE ALU OUTPUT AS A BYTE TO MEMORY			S03 03455
007557	007622	R	3508				S03 03456
007560	015060	A	3509	MD60 CALL PMEM	CHECK PROTECTED MEMORY		S03 03457
007561	001010	A	3510	LDA MBYC,1	GET BYTE DESIGNATOR		S03 03458
007562	007565	R	3511	JAZ *+4	1=RIGHT BYTE 0=LEFT BYTE		C.1 03 03459
007563	001000	A	3512	JMP MD61			C.1 03 03460
007564	007576	R					
007565	016000	A	3513	LDA 0,2	B REG CONTAINS MEM ADDR VIA MOPB		S03 03461
007566	154031	A	3514	ANA MD6B	GET RIGHT BYTE THAT'S IN MEMORY		S03 03462
007567	054027	A	3515	STA MD6A			S03 03463
007570	015034	A	3516	LDA XALU,1	STORE LEFT BYTE OF		S03 03464
007571	154027	A	3517	ANA MD6C	ALU-OUTPUT ALONG WITH		S03 03465
007572	134024	A	3518	ERA MD6A	RIGHT BYTE OF ORIGINAL		S03 03466
007573	056000	A	3519	STA 0,2	WORD IN MEMORY.		S03 03467
007574	001000	A	3520	JMP MD62			S03 03468
007575	007605	R					
007576	016000	A	3521	RIGHT BYTE			S03 03469
007577	154021	A	3522	MD61 LDA 0,2			S03 03470
007600	054016	A	3523	ANA MD6C			S03 03471
007601	015034	A	3524	STA MD6A			S03 03472
007602	154015	A	3525	LDA XALU,1			S03 03473
007603	134013	A	3526	ANA MD6B			S03 03474
007604	056000	A	3527	ERA MD6A			S03 03475
007605	014416	A	3528	STA 0,2			S03 03476
007606	005311	A	3529	IF MPLE SET, PUT NEW MEMORY WORD INTO IRG1(FOR PIPELINE PURPOSES)		F	*****
007607	001002	A	3530	MD62 LDA MPLE		F	*****
007610	007613	R	3531	DAR		F	*****
007611	001000	A	3532	JAP *+4	IF MPLE SET	F	*****
007612	007500	R					
007613	016000	A	3533	JMP MD53	GO CHECK FOR MEMORY REQUEST		S03 03481
007614	055051	A	3534	LDA 0,2			S03 03482
007615	001000	A	3535	STA IRG1,1			S03 03483
007616	007552	R	3536	JMP MD59		F	*****
007617	000000	A	3537	MD6A DATA 0	TEMP STORE		S03 03485
007620	000377	A	3538	MD6B DATA 0377	MASK		S03 03486
007621	177400	A	3539	MD6C DATA 0177400	LEFT BYTE MASK		C.1 03 03487
007622	000000	A	3540				S03 03488
007623	005021	A	3541				S03 03489
007624	006140	A	3542	SUBROUTINE TO CHECK IF MEMORY REF IS OUTSIDE DELARED MAIN MEMORY			S03 03490
007625	000000	R	3543				S03 03491
007626	001004	A	3544	CALLING SEQUENCE			S03 03492
007627	007635	R	3545	LDB MEMORY ADDRESS			S03 03493
007630	005021	A	3546	CALL PMEM			S03 03494
007631	006140	A	3547				S03 03495
007632	000201	R	3548	RETURN--IF ERROR,ERROR MESSAGE AND BYPASS READ/WRITE			S03 03496
007633	001004	A	3549				S03 03497
007634	107622	R	3550	PMEM ENTR			S03 03498
007635	002000	A	3551	TBA	MEMORY ADDRESS		S03 03499
007636	015406	R	3552	SUBI MMEM	START OF MAIN MEMORY	F	*****
007637	000003	A					
007640	007643	R					
007641	001000	A	3553	JAN PM1	BELOW MAIN MEMORY		S03 03501
007642	007500	R					
007643	120240	A	3554	TBA			S03 03502
007644	146723	A	3555	SUBI SMLTR	TOP OF MAIN MEMORY+1		S03 03503
007645	130664	A	3556	JAN* PMEM	MEMORY ADDR OK		S03 03504
007646	000000	A	3557	PM1 CALL SIDUT,3,MFAIL	OUTPUT ERROR		S03 03505
007647	015053	A					
007648	006140	A	3558	JMP MD53	CONTINUE SIMULATION		S03 03506
007649	000003	A					
007650	001004	A	3559	MFAIL DATA MS14	MAIN MEMORY ERROR		S03 03507
007651	000003	A					
007652	007657	R					
007653	007657	R					
007654	000000	A	3560	GET MEM ADDR STORED IN L REGISTER			S03 03508
007655	015053	A	3561	RETURN WITH ADDR IN B REG.			S03 03509
007656	006140	A	3562				S03 03510
007657	000003	A	3563	MOPB ENTR			S03 03511
007658	001004	A	3564	LDA MADS,1	GET ADDR SOURCE CODE		S03 03512
007659	007657	R	3565	SUBI 3	VALID MADS #		S03 03513
007660	007657	R	3566	JAN MOP1			S03 03514
007661	007657	R					



```

007654 005302 A 3568 * SET ADDR TO 17777 AS DEFAULT IF MADS NOT 0,1,OR 2.          S03 03516
007655 001000 A 3569   DECR      02              B=-1          S03 03517
007656 107646 R 3570   RETUR#   MOPB          S03 03518
007657 015070 A 3571 MOP1   LDA      LREG;1          S03 03519
007660 005012 A 3572   TAB          S03 03520
007661 001000 A 3573   RETUR#   MOPB          S03 03521
007662 107646 R 3574 *          S03 03522
3575 *          S03 03523
3576 * SUBROUTINE TO CHECK FOR MEMORY REQUEST          S03 03524
3577 * CALLING SEQUENCE          S03 03525
3578 * LDX      ADDR OF DROM          S03 03526
3579 * CALL     MREQ          S03 03527
3580 *          S03 03528
3581 * RETURN: A REG=0=NO REQUEST. A=-1=REQUEST          S03 03529
3582 *          S03 03530
3583 *          S03 03531
007663 000000 A 3584 MREQ   ENTR          S03 03532
007664 015006 A 3585   LDA      XS,1          S=0          S03 03533
007665 001010 A 3586   JAZ      #+4          S03 03534
007666 007671 R 3587   JMP      MRE1          AND          S03 03535
007667 001000 A 3588   LDA      XINC,1          S03 03536
007672 006140 A 3589   SUBI     04          IMC=0100          S03 03537
007673 000004 A 3590   JAZ      #+4          S03 03538
007674 001010 A 3591   JMP      MRE4          IS REQUEST          S03 03539
007675 007700 R 3592 MRE2   DECR      01          SET A=-1          S03 03540
007676 001000 A 3593   RETUR#   MREQ          RETURN          S03 03541
007700 005301 A 3594 MRE1   CALL     MREQ          OVERRIDE ?          S03 03542
007701 001000 A 3595   JAN      MRE4          YES-THEN NO MEM REQUEST          S03 03543
007702 107663 R 3596   LDA      XS,1          S=1 ?          S03 03544
007703 002000 A 3597   DAR          YES-THIS IS MEM REQ          S03 03545
007704 007754 R 3598   JAZ      MRE2          S=2 ?          S03 03546
007705 001004 A 3599   DAR          YES-          S03 03547
007706 007741 R 3600   JAZ      #+4          S=3          S03 03548
007707 015006 A 3601   JMP      MRE3          S=0 ?          S03 03549
007710 005311 A 3602 *          S03 03550
007711 001010 A 3603   LDA      XT,1          T=0 ?          S03 03551
007712 007700 R 3604   JAZ      MRE2          YES=MEM REQUEST          S03 03552
007713 005311 A 3605   CALL     MREZ          CONDITION SPECIFIED BY G IS FALSE ?          S03 03553
007714 001010 A 3606   JBZ      #+4          S03 03554
007715 007720 R 3607   JMP      MRE4          NO-NO REQUEST          S03 03555
007716 001000 A 3608   JMP      MRE2          YES REQUEST          S03 03556
007717 007733 R 3609 *          S03 03557
007720 015005 A 3610 MRE3   CALL     MREZ          CONDITION SPECIFIED BY G IS TRUE ?          S03 03558
007721 001010 A 3611   JBZ      MRE4          NO-NO REQUEST          S03 03559
007722 007700 R 3612   JMP      MRE2          YES REQUEST          S03 03560
007723 002000 A 3613 *          S03 03561
007724 007744 R 3614 MRE4   TZA          A=0=NO REQUEST          S03 03562
007725 001020 A 3615   RETUR#   MREQ          S03 03563
007726 007731 R 3616 *          S03 03564
007727 001000 A 3617 * CHECK IF TEST CONDITION SPECIFIED BY G FIELD IS TRUE OR FALSE          S03 03565
007728 007741 R 3618 * RETURN: B=0=FALSE B=NOT ZERO=TRUE          S03 03566
007729 002000 A 3619 MREZ   ENTR          S03 03567
007730 007744 R 3620   LDA      XG,1          GET G FIELD          S03 03568
007731 005012 A 3621   ADDI     TMUX          ADDR OF TEST CONDITIONS TABLE          S03 03569
007732 000641 R 3622   TAB          S03 03570
007733 005012 A 3623   LDB      0,2          TEST CONDITION TRUE          S03 03571
007734 001000 A 3624   RETUR#   MREZ          RETURN          S03 03572
007735 107744 R 3625 *          S03 03573
3626 *          S03 03574
3627 * SUBROUTINE TO CHECK FOR OVERRIDE          S03 03575
3628 * CALLING SEQUENCE          S03 03576
3629 * LDX      ADDR OF DROM          S03 03577
3630 * CALL     MOPB          S03 03578
3631 *          S03 03579
3632 * RETURN: A REG=0=NO OVERRIDE. A=-1=OVERRIDE          S03 03580
3633 *          S03 03581
3634 * OVERRIDE CONDITIONS: IN=00XX & IS=1 OR (T=NOT ZERO & S=2 & TEST          S03 03582
3635 * CONDITION SPECIFIED BY G IS FALSE)          S03 03583
3636 * OR-(S=3 & TEST CONDITION SPECIFIED          S03 03584

```



```

3637 *
3638 *
3639 * MODR ENTR
007754 000000 A 3639 MODR ENTR
007755 015012 A 3640 LDA XINC,1 INC FIELD
007756 006150 A 3641 ANAI 014 EQUALS 00XX ?
007757 000014 A 3642 JAZ MOD1 YES-CONTINUE
007760 001010 A 3643 MOD2 TZA
007761 007765 R 3644 RETU# MODR
007762 005001 A 3645 MOD1 LDA XS,1
007763 001000 A 3646 SUBI 1
007764 107754 R 3647 JAZ MOD3 YES OVERRIDE
007765 015006 A 3648 *
007766 006140 A 3649 LDA XS,1
007767 000001 A 3650 SUBI 2 S=2 ?
007770 001010 A 3651 JAZ *+4
007771 010033 R 3652 JMP MOD4 NO
007772 015006 A 3653 LDA XT,1 T=0 ?
007773 006140 A 3654 JAZ MOD3 YES-OVERRIDE
007774 000002 A 3655 CALL MREZ TEST CONDITION SPECIFIED BY G FIELD FALSE?
007775 001010 A 3656 JBZ *+4
007776 010001 R 3657 JMP MOD4 N/-N/ OVERRIDE
007777 001000 A 3658 JMP MOD3 YES-OVERRIDE
010000 010014 R 3659 * MOD4 LDA XS,1
010001 015005 A 3660 SUBI 3
010002 001010 A 3661 JAZ *+4
010003 010033 R 3662 JMP MOD2 EXIT-NO OVERRIDE
010004 002000 A 3663 CALL MREZ TEST CONDITION SPECIFIED BY G FIELD TRUE ?
010005 007744 R 3664 JBZ *+4
010006 001020 A 3665 JMP MOD3 YES-OVERRIDE
010007 010012 R 3666 JMP MOD2 NO-NO OVERRIDE
010010 001000 A 3668 *
010011 010014 R 3669 MOD3 DECR 01 A=-1
010012 001000 A 3670 RETU# MODR RETURN
010013 010033 R 3671 *
010014 015006 A 3672 * CHECK IF MEM. CYCLE COMPLETE
010015 006140 A 3673 *
010016 000003 A 3674 MOD2 LDA MLIP COMPLETE MEM. CYCLE FLAG
010017 001010 A 3675 JAZ# MODPA EXIT
010020 010023 R 3676 TZA
010021 001000 A 3677 STA MLIP
010022 007762 R 3678 JMP MODPA+1 GO COMPLETE MEMORY CYCLE
010023 002000 A 3679 *
010024 007744 R 3680 *
010025 001020 A 3681 * LIST MEMORY OPERATIONS(IF TRACE FLAG IS ON)
010026 010031 R 3682 *
010027 001000 A 3683 *
010030 010033 R 3684 MOD0 EQU *
010031 001000 A 3685 JMPM TRSETA CHECK IF WITHIN BOUNDS
010032 007762 R 3686 JAN MOD2 NO-DO NOT TRACE
010033 005301 A 3687 CALL SPAC SPACE LD
010034 001000 A 3688 *
010035 107754 R 3689 * LIST MEMORY CONDITION CODE(MCCO)
010045 010045 R 3690 LDXI DROM
010046 002000 A 3691 LDA MCCO,1
010047 014715 R 3692 ADD MLIU ASCII FOR SPACE,ZERO(0120260)
010048 107172 R 3693 STA MLIY+3
010049 005001 A 3694 CALL LOOUT,4,MLIY
010050 054122 A 3695 * LIST MEMORY OPERATION CODE(MOPC)
010051 001003 R 3696 LDXI DROM
010052 001003 R 3697 LDA MOPC,1
010053 001003 R 3698 ADD MLIU

```



```

010070 054104 A 3699      STA      MLIX+3
010071 002000 A 3700      CALL     LOOUT,4,MLIX
010072 015470 R
010073 000004 A
010074 010172 R
3701 * LIST MEMORY ADDRESS CODE(MADS)
010075 006030 A 3702      LDXI     DRUM
010076 000546 R
010077 015053 A 3703      LDA      MADS,1
010100 124105 A 3704      ADD      MLIU
010101 054077 A 3705      STA      MLIV+3
010102 002000 A 3706      CALL     LOOUT,4,MLIV
010103 015470 R
010104 000004 A
010105 010176 R
3707 * LIST MEMORY BYTE DESIGNATOR(MBYC)
010106 006030 A 3708      LDXI     DRUM
010107 000546 R
010110 015060 A 3709      LDA      MBYC,1
010111 124074 A 3710      ADD      MLIU
010112 054072 A 3711      STA      MLIV+3
010113 002000 A 3712      CALL     LOOUT,4,MLIV
010114 015470 R
010115 000004 A
010116 010202 R
3713 * LIST CONTENTS OF MEMORY INTERFACE LATCH(MIL)
010117 006030 A 3714      LDXI     MLIT+4
010120 010213 R
010121 006020 A 3715      LDBI     DRUM          ADD OF ROM FIELDS/DATA
010122 000546 R
010123 026056 A 3716      LDB      MIL,2
010124 002000 A 3717      CALL     OH           CONVERT TO ASCII
010125 014514 R
010126 002000 A 3718      CALL     LOOUT,6,MLIT
010127 015470 R
010130 000006 A
010131 010207 R
3719 * LIST CONTENTS OF INST REG #1(IRG1)
010132 006030 A 3720      LDXI     MLIS+4
010133 010221 R
010134 006020 A 3721      LDBI     DRUM
010135 000546 R
010136 026051 A 3722      LDB      IRG1,2
010137 002000 A 3723      CALL     OH           CONVERT TO ASCII
010140 014514 R
010141 002000 A 3724      CALL     LOOUT,6,MLIS
010142 015470 R
010143 000006 A
010144 010215 R
3725 *
3726 * LIST MAIN MEMORY ADDRESS AND CONTENTS BASED UPON MOPC & MADS.
010145 006030 A 3727      LDXI     DRUM
010146 000546 R
010147 002000 A 3728      CALL     MOPB        GET MEMORY ADDRESS
010150 007646 R
010151 005021 A 3729      TBA
010152 002000 A 3730      CALL     S200       LIST MAIN MEM ADDR&CONTENTS
010153 001623 R
010154 014010 A 3731      LDA      MLIP        COMPLETE MEM. CYCLE FLAG
010155 001010 A 3732      JAZM     MOPA       EXIT
010156 107172 R
010157 005001 A 3733      TZA
010160 054004 A 3734      STA      MLIP
010161 002000 A 3735      CALL     TPFM       TOP OF FORM
010162 014760 R
010163 001000 A 3736      JMP      MOPA+1     GO COMPLETE MEMORY CYCLE
010164 007173 R
3737 *
3738 *
010165 000000 A 3739      MLIP     DATA      0      COMPLETE MEMORY CYCLE
010166 120240 A 3740      MLIY     DATA      ' MCCO '
010167 146703 A
010170 141717 A
010171 120240 A
010172 120240 A 3741      MLIX     DATA      ' MOPC '
010173 146717 A
010174 150303 A
010175 120240 A
010176 120240 A 3742      MLIV     DATA      ' MADS '
010177 146701 A
010200 142323 A
010201 120240 A
010202 120240 A 3743      MLIV     DATA      ' MBYC '
010203 146702 A
010204 154703 A
010205 120240 A
010206 120260 A 3744      MLIU     DATA      0120260  SPACE-ZERO
010207 120240 A 3745      MLIT     DATA      ' MIR
010210 146711 A
010211 151240 A
010212 120240 A
010213 120240 A
010214 120240 A

```



010215	120240	A	3746	MLIS	DATA	IBR			S03 03696
010216	144702	R							
010217	151240	A							
010220	120240	A							
010221	120240	A							
010222	120240	A							
010223	000000	A	3747	MLIR	DATA	0	FLAG TO INDICATE MCCR=2 FOR LISTING	S03 03697	
010224	000000	A	3748	MPLE	DATA	0	PIPELINE FLAG	S03 03697	F
			3749		EJEC			S03 03698	
			3750	*				S03 03699	
			3751	*	ALTER/DISPLAY MICRO REGISTERS			S03 03700	
			3752	*				S03 03701	
			3753	*				S03 03702	
010225			3754	E100	BSS	0		S03 03702	
010225	002000	A		JMPM	PBUF		SETUP PRINTER BUFFER	S03 03703	
010226	014575	R							
010227	002000	A	3755	JMPM	FETCHA		INPUT REGISTER NUMBER	S03 03704	
010230	015644	R							
010231	001010	A	3756	JAZ	EXC90			S03 03705	
010232	001147	R							
010233	054345	A	3757	STA	E105		SAVE INPUT	S03 03706	
010234	006140	A	3758	SUBI	0301		ASCII A ?	S03 03707	
010235	000301	A							
010236	001010	A	3759	JAZ	EAAU		YES- FOR ALU OUTPUT	S03 03708	
010237	010517	R							
010240	144345	A	3760	SUB	EADA		C ?	S03 03709	
010241	001010	A	3761	JAZ	EASC		YES- FOR SHIFT COUNTER	S03 03710	
010242	010526	R							
010243	006140	A	3762	SUBI	6		I ?	S03 03711	
010244	000006	A							
010245	001010	A	3763	JAZ	EAIR		YES- INST REG #1	S03 03712	
010246	010535	R							
010247	005311	A	3764	DAR			J ?	S03 03713	
010250	001010	A	3765	JAZ	EAJR		YES-JUMP STACK	S03 03714	
010251	010300	R							
010252	005311	A	3766	DAR			K ?	S03 03715	
010253	001010	A	3767	JAZ	EAKR		YES- FOR DATA LOOP KEY REG	S03 03716	
010254	010544	R							
010255	144330	A	3768	SUB	EADA		M ?	S03 03717	
010256	001010	A	3769	JAZ	EAML		YES- MEMORY LATCH	S03 03718	
010257	010553	R							
010260	144325	A	3770	SUB	EADA		D ?	S03 03719	
010261	001010	A	3771	JAZ	EADR		YES- FOR OPERAND REG	S03 03720	
010262	010562	R							
010263	006140	A	3772	SUBI	1		P ?	S03 03721	
010264	000001	A							
010265	001010	A	3773	JAZ	EAPR		YES- FOR PROGRAM COUNTER	S03 03722	
010266	010304	R							
010267	144316	A	3774	SUB	EADA		R ?	S03 03723	
010270	001010	A	3775	JAZ	EAFR		YES- FOR FILE REGISTERS	S03 03724	
010271	010313	R							
010272	006140	A	3776	SUBI	1		S ?	S03 03725	
010273	000001	A							
010274	001010	A	3777	JAZ	EASR		YES- FOR STATUS REGISTERS	S03 03726	
010275	010571	R							
010276	001000	A	3778	JMP	EXC90		ILLEGAL REG SPECIFIED	S03 03727	
010277	001147	R							
			3779	*				S03 03728	
010300	005311	A	3780	EAJR	DAR			S03 03729	
010301	054047	A	3781		STA	JRFL	SET JUMP STACK FLAG	S03 03730	
010302	001000	A	3782		JMP	EAFR+1	USE FILE REGISTER ROUTINE	S03 03731	
010303	010314	R							
			3783	*				S03 03732	
			3784	*	ALTER/DISPLAY PROGRAM COUNTER			S03 03733	
010304	006030	A	3785	EAPR	LDXI	DRDM+PREG	ADDR OF PREG	S03 03734	
010305	000610	R							
010306	025000	A	3786		LDB	0,1		S03 03735	
010307	002000	A	3787		CALL	EADS	TYPE CONTENTS	S03 03736	
010310	010352	R							
010311	001000	A	3788		JMP	EACH	CHANGE IT AND/OR EXIT	S03 03737	
010312	010365	R							
			3789	*				S03 03738	
			3790	*				S03 03739	
			3791	*	ALTER/DISPLAY FILE REGISTERS			S03 03740	
010313	054035	A	3792	EAFR	STA	JRFL	CLEAR JUMP STACK FLAG	S03 03741	
010314	002000	A	3793		JMPM	FETCHA	GET REG NUMBER D-F	S03 03742	
010315	015644	R							
010316	001010	A	3794		JAZ	EXC90		S03 03743	
010317	001147	R							
010320	002000	A	3795		JMPM	CONV	CONVERT CHAR TO HEX	S03 03744	
010321	012732	R							
010322	001002	A	3796		JAP	EAF0	JUMP IF LEGAL HEX CHAR	S03 03745	
010323	010326	R							
010324	001000	A	3797		JMP	EXC90	OUTPUT ERROR MESSAGE	S03 03746	
010325	001147	R							
010326	054255	A	3798	EAF0	STA	E108	SAVE REGISTER VALUE	S03 03747	
			3799	*				S03 03748	
010327	014254	A	3800	E102	LDA	E108	REGISTER NUMBER	S03 03749	
010330	005012	A	3801		TAB			S03 03750	
010331	014017	A	3802		LDA	JRFL	JUMP STACK FLAG	S03 03751	
010332	001004	A	3803		JAN	EASJ	SET ?	S03 03752	
010333	010344	R							
010334	005021	A	3804		TBA		NO	S03 03753	
010335	124244	A	3805		ADD	E106	ADDR OF PSEUDO REGS	S03 03754	



010336	005014	A	3806	EAF1	TAX		REG LOCATION	\$03	03755
010337	025000	A	3807		LDB	0,1	REG CONTENTS	\$03	03756
010340	002000	A	3808		CALL	EADS	PRINT CONTENTS	\$03	03757
010341	010352	R							
010342	001000	A	3809		JMP	EACH	CHANGE IT AND/OR EXIT	\$03	03758
010343	010365	R							
010344	005021	A	3810	EASJ	TBA			\$03	03759
010345	006120	A	3811		ADDI	STACK	ADDR OF STACK	\$03	03760
010346	000506	R							
010347	001000	A	3812		JMP	EAF1		\$03	03761
010350	010336	R							
010351	000000	A	3813	JRFL	DATA	0	JUMP STACK FLAG	\$03	03762
			3814	*			OUTPUT CONTENTS OF B REG TO TTY PRINTER AS 4 HEX CHAR'S	\$03	03763
			3815	*				\$03	03764
010352	000000	A	3816	EADS	ENTR			\$03	03765
010353	074224	A	3817		STX	E104	SAVE REG. LOC.	\$03	03766
010354	034226	A	3818		LDX	E107	ASCII STORAGE BUFR	\$03	03767
010355	002000	A	3819		CALL	DH	CONVERT TO ASCII	\$03	03768
010356	014514	R							
010357	002000	A	3820	EADS1	CALL	SIOUT,5,BUFR	OUTPUT CONTENTS	\$03	03769
010360	015406	R							
010361	000005	A							
010362	000200	R							
010363	001000	A	3821		RETU*	EADS		\$03	03770
010364	110352	R							
			3822	*				\$03	03771
			3823	*				\$03	03772
010365	002000	A	3824	EACH	JMPM	INA	INPUT 1 - 4 HEX DIGITS	\$03	03773
010366	013364	R							
010367	151240	A	3825		DATA	'R'		\$03	03774
010370	074214	A	3826		STX	E109	SAVE LAST CHAR INPUT	\$03	03775
010371	001020	A	3827		JBZ	EAC1	JUMP IF NO CHANGE VALUE INPUT	\$03	03776
010372	010402	R							
010373	034204	A	3828		LDX	E104	REG. LOC.	\$03	03777
010374	055000	A	3829		STA	0,1		\$03	03778
010375	014203	A	3830		LDA	E105	REGISTER	D 03	03779
010376	006140	A	3831		SUBI	'S'		D 03	03780
010377	000323	A							
010400	001010	A	3832		JAZ	SETMUX	SET TMUX IF STATUS REG CHANGE	D 03	03781
010401	010434	R							
			3833	*				\$03	03782
010402	014202	A	3834	EAC1	LDA	E109	LAST CHAR INPUT	\$03	03783
010403	006140	A	3835		SUBI	0254	COMMA ?	\$03	03784
010404	000254	A							
010405	001010	A	3836		JAZ	*+4	YES-	\$03	03785
010406	010411	R							
010407	001000	A	3837		JMP	EXC10	NO-RTN TO EXEC	\$03	03786
010410	001111	R							
010411	014167	A	3838		LDA	E105	HAS REGISTER	\$03	03787
010412	006140	A	3839		SUBI	0312	INPUT J ?	\$03	03788
010413	000312	A							
010414	001010	A	3840		JAZ	EAC2	YES	\$03	03789
010415	010462	R							
010416	006140	A	3841		SUBI	010	INPUT R ?	\$03	03790
010417	000010	A							
010420	001010	A	3842		JAZ	EAC2	YES	\$03	03791
010421	010462	R							
010422	002000	A	3843		CALL	SIOUT,2,ABEL	OUTPUT 'A-BELL'	\$03	03792
010423	015406	R							
010424	000002	A							
010425	010460	R							
010426	002000	A	3844		CALL	SIIN	INPUT REGISTER	\$03	03793
010427	015220	R							
010430	002000	A	3845		JMPM	FETCH	GET FIRST CHAR	\$03	03794
010431	015635	R							
010432	001000	A	3846		JMP	E100+6		\$03	03795
010433	010233	R							
010434	006010	A	3847	SETMUX	LDAI	0	STATUS WORD VALUE	E.2*****	
010435	000000	A							
010436	005002	A	3848		TZB			E.2*****	
010437	004447	A	3849		LLRL	7		E.2*****	
010440	006030	A	3850		LDXI	4	SET FOLLOWING TEST CONDITIONS	E.2*****	
010441	000004	A							
010442	006065	A	3851	SETM1	STBE	TMUX+5,1	ALUZ	E.2*****	
010443	000646	R							
010444	005002	A	3852		TZB		ALUC	E.2*****	
010445	005344	A	3853		DXR		ALUS	E.2*****	
010446	001040	A	3854		JXZ	SETM3	ALUD	E.2*****	
010447	010453	R							
010450	004441	A	3855		LLRL	1		E.2*****	
010451	001000	A	3856		JMP	SETM1		E.2*****	
010452	010442	R							
010453	004446	A	3857	SETM3	LLRL	6	POSITION TO OVFL BIT	E.2*****	
010454	006067	A	3858		STBE	TMUX		E.2*****	
010455	000641	R							
010456	001000	A	3859		JMP	EAC1		E.2*****	
010457	010402	R							
			3860	*				\$03	03803
010460	120240	A	3861	ABEL	DATA	'A'		\$03	03804
010461	140640	A							
			3862	*			OUTPUT NEXT FILE REGISTER	\$03	03805
010462	044121	A	3863	EAC2	INR	E108	FILE REG NUMBER(0-F)	\$03	03806
010463	014120	A	3864		LDA	E108		\$03	03807



```

010464 006140 A 3865 SUBI 020 $03 03808
010465 000020 A 3866 JAN *+4 JUMP IF IN RANGE0-16 $03 03809
010466 001004 A 3867 JMP EXC10 RETURN TO EXEC $03 03810
010467 010472 R 3868 LDAI 0120240 BLANK-BLANK $03 03811
010470 001000 A 3869 STA EA3 $03 03812
010471 001111 R 3870 LDB E108 REG NUMBER $03 03813
010472 006010 A 3871 LRLB 12 POSITION VALUE $03 03814
010473 120240 A 3872 JMPM 0H2 CONVERT CHAR TO ASCII $03 03815
010474 054016 A 3873 LRLA 8 $03 03816
010475 024106 A 3874 DRAI 0207 MASK IN BEL $03 03817
010476 004054 A 3875 STA EA3+1 $03 03818
010477 002000 A 3876 CALL SIDOUT,2,EA3 $03 03819
010500 014541 R
010501 004250 A 3877 JMP E102 GO TYPE CONTENTS $03 03820
010502 006110 A 3878 * $03 03821
010503 000207 A 3879 EA3 BSS 2 $03 03822
010504 054007 A 3880 JMP E102 GO TYPE CONTENTS $03 03823
010505 002000 A
010506 015406 R
010507 000002 A
010510 010513 R
010511 001000 A
010512 010327 R
010513 3881 * ALTER/DISPLAY ALU OUTPUT $03 03824
010514 001000 A 3882 EAAU LDXI DROM+XALU $03 03825
010516 010327 R
010517 006030 A 3883 LDB 0,1 $03 03826
010520 000602 R 3884 CALL EADS TYPE CONTENTS $03 03827
010521 025000 A 3885 JMP EACH CHANGE IT AND/OR EXIT $03 03828
010522 002000 A
010523 010352 R
010524 001000 A
010525 010365 R
010526 006030 A 3886 * ALTER/DISPLAY SHIFT COUNTER $03 03829
010527 000611 R 3887 EASC LDXI DROM+SREG $03 03830
010530 025000 A 3888 LDB 0,1 $03 03831
010531 002000 A 3889 CALL EADS $03 03832
010532 010352 R
010533 001000 A 3890 JMP EACH $03 03833
010534 010365 R
010535 006030 A 3891 * ALTER/DISPLAY INST REG #1 $03 03834
010536 000617 R 3892 EAIR LDXI DROM+IRG1 $03 03835
010537 025000 A 3893 LDB 0,1 $03 03836
010540 002000 A 3894 CALL EADS $03 03837
010541 010352 R
010542 001000 A 3895 JMP EACH $03 03838
010543 010365 R
010544 006030 A 3896 * ALTER/DISPLAY DATA LOOP KEY REGISTER $03 03839
010545 000615 R 3897 EAKR LDXI DROM+KREG $03 03840
010546 025000 A 3898 LDB 0,1 $03 03841
010547 002000 A 3899 CALL EADS $03 03842
010550 010352 R
010551 001000 A 3900 JMP EACH $03 03843
010552 010365 R
010553 006030 A 3901 * ALTER/DISPLAY MEMORY INTERFACE LATCH $03 03844
010554 000624 R 3902 EAML LDXI DROM+MIL $03 03845
010555 025000 A 3903 LDB 0,1 $03 03846
010556 002000 A 3904 CALL EADS $03 03847
010557 010352 R
010560 001000 A 3905 JMP EACH $03 03848
010561 010365 R
010562 006030 A 3906 * ALTER/DISPLAY OPERAND REGISTER $03 03849
010563 000612 R 3907 EADR LDXI DROM+DREG $03 03850
010564 025000 A 3908 LDB 0,1 $03 03851
010565 002000 A 3909 CALL EADS $03 03852
010566 010352 R
010567 001000 A 3910 JMP EACH $03 03853
010570 010365 R
010571 006030 A 3911 * ALTER/DISPLAY STATUS REGISTER $03 03854
010572 000607 R 3912 EASR LDXI DROM+STUS $03 03855
010573 025000 A 3913 LDB 0,1 $03 03856
010574 002000 A 3914 CALL EADS $03 03857
010575 010352 R
010576 001000 A 3915 JMP EACH $03 03858
010577 010365 R
010600 000000 A 3916 * $03 03859
010601 000000 A 3917 E104 DATA 0 SAVE REG LOC. $03 03860
010602 000526 R 3918 E105 DATA 0 TEMP STORE FOR INITIAL INPUT $03 03861
010603 000201 R 3919 E106 DATA R0 ADDR OF PSEUDO REGISTERS $03 03862
010604 000000 A 3920 E107 DATA BUFR+1 OUTPUT BUFFER ADDR $03 03863
010605 000000 A 3921 E108 DATA 0 TEMP STORAGE $03 03864
010606 000000 A 3922 E109 DATA 0 LAST INPUT CHAR $03 03865
010607 000000 A 3923 EARA DATA 2 $03 03866
010608 000000 A 3924 * $03 03867
010609 000000 A 3925 EJEC $03 03868

```







010732	006020	A	3986	LDDSA	LDBI	DRM2	DCSA		S03 03926
010733	000373	R							
010734	026000	A	3987		LDB	0,2	ADDR OF CURRENT DCSA PAGE		S03 03927
010735	001000	A	3988		JMP	LDRC-2	START LOAD		S03 03928
010736	010742	R							
010737	006020	A	3989	LDDSB	LDBI	DRM1	DCSB		S03 03929
010740	000372	R							
010741	026000	A	3990		LDB	0,2	ADDR OF CURRENT DCSB PAGE		S03 03930
010742	005301	A	3991		DECR	01			S03 03931
010743	054633	A	3992		STA	LCCS	SET FOR DCS LOAD		S03 03932
010744		A	3993	LDRC	BSS	0	START LOAD		S03 03933
010744	064634	A	3994		STB	LDPT	SAVE POINTER		S03 03934
010745	064632	A	3995		STB	LDADR	DEFAULT DRG TO 0		S03 03935
	010746	R	3996	LDMM	EQU	*			C 03 03935
	006027	A	3997		LDBE	SYST	SYSTEM FLAG		F ***** S03 03936
010747	001401	R							
010750	016000	A	3998		LDA	0,2			S03 03937
010751	001004	A	3999		JAN	LMDS	JUMP IF MDS		S03 03938
010752	010763	R							
010753	014555	A	4000		LDA	BIFLG			S03 03939
010754	001002	A	4001		JAP	LMDS	JUMP IF ON NONE RMD		S03 03940
010755	010763	R							
		A	4002		IDLINK	6,BUFR+1,120			S03 03941
010756	002000	A							
010757	000000	E							
010760	001406	A							
010761	000201	R							
010762	000170	A							
010763	003001	A	4003	LMDS	TZA				S03 03942
010764	054617	A	4004		STA	RCN	ZERO RECORD NUMBER		S03 03943
		A	4005	*					S03 03944
		A	4006	*					S03 03945
		A	4007	*					S03 03946
		A	4008	LREAD	READ	BIDCB,6,0,1	READ A RECORD		S03 03947
010765	002000	A							
010766	000312	E							
010767	100000	A							
010770	010006	A							
010771	011563	R							
010772	000000	A							
010773	000000	A							
		A	4009	LR1	STAT	LREAD,ERR,EOF,BEOD,LR1			C.1 03 03948
010774	002000	A							
010775	000000	E							
010776	010765	R							
010777	011375	R							
011000	011403	R							
011001	011411	R							
011002	010774	R							
011003	005001	A	4010	LREAD1	TZA				S03 03949
011004	054600	A	4011		STA	WDCT	ZERO WORD COUNT		S03 03950
011005	054567	A	4012		STA	CKSM	CLEAR CHECKSUM SUPPRESS FLAG		S03 03951
011006	054567	A	4013		STA	FREC	CLEAR FIRST RECORD FLAG		S03 03952
011007	054572	A	4014		STA	LREC	CLEAR LAST RECORD FLAG		S03 03953
011010	034557	A	4015		LDX	BIBUF	ADDR OF BI INPUT BUFFER		S03 03954
011011	015000	A	4016		LDA	0,1	GET WORD ZERO		S03 03955
011012	005012	A	4017		TAB				S03 03956
011013	154557	A	4018		ANA	BIT15	GET BIT 15		S03 03957
011014	001010	A	4019		JAZ	*+3	JUMP IF NOT SET		S03 03958
011015	011017	R							
011016	044556	A	4020		INR	CKSM	SET CHECKSUM SUPPRESS		S03 03959
011017	005021	A	4021		TBA				S03 03960
011020	154551	A	4022		ANA	BIT12	GET BIT 12		S03 03961
011021	001010	A	4023		JAZ	*+4	JUMP IF NOT SET		S03 03962
011022	011025	R							
011023	001000	A	4024		JMP	*+3			S03 03963
011024	011026	R							
011025	044552	A	4025		INR	FREC	SET FIRST RECORD FLAG		S03 03964
011026	005021	A	4026		TBA				S03 03965
011027	154541	A	4027		ANA	BIT11	GET BIT 11		S03 03966
011030	001010	A	4028		JAZ	*+4	JUMP IF NOT SET		S03 03967
011031	011034	R							
011032	001000	A	4029		JMP	*+3			S03 03968
011033	011033	R							
011034	044544	A	4030		INR	LREC	SET LAST RECORD FLAG		S03 03969
011035	005021	A	4031		TBA				S03 03970
011036	006150	A	4032		ANA1	0377	GET RECORD NUMBER		S03 03971
011037	000377	A							
011040	144543	A	4033		SUB	RCN	SUB EXPECTED RECORD NUMBER		S03 03972
011041	001010	A	4034		JAZ	*+4			S03 03973
011042	011045	R							
011043	001000	A	4035		JMP	SEGER	SEQUENCE ERROR		S03 03974
011044	011417	R							
011045	014527	A	4036		LDA	CKSM	CHECKSUM SUPPRESS FLAG		S03 03975
011046	001010	A	4037		JAZ	*+4	FLAG SET		S03 03976
011047	011052	R							
011050	001000	A	4038		JMP	LDFR	YES-DO NOT DO CHECKSUM		S03 03977
011051	011054	R							
011052	002000	A	4039		CALL	CKSUM	PERFORM CHECKSUM		S03 03978
011053	011534	R							
011054	014521	A	4040	LDFR	LDA	FREC	FIRST RECORD FLAG		S03 03979
011055	001010	A	4041		JAZ	LDBP			S03 03980
011056	011065	R							



011057	014510	A	4042	LDA	BIBUF	BUFFER ADDR		\$03	03981
011060	006120	A	4043	ADDI	11	PLUS 11		\$03	03982
011061	000013	A							
011062	054511	A	4044	STA	BUFPTR	MOVED PAST HEADER BLOCK		\$03	03983
011063	001000	A	4045	JMP	LDWD			\$03	03984
011064	011071	R							
011065	014502	A	4046	LDBP	BIBUF			\$03	03985
011066	006120	A	4047	ADDI	2			\$03	03986
011067	000002	A							
011070	054503	A	4048	STA	BUFPTR	SET BUFFER POINTER		\$03	03987
011071	014502	A	4049	LDWD	BUFPTR			\$03	03988
011072	144475	A	4050	SUB	BIBUF			\$03	03989
011073	006140	A	4051	SUBI	60			\$03	03990
011074	000074	A							
011075	001002	A	4052	JAP	LDNR	RECORD COMPLETE ?		\$03	03991
011076	011330	R							
011077	034474	A	4053	LDX	BUFPTR			\$03	03992
011100	014365	A	4054	LDA	LDCTL	LOAD TYPE		F	*****
011101	006140	A	4055	SUBI	'M'			F	*****
011102	000315	A							
011103	001010	A	4056	JAZ	LDMEM	JUMP IF LOAD MAIN MEMORY		F	*****
011104	011170	R							
011105	015000	A	4057	LDA	0,1	GET WORD		\$03	03993
011106	005012	A	4058	TAB				\$03	03994
011107	004355	A	4059	LSRA	13	GET CODE		\$03	03995
011110	001010	A	4060	JAZ	*+4			\$03	03996
011111	011114	R							
011112	001000	A	4061	JMP	*+5			\$03	03997
011113	011117	R							
011114	044457	A	4062	IAR	BUFPTR	IGNORE THIS WORD		\$03	03998
011115	001000	A	4063	JMP	LDWD			\$03	03999
011116	011071	R							
011117	005311	A	4064	DAR				\$03	04000
011120	001010	A	4065	JAZ	LDORG	SET ORG ADDRESS		\$03	04001
011121	011136	R							
011122	005311	A	4066	DAR				\$03	04002
011123	001010	A	4067	JAZ	LDST			\$03	04003
011124	011127	R							
011125	001000	A	4068	JMP	LDCDE	LOADER CODE ERROR		\$03	04004
011126	011425	R							
011127		A	4069	LDST	BSS	0		\$03	04005
011127	044444	A	4070	INR	BUFPTR			\$03	04006
011130	005021	A	4071	TBA				\$03	04007
011131	154451	A	4072	ANA	LSB13	GET 13 LSBS (INST COUNT)		\$03	04008
011132	005111	A	4073	IAR		PLUS ONE AS COUNT IS ACTUAL MINUS ONE		\$03	04009
011133	004202	A	4074	ASLA	2	TIMES 4 (FOUR 16 BIT WORDS PER MICRO)		\$03	04010
011134	054006	A	4075	STA	NMIC+2	SET COUNT FOR MOVE		\$03	04011
011135	014436	A	4076	LDA	BUFPTR			\$03	04012
011136	054006	A	4077	STA	NMIC+3	SET FROM ADDRESS FOR MOVE		\$03	04013
011137	014440	A	4078	LDA	LDADR			\$03	04014
011140	054004	A	4079	STA	NMIC+4	SET TO ADDRESS FOR MOVE		\$03	04015
011141	002000	A	4080	NMIC	CALL	MOVH,4,0,0		\$03	04016
011142	014510	R							
011143	000004	A							
011144	000000	A							
011145	000000	A							
011146	017000	I	4081	LDA	NMIC+2	COUNT		\$03	04017
011147	124424	A	4082	ADD	BUFPTR			\$03	04018
011150	054423	A	4083	STA	BUFPTR	UPDATE BUFFER POINTER		\$03	04019
011151	017000	I	4084	LDA	NMIC+2			\$03	04020
011152	124425	A	4085	ADD	LDADR			\$03	04021
011153	054424	A	4086	STA	LDADR	UPDATE LOAD ADDRESS POINTER		\$03	04022
011154	001000	A	4087	JMP	LDWD			\$03	04023
011155	011071	R							
011156	005021	A	4088	LDBP	TBA			\$03	04024
011157	154423	A	4089	ANA	LSB13	GET ORG ADDR		\$03	04025
011160	024416	A	4091	LDB	LCCS			\$03	04026
011161	003020	A	4092	XBZ	LDOR1	IF LOADING CCS		\$03	04027
011162	011327	R						\$03	04028
011163	124415	A	4093	ADD	LDPT	SET LOAD ADDR		\$03	04029
011164	054413	A	4094	STA	LDADR			\$03	04030
011165	044406	A	4095	INR	BUFPTR			\$03	04031
011166	001000	A	4096	JMP	LDWD			\$03	04032
011167	011071	R							
011170	015000	A	4097	LDMEM	EQU	LOAD MAIN MEMORY		F	*****
011171	004355	A	4098	LDA	0,1	GET WORD		F	*****
011172	005012	A	4099	LSRA	13	FETCH LOAD ADDR		F	*****
011173	006016	A	4100	TAB				F	*****
011174	011441	R		LDAB	CODE,2	CODE SERVICE ADDR		F	*****
011175	001010	A	4102	JAZ	LDCDE	ERROR IF UNSERVICED CODE		F	*****
011176	011425	R							
011177	054115	A	4103	STA	LDSRV+2	SET SERVICE ADDR		F	*****
011200	002000	A	4104	JMPM	LDSRV	PERFORM SERVICE		F	*****
011201	011313	R							
011202	015000	A	4105	LDA	0,1			F	*****
011203	004351	A	4106	LSRA	9	FETCH SUBCODE		F	*****
011204	006150	A	4107	ANAI	017			F	*****
011205	000017	A							
011206	005012	A	4108	TAB				F	*****
011207	006016	A	4109	LDAB	SCOD,2	SUBCODE SERVICE ADDR		F	*****
011210	011446	R							



011211	001010	A	4110	JAZ	LDCDE	ERROR IF UNSERVICED SUBCODE	F	*****
011212	011425	R						
011213	054101	A	4111	STA-	LDSRV+2		F	*****
011214	002000	A	4112	JMPM	LDSRV	PERFORM SERVICE	F	*****
011215	011313	R						
011216	015000	A	4113	LDA	0,1		F	*****
011217	004344	A	4114	LSRA	4	FETCH POINTER	F	*****
011220	006150	A	4115	ANAI	037		F	*****
011221	000037	A						
011222	006140	A	4116	SUBI	037		F	*****
011223	000037	A						
011224	001010	A	4117	JAZ	LDPTR	ONLY ABSOLUTE IS VALID POINTER	F	*****
011225	011230	R						
011226	001000	A	4118	JMP	LDCDE	ERROR	F	*****
011227	011425	R						
			4119	*				
011230	001000	A	4120	LDPTR	JMP	0	F	*****
011231	000000	A				ADDRESS SET BY SERVICE ROUTINES	F	*****
			4121	*				
011232	000000	A	4122	LDLDR	EJEC	CODE+4, LOAD DATA WORDS	F	*****
011233	044340	A	4123	ENTR	INR		F	*****
011234	015000	A	4124	INR	BUFPTR		F	*****
011235	154345	A	4125	LDA	0,1		F	*****
011236	005111	A	4126	ANA	LSB13	ISOLATE WORD	F	*****
011237	054016	A	4127	IAR			F	*****
011240	014333	A	4128	STA	LDMV+2	SET MOVE COUNT	F	*****
011241	054015	A	4129	LDA	BUFPTR		F	*****
011242	124013	A	4130	STA	LDMV+3	SET FROM ADDR	F	*****
011243	054330	A	4131	ADD	LDMV+2		F	*****
011244	014333	A	4132	STA	BUFPTR	UPDATE BUFFER POINTER	F	*****
011245	054012	A	4133	LDA	LDADR		F	*****
011246	124007	A	4134	STA	LDMV+4	SET TO ADDR	F	*****
011247	054330	A	4135	ADD	LDMV+2	CALCULATE RANGE	F	*****
011250	006140	A	4136	STA	LDADR	UPDATE LOAD ADDR	F	*****
011251	000177	R		SUBI	EMEM		F	*****
011252	001002	A	4137	JAP	LDSIZ	ERROR IF MAIN MEMORY EXCEEDED	F	*****
011253	011433	R						
011254	002000	A	4138	LDMV	CALL	MOVW,0,0,0	F	*****
011255	014510	R						
011256	000000	A						
011257	000000	A						
011260	000000	A						
011261	001000	A	4139	JMP	LDWD	CONTINUE WITH OBJECT RECORDS	F	*****
011262	011071	R						
			4140	*				
011263	000000	A	4141	LDNDR	ENTR	SET LOAD ADDR	F	*****
011264	006010	A	4142	LDAI	LDADD		F	*****
011265	011274	R						
011266	057000	I	4143	STA	LDPTR+1	SET FOR ORG ADDR ROUTINE	F	*****
011267	001000	A	4144	RETUM	LDMOR		F	*****
011270	111263	R						
			4145	*				
011271	000000	A	4146	LDMEX	ENTR	SET EXECUTION ADDR	F	*****
011272	001000	A	4147	JMP	LDCM	EXECTION ADDR IS END OF LOAD	F	*****
011273	011367	R						
			4148	*				
	011274	R	4149	LDADD	EQU		F	*****
011274	044277	A	4150	INR	BUFPTR		F	*****
011275	024276	A	4151	LDB	BUFPTR		F	*****
011276	016000	A	4152	LDA	0,2	LOAD ADDR	F	*****
011277	054300	A	4153	STA	LDADR	SET LOAD ADDR	F	*****
011300	006140	A	4154	SUBI	MMEM		F	*****
011301	000000	R						
011302	001004	A	4155	JAN	LDSIZ	IF BELOW MAIN MEMORY	F	*****
011303	011433	R						
011304	006140	A	4156	SUBI	EMEM-MMEM+1		F	*****
011305	000200	A						
011306	001002	A	4157	JAP	LDSIZ	IF ABOVE MAIN MEMORY	F	*****
011307	011433	R						
011310	044263	A	4158	INR	BUFPTR		F	*****
011311	001000	A	4159	JMP	LDWD	CONTINUE LOAD	F	*****
011312	011071	R						
			4160	*				
011313	000000	A	4161	LDSRV	ENTR		F	*****
011314	002000	A	4162	JMPM	0	SERVICE LOADER CODE (ADDR SET UPON CALL)	F	*****
011315	000000	A						
011316	001000	A	4163	RETUM	LDSRV		F	*****
011317	111313	R						
			4164	*				
011320	000000	A	4165	LDSCD	ENTR	USE SUBCODE, CODE NOT USED	F	*****
011321	001000	A	4166	RETUM	LDSCD		F	*****
011322	111320	R						
			4167	*				
011323	000000	A	4168	LDIGN	ENTR	IGNORE ENTRY	F	*****
011324	044247	A	4169	INR	BUFPTR	BYPASS WORD	F	*****
011325	001000	A	4170	JMP	LDWD	CONTINUE LOAD	F	*****
011326	011071	R						
011327	004202	A	4171	LDDR1	ASLA	2	S03	04033
011330	014200	A	4172	LDNR	LBA	BIFLG	S03	04034
011331	001010	A	4173	JAZ	LDRNS	JUMP IF NOT SET	S03	04035
011332	011363	R						
011333	006027	A	4174	LDDE	SYST	SYSTEM FLAG	S03	04036
011334	001401	R						



011335	016000	A	4175	LDA	0,2		S03 04037
011336	001004	A	4176	JAN	LDRNS	MDS SYSTEM	S03 04038
011337	011363	R					
011338	014233	A	4177	LDA	BUFPTR		S03 04039
011341	144222	A	4178	SUB	BIDCB+1	BUFFER ADDR	S03 04040
011342	006140	A	4179	SUBI	120	RECORD LENGTH ON RMD	S03 04041
011343	000170	A					
011344	001002	A	4180	JAP	LDRNR	JUMP IF 120 WORDS READ	S03 04042
011345	011360	R					
011346	014221	A	4181	LDA	BIBUF		S03 04043
011347	006120	A	4182	ADDI	60		S03 04044
011350	000074	A					
011351	054216	A	4183	STA	BIBUF	SET FOR NEXT 60 WORD BLOCK	S03 04045
011352	044231	A	4184	INR	RCN	ADVANCE RECORD NUMBER	S03 04046
011353	014226	A	4185	LDA	LREC	LAST RECORD FLAG	S03 04047
011354	001010	A	4186	JAZ	LREAD1	JUMP IF NOT LAST RECORD	S03 04048
011355	011003	R					
011356	001000	A	4187	JMP	LDCM	LOAD COMPLETE	S03 04049
011357	011367	R					
011360	014203	A	4188	LDRNR	LDA	BIDCB+1	BUFFER ADDR
011361	054206	A	4189	STA	BIBUF	RESET BUFFER ADDRESS	S03 04050
011362	054211	A	4190	STA	BUFPTR		S03 04051
011363	044220	A	4191	LDRNS	INR	RCN	ADVANCE RECORD NUMBER
011364	014215	A	4192	LDA	LREC	LAST RECORD FLAG	S03 04053
011365	001010	A	4193	JAZ	LREAD	JUMP IF NOT SET	S03 04054
011366	010765	R					
011367	002000	A	4194	LDCM	EQU	*	S03 04056
011370	015406	R	4195	CALL	SIDUT,8,LDCM	OUTPUT LOAD COMPLETE	S03 04057
011371	000010	A					
011372	011622	R					
011373	001000	A	4196	JMP	EXC10	RETURN	S03 04058
011374	001111	R					
011375	002000	A	4197	*			S03 04059
011376	015406	R	4198	ERR	CALL	SIDUT,3,ORDER	OUTPUT ERROR
011377	000003	A					S03 04060
011400	011632	R					
011401	001000	A	4199	JMP	EXC10		S03 04061
011402	001111	R					
011403	002000	A	4200	EDF	CALL	SIDUT,3,EDFE	OUTPUT ERROR
011404	015406	R					S03 04062
011405	000003	A					
011406	011611	R					
011407	001000	A	4201	JMP	EXC10		S03 04063
011410	001111	R					
011411	002000	A	4202	BEED	CALL	SIDUT,3,HOPE	OUTPUT ERROR
011412	015406	R					S03 04064
011413	000003	A					
011414	011614	R					
011415	001000	A	4203	JMP	EXC10		S03 04065
011416	001111	R					
011417	002000	A	4204	SEGER	CALL	SIDUT,3,SEGE	OUTPUT ERROR
011420	015406	R					S03 04066
011421	000003	A					
011422	011635	R					
011423	001000	A	4205	JMP	EXC10		S03 04067
011424	001111	R					
011425	002000	A	4206	LDCDE	CALL	SIDUT,3,LDCDE	OUTPUT ERROR
011426	015406	R					S03 04068
011427	000003	A					
011430	011617	R					
011431	001000	A	4207	JMP	EXC10		S03 04069
011432	001111	R					
011433	002000	A	4208	LDSIZ	CALL	SIDUT,3,LSIZ	OUTPUT ERROR
011434	015406	R					F *****
011435	000003	A					
011436	011640	R					
011437	001000	A	4209	JMP	EXC10		F *****
011440	001111	R					
			4210	*			F *****
			4211	* CODE SERVICE ADDR TABLE			F *****
011441	011320	R	4212	CODE DATA	LDSCD,0,0,0,LDLDR		F *****
011442	000000	A					
011443	000000	A					
011444	000000	A					
011445	011232	R					
			4213	* SUBCODE SERVICE ADDR TABLE			F *****
011446	011323	R	4214	SCDD DATA	LDIGN,LDMOR,0,0,0,0,0,LDMEY		F *****
011447	011263	R					
011450	000000	A					
011451	000000	A					
011452	000000	A					
011453	000000	A					
011454	000000	A					
011455	011271	R					
011456	000000	A	4215	DATA	0,0,0,0,0,0,0,0		F *****
011457	000000	A					
011460	000000	A					
011461	000000	A					
011462	000000	A					
011463	000000	A					
011464	000000	A					



Address	OpCode	OpName	OpData	Description	Page	Line
011465	000000	A				
011466	000000	A	4216 * 4217 LDCTL DATA 0 4218 * 4220 * 4221 * 4222 * 4223 * 4224 * 4225 * 4226 * 4227 *	LOAD TYPE FLAG  THIS ROUTINE DETERMINES IF THE LOGICAL UNIT IS ON A RMD AND VORTEX IS THE OPERATING SYSTEM  CALLING SEQUENCE CALL RMD,X X = LUN RETURN A REG ZERO IF ON RMD AND IN VORTEX		F F F 003 04071 003 04072 003 04073 003 04074 003 04075 003 04076 003 04077 003 04078 003 04079 003 04080 003 04081 003 04082 003 04083 003 04084 003 04085 003 04086
011467	000000	A	4228 RMD	ENTR		003 04087
011470	027000	I	4229	LDB RMD		003 04088
011471	016000	A	4230	LDA 0,2	LUN PARAM OF CALL	003 04089
011472	054010	A	4231	STA RMD1		003 04090
011473	047000	I	4232	INR RMD	UPDATE RETURN ADDRESS	003 04091
011474	027000	I	4233	LDB SYST		003 04092
011475	016000	A	4234	LDA 0,2	SYSTEM FLAG	003 04093
011476	001004	A	4235	JAN* RMD	RETURN IF MOS SYSTEM	003 04094
011477	111467	R				003 04095
011500	024025	A	4236	LDB V\$LUT1		003 04096
011501	016000	A	4237	LDA 0,2		003 04097
011502	006120	A	4238	ADDI 0		003 04098
011503	000000	A				003 04099
011504	005014	A	4239 RMD1	BES 0	LUN	003 04100
011505	015000	A	4240	TAX		003 04101
011506	157000	I	4241	LDA 0,1	LUN ENTRY	003 04102
011507	005311	A	4242	ANA RHLF		003 04103
011510	054017	A	4243	DAR		003 04104
011511	004201	A	4244	STA RMDT		003 04105
011512	124015	A	4245	ASLA 1		003 04106
011513	054014	A	4246	ADD RMDT		003 04107
011514	024012	A	4247	STA RMDT		003 04108
011515	016000	A	4248	LDB V\$DSTB		003 04109
011516	124011	A	4249	LDA 0,2		003 04110
011517	005012	A	4250	ADD RMDT		003 04111
011520	016001	A	4251	TAB		003 04112
011521	004350	A	4252	LDA 1,2	FIRST WORD OF DST	003 04113
011522	006140	A	4253	LSRA 8	LEFT CHAR.	003 04114
011523	000304	A	4254	SUBI 0304	D ?	003 04115
011524	001000	A	4255	JMP* RMD	A REG ZERO IF ON RMD	003 04116
011525	111467	R				003 04117
011526	000400	A	4256 V\$LUT1	DATA 0400	LUT POINTER	003 04118
011527	000355	A	4257 V\$DSTB	DATA 0355	DST POINTER	003 04119
011530	000000	A	4258 RMDT	DATA 0	TEMP STORE	003 04120
011531	000000	A	4259 \$IFLG	DATA 0	BI ON RMD FLAG, POS=NO, NEG=YES	003 04121
011532	002000	A	4261 *			003 04122
011533	011534	R	4262 *			003 04123
			4263 *			003 04124
			4264 *			003 04125
			4265 *			003 04126
011532	002000	A	4266 *			003 04127
011533	011534	R	4267 *			003 04128
			4268 *			003 04129
			4269 *			003 04130
011534	000000	A	4268 CKSUM	ENTR		003 04131
011535	006010	A	4269	LDAI BUFR+1		003 04132
011536	000201	R				003 04133
011537	124027	A	4270	ADD BIBLK+1	RECORD LENGTH	003 04134
011540	054006	A	4271	STA CKSU2		003 04135
011541	005002	A	4272	TZB		003 04136
011542	005021	A	4273 CKSU1	TBA		003 04137
011543	135000	A	4274	ERA 0,1		003 04138
011544	005012	A	4275	TAB	SAVE ACCUM VALUE	003 04139
011545	005145	A	4276	INCR 045	A=X-X+1	003 04140
011546	006140	A	4277	SUBI 0		003 04141
011547	000000	A				003 04142
011550	001004	A	4278 CKSU2	BES 0		003 04143
011551	011542	R	4279	JAN CKSU1	JUMP IF NOT AT END OF RECORD	003 04144
011552	005021	A	4280	TBA		003 04145
011553	001010	A	4281	JAZ* CKSUM	RETURN IF CHECKSUM OK	003 04146
011554	111534	R				003 04147
011555	002000	A	4282	CALL \$IOUT,3,CKSU	OUTPUT ERROR	003 04148
011556	015406	R				003 04149
011557	000003	A				003 04150
011560	011606	R				003 04151
011561	001000	A	4283	JMP EXC10	RETURN	003 04152
011562	001111	R				003 04153
			4284 *			003 04154
			4285 *			003 04155
			4286 *			003 04156
			4287 *			003 04157
011563	000074	A	4287 BIDCB	DCB 60,BUFR+1,0	LOCAL DCB FOR BI	003 04158
011564	000201	R				003 04159
011565	000000	A				003 04160
011566	000335	E	4288	EXT BIFCB	FCB/DCB ADDR, SET BY INITIALIZATION	003 04161
011567	000074	A	4289	BIBLK DATA 60	RECORD LENGTH, SET BY INITIALIZATION	003 04162
011570	000201	R	4291	BIBUF DATA BUFR+1	POINTER TO BUFFER	003 04163
011571	004000	A	4292	BIT11 DATA 04000	BIT 11 MASK	003 04164
011572	010000	A	4293	BIT12 DATA 010000	BIT 12 MASK	003 04165



011573	100000	A	4294	BIT15	DATA	0100000	BIT 15 MASK	S03	04145
011574	000201	R	4295	BUFPT	DATA	BUFR+1	BUFFER POINTER	S03	04146
011575	000000	A	4296	CKSM	DATA	0	CHECKSUM FLAG	S03	04147
011576	000000	A	4297	FREC	DATA	0	FIRST RECORD FLAG	S03	04148
011577	000000	A	4298	LCCS	DATA	0	LOAD CCS=0 OR DCS=NEG	S03	04149
011600	000000	A	4299	LDADR	DATA	0	LOAD ADDR	S03	04150
011601	000000	A	4300	LDPT	DATA	0	BASE ADDR	S03	04151
011602	000000	A	4301	LREC	DATA	0	LAST RECORD FLAG	S03	04152
011603	017777	A	4302	LSB13	DATA	017777	ADDR BITS	S03	04153
011604	000000	A	4303	RCN	DATA	0	CURRENT EXPECTED RECORD NUMBER	S03	04154
011605	000000	A	4304	WDCT	DATA	0	WORD COUNT	S03	04155
011606	120240	A	4305	CKSU	DATA	' MS12'	CHECKSUM ERROR	S03	04156
011607	146723	A							
011610	130662	A							
011611	120240	A	4306	EDFE	DATA	' MS08'	EDF ENCOUNTERED	S03	04157
011612	146723	A							
011613	130270	A							
011614	120240	A	4307	HOPE	DATA	' MS09'	END OF DEVICE	S03	04158
011615	146723	A							
011616	130271	A							
011617	120240	A	4308	LCDE	DATA	' MS11'	LOADER CODE	S03	04159
011620	146723	A							
011621	130661	A							
011622	120240	A	4309	LDCM	DATA	' LOAD COMPLETE '		S03	04160
011623	146317	A							
011624	140704	A							
011625	120303	A							
011626	147715	A							
011627	150314	A							
011630	142724	A							
011631	142640	A							
011632	120240	A	4310	RDER	DATA	' MS07'	READ ERROR	S03	04161
011633	146723	A							
011634	130267	A							
011635	120240	A	4311	SEGE	DATA	' MS10'	SEQUENCE ERROR	S03	04162
011636	146723	A							
011637	130660	A							
011640	120240	A	4312	LSIZ	DATA	' MS15'	MAIN MEMORY SIZE VIOLATED	F	*****
011641	146723	A							
011642	130665	A							
			4313	EJEC				S03	04163
			4314	*				S03	04164
			4315	*	CHANGE/DISPLAY ROM DATA WORD			S03	04165
			4316	*				S03	04166
011643			4317	E110	BSS	0		S03	04167
011643	002000	A	4318	JMPM	INA		GET DUMP ADDR	S03	04168
011644	013364	R							
011645	147240	A	4319		DATA	' M'		S03	04169
011646	054107	A	4320		STA	E119	SAVE ADDR	S03	04170
011647	006140	A	4321		SUBI	512	ROM BUFFER LIMIT	S03	04171
011650	001000	A							
011651	001002	A	4322		JAP	EXC90	INVALID ADDRESS	S03	04172
011652	001147	R							
			4323	*				S03	04173
011653	014102	A	4324	E112	LDA	E119	ROM ADDR	S03	04174
011654	004242	A	4325		LRLA	2	TIMES FOUR	S03	04175
011655	127000	I	4326		ADD*	E116	PLUS CCS BUFFER ADDRESS	S03	04176
011656	054042	A	4327		STA	E113	SAVE ADDR	S03	04177
			4328	*				S03	04178
011657	002000	A	4329		JMPM	PBUF	SETUP PRINTER BUFFER	S03	04179
011660	014575	R							
011661	034072	A	4330		LDX	E117	ASCII BUFFER ADDR	S03	04180
011662	024036	A	4331		LDB	E113	ROM ADDR	S03	04181
011663	026000	A	4332		LDB	0,2	FIRST 16-BIT DATA BLOCK	S03	04182
011664	002000	A	4333		JMPM	0H	CONVERT HEX TO ASCII	S03	04183
011665	014514	R							
			4334	*				S03	04184
011666	024032	A	4335		LDB	E113	ROM ADDR	S03	04185
011667	026001	A	4336		LDB	1,2	SECOND 16-BIT DATA BLOCK	S03	04186
011670	002000	A	4337		JMPM	0H	CONVERT DATA TO ASCII	S03	04187
011671	014514	R							
			4338	*				S03	04188
011672	024026	A	4339		LDB	E113	ROM ADDR	S03	04189
011673	026002	A	4340		LDB	2,2	THIRD 16-BIT DATA BLOCK	S03	04190
011674	002000	A	4341		JMPM	0H	CONVERT DATA TO ASCII	S03	04191
011675	014514	R							
			4342	*				S03	04192
011676	024022	A	4343		LDB	E113	ROM ADDR	S03	04193
011677	026003	A	4344		LDB	3,2	FOURTH 16-BIT DATA BLOCK	S03	04194
011700	002000	A	4345		JMPM	0H	CONVERT DATA TO ASCII	S03	04195
011701	014514	R							
			4346	*				S03	04196
011702	002000	A	4347		CALL	\$IOUT,11,BUFR	OUTPUT TO SO	S03	04197
011703	015406	R							
011704	000013	A							
011705	000200	R							
			4348	*				S03	04198
011706	002000	A	4349		JMPM	INH	INPUT CHANGE VALUE - IF ANY	S03	04199
011707	013464	R							
011710	001040	A	4350		JXZ	EXC10		S03	04200
011711	001111	R							
011712	074042	A	4351		STX	E118	LAST INPUT CHAR	S03	04201
011713	001020	A	4352		JBZ	E114	JUMP IF NO CHANGE VALUE INPUT	S03	04202



011714	011722	R							
011715	002000	A	4353	JMPM	MOVW	MOVE DATA TO ROM BUFFER		\$03	04203
011716	014510	R							
011717	000004	A	4354	DATA	4	WORD COUNT		\$03	04204
011720	000476	R	4355	DATA	V	FROM ADDR		\$03	04205
011721	000000	A	4356	E113	DATA	0	TO ADDR	\$03	04206
			4357	*				\$03	04207
011722	014032	A	4358	E114	LDA	E118	LAST INPUT CHAR	\$03	04208
011723	006140	A	4359		SUBI	0254	COMMA	\$03	04209
011724	000254	A							
011725	001010	A	4360	JAZ	*+4	YES - DISPLAY NEXT WORD		\$03	04210
011726	011731	R							
011727	001000	A	4361	JMP	EXC10	NO - RETURN TO EXEC		\$03	04211
011730	001111	R							
	011731	R	4362	E114A	EQU	*		F	*****
011731	044024	A	4363		INR	E119	STEP ROM RELATIVE ADDR	\$03	04212
011732	014023	A	4364		LDA	E119		\$03	04213
011733	006140	A	4365		SUBI	512	ROM BUFFER LIMIT	\$03	04214
011734	001000	A							
011735	001010	A	4366	JAZ	EXC10	RETURN - AT END OF BUFFER		\$03	04215
011736	001111	R							
011737	002000	A	4367	E115	JMPM	PBUF	INITIALIZE LD BUFFER	\$03	04216
011740	014575	R							
011741	034012	A	4368		LDX	E117	BUFFER ADDR	\$03	04217
011742	024013	A	4369		LDB	E119	ROM ADDR	\$03	04218
011743	002000	A	4370		JMPM	OH	CONVERT TO ASCII	\$03	04219
011744	014514	R							
011745	002000	A	4371	CALL	SIDOUT,4,BUFR	OUTPUT TO SD		\$03	04220
011746	015406	R							
011747	000004	A							
011750	000200	R							
011751	001000	A	4372	JMP	E112	OUTPUT CONTENTS OF WORD		\$03	04221
011752	011653	R							
			4373	*				\$03	04222
			4374	*				\$03	04223
011753	000371	R	4375	E116	DATA	DBUF	ROM ADDR	\$03	04224
011754	000201	R	4376	E117	DATA	BUFR+1	OUTPUT BUFFER ADDR	\$03	04225
011755	000000	A	4377	E118	DATA	0	LAST INPUT CHAR	\$03	04226
011756	000000	A	4378	E119	DATA	0	TEMP STORED ROM ADDR	\$03	04227
			4379		EJEC			\$03	04228
			4380	*				\$03	04229
			4381	*				\$03	04230
			4382	*				\$03	04231
			4383	E120	BSS	0	ROM ADDRESS HALT	\$03	04232
011757		R	4384		LDA	E122		\$03	04233
011757	014036	A	4384		LDA	E122		\$03	04233
011760	006127	A	4385		ADPE	CPAG	SELECTED PAGE	C 03	04234
011761	000503	R							
011762	005012	A	4386		TAB			C 03	04235
011763	016000	A	4387		LDA	0,2	PAGE HALT TABLE	C 03	04236
011764	054021	A	4388		STA	E123	STUFF INTO SUBTRACTION	C 03	04237
011765	054027	A	4389		STA	E121	RESET HALT BUFFER POINTER	\$03	04238
011766	002000	A	4390	E124	JMPM	INA	GET HALT ADDRESS	C 03	04239
011767	013364	R							
011770	147240	A	4391		DATA	'N'		\$03	04240
011771	024023	A	4392		LDB	E121		\$03	04241
011772	056000	A	4393		STA	0,2	SET HALT ADDR	\$03	04242
011773	005041	A	4394		TXA			\$03	04243
011774	006140	A	4395		SUBI	0254	COMMA	\$03	04244
011775	000254	A							
011776	001010	A	4396	JAZ	*+4	YES		\$03	04245
011777	012002	R							
012000	001000	A	4397	JMP	EXC10	RETURN		\$03	04246
012001	001111	R							
012002	005122	A	4398		IBR		ADVANCE POINTER	\$03	04247
012003	064011	A	4399		STB	E121		\$03	04248
012004	005021	A	4400		TBA			\$03	04249
012005	006140	A	4401		SUBI	RHLT0		C 03	04250
012006	000445	R							
012006			4402	E123	BES	0	OVERLAYED BY ABOVE STORE	C 03	04251
012007	006140	A	4403		SUBI	5	FIVE ALREADY INPUT ?	\$03	04252
012010	000005	A							
012011	001004	A	4404	JAN	E124	NO-LOOK FOR MORE		C 03	04253
012012	011766	R							
012013	001000	A	4405	JMP	EXC10	YES-RETURN		\$03	04254
012014	001111	R							
012015	000441	R	4406	E121	DATA	RHLT		\$03	04255
012016	000441	R	4407	E122	DATA	RHLT		\$03	04256
			4408		EJEC			\$03	04257
			4409	*				\$03	04258
			4410	*				\$03	04259
			4411	*				\$03	04260
			4412	E130	BSS	0		\$03	04261
012017		R	4413		JMPM	FETCHA	GET MODE FLAG	\$03	04262
012020	015644	R							
012021	001010	A	4414	JAZ	EXC90			\$03	04263
012022	001147	R							
012023	005002	A	4415	TZB		RUN MODE FLAG		\$03	04264
012024	006140	A	4416	SUBI	0322	R ?		\$03	04265
012025	000322	A							
012026	001010	A	4417	JAZ	E131	JUMP IF RUN MODE		\$03	04266
012027	012036	R							
012030	005122	A	4418	IBR		STEP MODE FLAG		\$03	04267
012031	005311	A	4419	DAR		0323 ASCII S		\$03	04268



Address	Hex	Mode	Label	Op	Op2	Description	Page	Line
012032	001010	A	4420	JAZ	E131	JUMP IF STEP MODE	S03	04269
012033	012036	R						
012034	001000	A	4421	JMP	EXC90	INCORRECT INPUT	S03	04270
012035	001147	R						
			4422 *					
012036	034020	A	4423	LDX	E132		S03	04271
012037	065000	A	4424	STB	0,1	SET STEP/RUN MODE FLAG	S03	04272
012040	002000	A	4425	JMPM	INA	LOOK FOR RUN COUNT	S03	04274
012041	013364	R						
012042	147240	A	4426	DATA	'N'		S03	04275
012043	001020	A	4427	JBZ	E133	NO COUNT GIVEN	S03	04276
012044	012052	R						
012045	005311	A	4428	DAR			S03	04277
012046	054011	A	4429	STA	RCNT	SET RUN COUNT	S03	04278
012047	054055	A	4430	STA	EXLIM	SET EXECUTION LIMIT	E.2*****	
012050	001000	A	4431	JMP	EXC10	RETURN	S03	04279
012051	001111	R						
012052	005301	A	4432	DECR	01		S03	04280
012053	054004	A	4433	STA	RCNT	SET UNLIMITED RUN COUNT	S03	04281
012054	054050	A	4434	STA	EXLIM		E.2*****	
012055	001000	A	4435	JMP	EXC10	RETURN TO EXEC	S03	04282
012056	001111	R						
012057	000471	R	4436	DATA	STEP	STEP/RUN MODE FLAG	S03	04283
012060	177777	A	4437	RCNT	-1	RUN COUNT LIMIT	S03	04284
			4438	EJEC			S03	04285
			4439 *				S03	04286
			4440 *	TRACE			S03	04287
			4441 *				S03	04288
012061			4442	E140	BSS	0	S03	04289
012061	002000	A	4443	JMPM	FETCHA	GET SET/RESET INPUT	S03	04290
012062	015644	R						
012063	001010	R	4444	JAZ	EXC90		S03	04291
012064	001147	R						
012065	005002	A	4445	TZB		TRACE OFF FLAG	S03	04292
012066	006140	A	4446	SUBI	0322	ASCII R	S03	04293
012067	000322	A						
012070	001010	A	4447	JAZ	E142	JUMP IF TRACE OFF REQUEST	S03	04294
012071	012100	R						
012072	005122	A	4448	IBR		TRACE ON FLAG	S03	04295
012073	005311	A	4449	DAR		ASCII S (0323)	S03	04296
012074	001010	A	4450	JAZ	E143	JUMP IF TRACE ON REQUEST	S03	04297
012075	012105	R						
012076	001000	A	4451	JMP	EXC90	INCORRECT INPUT	S03	04298
012077	001147	R						
			4452 *				S03	04299
012100	037000	I	4453	LDX	CPAG		D 03	04300
012101	006055	A	4454	STAE	TRACE,1	SET TRACE FLAG OFF FOR PAGE	D 03	04301
012102	000472	R						
012103	001000	A	4455	JMP	EXC10	RETURN TO EXEC	S03	04302
012104	001111	R						
012105	002000	A	4456	E143	CALL	E155	S03	04303
012106	012136	R						
012107	037000	I	4457	LDX	CPAG,1	CURRENT PAGE	D 03	04304
012110	014102	A	4458	LDA	START		S03	04305
012111	006055	A	4459	STAE	STRTRC,1	SET START TRACE	D 03	04306
012112	012126	R						
012113	014100	A	4460	LDA	END		D 03	04307
012114	006055	A	4461	STAE	ENDTRC,1	SET END TRACE	D 02	04308
012115	012132	R						
012116	037000	I	4462	LDX	CPAG		D 03	04309
012117	006010	A	4463	LDAI	1		S03	04310
012120	000001	A						
012121	006055	A	4464	STAE	TRACE,1	SET TRACE FLAG ON FOR PAGE	D 03	04311
012122	000472	R						
012123	001000	A	4465	JMP	EXC10	RETURN	S03	04312
012124	001111	R						
012125	000000	A	4466	EXLIM	DATA	0	E.2*****	
			4467 *				S03	04313
012126	000000	A	4468	STRTRC	DATA	0,0,0,0	D 03	04314
012127	000000	A						
012130	000000	A						
012131	000000	A						
012132	000000	A	4469	ENDTRC	DATA	0,0,0,0	D 03	04315
012133	000000	A						
012134	000000	A						
012135	000000	A						
			4470 *				S03	04316
			4471	EJEC			S03	04317
			4472 *				S03	04318
			4473 *				S03	04319
			4474 *				S03	04320
			4475 *				S03	04321
			4476 *				S03	04322
			4477 *				S03	04323
			4478 *				S03	04324
			4479 *				S03	04325
			4480 *				S03	04326
012136	000000	A	4481	E155	ENTR		S03	04327
012137	002000	A	4482	JMPM	INA	GET START ADDRESS	S03	04328
012140	013364	R						
012141	147240	A	4483	DATA	'N'		S03	04329
012142	054050	A	4484	STA	START	SAVE ADDRESS	S03	04330
012143	005041	A	4485	TXA		LAST CHAR	S03	04331

THIS ROUTINE WILL FETCH BEGIN AND END ADDRESSES  
 DEFAULT IS EITHER IS MISSING AS FOLLOWS:  
 START TO 0  
 END TO 512 (1FF)  
 CALLING SEQUENCE  
 CALL E155  
 RETURN START ADDR IN START, END ADDR IN END



012144	006140	A	4486	SUBI	0254	COMMA		S03	04332
012145	000234	A							
012146	001010	A	4487	JAZ	*+4	COMMA ?		S03	04333
012147	012152	R							
012150	001020	A	4488	JBZ	E144	NO BOUNDS GIVEN		S03	04334
012151	012204	R							
012152	001020	A	4489	JBZ	*+4	YES-START ADDR GIVEN ?		S03	04335
012153	012156	R							
012154	001000	A	4490	JMP	*+3			S03	04336
012155	012157	R							
012156	064034	A	4491	STB	START	DEFAULT START ADDRESS		S03	04337
012157	017000	I	4492	LDA	CHAR			S03	04338
012160	003311	A	4493	DAR				S03	04339
012161	057000	I	4494	STA	CHAR	RESET CHAR COUNT BACK ONE		S03	04340
012162	002000	A	4495	JMPM	FETCHA	LOOK FOR END TRACE		S03	04341
012163	015644	R							
012164	001010	A	4496	JAZ	E145			S03	04342
012165	012206	R							
012166	006140	A	4497	SUBI	0254	COMMA ?		S03	04343
012167	000234	A							
012170	001010	A	4498	JAZ	*+4	YES		S03	04344
012171	012174	R							
012172	001000	A	4499	JMP	E145	NO END TRACE		S03	04345
012173	012206	R							
012174	002000	A	4500	JMPM	INA	GET END TRACE ADDR		S03	04346
012175	013364	R							
012176	147240	A	4501	DATA	'N'			S03	04347
012177	001020	A	4502	JBZ	E145			S03	04348
012200	012206	R							
012201	054012	A	4503	STA	END	SET END ADDRESS		S03	04349
012202	001000	A	4504	JMP*	E155	RETURN		S03	04350
012203	112136	R							
012204	005001	A	4505	E144	TZA			S03	04351
012205	054005	A	4506	STA	START	DEFAULT START TO 0		S03	04352
012206	006010	A	4507	E145	LDAI	0777		S03	04353
012207	000777	A							
012210	054003	A	4508	STA	END	DEFAULT END TO 0777 (1FF)		S03	04354
012211	001000	A	4509	JMP*	E155			S03	04355
012212	112136	R							
012213	000000	A	4510	START	DATA	0		S03	04356
012214	000000	A	4511	END	DATA	0		S03	04357
			4512	EJEC				S03	04358
			4513	*				S03	04359
			4514	*	DUMP	CONTENTS OF ROM BUFFER		S03	04360
			4515	*				S03	04361
			4516	E150	BSS	0		S03	04362
			4517	CALL	E155	BET ADDRESS BOUNDS		S03	04363
012215									
012216	002000	A							
012217	017000	I	4518	LDA	START			S03	04364
012220	054147	A	4519	STA	E158	SET START DUMP		S03	04365
012221	006140	A	4520	SUBI	512	BUFFER SIZE		S03	04366
012222	001000	A							
012223	001002	A	4521	JAP	EXC90	INVALID ADDRESS		S03	04367
012224	001147	R							
012225	017000	I	4522	LDA	END			S03	04368
012226	054142	A	4523	STA	E159	SET END DUMP		S03	04369
012227	006140	A	4524	SUBI	512	BUFFER SIZE		S03	04370
012230	001000	A							
012231	001002	A	4525	JAP	EXC90	INVALID ADDRESS		S03	04371
012232	001147	R							
012233	014135	A	4526	LDA	E159	END ADDRESS		S03	04372
012234	144133	A	4527	SUB	E158	START ADDRESS		S03	04373
012235	001002	A	4528	JAP	E152			S03	04374
012236	012241	R							
012237	001000	A	4529	JMP	EXC90	INVALID RANGE		S03	04375
012240	001147	R							
			4530	*				S03	04376
012241	002000	A	4531	E152	CALL	TPFRM	TOP OF FORM	S03	04377
012242	014760	R							
012243	002000	A	4532	CALL	LOOUT,26,E158	OUTPUT HEADER		F	*****
012244	015470	R							
012245	000032	A							
012246	012373	R							
012247	006010	A	4533	E15C	LDAI	14	LINE COUNT	S03	04379
012250	000016	A							
012251	054120	A	4534	STA	E15A	SAVE FOR DUMP		S03	04380
012252	002000	A	4535	JMPM	SPAC	SPACE LD		S03	04381
012253	014747	R							
			4536	*				S03	04382
			4537	*	DUMP	DATA TO LD		S03	04383
			4538	*				S03	04384
			4539	E153	JMPM	PBUF	SETUP PRINTER BUFFER	S03	04385
012254	002000	A							
012255	014573	R							
012256	034103	A	4540	LDX	E154	OUTPUT BUFFER ADDR		S03	04386
			4541	*				S03	04387
012257	024110	A	4542	LDB	E156	START DUMP ADDR		S03	04388
012260	002000	A	4543	JMPM	OH	CONVERT TO ASCII IN BUFR		S03	04389
012261	014514	R							
012262	005144	A	4544	IXR		SPACES AFTER ADDRESS IN BUFFER		S03	04390
			4545	*				S03	04391
012263	014104	A	4546	LDA	E158	START DUMP ADDR		S03	04392
012264	004242	A	4547	LRLA	2	TIMES FOUR		S03	04393
012265	127000	I	4548	ADD*	E156	PLUS CCS BUFFER ADDRESS		S03	04394



012266	054100	A	4549	STA	E157	SAVE ROM BUFFER ADDR	S03	04395
012267	005012	A	4550	TAB			S03	04396
012270	026000	A	4551	LDB	0,2	FIRST 16 BITS OF ROM WORD	S03	04397
012271	002000	A	4552	JMPM	0H	CONVERT TO ASCII	S03	04398
012272	014514	R						
			4553 *					
012273	024073	A	4554	LDB	E157	ROM ADDR	S03	04399
012274	026001	A	4555	LDB	1,2	SECOND 16 BITS OF ROM WORD	S03	04400
012275	002000	A	4556	JMPM	0H	CONVERT TO ASCII	S03	04401
012276	014514	R					S03	04402
012277	005144	A	4557	IXR		SPACE AFTER FIRST 8 DIGITS	S03	04403
			4558 *				S03	04404
012300	024066	A	4559	LDB	E157	ROM ADDR	S03	04405
012301	026002	A	4560	LDB	2,2	THIRD 16 BITS OF ROM WORD	S03	04406
012302	002000	A	4561	JMPM	0H	CONVERT TO ASCII	S03	04407
012303	014514	R						
			4562 *				S03	04408
012304	024062	A	4563	LDB	E157	ROM ADDR	S03	04409
012305	026003	A	4564	LDB	3,2	FOURTH 16 BITS OF ROM WORD	S03	04410
012306	002000	A	4565	JMPM	0H	CONVERT TO ASCII	S03	04411
012307	014514	R						
012310	005144	A	4566	IXR		SPACE AFTER HEX WORD IN BUFFER	S03	04412
			4567 *				S03	04413
012311	024055	A	4568	LDB	E157	ROM ADDR	S03	04414
012312	026000	A	4569	LDB	0,2	FIRST 16 BITS OF ROM WORD	S03	04415
012313	002000	A	4570	JMPM	E160	CONVERT TO ASCII	S03	04416
012314	012425	R						
012315	005144	A	4571	IXR		SPACE	S03	04417
			4572 *				S03	04418
012316	024050	A	4573	LDB	E157	ROM ADDR	S03	04419
012317	026001	A	4574	LDB	1,2	SECOND 16 BITS OF ROM WORD	S03	04420
012320	002000	A	4575	JMPM	E160	CONCERT TO ASCII	S03	04421
012321	012425	R						
			4576 *				S03	04422
012322	002000	A	4577	CALL	LOAD,31,BUFR	OUTPUT LINE	F	*****
012323	015470	R						
012324	000037	A						
012325	000200	R						
012326	002000	A	4578	E15D	JMPM	PBUF	SETUP LD BUFFER	S03 04432
012327	014575	R						
012330	034034	A	4579	LDX	E154+1	BUFFER ADDR	S03	04433
012331	024035	A	4580	LDB	E157	ROM ADDR	S03	04434
012332	026002	A	4581	LDB	2,2	THIRD 16 BITS OF ROM WORD	S03	04435
012333	002000	A	4582	JMPM	E160	CONVERT TO ASCII	S03	04436
012334	012425	R						
012335	005144	A	4583	IXR		SPACE	S03	04437
			4584 *				S03	04438
012336	024030	A	4585	LDB	E157	ROM ADDR	S03	04439
012337	026003	A	4586	LDB	3,2	FOURTH 16 BITS OF ROM WORD	S03	04440
012340	002000	A	4587	JMPM	E160	CONVERT TO ASCII	S03	04441
012341	012425	R						
012342	002000	A	4588	CALL	LOAD,31,BUFR	OUTPUT LINE	S03	04442
012343	015470	R						
012344	000037	A						
012345	000200	R						
012346	002000	A	4589	E15E	JMPM	SPAC		S03 04443
012347	014747	R						
012350	044017	A	4590	INR	E158	STEP START DUMP ADDR	S03	04444
012351	014017	A	4591	LDA	E159	END DUMP ADDR	S03	04445
012352	144015	A	4592	SUB	E158		S03	04446
012353	001004	A	4593	JAN	EXC10	JUMP IF DONE	S03	04447
012354	001111	R						
			4594 *				S03	04448
			4595 *				S03	04449
012355	014014	A	4596	LDA	E15A	LINE COUNT	S03	04450
012356	005311	A	4597	DAR			S03	04451
012357	054012	A	4598	STA	E15A	DECREMENTED COUNT	S03	04452
012360	001010	A	4599	JAZ	E152+2	JUMP IF PAGE COMPLETE	S03	04453
012361	012243	R						
012362	001000	A	4600	JMP	E153	OUTPUT NEXT LINE OF PAGE	S03	04454
012363	012254	R						
			4601 *				S03	04455
012364	000201	R	4602	E154	DATA	BUFR+1	OUTPUT BUFFER ADDR	S03 04456
012365	000216	R	4603	DATA	BUFR+14	BUFFER ADDR FOR SECOND LINE	S03	04457
012366	000371	R	4604	E156	DATA	DBUF	ROM ADDR	S03 04458
012367	000000	A	4605	E157	DATA	0	ROM WORD LOCATION	S03 04459
012370	000000	A	4606	E158	DATA	0	START DUMP ADDR	S03 04460
012371	000000	A	4607	E159	DATA	0	END DUMP ADDR	S03 04461
012372	000000	A	4608	E15A	DATA	0	LINE COUNT FOR DUMP	S03 04462
012373	120240	A	4609	E15B	DATA	ADD	HEXADECIMAL	S03 04463
012374	140704	A					BINARY	S03 04463
012375	142240	A						
012376	120240	A						
012377	120240	A						
012400	144305	A						
012401	154301	A						
012402	142305	A						
012403	141711	A						
012404	146701	A						
012405	146240	A						
012406	120240	A						
012407	120240	A						
012410	120240	A						



```

012411 120240 A
012412 120240 A
012413 120240 A
012414 120240 A
012415 120240 A
012416 120302 A
012417 144716 A
012420 140722 A
012421 154640 A
012422 120240 A
012423 120240 A
012424 120240 A

4610 EJEC
4611 *
4612 * CONVERT 16 BITS IN B TO ASCII CODED BINARY IN BURF
4613 *
4614 * X CONTAINS ADDR OF STORAGE LOCATION IN BUFR
4615 *
012425 000000 A 4616 E160 ENTR
012426 005001 A 4617 TZA
012427 004441 A 4618 LLRL 1 SHIFT FIRST BIT INTO A
012430 005122 A 4619 IBR SET TRAILING BIT IN B
012431 001000 A 4620 JMP *+6 START CONVERSION
012432 012437 R

4621 *
012433 005001 A 4622 E162 TZA
012434 004441 A 4623 LLRL 1 SHIFT NEXT BIT INTO A
012435 001020 A 4624 JBZ* E160 RETURN IF COMPLETE
012436 112423 R
012437 006120 A 4625 ADDI 0260 CONVERT BIT TO ASCII CHAR
012440 000260 A
012441 004247 A 4626 LRLA 7 LEFT JUSTIFY CHAR - ALMOST
012442 004441 A 4627 LLRL 1 SHIFT NEXT BIT INTO A
012443 006120 A 4628 ADDI 0260 CONVERT TO ASCII
012444 000260 A
012445 055000 A 4629 STA 0,1 STORE CHARS IN BUFFER
012446 005144 A 4630 IXR STEP BUFFER INDEX
012447 001000 A 4631 JMP E162 CONVERT NEXT TWO BITS
012450 012433 R

4632 EJEC
4633 *
4634 * RETURN TO OPERATING SYSTEM
4635 *
012451 002000 A 4636 E170 JMPM FETCHA CHECK IF REALLY WANT TO RETURN
012452 015644 R
012453 001010 A 4637 JAZ E171 YES
012454 012463 R
012455 006140 A 4638 SUBI 0240 BLANK ?
012456 000240 A
012457 001010 A 4639 JAZ E171 YES, GUESS SO
012460 012463 R
012461 001000 A 4640 JMP EXC90 NO, MUST BE AN ERROR
012462 001147 R
012463 006017 A 4641 E171 LDAE LOFLG LD ON RMD FLAG
012464 015603 R
012465 001002 A 4642 JAP E172 JUMP IF NO
012466 012476 R
4643 CLOSE LOFCB,5,0,1 CLOSE AND UPDATE

012467 002000 A
012470 010766 E
012471 100000 A
012472 013405 A
012473 000334 E
012474 000000 A
012475 000000 A
012476 002000 A 4644 E172 CALL EXIT RETURN TO OPERATING SYSTEM
012477 000000 E
012500 001000 A 4645 JMP EXC JUST IN CASE
012501 000716 R

4646 EJEC
4647 * THIS ROUTINE HANDLES THE SELECT INPUT MEDIA COMMAND (M)
4648 *
4649 * 'MR' SELECTS SI TO BE THE INPUT MEDIA
4650 * 'MS' SELECTS PI TO BE THE INPUT MEDIA
4651 *
4652 * CALLING SEQUENCE
4653 *
4654 * JMP CHME
4655 * RETURN DESIRED INPUT MEDIA SELECTED
4656 *
012502 002000 A 4657 CHME JMPM FETCHA GET SELECTOR INDICATOR
012503 015644 R
012504 001010 A 4658 JAZ EXC90
012505 001147 R
012506 006140 A 4659 SUBI 0322 R ?
012507 000322 A
012510 001010 A 4660 JAZ CHMR
012511 012523 R
012512 005311 A 4661 DAR S ?
012513 001010 A 4662 JAZ CHMS
012514 012517 R
012515 001000 A 4663 JMP EXC90 INVALID INPUT
012516 001147 R

```



```

012517 005301 A 4664 CHMS  DECR  01
012520 054006 A 4665 STA  MEDIA
012521 001000 A 4666 JMP  EXC10      SET TO PI INPUT
012522 001111 R
012523 005001 A 4667 CHMR  TZA
012524 054002 A 4668 STA  MEDIA      SET TO SI INPUT
012525 001000 A 4669 JMP  EXC10
012526 001111 R
012527 000000 A 4670 MEDIA DATA  0
012527 000000 A 4671 MEDIA EJEC
012527 000000 A 4672 *
012527 000000 A 4673 * DISPLAY/CHANGE DECODE ROMS(A OR B) WORDS
012527 000000 A 4674 *
012527 000000 A 4675 * ENTERED FROM EXEC VIA "E" DIRECTIVE
012527 000000 A 4676 *
012530 002000 A 4677 EDRM  CALL  PBUF      FILL PRINT BUF WITH ASSCII SPACES
012531 014575 R
012532 002000 A 4678 JMPM  FETCHA     GET WHICH CONTROL STORE
012533 015644 R
012534 001010 A 4679 JAZ   EXC90
012535 001147 R
012536 006140 A 4680 SUBI  0303      C ?
012537 000303 A
012540 001010 A 4681 JAZ   E110      CENTRAL-GO TO CENTRAL ROUTINE
012541 011643 R
012542 005311 A 4682 DAR   D ?
012543 001010 A 4683 JAZ   EDR2      DECODER
012544 012547 R
012545 001000 A 4684 JMP   EXC90      INPUT ERROR
012546 001147 R
012547 002000 A 4685 EDR2  JMPM  FETCHA     INPUT A OR B DCS
012548 015644 R
012551 001010 A 4686 JAZ   EXC90
012552 001147 R
012553 054152 A 4687 STA  ABDCS
012554 006140 A 4688 SUBI  0301      A ?
012555 000301 A
012556 001010 A 4689 JAZ   ED10      YES
012557 012565 R
012560 005311 A 4690 DAR   B ?
012561 001010 A 4691 JAZ   ED20      YES
012562 012601 R
012563 001000 A 4692 JMP   EXC90      INPUT ERROR
012564 001147 R
012565 002000 A 4693 * DECODE ROM A(DRM1) IS USED WITH INST REG BITS 15-12
012566 012615 R 4694 ED10  CALL  ED30      INPUT ROM ADDR(0-F)
012567 054137 A 4695 STA  ED41      TEMP STORE
012570 127000 I 4696 ED11  ADD  DRM2      ADDR OF DCSA
012571 005014 A 4697 TAX
012572 025000 A 4698 LDB  0,1
012573 002000 A 4699 CALL  ED40      TYPE CONTENTS
012574 012630 R
012575 002000 A 4700 CALL  ED50      CHANGE IT AND/OR EXIT
012576 012644 R
012577 001000 A 4701 JMP   ED11      RETURN HERE IF SEQ VIA COMMA TERMINATOR
012600 012570 R
012601 002000 A 4702 *
012602 012615 R 4703 * DECODE ROM B(DRM2) IS USED WITH INST REG BITS 11-8
012603 054123 A 4704 ED20  CALL  ED30      INPUT ROM B ADDR(0-F)
012604 127000 I 4705 STA  ED41      TEMP STORE
012605 005014 A 4706 ED21  ADD  DRM1      ADDR OF DCSB
012606 025000 A 4707 TAX
012607 002000 A 4708 LDB  0,1
012610 012630 R 4709 CALL  ED40      TYPE CONTENTS
012611 002000 A 4710 CALL  ED50
012612 012644 R
012613 001000 A 4711 JMP   ED21      RTN HERE IF SEQ VIA COMMA TERMINATOR
012614 012604 R
012615 000000 A 4712 *
012616 002000 A 4713 * INPUT HEX 0-F FOR DECODE ROM ADDR
012617 015644 R 4714 ED30  ENTR
012620 001010 A 4715 JMPM  FETCHA     INPUT CONTROL STORE ADDRESS
012621 001147 R
012622 002000 A 4716 JAZ   EXC90
012623 012732 R
012624 001002 A 4717 CALL  CONV      CONVERT TO HEX
012625 112615 R 4718 JAP*  ED30      JMP IF LEGAL
012626 001000 A 4719 JMP   EXC90      INPUT ERROR
012627 001147 R
012630 000000 A 4720 *
012631 074076 A 4721 * OUTPUT CONTENTS OF B REG TO TTY PRINTER AS 4 HEX CHAR'S
012632 006030 A 4722 ED40  ENTR
012633 000201 R 4723 STX  ED42      SAVE REG ADDR
012634 002000 A 4724 LDXI BUFR+1     OUTPUT BUFFER ADDR
012635 014514 R
012636 002000 A 4725 CALL  OH        CONVERT TO ASCII
012636 002000 A 4726 CALL  SIOU,5,BUFR OUTPUT

```



```

012637 015406 R
012640 000005 A
012641 000200 R
012642 001000 A 4727 RETU* ED40 $03 04582
012643 112630 R 4728 * $03 04583
4729 * $03 04584
012644 000000 A 4730 ED50 ENTR $03 04585
012645 002000 A 4731 JMPM INA INPUT 1 - 4 HEX DIGITS $03 04586
012646 013364 R
012647 151240 A 4732 DATA 'R' $03 04587
012650 001040 A 4733 JXZ EXC10 $03 04588
012651 001111 R
012652 074056 A 4734 STX ED43 SAVE LAST CHAR INPUT $03 04589
012653 001020 A 4735 JBZ ED51 $03 04590
012654 012657 R
012655 034052 A 4736 LDX ED42 ADDR OF REG $03 04591
012656 055000 A 4737 STA 0,1 STORE NEW VALUE $03 04592
012657 014051 A 4738 ED51 LDA ED43 $03 04593
012660 006140 A 4739 SUBI 0254 COMMA ? $03 04594
012661 000254 A
012662 001010 A 4740 JAZ *+4 YES- $03 04595
012663 012666 R
012664 001000 A 4741 JMP EXC10 NO-RETURN TO EXEC $03 04596
012665 001111 R 4742 * SEQUENCE TO NEXT ROM LOCATION $03 04597
012666 044040 A 4743 INR ED41 ROM LOC 0-16 $03 04598
012667 014037 A 4744 LDA ED41 $03 04599
012670 006140 A 4745 SUBI 16 $03 04600
012671 000020 A
012672 001004 A 4746 JAN *+4 JMP IF IN RANGE 0-16 $03 04601
012673 012676 R
012674 001000 A 4747 JMP EXC10 RTN TO EXEC $03 04602
012675 001111 R
012676 006010 A 4748 LDAI 0120240 BLANK-BLANK $03 04603
012677 120240 A
012700 054023 A 4749 STA EDA $03 04604
012701 014024 A 4750 LDA ABDCS A OR B DCS $03 04605
012702 004250 A 4751 LRLA 3 MOVE TO LEFT BYTE $03 04606
012703 054007 A 4752 STA EDAB OVERLAY DRAI UPPERAND $03 04607
012704 024022 A 4753 LDB ED41 NEXT DCS ADDRESS $03 04608
012705 004054 A 4754 LRLB 12 $03 04609
012706 002000 A 4755 CALL DM2 CONVERT TO ASCII $03 04610
012707 014541 R
012710 006150 A 4756 ANAI 0377 $03 04611
012711 000377 A
012712 006110 A 4757 DRAI 0140000 $03 04612
012713 140000 A
012713 4758 EDAB BE$ 0 $03 04613
012714 054010 A 4759 STA EDA+1 $03 04614
012715 002000 A 4760 CALL SIGUT,2,EDA OUTPUT NEXT LOCATION $03 04615
012716 015406 R
012717 000002 A
012720 012724 R
012721 014005 A 4761 LDA ED41 NEXT DCS ADDR $03 04616
012722 001000 A 4762 RETU* ED50 $03 04617
012723 112640 R
012724 4763 EDA BSS 2 MESSAGE BUFFER $03 04618
012726 000000 A 4764 ABDCS DATA 0 A OR B DCS FLAG $03 04619
4765 * $03 04620
012727 000000 A 4766 ED41 DATA 0 SAVE HEX INPUT(0-F) $03 04621
012730 000000 A 4767 ED42 DATA 0 TEMP STORE $03 04622
012731 000000 A 4768 ED43 DATA 0 TEMP STORE $03 04623
4769 * $03 04624
4770 * CONVERT ASCII CHAR TO HEX DIGIT $03 04625
4771 * $03 04626
4772 * CALLING SEQUENCE $03 04627
4773 * LDA ASCII CHAR TO BE CONVERTED $03 04628
4774 * JMPM CONV $03 04629
4775 * $03 04630
4776 * RETURN A CONTAINS HEX DIGIT IF LEGAL $03 04631
4777 * A SET NEGATIVE IF NOT $03 04632
4778 * $03 04633
012732 000000 A 4779 CONV ENTR $03 04634
012733 054031 A 4780 STA CONV3 SAVE CHAR $03 04635
012734 006140 A 4781 SUBI 0260 ASCII 0 $03 04636
012735 000260 A
012736 054026 A 4782 STA CONV3 SAVE VALUE $03 04637
012737 001004 A 4783 JAN* CONV RETURN IF ILLEGAL $03 04638
012740 112732 R
012741 006140 A 4784 SUBI 012 0272 $03 04639
012742 000012 A
012743 001004 A 4785 JAN CONV1 JUMP IF 0-9 $03 04640
012744 012760 R
012745 006140 A 4786 SUBI 07 ASCII A 0301 $03 04641
012746 000007 A
012747 001004 A 4787 JAN* CONV RETURN IF ILLEGAL $03 04642
012750 112732 R
012751 006140 A 4788 SUBI 06 ASCII G 0307 $03 04643
012752 000006 A
012753 001002 A 4789 JAP CONV2 JUMP IF ILLEGAL $03 04644
012754 012762 R
012755 006120 A 4790 ADDI 020 A-F $03 04645

```



012756	000020	A								
012757	001006	A	4791	DATA	01006	SKIP NEXT INSTRUCTION			\$03	04646
012760	014004	A	4792	CONV1	LDA	CONV3	0-9		\$03	04647
012761	001006	A	4793	DATA	01006	SKIP NEXT INSTRUCTION			\$03	04648
012762	005301	A	4794	CONV2	DECR	01	SET A NEGATIVE		\$03	04649
012763	001000	A	4795	JMP*	CONV	RETURN			\$03	04650
012764	112732	R								
			4796	*					\$03	04651
012765	000000	A	4797	CONV3	DATA	0	TEMP STORAGE		\$03	04652
			4798	EJEC					\$03	04653
			4799	*					\$03	04654
			4800	*					\$03	04655
			4801	*					\$03	04656
			4802	*					\$03	04657
			4803	*					\$03	04658
			4804	*	CALLING SEQUENCE				\$03	04659
			4805	*	JMPM	FELD			\$03	04660
			4806	*	RETURN				\$03	04661
			4807	*	THE FIELDS WILL BE STORED IN XTS, XAF, XMS, ETC.				\$03	04662
			4808	*					\$03	04663
012766	000000	A	4809	FELD	ENTR				\$03	04664
012767	006030	A	4810	LDXI	DROM				\$03	04665
012770	000546	R								
012771	015057	A	4811	LDA	NROM,1	NEXT ROM AR			\$03	04666
012772	004242	A	4812	LRLA	2	TIMES FOUR			\$03	04667
012773	127000	I	4813	ADD	DBUF	BASE OF CCS PAGE			\$03	04668
012774	005014	A	4814	TAX					\$03	04669
012775	015000	A	4815	LDA	0,1	FIRST 16-BITS OF ROM WORD			\$03	04670
012776	054175	A	4816	STA	FD09				\$03	04671
012777	015001	A	4817	LDA	1,1	SECOND 16-BITS OF ROM WORD			\$03	04672
013000	054174	A	4818	STA	FD09+1				\$03	04673
013001	015002	A	4819	LDA	2,1	THIRD 16-BITS OF ROM WORD			\$03	04674
013002	054173	A	4820	STA	FD09+2				\$03	04675
013003	015003	A	4821	LDA	3,1	FOURTH 16-BITS OF ROM WORD			\$03	04676
013004	054172	A	4822	STA	FD09+3				\$03	04677
			4823	*					\$03	04678
013005	074173	A	4824	STX	FD11	SAVE X			\$03	04679
013006	006030	A	4825	LDXI	DROM				\$03	04680
013007	000546	R								
013010	024166	A	4826	LDB	FD09+3				\$03	04681
013011	004450	A	4827	LLRL	010				\$03	04682
013012	002000	A	4828	CALL	CDAB	DETERMINE A&B FIELDS			\$03	04683
013013	013202	R								
013014	034163	A	4829	LDX	FD10	ADDR OF FIRST ROM FIELD STORAGE			\$03	04684
			4830	*					\$03	04685
013015	024156	A	4831	LDB	FD09	FIRST 16-BITS			\$03	04686
			4832	*					\$03	04687
013016	005001	A	4833	TZA					\$03	04688
013017	004444	A	4834	LLRL	4				\$03	04689
013020	055000	A	4835	STA	XTS,1	TS FIELD			\$03	04690
			4836	*					\$03	04691
013021	005001	A	4837	TZA					\$03	04692
013022	004445	A	4838	LLRL	5				\$03	04693
013023	055001	A	4839	STA	XAF,1	AF FIELD			\$03	04694
			4840	*					\$03	04695
013024	005001	A	4841	TZA					\$03	04696
013025	004444	A	4842	LLRL	4				\$03	04697
013026	055002	A	4843	STA	XMS,1	MS FIELD			\$03	04698
			4844	*					\$03	04699
013027	005001	A	4845	TZA					\$03	04700
013030	004441	A	4846	LLRL	1				\$03	04701
013031	055003	A	4847	STA	XMT,1	MT FIELD			\$03	04702
013032	005001	A	4848	TZA					\$03	04703
013033	004442	A	4849	LLRL	2				\$03	04704
			4850	*					\$03	04705
013034	024140	A	4851	LDB	FD09+1	SECOND 16-BITS			\$03	04706
			4852	*					\$03	04707
013035	004442	A	4853	LLRL	2				\$03	04708
013036	055004	A	4854	STA	XFS,1	FS FIELD			\$03	04709
			4855	*					\$03	04710
013037	005001	A	4856	TZA					\$03	04711
013040	004442	A	4857	LLRL	2				\$03	04712
013041	055005	A	4858	STA	XT,1	T - TEST CONTROL			\$03	04713
			4859	*					\$03	04714
013042	005001	A	4860	TZA					\$03	04715
013043	004442	A	4861	LLRL	2				\$03	04716
013044	055006	A	4862	STA	XS,1	S - SPECIAL CONTROL			\$03	04717
			4863	*					\$03	04718
013045	005001	A	4864	TZA					\$03	04719
013046	004444	A	4865	LLRL	4				\$03	04720
013047	055007	A	4866	STA	XG,1	G - GENERAL CONTROL			\$03	04721
			4867	*					\$03	04722
013050	005001	A	4868	TZA					\$03	04723
013051	004441	A	4869	LLRL	1				\$03	04724
013052	055010	A	4870	STA	XM,1	M - FILE ADDR EXTRACTOR MASK			\$03	04725
			4871	*					\$03	04726
013053	005001	A	4872	TZA					\$03	04727
013054	004442	A	4873	LLRL	2				\$03	04728
013055	055011	A	4874	STA	XAB,1	AB - FILE ADDR LOAD CONTROL			\$03	04729
			4875	*					\$03	04730
013056	005001	A	4876	TZA					\$03	04731
013057	004443	A	4877	LLRL	3				\$03	04732
			4878	*					\$03	04733



013060	024115	A	4879	LDB	FD09+2	THIRD 16-BITS	S03	04734
			4880				S03	04735
013061	004441	A	4881	LLRL	1		S03	04736
013062	055012	A	4882	STA	XIMC,1	IMC - I/O AND MEMORY CONTROL.	S03	04737
			4883				S03	04738
013063	005001	A	4884	TZA			S03	04739
013064	004442	A	4885	LLRL	2		S03	04740
013065	055013	A	4886	STA	XLB,1	LB - LATCH B CONTROL	S03	04741
			4887				S03	04742
013066	005001	A	4888	TZA			S03	04743
013067	004442	A	4889	LLRL	2		S03	04744
013070	055014	A	4890	STA	XLA,1	LA - LATCH A CONTROL	S03	04745
			4891				S03	04746
013071	005001	A	4892	TZA			S03	04747
013072	004443	A	4893	LLRL	3		S03	04748
013073	055015	A	4894	STA	XR,1	R - REGISTER CONTROL	S03	04749
			4895				S03	04750
013074	005001	A	4896	TZA			S03	04751
013075	004444	A	4897	LLRL	4		S03	04752
013076	055016	A	4898	STA	XF,1	F - ADDER FUNCTION	S03	04753
			4899				S03	04754
013077	005001	A	4900	TZA			S03	04755
013100	004441	A	4901	LLRL	1		S03	04756
013101	055017	A	4902	STA	XMD,1	MD - ARITHMETIC/LOGICAL	S03	04757
			4903				S03	04758
013102	005001	A	4904	TZA			S03	04759
013103	004442	A	4905	LLRL	2		S03	04760
013104	055020	A	4906	STA	XC,1	C - CARRY	S03	04761
			4907				S03	04762
013105	005001	A	4908	TZA			S03	04763
013106	004441	A	4909	LLRL	1		S03	04764
013107	055021	A	4910	STA	XW,1	W - WRITE FILE	S03	04765
			4911				S03	04766
013110	024066	A	4912	LDB	FD09+3	FOURTH 16-BITS	S03	04767
			4913				S03	04768
			4914				S03	04769
013111	005001	A	4915	TZA			S03	04770
013112	004441	A	4916	LLRL	1		S03	04771
013113	055022	A	4917	STA	XDS,1	DP REG SHIFT CONTROL	S03	04772
			4918				S03	04773
013114	005001	A	4919	TZA			S03	04774
013115	004441	A	4920	LLRL	1		S03	04775
013116	055023	A	4921	STA	XV,1	DP REG SHIFT GATING CONTROL	S03	04776
			4922				S03	04777
013117	005001	A	4923	TZA			S03	04778
013120	004441	A	4924	LLRL	1		S03	04779
013121	055024	A	4925	STA	XY,1	QS CONTROL BIT	S03	04780
			4926				S03	04781
013122	005001	A	4927	TZA			S03	04782
013123	004442	A	4928	LLRL	2		S03	04783
013124	055025	A	4929	STA	XX,1	DP REG LONG SHIFTING END-AROUND CONTROL	S03	04784
			4930				S03	04785
013125	005001	A	4931	TZA			S03	04786
013126	004443	A	4932	LLRL	3		S03	04787
013127	055026	A	4933	STA	XTC,1	TC - TEST CONTROL	S03	04788
			4934				S03	04789
			4935				S03	04790
013130	014045	A	4936	LDA	FD09+2	THIRD 16-BITS	S03	04791
013131	024045	A	4937	LDB	FD09+3	FOURTH 16-BITS	S03	04792
013132	004454	A	4938	LLRL	12		S03	04793
013133	005211	A	4939	CPA		INVERT 16 BITS FOR MASK	S03	04794
013134	055031	A	4940	STA	MASK,1	16-BIT ALU MASK	S03	04795
			4941				S03	04796
			4942				S03	04797
013135	002000	A	4943	CALL	SALU	IRG2 BITS 7&6=10(INVERT)OR 11(DECR): SET TWO LSB'S OF F FIELD=10.	S03	04798
013136	004352	R				SPECIAL ALU MODE ?	S03	04799
013137	001000	R	4944	JMP	FD15	YES-	S03	04800
013140	013143	R					S03	04801
013141	001000	R	4945	JMP	FD17	NO-	S03	04802
013142	013171	R					S03	04803
013143	015016	A	4946	LDA	XF,1	CLEAR THE TWO LSB'S OF F	S03	04804
013144	006150	A	4947	ANAI	014	FIELD.THEY WILL BE SET	S03	04805
013145	000014	A					S03	04806
013146	055016	A	4948	STA	XF,1	AS A FUNCTION OF IRG2 BITS 7&6.	S03	04807
013147	015052	A	4949	LDA	IRG2,1		S03	04808
013150	006150	A	4950	ANAI	0300		S03	04809
013151	000300	A					S03	04810
013152	004346	A	4951	LSRA	6	IRG2 BITS 7&6=00(XFER) ?	S03	04811
013153	001010	A	4952	JAZ	FD16	YES-	S03	04812
013154	013166	R					S03	04813
013155	005311	A	4953	DAR		IRG2 BITS 7&6=01(INCR) ?	S03	04814
013156	001010	A	4954	JAZ	FD16	YES-	S03	04815
013157	013166	R					S03	04816
			4955				S03	04817
013160	006010	A	4956	LDAI	2		S03	04818
013161	000002	A					S03	04819
013162	135016	A	4957	ERA	XF,1		S03	04820
013163	055016	A	4958	STA	XF,1		S03	04821
013164	001000	A	4959	JMP	FD17		S03	04822
013165	013171	R					S03	04823
			4960				S03	04824
013166	005101	A	4961	INCR	01	IRG2 BITS 7&6=00 OR 01: SET TWO LSB'S OF F FIELD TO "01"	S03	04825
013167	135016	A	4962	ERA	XF,1	A=01	S03	04826



```

013170 055016 A 4963 STA XF,1 003 04818
013171 034007 A 4964 FD17 LDX FD11 003 04819
013172 001000 A 4965 JMP* FELD RESTORE X 003 04820
013173 112766 R 4966 * RETURN
013174 000000 A 4967 FD09 DATA 0 003 04821
013175 000000 A 4968 DATA 0 TEMP STORAGE 003 04822
013176 000000 A 4969 DATA 0 TEMP STORAGE 003 04823
013177 000000 A 4970 DATA 0 TEMP STORAGE 003 04824
013200 000546 R 4971 FD10 DATA DR0M TEMP STORAGE 003 04825
013201 000000 A 4972 FD11 DATA 0 FIRST ROM FIELD ADDR 003 04826
4973 * SAVED X REGISTER 003 04827
4974 * 003 04828
4975 * 003 04829
4976 * THIS ROUTINE USES THE AB FIELD AND THE M,G&Y FIELDS TO CONTROL 003 04830
4977 * THE LOADING OF THE A&B FILE ADDRESS FIELDS OF THE ROM WORD 003 04831
4978 * SOME OPERATIONS ARE CONDITIONAL TO FIELDS IMC & S. 003 04832
4979 * 003 04833
4980 * CALLING SEQUENCE 003 04834
4981 * LDX ADDR OF ROM FIELDS 003 04835
4982 * CALL CDAB 003 04836
4983 * 003 04837
4984 * RETU ROM CTRL FIELDS A AND B ARE ESTABLISHED 003 04838
4985 * 003 04839
013202 000000 A 4986 CDAB ENTR 003 04840
013203 015006 A 4987 LDA XS,1 S=0? 003 04841
013204 001010 A 4988 JAZ *+4 003 04842
013205 013210 R 4989 JMP CD05 NO 003 04843
013206 001000 A 4990 LDA XIMC,1 003 04844
013207 013215 R 4991 SUBI 03 IMC IS 0011 003 04845
013210 015012 A 4992 JAZ CD50 YES 003 04846
013211 006140 A 4993 * CONTROL A&B VIA AB IF NO I/O REQUEST: NOT (S=0 AND IMC=0011) 003 04847
013212 000003 A 4994 CD05 LDA XAB,1 003 04848
013213 001010 A 4995 JAZ CD40 003 04849
013214 013335 R 4996 SUBI 2 FIELD AB= 10 ? 003 04850
013215 015011 A 4997 JAZ CD20 YES- 003 04851
013216 001010 A 4998 JAP CD30 AB=3 003 04852
013217 013270 R 4999 * AB FIELD=01: ALTER B FIELD USING TEST&M FIELDS & IREG #2 003 04853
013220 006140 A 5000 * LEAVE A FIELD UNALTERED 003 04854
013221 000002 A 5001 CALL CDAX SELECT 4 BITS OF IRG2,RIGHT JUSTIFY 003 04855
013222 001010 A 5002 * AND SAVE IN CD2B 003 04856
013223 013246 R 5003 LDA XM,1 M FIELD=1 ? 003 04857
013224 001002 A 5004 JAZ *+4 003 04858
013225 013266 R 5005 JMP CD10 YES 003 04859
013226 002000 A 5006 * AB=01 & M=0 003 04860
013227 013337 R 5007 LDA CD2B SET B FIELD EQUAL TO 003 04861
013230 015010 A 5008 ANA CD2C THE 3 LSB'S OF THE SELECTED 003 04862
013231 001010 A 5009 STA XB,1 IRG2 FIELD AND SET MSB OF B=0 003 04863
013232 013235 R 5010 RETUM CDAB RETURN 003 04864
013233 001000 A 5011 * AB=01 & M=1 003 04865
013234 013242 R 5012 CD10 LDA CD2B USE 4 BITS FROM 003 04866
013235 014120 A 5013 STA XB,1 IRG2 FOR B FIELD 003 04867
013236 154120 A 5014 RETUM CDAB RETURN 003 04868
013237 055027 A 5015 * 003 04869
013240 001000 A 5016 * 003 04870
013241 113202 R 5017 * AB FIELD=10 : ALTER A FIELD USING TEST&M FIELDS & IREG #2. 003 04871
5018 * LEAVE B FIELD UNALTERED 003 04872
013242 014113 A 5019 CD20 CALL CDAX SELECT 4 BIT FIELD FROM IRG2 003 04873
013243 055027 A 5020 LDA XM,1 GET M FIELD 003 04874
013244 001000 A 5021 JAZ *+4 003 04875
013245 113202 R 5022 JMP CD22 003 04876
013246 002000 A 5023 * AB=10 & M=0 003 04877
013247 013337 R 5024 LDA CD2B SET A FIELD EQUAL TO 003 04878
013250 015010 A 5025 ANA CD2C THE 3 LSB'S OF THE SELECTED 003 04879
013251 001010 A 5026 STA XA,1 IRG2 FIELD AND SET MSB OF B=0 003 04880
013252 013255 R 5027 RETUM CDAB RETURN 003 04881
013253 001000 A 5028 * AB=10 & M=1 003 04882
013254 013262 R 5029 CD22 LDA CD2B SET B FIELD EQUAL TO THE 003 04883
013255 014100 A 5030 STA XA,1 SELECTED 4 BITS FROM IRG2 003 04884
013256 154100 A 5031 RETUM CDAB RETURN 003 04885
013257 055030 A 5032 * 003 04886
013260 001000 A 5033 * 003 04887
013261 113202 R 5034 * AB FIELD= 11 003 04888
5035 * LEAVE BOTH A&B FIELDS UNALTERED 003 04889
5036 * ROUTINE FELD CONTROLS ALTERING A&B AS A FUNCTION OF FIELD AB 003 04890

```



```

013266 001000 A 5037 CD30 RETUM CDAB USE PREVIOUS CONTENTS OF A&B FIELDS 003 04892
013267 113202 R
5038 * 003 04893
5039 * 003 04894
5040 * 003 04895
5041 * AB FIELD=00: 003 04896
5042 * 003 04897
013270 015010 A 5043 CD40 LDA XM,1 M FIELD= 1 ? 003 04898
013271 001010 A 5044 JAZ *+4 003 04899
013272 013275 R
013273 001000 A 5045 JMP CD44 YES 003 04900
013274 013304 R
013275 004444 A 5046 CD42 LLRL 4 USE VALUES OF A&B IN 003 04901
013276 055027 A 5047 STA XB,1 CURRENT ROM CONTROL 003 04902
013277 005001 A 5048 TZA WORD FOR THE 003 04903
013300 004444 A 5049 LLRL 4 A&B FIELDS 003 04904
013301 055030 A 5050 STA XA,1 003 04905
013302 001000 A 5051 RETUM CDAB RETURN 003 04906
013303 113202 R
5052 * 003 04907
5053 * AB FIELD= 00 AND N=1 003 04908
5054 * LEAVE A FIELD UNALTERED 003 04909
5055 CD44 LDAI 016 FORCE 3 MSB'S 003 04910
013304 006010 A
013305 000016 A
013306 055027 A 5056 STA XB,1 OF B FIELD TO 1'S 003 04911
013307 015024 A 5057 LDA XY,1 Y FIELD=0 ? 003 04912
013310 001010 A 5058 JAZ *+4 003 04913
013311 013314 R
013312 001000 A 5059 JMP CD46 NO 003 04914
013313 013324 R
013314 015034 A 5060 LDA XALU,1 COPY ALU 15 003 04915
013315 005002 A 5061 TZA BIT INTO 003 04916
013316 004441 A 5062 LLRL 1 LSB BIT 003 04917
013317 005021 A 5063 TBA OF 003 04918
013320 135027 A 5064 ERA XB,1 B FIELD 003 04919
013321 055027 A 5065 STA XB,1 003 04920
013322 001000 A 5066 RETUM CDAB RETURN 003 04921
013323 113202 R
5067 * AB=00, M=1, Y(W)=1 : DR01 INTO B0 003 04922
5068 CD46 LDAE DDT1 DREG BEFORE LAST UPDATE(TIMING SITUATION) 003 04923
013324 006017 A
013325 007057 R
013326 006150 A 5069 ANAI 02 SELECT BIT DR01 (LOOK AHEAD) 003 04924
013327 000002 A
013330 004341 A 5070 LSRA 1 003 04925
013331 135027 A 5071 ERA XB,1 B FIELD 003 04926
013332 055027 A 5072 STA XB,1 003 04927
013333 001000 A 5073 RETUM CDAB RETURN 003 04928
013334 113202 R
5074 * 003 04929
5075 * 003 04930
5076 * S=0 &IM=0011 003 04931
5077 * AB FIELD USED IN I/O ADDR AND SEL F/F 003 04932
5078 * 003 04933
5079 * I/O NOT SIMULATED AT THIS TIME 003 04934
5080 * 003 04935
013335 001000 A 5081 CD50 JMP CD42 IF I/O REQUEST:PUT ROM FIELDS INTO A & B. 003 04936
013336 013275 R
5082 * 003 04937
5083 * 003 04938
5084 * 003 04939
5085 * 003 04940
5086 * USE TS FIELD TO SELECT 4-BITS OF IRG2 003 04941
013337 000000 A 5087 CDAX ENR 003 04942
013340 015000 A 5088 LDA XTS,1 USE 3 LSB'S OF TS FIELD TO SELECT 003 04943
013341 154015 A 5089 ANA CD2C 4 BITS FROM IREG #2. 003 04944
013342 006130 A 5090 CRAI 04340 FORM LSRA INST TO SELECT 4 BIT FIELD 003 04945
013343 004340 A
5091 * 003 04946
013344 054010 A 5092 STA CD2A TEMP STORE 003 04947
013345 015052 A 5093 LDA IRG2,1 003 04948
013346 003000 A 5094 XEC CD2A RIGHT JUSTIFY SELECTED 4 BITS OF IREG2 003 04949
013347 013355 R
013350 006150 A 5095 ANAI 017 SELECT ONLY 4 LSB'S 003 04950
013351 000017 A
013352 054003 A 5096 STA CD2B TEMP STORE 003 04951
013353 001000 A 5097 JMP* CDAX 003 04952
013354 113337 R
013355 000000 A 5098 CD2A DATA 0 TEMP STORE FOR FORMED LSRA INST 003 04953
013356 000000 A 5099 CD2B DATA 0 TEMP STORE FOR 4 BITS SELECTED FROM IRG2 003 04954
013357 000007 A 5100 CD2C DATA 7 MASK 003 04955
5101 * 003 04956
5102 * THIS IS A SUBROUTINE TO INPUT A HEXADECIMAL ADDRESS CONSTANT 003 04957
5103 * MAX 4 DIGITS 003 04958
5104 * 003 04959
5105 * CALLING SEQUENCE 003 04960
5106 * JMPM INA 003 04961
5107 * DATA 'R' OR 'N' R FOR READ, N FOR NO READ 003 04962
5108 * 003 04963
5109 * RETURN A REGISTER CONTAINS THE ADDRESS VALUE 003 04964
5110 * B REGISTER CONTAINS THE NUMBER OF DIGITS 003 04965
5111 * X CONTAINS THE LAST INPUT CHAR 003 04966
5112 * 003 04967
013360 014072 A 5113 INA5 LDA INAV GET VALUE 003 04968

```



013361	024070	A	5114	LDB	INAN	GET NUMBER OF DIGITS	003	04969
013362	034066	A	5115	LDB	INAA	LAST INPUT CHAR	003	04970
013363	001000	A	5116	JMP	0	RETURN	003	04971
013364	000000	A	5117	*			003	04972
			5118	*			003	04973
			5119	*			003	04974
			5120	INA	BES	0	003	04975
013364			5121		TZA	ENTRY	003	04976
013365	005001	A	5122		STA	INITIATE	003	04977
013366	054062	A	5123		STA	COUNT	003	04978
013367	054062	A	5124		STA	VALUE	003	04979
013370	054062	A	5125		STA	PARAM AREA	03	04980
013371	027000	I	5126		LDB	GET PARAM	03	04981
013372	016000	A	5127		LDA	RESET RETURN ADDR	03	04982
013373	006047	A	5128		INRE		003	04983
013374	013364	R	5129				003	04984
013375	004350	A	5130	LSRA	8	MOVE CHARACTER DONE INTO LOWER BYTE	003	04985
013376	006140	A	5131	SUBI	0316	N	003	04986
013377	000316	A	5132				003	04987
013400	001010	A	5133	JAZ	INA3	NO READ REQUESTED	003	04988
013401	013410	R	5134				003	04989
013402	002000	A	5135	CALL	SIIN	INPUT VALUE	003	04990
013403	013220	R	5136				003	04991
013404	002000	A	5137	JMPM	FETCH	GET FIRST CHAR	03	04992
013405	013635	R	5138				003	04993
013406	001000	A	5139	JMP	INA3+2		003	04994
013407	013412	R	5140				003	04995
			5141	*			003	04996
013410	002000	A	5142	JMPM	FETCHA	GET CHARACTER	003	04997
013411	015644	R	5143				003	04998
013412	001010	A	5144	JAZ	INA5		003	04999
013413	013360	R	5145				003	05000
013414	054034	A	5146	STA	INAA	SAVE CHAR	003	05001
013415	006140	A	5147	SUBI	0240	BLANK	003	05002
013416	000240	A	5148				003	05003
013417	001010	A	5149	JAZ	INA5	GET OUT	003	05004
013420	013360	R	5150				003	05005
013421	006140	A	5151	SUBI	014	0254	003	05006
013422	000014	A	5152				003	05007
013423	001010	A	5153	JAZ	INA5	COMMA	003	05008
013424	013360	R	5154				003	05009
013425	014023	A	5155	LDA	INAA	INPUT CHAR	003	05010
013426	002000	A	5156	JMPM	CONV	CONVERT CHAR TO HEX	003	05011
013427	012732	R	5157				003	05012
013430	001004	A	5158	JAN	INAB	JUMP IF NOT A HEX CHAR	003	05013
013431	013447	R	5159				003	05014
013432	005014	A	5160	TAX			003	05015
013433	014017	A	5161	LDA	INAV	ACCUMULATED VALUE	003	05016
013434	005002	A	5162	TZB			003	05017
013435	004444	A	5163	LLRL	4		003	05018
013436	001020	A	5164	JBZ	*+4	JUMP IF NO OVERFLOW	003	05019
013437	013442	R	5165				003	05020
013440	001000	A	5166	JMP	INAB	REJECT CHAR	003	05021
013441	013447	R	5167				003	05022
013442	005051	A	5168	MERG	051	ADD NEW CHAR	003	05023
013443	054007	A	5169	STA	INAV	SAVE VALUE	003	05024
013444	044005	A	5170	INR	INAN	INCREMENT NUMBER OF DIGITS	003	05025
013445	001000	A	5171	JMP	INA3	KEEP TRYING	003	05026
013446	013410	R	5172				003	05027
			5173	*			003	05028
			5174	*			003	05029
013447	001000	A	5175	JMP	INH8	INPUT ERROR	003	05030
013450	013603	R	5176				003	05031
013451	000000	A	5177	DATA	0	LAST INPUT CHAR	003	05032
013452	000000	A	5178	DATA	0	NO OF CHARS INPUT	003	05033
013453	000000	A	5179	DATA	0	ACCUMULATED INPUT VALUE	003	05034
			5180	*			003	05035
			5181	*			003	05036
			5182	*			003	05037
			5183	*			003	05038
			5184	INH	BES	0	003	05039
013454	002000	A	5185	JMPM	MOVH	MOVE INPUT TO V,V+1,V+2,V+3	003	05040
013455	014510	R						
013456	000004	A	5174	DATA	4	WORD COUNT	003	05029
013457	013617	R	5175	DATA	INH7	START LOCATION	003	05030
013460	000476	R	5176	DATA	V	END LOCATION	003	05031
			5177	*			003	05032
013461	024134	A	5178	LDB	INH8	GET DIGIT COUNT	003	05033
013462	034131	A	5179	LDB	INH8	LAST INPUT CHAR	003	05034
013463	001000	A	5180	JMP	0	RETURN	003	05035
013464	000000	A	5181	*			003	05036
			5182	*			003	05037
			5183	*			003	05038
013464			5184	INH	BES	0	003	05039
013465	005001	A	5185	TZA		INITIATE	003	05040



013466	054127	A	5186	STA	INHN	DIGIT COUNT	003	05041
013467	054127	A	5187	STA	INHT	CLEAR INPUT DATA STRING	003	05042
013470	054127	A	5188	STA	INHT+1		003	05043
013471	054127	A	5189	STA	INHT+2		003	05044
013472	054127	A	5190	STA	INHT+3		003	05045
			5191				003	05046
013473	002000	A	5192	CALL	SIIN	INPUT VALUE	003	05047
013474	015220	R						
013475	002000	A	5193	JMPH	FETCH	GET FIRST CHAR	003	05048
013476	015635	R						
013477	054114	A	5194	STA	INHA		F	*****
013500	006140	A	5195	SUBI	'='		F	*****
013501	000275	A						
013502	001010	A	5196	JAZ	INH6	IF ZERO BEFORE STORE FIELD VALUE	F	*****
013503	013573	R						
013504	006140	A	5197	SUBI	'+'-'='		F	*****
013505	177756	A						
013506	001010	A	5198	JAZ	INH7	IF DO NOT ZERO BEFORE STORE FIELD VALUE	F	*****
013507	013601	R						
013510	014103	A	5199	LDA	INHA		F	*****
013511	001000	A	5200	JMP	INH4	CONTINUE PROCESSING	F	*****
013512	013516	R						
013513	002000	A	5201	JMPH	FETCHA		003	05050
013514	015644	R						
013515	054076	A	5202	STA	INHA	SAVE CHAR	003	05051
	013516	R	5203	EQU	*		F	*****
013516	001010	A	5204	JAZ	INH5	CARRIAGE RETURN--RETURN TO EXEC	003	05052
013517	013454	R						
013520	006140	A	5205	SUBI	0240	BLANK	003	05053
013521	000240	A						
013522	001010	A	5206	JAZ	INH5	JUMP IF BLANK	003	05054
013523	013454	R						
013524	006140	A	5207	SUBI	014	0254	003	05055
013525	000014	A						
013526	001010	A	5208	JAZ	INH5	JUMP IF COMMA	003	05056
013527	013454	R						
013530	014063	A	5209	LDA	INHA	GET LAST CHAR	003	05057
013531	002000	A	5210	JMPH	CONV	CONVERT CHAR TO HEX	003	05058
013532	012732	R						
013533	001004	A	5211	JAN	INH8	JUMP IF ILLEGAL	003	05059
013534	013603	R						
013535	005014	A	5212	TAX			003	05060
			5213				003	05061
			5214				003	05062
			5215				003	05063
013535	024057	A	5216	LDB	INHN	GET COUNT	003	05064
013537	074055	A	5217	STX	INH0	SAVE DIGIT	003	05065
013540	014056	A	5218	LDA	INHT	CHARS 1-4	003	05066
013541	005002	A	5219	TZB			003	05067
013542	004444	A	5220	LLRL	4	SHIFT OUT MS CHAR	003	05068
013543	001020	A	5221	JRZ	*+4	JUMP IF NO OVERFLOW	003	05069
013544	013547	R						
013545	001000	A	5222	JMP	INH8	16 CHARS ALREADY INPUT	003	05070
013546	013603	R						
013547	014047	A	5223	LDA	INHT	CHARS 1-4	003	05071
013550	024047	A	5224	LDB	INHT+1	CHARS 5-8	003	05072
013551	004444	A	5225	LLRL	4		003	05073
013552	054044	A	5226	STA	INHT	NEW CHARS 1-4	003	05074
013553	005001	A	5227	TZA			003	05075
013554	004454	A	5228	LLRL	12		003	05076
013555	024043	A	5229	LDB	INHT+2	CHARS 9-12	003	05077
013556	004444	A	5230	LLRL	4		003	05078
013557	054040	A	5231	STA	INHT+1	NEW CHARS 5-8	003	05079
013560	005001	A	5232	TZA			003	05080
013561	004454	A	5233	LLRL	12		003	05081
013562	024037	A	5234	LDB	INHT+3	CHARS 13-16	003	05082
013563	004444	A	5235	LLRL	4		003	05083
013564	054034	A	5236	STA	INHT+2	CHARS 9-12	003	05084
013565	014027	A	5237	LDA	INH0	INPUT DIGIT	003	05085
013566	005031	A	5238	MERG	031	ADD NEW DIGIT	003	05086
013567	054032	A	5239	STA	INHT+3	CHARS 13-16	003	05087
			5240				003	05088
013570	044025	A	5241	INR	INHN	INCREMENT COUNT	003	05089
013571	001000	A	5242	JMP	INH3	KEEP TRYING	003	05090
013572	013513	R						
013573	027000	I	5243	INH6	E113	ROM WORD ADDR	F	*****
013574	005001	A	5244	TZA			F	*****
013575	056000	A	5245	STA	0,2	ZERO	F	*****
013576	056001	A	5246	STA	1,2	ENTIRE	F	*****
013577	056002	A	5247	STA	2,2	ROM	F	*****
013600	056003	A	5248	STA	3,2	WORD	F	*****
013601	001000	A	5249	INH7	JMP	FLDCCG	F	*****
013602	013623	R						
			5250				003	05091
013603	002000	A	5251	INH8	CALL	SIOUT,3,INER	003	05092
013604	015406	R						
013605	000003	A						
013606	013611	R						
013607	001000	A	5252	JMP	EXC10	TRY AGAIN	003	05093
013610	001111	R						
			5253				003	05094
013611	120240	A	5254	INER	DATA	' MS02'	003	05095
013612	146723	A						







```

013737 013730 R
013740 005031 A 5329 MERGE 031 UPDATE WORD F *****
013741 024066 A 5330 LDB FLD95 ROM WORD ADDR F *****
013742 056000 A 5331 STA 0,B F *****
013743 013743 R 5332 FLD39 EQU * F *****
013744 014062 A 5333 LDA FLD93 TERMINATING CHAR F *****
013745 006140 A 5334 SUBI ',,' F *****
013746 001010 A 5335 JAZ FLD40 IF MORE CHARS IN RECORD F *****
013747 013752 R 5336 JMP EXC10 GET NEW DIRECTIVE F *****
013750 001000 A 5337 FLD40 EQU * F *****
013751 001111 R 5338 FLD40 JMPM FETCHA FETCH NEXT CHAR F *****
013752 002000 A 5339 TAB F *****
013753 015644 R 5340 SUBI * F *****
013754 005012 A 5341 JAZ E114A IF DISPLAY NEXT WORD F *****
013755 006140 A 5342 TBA F *****
013756 000240 A 5343 JMP FLD05 CONTINUE DIRECTIVE PROCESSING F *****
013757 001010 A 5344 FLD50A EQU * SPECIAL PROCESSING FOR FS FIELD F *****
013760 011731 R 5345 LDBI 2 SET FOR FS FIELD ROTATE F *****
013761 005021 A 5346 JMP FLD50B F *****
013762 001000 A 5347 FLD50 EQU * SPECIAL PROCESSING FOR IM FIELD F *****
013763 013623 R 5348 INCR 02 SET FOR IM FIELD ROTATE F *****
013764 006020 A 5349 FLD50B EQU * F *****
013765 000002 A 5350 STB FLD51 FIELD FLAG F *****
013766 001000 A 5351 TBA F *****
013767 013771 R 5352 ADDI 16 SET UP LLRL INST F *****
013770 005102 A 5353 ADD FLLRL F *****
013771 064010 A 5354 STA FLD56 ROTATE INTO A REG LSBS F *****
013772 005021 A 5355 LDBI 16 F *****
013773 006120 A 5356 SUBI 0 SET UP RESTORE ROTATE F *****
013774 000020 A 5357 FLD51 BES 0 F *****
013775 124024 A 5358 ADD FLLRL LLRL INST F *****
013776 054012 A 5359 STA FLD57 F *****
013777 006010 A 5360 LDX FLD95 CCS WORD SUB ADDR F *****
014000 000020 A 5361 LDA 0,X LSB PORTION F *****
014001 006140 A 5362 DXR POINT TO NEXT HIGH ORDER BITS F *****
014002 000000 A 5363 LDB 0,X MSB PORTION F *****
014003 124016 A 5364 FLD56 LLRL 0 POSITION FIELD INTO A REG LSBS F *****
014004 054010 A 5365 ANAI 0177760 MASK OUT FIELD F *****
014005 034022 A 5366 ADD FLD91 CHANGE VALUE F *****
014006 015000 A 5367 FLD57 LLRL 0 RETURN FIELDS TO PROPER POSITION F *****
014007 005344 A 5368 STB 0,X F *****
014010 025000 A 5369 STA 1,X F *****
014011 004440 A 5370 JMP FLD39 CONTINUE FIELD PROCESSING F *****
014012 006150 A 5371 * F *****
014013 177760 A 5372 FLLRL LLRL 0 LLRL INSTRUCTION BASE VALUE F *****
014014 124007 A 5373 FLD90 DATA 0 FIELD NAME F *****
014015 004440 A 5374 FLD91 DATA 0 NEW FIELD VALUE F *****
014016 065000 A 5375 FLD92 DATA 0 NAME TABLE POINTER F *****
014017 055001 A 5376 FLD93 DATA 0 TERM CHAR F *****
014020 001000 A 5377 FLD94 DATA 0 F *****
014021 013743 R 5378 FLD95 DATA 0 ROM WORD SUBCOMP ADDR F *****
014022 004440 A 5379 * F *****
014023 000000 A 5380 FLD60 CALL SIOUT,3,FLER1 OUTPUT FIELD NAME ERROR F *****
014024 000000 A 5381 JMP EXC10 TRY AGAIN F *****
014025 000000 A 5382 FLD65 CALL SIOUT,3,FLER2 OUTPUT FIELD RANGE ERROR F *****
014026 000000 A 5383 JMP EXC10 TRY AGAIN F *****
014027 000000 A 5384 FLER1 DATA ' MS16' F *****
014028 000000 A 5385 FLER2 DATA ' MS17' F *****
014031 002000 A 5386 * F *****
014032 015406 R 5387 * FIELD NAME TABLE F *****
014033 000003 A 5388 * 3 WORD ENTRY F *****
014034 014045 R 5389 * 1=2 CHAR NAME F *****
014035 001000 A 5390 * 2=FIELD SIZE F *****
014036 001111 R 5391 * 3=LOW ORDER BIT POSITION F *****
014037 002000 A 5392 * F *****
014040 015406 R 5393 FLNAM EQU * F *****
014041 000003 A 5394 DATA 'AA',4,0 F *****
014042 014050 R
014043 001000 A
014044 001111 R
014045 120240 A
014046 146723 A
014047 130666 A
014050 120240 A
014051 146723 A
014052 130667 A

```















```

5523 * DATA FROM ADDRESS 003 05196
5524 * DATA TO ADDRESS 003 05197
5525 * RETURN 003 05198
5526 * 003 05199
014437 034050 A 5527 MOV1 LDX MOVW 003 05200
014440 015001 A 5528 LDA 1,1 GET 'FROM' ADDRESS 003 05201
014441 145002 A 5529 SUB 2,1 SUBTRACT 'TO' ADDRESS 003 05202
014442 001004 A 5530 JAN MOVW JUMP IF REVERSE MOVE 003 05203
014443 014462 R
5531 * FORWARD MOVE 003 05204
014444 025001 A 5532 LDB 1,1 GET 'FROM' ADDRESS 003 05205
014445 015000 A 5533 LDA 0,1 GET COUNT 003 05206
014446 035002 A 5534 LDX 2,1 GET 'TO' ADDRESS 003 05207
014447 005311 A 5535 MOV2 DAR DECREMENT COUNT 003 05208
014450 001004 A 5536 JAN MOVE JUMP IF END OF COUNT 003 05209
014451 014504 R
014452 054040 A 5537 STA MOVW 003 05210
014453 016000 A 5538 LDA 0,2 003 05211
014454 055000 A 5539 STA 0,1 003 05212
014455 005122 A 5540 IRR 003 05213
014456 005144 A 5541 IXR 003 05214
014457 014033 A 5542 LDA MOVW GET COUNT 003 05215
014460 001000 A 5543 JMP MOV2 KEEP TRYING 003 05216
014461 014447 R
5544 * REVERSE MOVE 003 05217
014462 015000 A 5545 MOV3 LDA 0,1 GET COUNT 003 05218
014463 125001 A 5546 ADD 1,1 ADD 'FROM' ADDRESS 003 05219
014464 005012 A 5547 TAB 003 05220
014465 015000 A 5548 LDA 0,1 GET COUNT 003 05221
014466 054024 A 5549 STA MOVW SAVE 003 05222
014467 125002 A 5550 ADD 2,1 ADD 'TO' ADDRESS 003 05223
014470 005014 A 5551 TAX 003 05224
014471 014021 A 5552 MOV3 LDA MOVW DECREMENT COUNT 003 05225
014472 005311 A 5553 DAR DECREMENT COUNT 003 05226
014473 001004 A 5554 JAN MOVE JUMP IF END OF COUNT 003 05227
014474 014504 R
014475 054015 A 5555 STA MOVW 003 05228
014476 005322 A 5556 DBR 003 05229
014477 005344 A 5557 DXR 003 05230
014500 016000 A 5558 LDA 0,2 003 05231
014501 055000 A 5559 STA 0,1 003 05232
014502 001000 A 5560 JMP MOV3 KEEP TRYING 003 05233
014503 014471 R
5561 * 003 05234
014504 044003 A 5562 MOV2 INR MOVW ADJUST 003 05235
014505 044002 A 5563 INR MOVW RETURN 003 05236
014506 044001 A 5564 INR MOVW ADDRESS 003 05237
014507 001000 A 5565 JMP 0 RETURN 003 05238
014510 000000 A
5566 * 003 05239
5567 * ENTRY POINT 003 05240
5568 * 003 05241
014510 5569 MOVW BES 0 ENTRY 003 05242
014511 001000 A 5570 JMP MOV1 003 05243
014512 014437 R
014513 000000 A 5571 MOV2 DATA 0 TEMP STORAGE FOR MOVW 003 05244
5572 * EJC 003 05245
5573 * 003 05246
5574 * THIS IS A SUBROUTINE TO CONVERT THE NUMBER IN THE B REGISTER 003 05247
5575 * INTO 4 HEXADECIMAL CHAR'S AND STORE THEM IN LOC. 003 05248
5576 * INDEXED BY X 003 05249
5577 * 003 05250
5578 * CALLING SEQUENCE 003 05251
5579 * LDX ADDR OF ASCII CHAR STRING 003 05252
5580 * LDB BINARY NUMBER 003 05253
5581 * JMPM OH 003 05254
5582 * RETURN 003 05255
5583 * 003 05256
5584 * 003 05257
5585 * 003 05258
5586 * 003 05259
014514 000000 A 5587 OH 003 05260
014515 002000 A 5588 JMPM OH2 CONVERT FIRST CHAR 003 05261
014516 014541 R
014517 004250 A 5589 LRLA 8 SAVE 003 05262
014520 055000 A 5590 STA 0,1 003 05263
014521 002000 A 5591 JMPM OH2 CONVERT SECOND CHAR 003 05264
014522 014541 R
014523 115000 A 5592 ORA 0,1 ADD TO FIRST CHAR 003 05265
014524 055000 A 5593 STA 0,1 STORE IN BUFFER 003 05266
014525 005144 A 5594 IXR 003 05267
014526 002000 A 5595 JMPM OH2 CONVERT THIRD CHAR 003 05268
014527 014541 R
014530 004250 A 5596 LRLA 8 003 05269
014531 055000 A 5597 STA 0,1 003 05270
014532 002000 A 5598 JMPM OH2 CONVERT FOURTH CHAR 003 05271
014533 014541 R
014534 115000 A 5599 ORA 0,1 ADD TO THIRD CHAR 003 05272
014535 055000 A 5600 STA 0,1 STORE IN BUFFER 003 05273
014536 005144 A 5601 IXR 003 05274
014537 001000 A 5602 JMP* OH RETURN 003 05275
014540 114514 R
5603 * 003 05276

```



```

014541 000000 A 5604 DH2 ENTR                                003 05277
014542 005001 A 5605 TZA                                003 05278
014543 004444 A 5606 LLRL 4 NEXT 4-BIT DIGIT          003 05279
014544 006140 A 5607 SUBI 012                                003 05280
014545 000012 A 5608 JAN *+4 JUMP IF 0-9                003 05281
014546 001004 R 5609 ADDI 07 A-F                                003 05282
014547 014552 R 5610 ADDI 012                                003 05283
014550 006120 A 5611 ADDI 0260 CONVERT TO ASCII        003 05284
014551 000007 A 5612 JMP* DH2 RETURN                                003 05285
014552 006120 A 5613 * EJEC                                003 05286
014553 000012 A 5614 * EJEC                                003 05287
014554 006120 A 5615 * THIS ROUTINE WILL CONVERT THE TWO RIGHT-JUSTIFIED 003 05288
014555 000260 A 5616 * DIGITS IN THE B REGISTER INTO HEX ASCII AND STORE 003 05289
014556 001000 A 5617 * THEM IN THE LOCATION INDEXED BY X 003 05290
014557 114541 R 5618 * CALLING SEQUENCE 003 05291
014558 * 5619 * 003 05292
014559 * 5620 * 003 05293
014560 * 5621 * LDB DIGITS TO BE CONVERTED 003 05294
014561 * 5622 * LDX ADDR OF ASCII DATA STRING 003 05295
014562 * 5623 * JMPM DHA 003 05296
014563 * 5624 * RETURN 003 05297
014564 * 5625 * 003 05298
014565 * 5626 * 003 05299
014566 000000 A 5627 DHA ENTR                                003 05300
014567 004050 A 5628 LRLB 8 LEFT-JUSTIFY DIGITS          003 05301
014568 002000 A 5629 JMPM DH2 CONVERT FIRST DIGIT          003 05302
014569 014541 R 5630 LRLA 8 POSITION DIGIT                003 05303
014570 004250 A 5631 STA 0,1                                003 05304
014571 055000 A 5632 JMPM DH2 CONVERT SECOND DIGIT          003 05305
014572 002000 A 5633 ORA 0,1 ADD TO FIRST                003 05306
014573 014541 R 5634 STA 0,1                                003 05307
014574 115000 A 5635 IXR STEP DATA STRING INDEX        003 05308
014575 005144 A 5636 JMP* DHA RETURN                                003 05309
014576 114560 R 5637 EJEC                                003 05310
014577 * 5638 * THIS ROUTINE WILL INITIALIZE THE LD OUTPUT BUFFER 003 05311
014578 * 5639 * 003 05312
014579 * 5640 * 003 05313
014580 * 5641 * CALLING SEQUENCE 003 05314
014581 * 5642 * JMPM PBUF 003 05315
014582 * 5643 * 003 05316
014583 * 5644 * RETURN 003 05317
014584 * 5645 * 003 05318
014585 000000 A 5646 PBUF ENTR                                003 05319
014586 006010 A 5647 LDAI 0120240 ASCII SPACES          003 05320
014587 120240 A 5648 JMPM SAR INITIALIZE BUFFER          003 05321
014588 002000 A 5649 DATA 36 WORD COUNT                003 05322
014589 014702 R 5650 DATA BUFR BUFFER ADDR          003 05323
014590 000044 A 5651 JMP* PBUF RETURN                                003 05324
014591 000200 R 5652 EJEC                                003 05325
014592 114575 R 5653 * THIS ROUTINE WILL DUMP THE CONTENTS OF THE 003 05326
014593 * 5654 * PSEUDO-REGS TO THE LD AS PART OF THE TRACE FUNCTION 003 05327
014594 * 5655 * 003 05328
014595 * 5656 * 003 05329
014596 * 5657 * CALLED BY DATA LOOP PROCESSING COMPONENT - S300 003 05330
014597 * 5658 * 003 05331
014598 * 5659 * 003 05332
014599 * 5660 * MESSAGE FORMAT IS AS FOLLOWS 003 05333
014600 * 5661 * R0 DDDD R1 DDDD R2 DDDD R3 DDDD 003 05334
014601 * 5662 * R4 DDDD R5 DDDD R6 DDDD R7 DDDD 003 05335
014602 * 5663 * R8 DDDD R9 DDDD RA DDDD RB DDDD 003 05336
014603 * 5664 * RC DDDD RD DDDD RE DDDD RF DDDD 003 05337
014604 * 5665 * 003 05338
014605 * 5666 * 003 05339
014606 * 5667 * CALLING SEQUENCE 003 05340
014607 * 5668 * JMPM REGS 003 05341
014608 * 5669 * 003 05342
014609 * 5670 * RETURN 003 05343
014610 * 5671 * 003 05344
014611 000000 A 5672 REGS ENTR                                003 05345
014612 005001 A 5673 TZA                                003 05346
014613 054050 A 5674 STA REG6 START WITH REG ZERO        003 05347
014614 * 5675 * 003 05348
014615 002000 A 5676 JMPM SPAC SPACE LD 003 05349
014616 014747 R 5677 REG1 JMPM PBUF INITIALIZE LD BUFFER 003 05350
014617 002000 A 5678 LDX REGS ADDR OF LD BUFFER 003 05351
014618 014575 R 5679 * 003 05352
014619 034045 A 5680 REG2 LDB REG6 REGISTER NUMBER 003 05353
014620 024042 A 5681 LPLB 12 LEFT JUSTIFIED 003 05354
014621 004054 A 5682 JMPM DH2 CONVERT TO ASCII 003 05355

```



Address	Hex	Mode	Label	Op	Op2	Description	Page	Line
014621	014541	R						
014622	006110	A	5683	ORAI	0151000	ADD AN R	003	05356
014623	151000	A						
014624	053000	A	5684	STA	0,1	STORE IN LD BUFFER	003	05357
014625	005144	A	5685	IXR			003	05358
014626	005144	A	5686	IXR			003	05359
014627	014031	A	5687	LDA	REG6	REGISTER NUMBER	003	05360
014630	124031	A	5688	ADD	REG7	PLUS ADDR OF REGISTERS	003	05361
014631	005012	A	5689	TAB			003	05362
014632	026000	A	5690	LBB	0,2	REGISTER CONTENTS	003	05363
014633	002000	A	5691	JMPM	0H	CONVERT TO ASCII IN LD	003	05364
014634	014514	R						
014635	005144	A	5692	IXR			003	05365
			5693	*			003	05366
014636	044022	A	5694	INR	REG6	STEP REGISTER NUMBER	003	05367
014637	014021	A	5695	LDA	REG6	REGISTER NUMBER	003	05368
014640	006150	A	5696	ANAI	03	LSB'S OF ND	003	05369
014641	000003	A						
014642	001010	A	5697	JAZ	*+4	JUMP IF END OF LINE	003	05370
014643	014646	R						
014644	001000	A	5698	JMP	REG2	CONVERT NEXT REGISTER	003	05371
014645	014616	R						
014646	002000	A	5699	CALL	LDOUT,21,BUFR	OUTPUT LINE	003	05372
014647	015470	R						
014650	000025	R						
014651	000200	R						
014652	014006	A	5700	REG3 LDA	REG6	REG NUMBER	003	05373
014653	006140	A	5701	SUBI	020	REGISTER LIMIT	003	05374
014654	000020	A						
014655	001010	A	5702	JAZ*	REG5	RETURN IF DONE	003	05375
014656	114606	R						
014657	001000	A	5703	JMP	REG1	OUTPUT NEXT LINE	003	05376
014660	014613	R						
			5704	*			003	05377
014661	000000	A	5705	REG6 DATA	0	REGISTER NUMBER	003	05378
014662	000526	P	5706	REG7 DATA	R0	ADDR OF FIRST REGISTER	003	05379
014663	000202	R	5707	REG8 DATA	BUFR+2	ADDR OF LD BUFFER	003	05380
			5708	EJEC			003	05381
			5709	*			003	05382
			5710	*	THIS IS A SUBROUTINE TO STORE THE A-REGISTER REPEATEDLY		003	05383
			5711	*	CALLING SEQUENCE		003	05384
			5712	*	JMPM SAR		003	05385
			5713	*	DATA COUNT		003	05386
			5714	*	DATA DATA ADDRESS		003	05387
			5715	*	RETURN		003	05388
			5716	*			003	05389
014664	034015	A	5717	SAR1 LDX	SAR	GET ADDRESS OF CALL	003	05390
014665	005012	A	5718	TAB		PUT A-REG. INTO B-REG.	003	05391
014666	015000	A	5719	LDA	0,X	GET COUNT	003	05392
014667	035001	A	5720	LDX	1,X	GET DATA ADDRESS	003	05393
014670	005011	A	5721	SAR2 DAR		DECREMENT COUNT	003	05394
014671	001004	A	5722	JAN	SAR3	JUMP IF END OF COUNT	003	05395
014672	014677	R						
014673	065000	A	5723	STB	0,X	STORE 'A-REGISTER'	003	05396
014674	005144	A	5724	IXR		INCREMENT DATA ADDRESS	003	05397
014675	001000	A	5725	JMP	SAR2	KEEP TRYING	003	05398
014676	014670	R						
			5726	*			003	05399
014677	044002	A	5727	SAR3 INR	SAR	ADJUST	003	05400
014700	044001	A	5728	INR	SAR	RETURN ADDRESS	003	05401
014701	001000	A	5729	JMP	0	RETURN	003	05402
014702	000000	A						
			5730	*			003	05403
			5731	*	ENTRY POINT		003	05404
			5732	*			003	05405
014702			5733	SAR BES	0	ENTRY	003	05406
014703	001000	A	5734	JMP	SAR1		003	05407
014704	014664	R						
			5735	EJEC			003	05408
			5736	*			003	05409
			5737	*	THIS IS A SUBROUTINE TO CHECK IF THE CONTROL STORE ADDRESS IS		003	05410
			5738	*	WITHIN THE GIVEN TRACE BOUNDARIES		003	05411
			5739	*			003	05412
			5740	*	CALLING SEQUENCE		003	05413
			5741	*	JMPM TRSET		003	05414
			5742	*	RETURN	A REG POS-DO TRACE A REG NEG-NO TRACE	003	05415
			5743	*			003	05416
014705	014036	A	5744	TRD LDA	TRSET		003	05417
014706	054006	A	5745	STA	TRSETA	SET RETURN	003	05418
014707	006030	R	5746	LDXI	DRDM		003	05419
014710	000546	R						
014711	015057	A	5747	LDA	NRDM,1	NEXT CCS ADDR	D	03 05420
014712	055045	A	5748	STA	FIL1,1	SAVE CURRENT CCS ADDR	D	03 05421
014713	001000	A	5749	JMP	TRC		003	05422
014714	014720	R						
014715	000000	A	5750	TRSETA ENTR		SUBSEQUENT ENTRY	003	05423
014716	006030	A	5751	LDXI	DRDM		D	03 05424
014717	000546	R						
014720	027000	I	5752	TRC LBB	PPAG	CURRENT PAGE AT START OF MICRO	E.2*****	
014721	006016	A	5753	LDAC	TRACE,2		E.2*****	
014722	000478	R						
014723	001010	A	5754	JAZ	TRC	IF TRACE IS OFF FOR THE CURRENT PAGE	E.2*****	
014724	01474	R						



014725	015045	A	5755	LDA	FIL1,1	CURRENT CCS ADDR	E.2*****
014726	006146	A	5756	SUBE	STRTRC,2	AT OR BEYOND START TRACE ADDR FOR PAGE D	03 05427
014727	012126	R					
014730	001004	A	5757	JAN*	TRSETA	NO-SET TRACE TO END ADDR	D 03 05428
014731	114715	R					
014732	006016	A	5758	TRA	LDAE	END TRACE ADDR FOR PAGE	D 03 05429
014733	012132	R					
014734	145045	A	5759	SUB	FIL1,1	CCS ADDRESS	003 05430
014735	001004	A	5760	JAN*	TRSETA	YES-DO NOT TRACE	003 05431
014736	114715	R					
014737	001000	A	5761	JMP*	TRSETA	RETURN	003 05432
014740	114715	R					
014741	005301	A	5762	TRE	DECR	01	SET FOR NO TRACE
014742	001000	A	5763	JMP*	TRSETA	RETURN	E.2*****
014743	114715	R					E.2*****
014744	000000	A	5764	TRSET	ENTR		INITIAL ENTRY FOR EACH CCS WORD
014745	001000	A	5765	JMP	TRD		003 05433
014746	014705	R					003 05434
			5766	EJEC			003 05435
			5767	*			003 05436
			5768	*	THIS ROUTINE WILL SPACE THE LD		003 05437
			5769	*			003 05438
			5770	*	CALLING SEQUENCE		003 05439
			5771	*	JMPM	SPAC	003 05440
			5772	*			003 05441
			5773	*	RETURN		003 05442
			5774	*			003 05443
014747	000000	A	5775	SPAC	ENTR		003 05444
014750	002000	A	5776	CALL	PBUF	CLEAR OUTPUT BUFFER	003 05445
014751	014575	R					
014752	002000	A	5777	CALL	LDOUT,36,BUFR	SPACE LD	003 05446
014753	015470	R					
014754	000044	A					
014755	000200	R					
014756	001000	A	5778	JMP*	SPAC	RETURN	003 05447
014757	114747	R					
			5779	*			003 05448
			5780	*	EJEC		003 05449
			5781	*			003 05450
			5782	*	THIS ROUTINE HANDLES TOP OF FORM AND STANDARD HEADER OUTPUT		003 05451
			5783	*			003 05452
			5784	*	CALLING SEQUENCE		003 05453
			5785	*	CALL	TPFRM	003 05454
			5786	*	RETURN		003 05455
			5787	*			003 05456
014760	000000	A	5788	TPFRM	ENTR		003 05457
			5789		FUNC	LDNDB,LD,0	003 05458
014761	002000	A					
014762	012470	E					
014763	100000	A					
014764	002405	A					
014765	015600	R					
014766	000000	A					
014767	000000	A					
014770	014121	A	5790	LDA	PGNO	PAGE NUMBER	003 05459
014771	002000	A	5791	CALL	BNASC		003 05460
014772	015130	R					
014773	054061	A	5792	STA	HDR+4		003 05461
014774	064061	A	5793	STB	HDR+5		003 05462
014775	024115	A	5794	LDB	DATE		003 05463
014776	026000	A	5795	LDB	0,2		003 05464
014777	036000	A	5796	LDB	0,2		003 05465
015000	006020	A	5797	LDBI	HDR+7	HEADER AREA	003 05466
015001	015060	R					
015002	002000	A	5798	JMPM	TPST	STORE	003 05467
015003	015115	R					
015004	024107	A	5799	LDB	JOB		003 05468
015005	026000	A	5800	LDB	0,2		003 05469
015006	036000	A	5801	LDB	0,2		003 05470
015007	006020	A	5802	LDBI	HDR+12	HEADER AREA	003 05471
015010	015065	R					
015011	002000	A	5803	JMPM	TPST	STORE	003 05472
015012	015115	R					
015013	027000	I	5804	LDB	SYST		003 05473
015014	016000	A	5805	LDA	0,2	SYSTEM FLAG	003 05474
015015	001010	A	5806	JAZ	*+6	VORTEX	003 05475
015016	015023	R					
015017	006030	A	5807	LDBI	TPMDS	MDS	003 05476
015020	015102	R					
015021	001000	A	5808	JMP	*+4		003 05477
015022	015025	R					
015023	006030	A	5809	LDBI	TPVDR	VORTEX	003 05478
015024	015106	R					
015025	006020	A	5810	LDBI	HDR+17	HEADER AREA	003 05479
015026	015072	R					
015027	002000	A	5811	JMPM	TPST	STORE	003 05480
015030	015115	R					
015031	006010	A	5812	LDAI	1		003 05481
015032	000001	A					
015033	054557	A	5813	STA	LDLINE	RESET LINE NUMBER	003 05482
015034	002000	A	5814	CALL	LDOUT,25,HDR	OUTPUT HEADER	003 05483
015035	015470	R					
015036	000031	A					











```

015276      5918 SI2   BSS      0
015276 002000 A 5919      JMPM     SDELD      SD = LD ?
015277 015614 R
015300 001010 A 5920      JAZ      SIRTN     IF YES, BYPASS LDOUT
015301 015306 R
015302 002000 A 5921 SILO   CALL     LDOUT,36,BUFI-1  ECHO TO LD FOR RECORD
015303 015470 R
015304 000044 A
015305 000374 R
015306 014010 A 5922 SIRTN   LDA      SIINA
015307 024010 A 5923      LDB     SIINB
015310 034010 A 5924      LDX     SIINX
015311 001000 A 5925      RETUM   SIIN      RETURN
015312 115220 R
015313 000044 A 5926 INDCB  DCB     36,BUFI,0
015314 000375 R
015315 000000 A
015316 000000 A 5927 SIFLG  DATA   0          SI ON RMD FLAG
015317 000000 A 5928 SIINA  DATA   0          A REG
015320 000000 A 5929 SIINB  DATA   0          B REG
015321 000000 A 5930 SIINX  DATA   0          X REG
015322 000000 A 5931      EJECC
015323 054057 A 5932 *
015324 064057 A 5933 *      THIS IS A SUBROUTINE TO READ A RECORD FROM THE PI DEVICE
015325 074057 A 5934 *
015326 027000 I 5935 *      CALLING SEQUENCE
015327 016000 A 5936 *      CALL     PIIN      NOTE: RECORDS MAY NOT BE BLOCKED ON RMD
015330 001004 A 5937 *
015331 015342 R 5938 *      RETURN: A,B,X REGISTERS RESTORED
015332 014047 A 5939 *
015333 001002 A 5940 PIIN   ENTR
015334 015342 R 5941      STA     PIINA
015335 002000 A 5942      STB     PIINB
015336 002000 A 5943      STX     PIINX
015337 002000 A 5944      LDB     SYST      SYSTEM FLAG ADDR
015338 002000 A 5945      LDA     0,2
015339 001004 A 5946      JAN     PIIN1    JUMP IF NOS
015340 001004 A
015341 015342 R 5947      LDA     PIFLG
015342 014047 A 5948      JAP     PIIN1    JUMP IF DN NON RMD
015343 015342 R
015344 002000 A 5949      IOLINK 4,BUFI,36
015345 015246 E
015346 001404 A
015347 000375 R
015348 000044 A
015349 000044 A
015350 000044 A
015351 015261 E
015352 100000 A
015353 010004 A
015354 015377 R
015355 000000 A
015356 000000 A
015357 002000 A 5950 PIIN1  LDAI    0120240    BLANK-BLANK
015358 015270 E
015359 015350 R
015360 012523 R
015361 012523 R
015362 012523 R
015363 012523 R
015364 015357 R
015365 002000 A 5951      JMPM     SAR      INITIALIZE INPUT BUFFER
015366 002000 A 5952      DATA  36
015367 015470 R 5953      DATA  BUFI-1
015368 000044 A 5954 PIIN2  READ    PIDCB,4,0,1  READ INPUT
015369 000374 R
015370 000044 A
015371 000374 R
015372 014010 A 5955 PI1   STAT    PIIN2,CHMR,CHMR,CHMR,PI1  IF ERR/EDF/BEED RETURN SI C.1 03 05624
015373 024010 A 5956      CALL     LDOUT,36,BUFI-1  ECHO TO LD FOR RECORD
015374 034010 A
015375 001000 A 5957      LDA     PIINA
015376 115322 R 5958      LDB     PIINB
015377 000044 A 5959      LDX     PIINX
015378 000000 A 5960      RETUM   PIIN      RETURN
015379 000000 A
015380 000000 A 5961 *
015381 000000 A 5962 PIDCB  DCB     36,BUFI,0
015382 000375 R
015383 000000 A
015384 000000 A 5963 PIFLG  DATA   0          PI ON RMD FLAG, POS=NO, NEG=YES
015385 000000 A 5964 PIINA  DATA   0
015386 000000 A 5965 PIINB  DATA   0
015387 000000 A 5966 PIINX  DATA   0
015388 000000 A 5967      EJECC
015389 000000 A 5968 *
015390 000000 A 5969 *      THIS IS A SUBROUTINE TO WRITE A RECORD TO THE SD DEVICE
015391 000000 A 5970 *
015392 000000 A 5971 *      CALLING SEQUENCE

```



```

5972 * CALL SIDOUT,A,B                                S03 05641
5973 * WHERE:                                          S03 05642
5974 * A=NUMBER OF WORDS                              S03 05643
5975 * B=BUFFER ADDRESS                               S03 05644
5976 * RETURN: A,B,X REGISTERS RESTORED              S03 05645
5977 *                                                S03 05646
5978 *                                                S03 05647
015406 000000 A 5979 SIDOUT ENTR                      S03 05648
015407 054035 A 5980 STA SIQUA                       S03 05649
015410 064035 A 5981 STB SIDUB                       S03 05650
015411 074035 A 5982 STX SIDUX                       S03 05651
015412 037000 I 5983 LDX SIDUT                       S03 05652
015413 015000 A 5984 LDA 0,1 ADDRESS OF PARAMS      S03 05653
015414 054045 A 5985 STA DUDCB STORE IN DCB         S03 05654
015415 015001 A 5986 LDA 1,1 BUFFER ADDRESS       S03 05655
015416 054044 A 5987 STA DUDCB+1 STORE IN DCB      S03 05656
5988 SIDUI WRITE DUDCB,SD,0,1 OUTPUT BUFFER        S03 05657

015417 002000 A
015420 015351 E
015421 100000 A
015422 010403 A
015423 015462 R
015424 000000 A
015425 000000 A

5989 SD1 STAT SIDUI,SD2,SD2,SD2,SD1                C.1 03 05658

015426 002000 A
015427 015360 E
015430 015417 R
015431 015435 R
015432 015435 R
015433 015435 R
015434 015426 R
015435

5990 SD2 BSS 0                                       C.1 03 05659
5991 JMPM SDELD SD = LD ?                            C 03 05660
015436 015614 R
015437 001010 A 5992 JAZ SORTN IF YES, BYPASS LDOUT C 03 05661
015440 015451 R
015441 014020 A 5993 LDA DUDCB REQUESTED WORD COUNT S03 05662
015442 054004 A 5994 STA SDLO+2 OVERLAY WC OF STANDARD CALL S03 05663
015443 014017 A 5995 LDA DUDCB+1 REQUESTED BUFFER ADDRESS S03 05664
015444 054003 A 5996 STA SDLO+3 OVERLAY BUFFER ADDRESS OF STANDARD CALL S03 05665
015445 002000 A 5997 SDLO CALL LDOUT,36,BUFR ECHO TO LD FOR RECORD S03 05666
015446 015470 R
015447 000044 A
015450 000200 R
015451 017000 I 5998 SORTN LDA SIDUT C 03 05667
015452 006120 A 5999 ADDI 2 S03 05668
015453 000002 A
015454 057000 I 6000 STA SIDUT ADVANCE RETURN ADDRESS S03 05669
015455 014007 A 6001 LDA SIQUA S03 05670
015456 024007 A 6002 LDB SIDUB S03 05671
015457 034007 A 6003 LDX SIDUX S03 05672
015460 001000 A 6004 RETUM SIDUT RETURN S03 05673
015461 115406 R
015462 000000 A 6005 DUDCB DATA 0,0,0 DATA CONTROL BLOCK (DCB) S03 05674
015463 000000 A
015464 000000 A
015465 000000 A 6006 SIQUA DATA 0 A REG S03 05675
015466 000000 A 6007 SIDUB DATA 0 B REG S03 05676
015467 000000 A 6008 SIDUX DATA 0 X REG S03 05677
6009 EJEC S03 05678
6010 * S03 05679
6011 * THIS IS A SUBROUTINE TO WRITE A RECORD TO THE LD DEVICE S03 05680
6012 * S03 05681
6013 * CALLING SEQUENCE S03 05682
6014 * CALL LDOUT,A,B S03 05683
6015 * WHERE: S03 05684
6016 * A=NUMBER OF WORDS S03 05685
6017 * B=BUFFER ADDRESS S03 05686
6018 * S03 05687
6019 * RETURN: A,B,X REGISTERS RESTORED S03 05688
6020 * S03 05689
015470 000000 A 6021 LDOUT ENTR S03 05690
015471 054112 A 6022 STA LDA S03 05691
015472 064112 A 6023 STB LDB S03 05692
015473 074112 A 6024 STX LDX S03 05693
015474 037000 I 6025 LDX LDOUT ADDRESS OF PARAMS S03 05694
015475 015000 A 6026 LDA 0,1 NUMBER OF WORDS S03 05695
015476 054101 A 6027 STA LDDCB STORE IN DCB S03 05696
015477 015001 A 6028 LDA 1,1 BUFFER ADDRESS S03 05697
015500 054100 A 6029 STA LDDCB+1 STORE IN DCB S03 05698
015501 006027 A 6030 LDDB SYST SYSTEM FLAG S03 05699
015502 001401 R
015503 016000 A 6031 LDA 0,2 S03 05700
015504 001004 A 6032 JAN LD1 JUMP IF MDS S03 05701
015505 015522 R
015506 014074 A 6033 LDA LOFLG S03 05702
015507 001002 A 6034 JAP LD1 JUMP IF NON-RMD S03 05703
015510 015522 R
015511 014066 A 6035 LDA LDDCB RECORD LENGTH S03 05704
015512 054006 A 6036 STA LDLNK+4 S03 05705
015513 014065 A 6037 LDA LDDCB+1 S03 05706
015514 054003 A 6038 STA LDLNK+3 S03 05707

```



```

6039 LDLNK IDLINK 5, BUFR+1, 40          S03 05708
015515 002000 A
015516 015336 E
015517 001405 A
015520 000201 R
015521 000050 A
6040 LD1 WRITE LD0CB, LD, 0, 1 OUTPUT BUFFER          S03 05709
015522 002000 A
015523 015420 E
015524 100000 A
015525 010405 A
015526 015600 R
015527 000000 A
015530 000000 A
6041 LD5 STAT LD1, LD6, LD6, LD6, LD5          E.2*****
015531 002000 A
015532 015427 E
015533 015522 R
015534 015540 R
015535 015540 R
015536 015540 R
015537 015531 R
015540
6042 LD6 BSS 0          C.1 03 05711
015540 044052 A 6043 INR LDLINE ADVANCE LINE NUMBER          S03 05712
015541 014051 A 6044 LDA LDLINE          S03 05713
015542 006140 A 6045 SUBI 47 LINES PER PAGE          S03 05714
015543 000057 A
015544 001004 A 6046 JAN LD2 JUMP IF NOT AT LIMIT          S03 05715
015545 015567 R
015546 006017 A 6047 LDAE LDOUT          S05 05716
015547 015470 R
015550 054036 A 6048 STA LD3 SAVE RETURN ADDR          S03 05717
015551 002000 A 6049 CALL MOVW, 3, LDA, LD4 SAVE A, B, X          S03 05718
015552 014510 R
015553 000003 A
015554 015604 R
015555 015610 R
015556 002000 A 6050 CALL TPFM TOP OF FORM          S03 05719
015557 014760 R
015560 014026 A 6051 LDA LD3          S03 05720
015561 057000 I 6052 STA LDOUT RESTORE RETRUN ADDR          S03 05721
015562 002000 A 6053 CALL MOVW, 3, LD4, LDA RESTORE A, B, X          S03 05722
015563 014510 R
015564 000003 A
015565 015610 R
015566 015604 R
015567 015567 R 6054 LD2 EQU *          S03 05723
015570 006120 A 6055 LDA LDOUT          S03 05724
015571 000002 A 6056 ADDI 2          S03 05725
015572 057000 I 6057 STA LDOUT ADVANCE RETURN ADDRESS          S03 05726
015573 014010 A 6058 LDA LDA          S03 05727
015574 024010 A 6059 LDB LDB          S03 05728
015575 034010 A 6060 LDX LDX          S03 05729
015576 001000 A 6061 RETU* LDOUT RETURN          S03 05730
015577 115470 R
6062 LD0CB DCB 40, BUFR+1, 0          S03 05731
015600 000050 A
015601 000201 R
015602 000000 A
015603 000000 A 6063 LD0FLG DATA 0 LD ON RMD FLAG, POS=NO, NEG=YES          S03 05732
015604 000000 A 6064 LDA DATA 0 A REG          S03 05733
015605 000000 A 6065 LDB DATA 0 B REG          S03 05734
015606 000000 A 6066 LDX DATA 0 X REG          S03 05735
015607 000000 A 6067 LD3 DATA 0 TEMP STORAGE FOR RETURN ADDR          S03 05736
015610 000000 A 6068 LD4 DATA 0, 0, 0 TEMP STORAGE FOR A, B, X          S03 05737
015611 000000 A
015612 000000 A
015613 000001 A 6069 LDLINE DATA 1 LINE CONT          S03 05738
6070 EJEK          C 03 05739
6071 *          C 03 05740
6072 * SUBROUTINE TO DETERMINE IF SD = LD          C 03 05741
6073 * RETURN-- A REG=0 IF LD=SD ELSE A REG NOT= 0          C 03 05742
6074 *          C 03 05743
015614 000000 A 6075 SDELD ENTR          C 03 05744
015615 006037 A 6076 LDXE LUT          C 03 05745
015616 015634 R
015617 035000 A 6077 LDX 0, X          C 03 05746
015620 035000 A 6078 LDX 0, X LUT BASE          C 03 05747
015621 015003 A 6079 LDA 0, X SD ASSIGNMENT          FF *****
015622 006150 A 6080 ANAI 0377          C 03 05749
015623 000377 A
015624 054004 A 6081 STA SDLOCH+1 SAVE IT          C 03 05750
015625 015005 A 6082 LDA 5, X LD ASSIGNMENT          C 03 05751
015626 006150 A 6083 ANAI 0377          C 03 05752
015627 000377 A
015630 006140 A 6084 SDLOCH SUBI 0          C 03 05753
015631 000000 A
015632 001000 A 6085 JMP* SDELD          C 03 05754
015633 115614 R
015634 000000 E 6086 EXT $LUT          C 03 05755
6087 LUT DATA $LUT          C 03 05756
6088 EJEK          S03 05757
    
```



```

6089 *
6090 *          FETCH
6091 *
6092 *****
6093 *
6094 *          THIS IS A SUBROUTINE TO FETCH A CHAR FROM THE INPUT BUFFER
6095 *
6096 *          CALLING SEQUENCE
6097 *          JMPM   FETCH          GET FIRST CHAR
6098 *          OR
6099 *          JMPM   FETCHA        GET CHAR THERE AFTER
6100 *          RETURN:
6101 *          CHAR IN A REG, B REG DESTROYED, X REG SAME
6102 *
6103 *****
6104 *
015635 000000 A 6105  FETCH  ENTR
015636 017000 I 6106          LDA    FETCH
015637 054004 A 6107          STA    FETCHA      SET UP RETURN ADDRESS
015640 005002 A 6108          TZB
015641 064031 A 6109          STB    CHAR      ZERO CHARS FETCHED
015642 001000 A 6110          JMP    FETCHA+1
015643 015645 R
015644 000000 A 6111  FETCHA  ENTR
015645 014025 A 6112          LDA    CHAR      CHARACTER COUNT
015646 004341 A 6113          LSRA   1          GET WORD COUNT
015647 054024 A 6114          STA    WORD
015650 006010 A 6115          LDAI   BUFI      GET BUFFER ADDRESS
015651 000375 R
015652 124021 A 6116          ADD    WORD      INDEX INTO BUFFER
015653 005012 A 6117          TAB
015654 026000 A 6118          LDB    0,2        FETCH WORD
015655 014015 A 6119          LDA    CHAR
015656 154016 A 6120          ANA   BIT0       TEST WHICH HALF OF WORD
015657 001010 A 6121          JAZ    FETCHB    LEFT
015660 015666 R
015661 005021 A 6122          TBA
015662 154013 A 6123          ANA   RHLF      RIGHT
015663 044007 A 6124          INR   CHAR      MASK OFF
015664 001000 A 6125          JMPM  FETCHA      NEXT CHAR
015665 115644 R
015666 005021 A 6126  FETCHB  TBA
015667 004350 A 6127          LSRA   8          SHIFT DOWN
015670 044002 A 6128          INR   CHAR      NEXT HCAR
015671 001000 A 6129          JMPM  FETCHA      RETURN
015672 115644 R
015673 000000 A 6130  CHAR   DATA    0
015674 000000 A 6131  WORD   DATA    0
015675 000001 A 6132  BIT0  DATA    01
015676 000377 A 6133  RHLF  DATA    0377
          000201 R 6134          END    SMLTR

```

```

ENTRY NAMES
000177 R EMEM      000716 R EXC      000000 R MMEM      000201 R SMLTR
EXTERNAL NAMES
015113 E $DATE      001214 E $DBUF      003324 E $DRM1      001221 E $DRM1B
001222 E $DRMIC    001223 E $DRM1D    001006 E $DRM2      001377 E $ELOD
015114 E $JOB      015634 E $LUT      001401 E $SYST      011566 E BIFCB
012477 E EXIT      015516 E INLINK   015523 E INTR      015532 E INTRST
012473 E LOFCB     000333 E PIFCB     000332 E SIFCB     001400 E V$LLUP
SYMBOLS
015113 E $DATE      001214 E $DBUF      003324 E $DRM1      001221 E $DRM1B
001222 E $DRMIC    001223 E $DRM1D    001006 E $DRM2      001377 E $ELOD
015114 E $JOB      015634 E $LUT      001401 E $SYST      012726 R ABDCS
010460 R ABEL      005223 R AR10     005257 R AR12     005301 R AR13
005267 R AR20     000010 A AZ        000002 A B         003305 R BCS
003346 R BCSP     003335 R BCSP     003343 R BCSC     011411 R BEOD
011566 R BIBLK     011570 R BIBUF     011563 R BIDCB     011566 E BIFCB
011531 R BIFLG     000311 R BIOPN     000304 R BIRMD     015675 R BIT0
011571 R BIT11     011572 R BIT12     011573 R BIT15     015130 R BNASC
000375 R BUFI      011574 R BUFPTR    000200 R BUFR      000020 A BZ
000036 A CAPY      013215 R CD05     013242 R CD10     013246 R CD20
013262 R CD22     013355 R CD2A     013356 R CD2B     013357 R CD2C
013266 R CD30     013270 R CD40     013275 R CD42     013304 R CD44
013324 R CD46     013335 R CD50     013202 R CDAB     013337 R CDAX
015673 R CHAR      012502 R CHME     012523 R CHMR     012517 R CHMS
011575 R CKSM      011606 R CKSU     011542 R CKSU1    011547 R CKSU2
011534 R CKSUM     010615 R CME1     010635 R CME2     010662 R CME3
010663 R CME4     010607 R CMEM     003076 R CNOT     011441 R CODE
000661 R COMM      000700 R COMM1    012732 R CONV     012760 R CONV1
012762 R CONV2    012765 R CONV3    000503 R CPAG     002144 R CR10
002147 R CR15     002165 R CR17     002203 R CR19     002223 R CR21
002227 R CR23     002231 R CR30     002241 R CR32     002317 R CR33
002324 R CR34     002362 R CR35     002404 R CR50     002420 R CR52
002422 R CR54     002440 R CR55     002465 R CR56     002475 R CR57
002457 R CR58     002514 R CR60     002536 R CR6A     002545 R CR6B
002562 R CR6C     002570 R CR6D     002576 R CR6E     002604 R CR6F
002612 R CR6G     002620 R CR6H     002626 R CR6I     002533 R CR6J
002554 R CR6K     002642 R CR6L     003047 R CR6S     003026 R CR6T
003003 R CR6U     002760 R CR6V     002735 R CR6W     002714 R CR6X
002673 R CR6Y     002650 R CR6Z     003106 R CR70     003077 R CR70A
003160 R CR71     003164 R CR72     003151 R CR73     003171 R CR74
003202 R CR75     003207 R CR77     003420 R CR7A     003421 R CR7B
003422 R CR7C     003423 R CR7D     003424 R CR7E     003216 R CR80

```



003233	R	CR84	003253	R	CR86	003302	R	CR87	001767	R	CRA0
002007	R	CRA2	002033	R	CRA2A	002025	R	CRA2B	002057	R	CRA2C
002044	R	CRA3	002064	R	CRA4	002073	R	CRA5	002142	R	CRA6
002126	R	CRA7	002104	R	CRA8	003426	R	CRAD	001673	R	CRA3
001760	R	CRA31	002363	R	CRAX	003430	R	CRAZ	003425	R	CRBA
003427	R	CRBD	003073	R	CRM1	003074	R	CRM2	002401	R	CRP
002373	R	CRPE	003060	R	CRS1	003064	R	CRS2	003037	R	CRT1
003043	R	CRT2	003070	R	CRS	003014	R	CRU1	003022	R	CRU2
002771	R	CRV1	002777	R	CRV2	002746	R	CRW1	002754	R	CRW2
002725	R	CRX1	002731	R	CRX2	003347	R	CRXA	003377	R	CRX2
002704	R	CRY1	002710	R	CRY2	002663	R	CRZ1	002667	R	CRZ2
001440	R	D2048	015113	R	DATE	000371	R	DEUF	001220	R	DCTBL
006072	R	DLM1	006067	R	DLM2	006066	R	DLM3	006102	R	DLM4
006107	R	DLM7	006057	R	DLM5	006644	R	DO01	006654	R	DO02
006657	R	DO20	006677	R	DO22	006724	R	DO24	006745	R	DO26
006756	R	DO44	006777	R	DO46	007025	R	DO48	007051	R	DO50
006624	R	DORG	007057	R	DOT1	007060	R	DOT2	000372	R	DRM1
000373	R	DRM2	000546	R	DRDM	000064	A	DS	010225	R	E100
010327	R	E102	010600	R	E104	010601	R	E105	010602	R	E106
010603	R	E107	010604	R	E108	010605	R	E109	011643	R	E110
011653	R	E112	011721	R	E113	011722	R	E114	011731	R	E114A
011737	R	E115	011753	R	E116	011754	R	E117	011755	R	E118
011756	R	E119	011757	R	E120	012015	R	E121	012016	R	E122
012006	R	E123	011766	R	E124	012017	R	E130	012036	R	E131
012057	R	E132	012052	R	E133	012061	R	E140	012100	R	E142
012105	R	E143	012204	R	E144	012206	R	E145	012215	R	E150
012241	R	E152	012254	R	E153	012364	R	E154	012136	R	E155
012366	R	E156	012367	R	E157	012370	R	E158	012371	R	E159
012372	R	E15A	012373	R	E15B	012247	R	E15C	012326	R	E15D
012346	R	E15E	012425	R	E160	012433	R	E162	012451	R	E170
012463	R	E171	012476	R	E172	010513	R	EAS	010517	R	EAAU
010402	R	EAC1	010462	R	EAC2	010365	R	EACH	010606	R	EADA
010352	R	EADS	010357	R	EADS1	010326	R	EAF0	010336	R	EAF1
010313	R	EAFR	010535	R	EAIR	010300	R	EAJR	010344	R	EASJ
010544	R	EAKR	010553	R	EAML	010562	R	EADR	010304	R	EAPR
010526	R	EASO	010571	R	EASR	012565	F	ED10	012570	R	ED11
012601	R	ED20	012604	R	ED21	012615	R	ED30	012630	R	ED40
012727	R	ED41	012730	R	ED42	012731	R	ED43	012644	R	ED50
012657	R	ED51	012724	R	EDA	012713	R	EDAB	012547	R	EDR2
012530	R	EDRM	001377	R	ELDC	000177	R	EMEM	012214	R	END
012132	R	ENDTRC	011403	R	EOF	011611	R	EOFE	011375	R	ERR
001117	R	EX10E	000716	R	EXC	000745	R	EXC0	000754	R	EXC1
001111	R	EXC10	001126	R	EXC12	001140	R	EXC14	001143	R	EXC16
001144	R	EXC17	001145	R	EXC18	001146	R	EXC19	001023	R	EXC1A
001060	R	EXC2	001076	R	EXC3	001155	R	EXC4	001101	R	EXC5
001147	R	EXC90	001160	R	EXC92	001047	R	EXC0	012477	E	EXIT
0012125	R	EXLIM	000335	R	FCBBI	000334	R	FCBLD	000333	R	FCBPI
000332	R	FCBS1	013174	R	FD09	013200	R	FD10	013201	R	FD11
013143	R	FD15	013166	R	FD16	013171	R	FD17	012766	R	FELD
015635	R	FETCH	015644	R	FETCHA	015666	R	FETCHB	000045	A	FIL1
000046	A	FIL2	013625	R	FLD05	013635	R	FLD10	013650	R	FLD20
013666	R	FLD25	013670	R	FLD30	013730	R	FLD35	013743	R	FLD39
013752	R	FLD40	013770	R	FLD50	013764	R	FLD50A	013771	R	FLD50B
014002	R	FLD51	014011	R	FLD56	014015	R	FLD57	014031	R	FLD60
014037	R	FLD65	014023	R	FLD90	014024	R	FLD91	014025	R	FLD92
014026	R	FLD93	014027	R	FLD94	014030	R	FLD95	013623	R	FLDCG
014045	R	FLER1	014050	R	FLER2	014022	R	FLLRL	014167	R	FLMSK
014053	R	FLNAM	011576	R	FREC	015136	F	GET	015144	R	GET2
015051	R	HDR	011614	R	HOPE	000505	R	IMD	013364	R	INA
013410	R	INA3	013360	R	INA5	013447	R	INA8	013451	R	INAA
013452	R	INAN	013453	R	INAV	015313	R	INDCB	013611	R	INER
013464	R	INH	013536	R	INH2	013513	R	INH3	013516	R	INH4
013454	R	INH5	013573	R	INH6	013601	R	INH7	013603	R	INH8
013614	R	INHP	013615	R	INH0	013610	R	INH1	013617	R	INH2
015516	E	INLINK	000067	A	INPF	000062	A	INTA	000061	A	INTF
015523	E	INTR	015532	E	INTRST	000040	A	IOD	000050	A	IDKR
000066	A	IDRF	000051	A	IRG1	000052	A	IRG2	015114	R	JOB
010351	R	JRFL	000502	R	JSPT	000047	A	KREG	011577	R	LOCS
011617	R	LCDE	011367	R	LCDM	011274	R	LDADD	011600	R	LDADR
011065	R	LD8P	011425	R	LDCDE	011622	R	LDCM	010723	R	LDCS
011466	R	LDCTL	010706	R	LDDS	010732	R	LDDSA	010737	R	LDDSB
011054	R	LDPR	011323	R	LDIGN	011232	R	LDLDR	011170	R	LDMEM
011271	R	LDMEX	010746	R	LDMH	011260	R	LDMOR	011254	R	LDMV
011330	R	LDNR	011327	R	LDR1	011156	R	LDRG	011601	R	LDPT
011230	R	LDPTR	010744	R	LDR0	010664	R	LDRM	011360	R	LDRNR
011363	R	LDRMS	011320	R	LDSOD	011433	R	LDSIZ	011313	R	LDSRV
011127	R	LDS1	011071	R	LDWD	014175	R	LIST	014211	R	LIST1
014262	R	LIST3	014266	R	LIST4	014007	R	LIST5	014332	R	LIST6
014333	R	LIST7	014334	R	LIST8	014335	R	LIST9	014336	R	LISTA
014371	R	LISTB	014422	R	LISTC	001400	R	LLUP	010763	R	LMOS
000005	A	LD	015522	R	LD1	015567	R	LD2	015607	R	LD3
015610	R	LD4	015531	R	LD5	015540	R	LD6	015604	R	LD8
015605	R	LD8	015600	R	LD0CB	012473	R	LOFCB	015603	R	LOFLG
015613	R	LOLINE	015519	R	LOLNK	000266	R	LOPN	015470	R	LOOUT
000261	R	LORND	015606	R	LOX	010774	R	LRI	010765	R	LRCAD
011003	R	LREAD1	011602	R	LREC	000070	A	LREG	011603	R	LSB13
011640	R	LSIC	003777	R	LTA1	004022	R	LTA2	004124	R	LTA3
004126	R	LTA4	004128	R	LTA5	003756	R	LTA6	004322	R	LTAP
004250	R	LTA7	004228	R	LTAT	004201	R	LTAW	004205	R	LTAX
004286	R	LTA8	004207	R	LTAZ	000032	A	LTOHA	000033	A	LTOHB
004074	R	LTA9	015634	R	LUT	000053	A	MADS	000031	A	MASK
000060	A	MBYD	000065	A	MCCD	012527	R	MEDIA	007643	R	MFAIL
000056	A	MIL	010165	R	MLIP	010223	R	MLIR	010215	R	MLIS



010207	R	MLIT	010206	R	MLIU	010202	R	MLIV	010176	R	MLIW
010172	R	MLIX	010166	R	MLIY	000000	R	MMEM	007175	R	MD03
007206	R	MD04	007212	R	MD10	007217	R	MD11	007236	R	MD12
007250	R	MD14	007255	R	MD16	007262	R	MD18	007267	R	MD20
007316	R	MD22	007325	R	MD24	007334	R	MD26	007337	R	MD30
007346	R	MD32	007353	R	MD34	007401	R	MD36	007404	R	MD38
007410	R	MD40	007427	R	MD41	007435	R	MD45	007443	R	MD50
007472	R	MD51	007475	R	MD52	007500	R	MD53	007525	R	MD54
007532	R	MD56	007536	R	MD58	007552	R	MD59	007556	R	MD60
007576	R	MD61	007605	R	MD62	007617	R	MD6A	007620	R	MD6B
007621	R	MD6C	010045	R	MD70	010036	R	MD72	007765	R	MD01
007762	R	MD02	010033	R	MD03	010014	R	MD04	007754	R	MD0R
007657	R	MDP1	007172	R	MDPA	007646	R	MDPB	000054	A	MDPC
014437	R	MDV1	014447	R	MDV2	014471	R	MDV3	014513	R	MDVC
014504	R	MDVE	014462	R	MDVR	014510	R	MDVW	010224	R	MPLE
007703	R	MRE1	007700	R	MRE2	007733	R	MRE3	007741	R	MRE4
007663	R	MREQ	007744	R	MREZ	001110	R	MTYP	000071	A	MULS
011141	R	NMIC	001224	R	NRM	000057	A	NROM	000072	A	NSTP
014514	R	OH	014541	R	OH2	014560	R	OHA	000044	A	OREG
015462	R	ODUCB	000037	A	OVRFL	001402	R	PA1	001412	R	PA2
001421	R	PA3	001430	R	PA4	001432	R	PA5	001436	R	PA8
001437	R	PA9	001262	R	PAG	001320	R	PAG1	001333	R	PAG2
001341	R	PAG3	001347	R	PAG4	001350	R	PAG5	001357	R	PAG6
001213	R	PAGE	001374	R	PAV1	001362	R	PAVL	014575	R	PBUF
015112	R	PGND	001227	R	PGDK	000004	A	PI	015357	R	PI1
015377	R	PIDCB	000333	E	PIFCB	015402	R	PIFLG	015322	R	PIIN
015342	R	PIIN1	015350	R	PIIN2	015403	R	PIINA	015404	R	PIINB
015405	R	PIINX	000243	R	PIOPN	000236	R	PIRMD	007635	R	PM1
007622	R	PMEM	000504	R	PPAG	000042	A	PREG	001163	R	PSEL
001177	R	PSELB	001214	R	PSTBL	015206	R	PUT	015170	R	PUTLP
000063	A	QS	000526	R	RO	000527	R	R1	000530	R	R2
000531	R	R3	000532	R	R4	000533	R	R5	000534	R	R6
000535	R	R7	000536	R	R8	000537	R	R9	000540	R	RA
000541	R	RE	000542	R	RC	011604	R	RCN	012060	R	RCNT
000543	R	RD	011632	R	RDER	000544	R	RE	014613	R	REG1
014616	R	REG2	014652	R	REG3	014661	R	REG6	014662	R	REG7
014663	R	REG8	014606	R	REGS	000545	R	RF	015676	R	RHLF
000441	R	RHLT	000445	R	RHLT0	000452	R	RHLT1	000457	R	RHLT2
000464	R	RHLT3	011467	R	RMD	011503	R	RMD1	011530	R	RMDT
001441	R	S100	001455	R	S101	001457	R	S102	001467	R	S103
001471	R	S104	001501	R	S105	001507	R	S106	001534	R	S106A
001542	R	S106B	001475	R	S108	001616	R	S111	001560	R	S120
001572	R	S120A	001601	R	S120B	001614	R	S121	001610	R	S123
001623	R	S200	001655	R	S201	001633	R	S205	001660	R	S210
001661	R	S211	001666	R	S219	003431	R	S300	003433	R	S302
003450	R	S304	003511	R	S305	003657	R	S316	003660	R	S317
003661	R	S318	003730	R	S319	003731	R	S31A	003740	R	S31B
003744	R	S31D	003751	R	S31E	003673	R	S320	003711	R	S322
004374	R	SAL2	004352	R	SALU	014702	R	SAR	014664	R	SAR1
014670	R	SAR2	014677	R	SAR3	011446	R	SCDD	011635	R	SEGE
011417	R	SEGER	010442	R	SETM1	010453	R	SETM3	010434	R	SETMUX
000002	A	SI	015267	R	SI1	015276	R	SI2	000332	E	SIFCB
015316	R	SIFLG	015220	R	SIIN	015260	R	SIIN1	015235	R	SIIN2
015252	R	SIIN3	015317	R	SIINA	015320	R	SIINB	015321	R	SIINX
015302	R	SILD	015417	R	SIDU1	015465	R	SIDUA	015466	R	SIDUP
015406	R	SIDUT	015467	R	SIDUX	000227	R	SIRMD	015306	R	SIRTN
000220	R	SMBI	000213	R	SMLO	000201	R	SMLTR	000206	R	SMPI
000003	A	SD	015426	R	SD1	015435	R	SD2	015614	R	SDELD
015445	R	SOLD	015630	R	SOLDCH	015451	R	SDRTN	014747	R	SPAC
000043	A	SREG	000506	R	STACK	012213	R	START	000471	R	STEP
012126	R	STRTRC	000041	A	STUS	000065	A	SUPK	001401	R	SYST
015205	R	TABL	003073	R	TMDT	000641	R	TMUX	014760	R	TPFRM
015102	R	TPMDS	015115	R	TPST	015106	R	TPVDR	014732	R	TRA
000472	R	TRACE	014720	R	TRC	014705	R	TRD	014741	R	TRE
014744	R	TRSET	014715	R	TRSETA	000476	R	V	011527	R	V\$DSTB
001400	E	V\$LLUP	011526	R	V\$SLUT1	000001	A	VORTEX	011605	R	WDCT
015674	R	WORD	000001	A	X	004402	R	X000	004616	R	X002
005047	R	X004	005052	R	X008	005053	R	X009	005054	R	X00A
005055	R	X00C	005056	R	X00D	005057	R	X010	005103	R	X012
005145	R	X013	005152	R	X014	005155	R	X015	005162	R	X019
005163	R	X020	005307	R	X021	005310	R	X022	005331	R	X023
005337	R	X024	005340	R	X025	005254	R	X026	005361	R	X030
005365	R	X032	005371	R	X034	005376	R	X036	005401	R	X038
005405	R	X040	005410	R	X042	005414	R	X044	005421	R	X046
005426	R	X048	005432	R	X050	005435	R	X052	005440	R	X054
005443	R	X056	005450	R	X058	005453	R	X060	005456	R	X062
005457	R	X063	005472	R	X064	005476	R	X066	005503	R	X068
005506	R	X070	005520	R	X071	005530	R	X072	005545	R	X074
005575	R	X075	005603	R	X076	005617	R	X078	005631	R	X080
005643	R	X082	005660	R	X084	005701	R	X086	005713	R	X088
005717	R	X089	005724	R	X090	005733	R	X092	005752	R	X094
005762	R	X095	005762	R	X096	005771	R	X097	006025	R	X099
005777	R	X09A	006012	R	X09B	006016	R	X09C	006026	R	X0A0
006045	R	X0A1	006055	R	X0AA	006056	R	X0AB	006112	R	X100
006366	R	X101	006406	R	X102	006455	R	X103	006506	R	X104
006523	R	X105	006533	R	X106	006534	R	X107	006474	R	X108
006461	R	X109	006450	R	X120	006615	R	X130	006606	R	X134
006611	R	X136	007061	R	X200	007101	R	X202	007142	R	X204
007147	R	X205	007152	R	X206	007136	R	X207	007163	R	X208
000030	A	XA	004637	R	XA10	004653	R	XA12	004661	R	XA14
004665	R	XA20	004676	R	XA22	004712	R	XA24	004720	R	XA26
004422	R	XA30	004430	R	XA32	004522	R	XA40	004536	R	XA41
004552	R	XA42	004561	R	XA44	004567	R	XA46	004573	R	XA48



```

004500 R XA49      004606 R XA50      004612 R XA52      004726 R XA80
004741 R XA82      004750 R XA84      004757 R XA86      004767 R XA88
005004 R XA90      005021 R XA92      005031 R XA94      005037 R XA96
000011 A XAB       000001 A XAF       005205 R XAL1      000034 A XALU
000027 A XE       000020 A XC       000035 A XCIN      000016 A XF
000004 A XFS      000007 A XG       000012 A XIMC      003506 R XIRG2
000014 A XLA      000013 A XLB      000010 A XM       000017 A XMD
000002 A XMS      000003 A XMT      005766 R XD96A    000022 A XDS
000015 A XR       000006 A XS       006135 R XS10     006140 R XS15
006170 R XS20     006213 R XS21     006214 R XS23     006210 R XS24
006225 R XS30     006231 R XS32     004460 R XS33     004472 R XS34
004475 R XS36     007510 R XS41     006232 R XS45     006242 R XS46
006244 R XS50     006251 R XS60     006260 R XS61     006305 R XS64
006327 R XS64A   006345 R XS65     006360 R XS70     006365 R XS71
006400 R XS73     006405 R XS74     006422 R XS76     006427 R XS78
006430 R XS80     006442 R XS81     006447 R XS82     006543 R XS90
006577 R XS91     006602 R XS92     000005 A XT       000026 A XTC
000000 A XTS      000023 A XV       000021 A XH       000025 A XX
000024 A XY       000040 A XZ       015217 R ZERDB
0 ERRORS ASSEMBLY COMPLETE
    
```

```

0 $DBUF      126      127      428      520
0 $DRM1      132      135      430      525
0 $DRM1B     134      526
0 $DRM1C     134      527
0 $DRM1D     134      528
0 $DRM2      133      136      432
0 $ELDC      626      628
0 $SYST      630      631
0 $IBLK      101
0 $IFCB      66      97      108
0 $IFLG      103
97 $IOPN      96
93 $IRMD      61
50 $UFR       109
0 $HME       377
0 $MEM       371
353 $COMM     452      489
369 $COMM1    490
165 $CPAG     516      544      663      681      708
926 $CR17     917
937 $CR19     931
951 $CR21     929
954 $CR23     927
958 $CR30     923      935      949      952
1010 $CR33     974      977      978      981      982      985      986      989      990
      993      994      996      1003
1015 $CR34     807      1000
1037 $CR35     1020     1026
0 $CR50      788      880
0 $CR70A     860      863
821 $CRA0     798      819
838 $CRA2     825      828
850 $CRA2A   841
846 $CRA2B   854
861 $CRA2C   852
855 $CRA3     847
869 $CRA4     791
877 $CRA5     794
903 $CRA6     849      857      885      887      893      897      900      1048
895 $CRA7     881      889      891
883 $CRA8     845      878
0 $CRAD     958      962      963
784 $CRAS    672      803      859      971      1009      1036
817 $CRAS1   804
1044 $CRAX    809      816      820      844      872
0 $CRBA     908      966
0 $CRBD     903      967
0 $CRM1     922
1053 $CRP     1051
1051 $CRPE    1025     1046
0 $CRIS     919      921      933      941      942      946      947
0 $CRXA     673
652 $D048    424      426      634      638      642
127 $DBUF    423      552
525 $DCTRL   553
135 $DRM1    431      557
136 $DRM2    433      559
192 $DRDM    667      674      677      706      785
313 $DS      939
0 $E100     369
0 $E120     374
0 $E130     380
0 $E140     381
0 $E150     372
0 $E170     379
0 $EDRM     379
628 $ELDC    419      615
49 $ENEM     47
0 $ENDTRC   401
888 $EXC     62      104      375      386
405 $EXCO    409
    
```











```

000001 A 1 VORTEX SET 1 03 00001
2 * THIS IS A COPYRIGHTED PROGRAM. COPYRIGHT 1973 BY VARIAN DATA MACHINE 03 00002
3 * 03 00003
4 * V.D.M. PART NO. 92L0506-149C 03 00004
5 * 03 00005
6 * RELEASE 10-15-73 03 00006
7 * 03 00007
8 * DATAN 03 00008
9 * 03 00009
10 * 03 00010
11 * TITLE DATAN 03 00011
12 * ARCTANGENT OF EXTENDED PRECISION NUMBER 03 00012
13 * 03 00013
14 * CALL DATAN,ARG AC=ARCTAN(ARG) 03 00014
15 * 03 00015
16 * CALL $DAN 03 00016
17 * 03 00017
18 * AC=ARC TAN (AC) AC=PSEUDO ACCUMULATOR. 03 00018
19 * 03 00019
20 * NAME $DAN,DATAN 03 00020
21 * 03 00021
22 ***** 03 00022
23 * MACRO * 03 00023
24 ***** 03 00024
25 FSE MAC 03 00025
26 IFT VORTEX-2 D.103 00026
27 IFF VORTEX-4 D.103 00027
28 GOTO FRMWR1 D.103 00028
29 EXT $SE D.103 00029
30 CALL $SE XFER PARAMETERS D.103 00030
31 GOTO FRMWR2 D.103 00031
32 FRMWR1 CONT D.103 00032
33 DATA 0105036 BCS XFER PARAMETERS D.103 00033
34 FRMWR2 CONT D.103 00034
35 EMAC 03 00035
36 * DOUBLE PRECISION LOAD D.103 00036
37 FLDD MAC D.103 00037
38 IFT VORTEX-3 D.103 00038
39 IFF VORTEX-4 D.103 00039
40 GOTO FRMWR1 D.103 00040
41 EXT $DLO DP LOAD D.103 00041
42 CALL $DLO D.103 00042
43 GOTO FRMWR2 D.103 00043
44 FRMWR1 CONT D.103 00044
45 DATA 0105322 FPP DP LOAD D.103 00045
46 FRMWR2 CONT D.103 00046
47 EMAC D.103 00047
48 EXT AC DP ACCUMULATOR D.103 00048
49 * DOUBLE PRECISION STORE D.103 00049
50 FSTD MAC D.103 00050
51 IFT VORTEX-3 D.103 00051
52 IFF VORTEX-4 D.103 00052
53 GOTO FRMWR1 D.103 00053
54 EXT $STD DP STORE D.103 00054
55 CALL $STD D.103 00055
56 GOTO FRMWR2 D.103 00056
57 FRMWR1 CONT D.103 00057
58 DATA 0105710 FPP DP STORE D.103 00058
59 FRMWR2 CONT D.103 00059
60 EMAC D.103 00060
61 * DOUBLE PRECISION ADD D.103 00061
62 FADD MAC D.103 00062
63 IFT VORTEX-3 D.103 00063
64 IFF VORTEX-4 D.103 00064
65 GOTO FRMWR1 D.103 00065
66 EXT $ZK DP ADD D.103 00066
67 CALL $ZK D.103 00067
68 GOTO FRMWR2 D.103 00068
69 FRMWR1 CONT D.103 00069
70 DATA 0105503 FPP DP ADD D.103 00070
71 FRMWR2 CONT D.103 00071
72 EMAC D.103 00072
73 * DOUBLE PRECISION SUBTRACT D.103 00073
74 FSBD MAC D.103 00074
75 IFT VORTEX-3 D.103 00075
76 IFF VORTEX-4 D.103 00076
77 GOTO FRMWR1 D.103 00077
78 EXT $ZL DP SUBTRACT D.103 00078
79 CALL $ZL D.103 00079
80 GOTO FRMWR2 D.103 00080
81 FRMWR1 CONT D.103 00081
82 DATA 0105543 FPP DP SUBTRACT D.103 00082
83 FRMWR2 CONT D.103 00083
84 EMAC D.103 00084
85 * DOUBLE PRECISION MULTIPLY D.103 00085
86 FMUD MAC D.103 00086
87 IFT VORTEX-3 D.103 00087
88 IFF VORTEX-4 D.103 00088
89 GOTO FRMWR1 D.103 00089
90 EXT $ZM DP MULTIPLY D.103 00090
91 CALL $ZM D.103 00091
92 GOTO FRMWR2 D.103 00092
93 FRMWR1 CONT D.103 00093
94 DATA 0105506 D.103 00094
95 FRMWR2 CONT D.103 00095
96 EMAC D.103 00096
97 IFT VORTEX-3 D.103 00097
98 IFF VORTEX-4 D.103 00098
99 GOTO FRMWR1 D.103 00099
100 EXT $ZM D.103 00100
101 CALL $ZM D.103 00101
102 GOTO FRMWR2 D.103 00102
103 FRMWR1 CONT D.103 00103
104 DATA 0105506 D.103 00104

```



104	FRMWR2	CONT				D.103	00104	
105		EMAC				D.103	00105	
108	* DOUBLE	PRECISION	DIVIDE			D.103	00108	
109	FDVD	MAC				D.103	00109	
110		IFT	VORTEX-3			D.103	00110	
111		IFF	VORTEX-4			D.103	00111	
112		GOTO	FRMWR1			D.103	00112	
113		EXT	\$ZN			D.103	00113	
114		CALL	\$ZN	DP DIVIDE		D.103	00114	
115		GOTO	FRMWR2			D.103	00115	
116	FRMWR1	CONT				D.103	00116	
117		DATA	0105535	FPP DP DIVIDE		D.103	00117	
118	FRMWR2	CONT				D.103	00118	
119		EMAC				D.103	00119	
121		EXT	POLY, IF			V&103	00121	
000020	A	122	NBIT	EQU	16	03	00122	
000000	000000	A	123	*		03	00123	
000001	002000	A	124	DATAN	ENTR	03	00124	
000002	000000	E	125		FSE	03	00125	
000003	000001	A	126		DATA	03	00126	
000004	000000	A	127	DARG	DATA	03	00127	
000005	006010	A	128		LDAI	03	00128	
000006	100000	R						
000007	054005	A	129		STA	03	00129	
000010	002000	A	130		FLDD	V&103	00130	
000011	000000	E						
000012	100004	R	131		DATA	03	00131	
000013	001000	A	132		JMP	V&103	00132	
000014	000016	R						
000015			133	\$DAN	BSS	03	00133	
000015			134	\$DAT	BSS	03	00134	
			135		IFT	D.103	00135	
			136		IFF	D.103	00136	
			137		GOTO	D.103	00137	
			138		FLDD	V&103	00138	
			139		DATA	V&103	00139	
			140	FRMWR1	CONT	V&103	00140	
			141	DAT01	FSTD	V&103	00141	
000016	002000	A						
000017	000000	E						
			142		IFT	E.1*****		
			143		IFF	E.1*****		
000020	000211	R	144		GOTO	E.1*****		
			145		DATA	V&103	00142	
			146		IFT	V&103	00143	
			147		IFF	V&103	00144	
			148		GOTO	V&103	00145	
			149		FLDD	V&103	00146	
			150		DATA	V&103	00147	
			151	FRMWR1	CONT	V&103	00148	
			152		FSTD	V&103	00149	
000021	002000	A						
000022	000000	E						
000023	000165	R	153		DATA	V&103	00150	
			154		FSTD	V&103	00151	
000024	002000	A						
000025	000017	E						
000026	000215	R	155		DATA	V&103	00152	
			156		FLDD	V&103	00153	
000027	002000	A						
000030	000011	E						
000031	000171	R	157		DATA	V&103	00154	
			158		FSTD	V&103	00155	
000032	002000	A						
000033	000025	E						
000034	000221	R	159		DATA	V&103	00156	
000035	002000	A	160		CALL	IF, DATP, DAT3, DAT3, DAT1X	*****	
000036	000000	E						
000037	000215	R						
000040	000146	R						
000041	000146	R						
000042	000050	R						
			161	DAT3X	FLDD	*****		
000043	002000	A						
000044	000030	E						
000045	000205	R	162		DATA	*****		
000046	001000	A	163		JMP	DAT2X	*****	
000047	000050	R						
			164	DAT1X	FLDD	*****		
000050	002000	A						
000051	000044	E						
000052	000201	R	165		DATA	*****		
			166	DAT2X	FSTD	*****		
000053	002000	A						
000054	000033	E						
000055	000221	R	167		DATA	*****		
000056			168	DAT1	BSS	03	00158	
			169		FLDD	0	V&103	00159
000056	002000	A						
000057	000051	E						



000060	000175	R	170		DATA	DATM		V&103	00160
			171		FDVD			V&103	00161
000061	002000	A							
000062	000000	E							
000063	000211	R	172		DATA	DATQ		V&103	00162
			173		FSTD			V&103	00163
000064	002000	A							
000065	000054	E							
000066	000211	R	174		DATA	DATQ		V&103	00164
000067			175	DATA2	BSS	0		03	00169
			176		FLDD			V&103	00170
000067	002000	A							
000070	000057	E							
000071	000211	R	177		DATA	DATQ		V&103	00171
000072	054136	A	178		STA	DATX		03	00172
000073	014116	A	179		LDA	DATQ+1		03	00173
000074	001002	A	180		JAP	DAT5		03	00174
000075	000101	R	181		FMUD			V&103	00175
000076	002000	A							
000077	000000	E							
000100	000175	R	182		DATA	DATM		V&103	00176
000101			183	DAT5	BSS	0		03	00177
000101	014127	A	184		LDA	DATX		03	00178
			185		FSBD			V&103	00179
000102	002000	A							
000103	000022	E							
000104	000225	R	186		DATA	DATM		V&103	00180
			187		IFT	VORTEX-1		V&103	00181
			188		IFF	VORTEX-2		V&103	00182
			189		GOTO	FRMWR1		V&103	00183
			190		FSTD			V&103	00184
			191		DATA	AC		V&103	00185
			192	FRMWR1	CONT			V&103	00186
			193		CALL	IF, AC, DAT4, DAT4, DAT7		03	00187
000105	002000	A							
000106	000036	E							
000107	000000	E							
000110	000113	R							
000111	000113	R							
000112	000120	R							
000113			194	DAT4	BSS	0		03	00188
			195		FLDD			V&103	00189
000113	002000	A							
000114	000070	E							
000115	000211	R	196		DATA	DATQ		V&103	00190
000116	001000	A	197		JMP	DAT6		03	00191
000117	000141	R							
000120			198	DAT7	BSS	0		03	00192
			199		FLDD			V&103	00193
000120	002000	A							
000121	000114	E							
000122	000211	R	200		DATA	DATQ		V&103	00194
			201		FMUD			V&103	00195
000123	002000	A							
000124	000077	E							
000125	000211	R	202		DATA	DATQ		V&103	00196
			203		FSTD			V&103	00197
000126	002000	A							
000127	000065	E							
000130	000215	R	204		DATA	DATP		V&103	00198
			205		IFT	VORTEX-1		V&103	00199
			206		IFF	VORTEX-2		V&103	00200
			207		GOTO	FRMWR1		V&103	00201
			208		FLDD			V&103	00202
			209		DATA	DATP		V&103	00203
			210		FSTD			V&103	00204
			211		DATA	AC		V&103	00205
			212	FRMWR1	CONT			V&103	00206
			213		CALL	POLY, 15, DAAA, DATP		03	00207
000131	002000	A							
000132	000000	E							
000133	000017	A							
000134	000232	R							
000135	000215	R							
			214		IFT	VORTEX-1		D.103	00208
			215		IFF	VORTEX-2		D.103	00209
			216		GOTO	FRMWR1		D.103	00210
			217		FLDD			V&103	00211
			218		DATA	AC		V&103	00212
			219	FRMWR1	CONT			V&103	00213
			220		FMUD			V&103	00214
000136	002000	A							
000137	000124	E							
000140	000211	R	221		DATA	DATQ		V&103	00215
000141			222	DAT6	BSS	0		03	00216
			223		FADD			V&103	00217
000141	002000	A							
000142	000000	E							
000143	000221	R	224		DATA	DAT5		V&103	00218
			225		IFT	VORTEX-1		V&103	00219
			226		IFF	VORTEX-2		V&103	00220
			227		GOTO	FRMWR1		V&103	00221
			228		FSTD			V&103	00222
			229		DATA	AC		V&103	00223



```

000144 001000 A 230 FRMWR1 CONT
000145 100015 R 231 JMP* @DAT RETURN
000146 232 DAT3 BSS 0
233 FLDD
000146 002000 A
000147 000121 E
000150 000211 R 234 DATA DATQ
235 FADD
000151 002000 A
000152 000142 E
000153 000165 R 236 DATA DAN1
237 FSTB
000154 002000 A
000155 000127 E
000156 000215 R 238 DATA DATP
000157 002000 A 239 CALL IF,DATP,DAT3X,DAT2,DAT2
000160 000106 E
000161 000215 R
000162 000043 R
000163 000067 R
000164 000067 R
240 *
241 * TERMS FOR @DAT
242 *
243 IFF NBIT,,18
244 1 CONT
000165 000201 A 245 DAN1 DATA 0201,040000,0,0 1.0
000166 040000 A
000167 000000 A
000170 000000 A
000171 000200 A 246 DATZ DATA 0200,0,0,0 0.0
000172 000000 A
000173 000000 A
000174 000000 A
000175 000201 A 247 DATM DATA 0201,0137777,0,0 -1.0
000176 137777 A
000177 000000 A
000200 000000 A
000201 000201 A 248 DAP2 DATA 0201,062207,073250,042050 1.570796326794 = PI/2
000202 062207 A
000203 073250 A
000204 042050 A
000205 000201 A 249 DAP2M DATA 0201,0115570,073250,042050 -PI/2
000206 115570 A
000207 073250 A
000210 042050 A
250 GOTO 2
251 1 CONT
252 DAN1 DATA 0201,0200000,0,0 1.0D0
253 DATZ DATA 0200,0,0,0 0.0
254 DATM DATA 0201,0577777,0,0 -1.0D0
255 DAP2 DATA 0201,0311037,0265210,0203524 1.570796326794D0=PI/2
256 2 CONT
000211 257 DATQ BSS 4
000215 258 DATP BSS 4
000221 259 DATS BSS 4
260 IFF NBIT,,16
000225 000122 A 261 DATE DATA 0122,040000,0,0
000226 040000 A
000227 000000 A
000230 000000 A
262 IFF NBIT,,18
000231 263 DATE DATA 0122,0200000,0,0
264 DATX BSS 1
265 *COEFFICIENTS FOR THE RATIONAL POLYNOMIAL APPROXIMATION.
000232 266 DAAA BSS 0
267 IFF NBIT,,18
268 GOTO 1
000232 000200 A 269 DATA 0200,0077777,077777,077731 0.999999999998 E 0
000233 077777 A
000234 077777 A
000235 077731 A
000236 000177 A 270 DATA 0177,0125252,025252,020122 -0.3333333331404 E 0
000237 125252 A
000240 025252 A
000241 020122 A
000242 000176 A 271 DATA 0176,0063146,031410,042656 0.1999999900684 E 0
000243 063146 A
000244 031410 A
000245 042656 A
000246 000176 A 272 DATA 0176,0133333,042422,022714 -0.1428569001830 E 0
000247 133333 A
000250 042422 A
000251 022714 A
000252 000175 A 273 DATA 0175,0070706,015553,004152 0.1111076896853 E 0
000253 070706 A
000254 015553 A
000255 004152 A
000256 000175 A 274 DATA 0175,0121360,011123,014350 -0.9087807908591 E-1
000257 121360 A
000260 011123 A
000261 014350 A

```







```

338 *****
339 * SELECT THE APPROPRIATE TAN-1(U) (BY EIGHTHS) *
340 *****
341 LDA V
342 TZB
343 SUBI 0175
344 JAN D8TH11
345 IBR
346 JAZ D8TH11
347 SUBI 0200-0175
348 LBB V+1
349 ASRB 11
350 JAZ D8TH09 NO SHIFT OF B
351 JAP D8TH01 FORCE EIGHT
352 IAR
353 JAZ D8TH06 SHIFT B ONCE
354 IAR
355 JAZ D8TH03 SHIFT B TWICE
356 ASRB 1
357 JMP D8TH09
358 D8TH01 LDBI 8 USE 8
359 JMP D8TH11
360 D8TH03 ASRB 1
361 D8TH06 ASRB 1
362 D8TH09 TBA
363 TZB
364 LASR 1
365 JEBZ D8TH10
366 IAR
367 D8TH10 TAB
368 D8TH11 LDAE DTANU,2
369 STP D8TH12 SET ARCTAN ADDR
370 ASLB 1 FORCE V TO NEAREST EIGHTH
371 LDAE V8TH,2
372 STA U
373 LDAE V8TH+1,2
374 STA U+1
375 *****
376 * TAN-1((U-V)/(1+U*V)) *
377 *****
378 FLDD
379 DATA V
380 FMUD
381 DATA U
382 FADD
383 DATA ONE
384 FSTD
385 DATA TEMP
386 FLUD
387 DATA V
388 FSBB
389 DATA U
390 FDVD
391 DATA TEMP
392 FSTD
393 DATA Z
394 *****
395 * CALCULATE Z**2 *
396 *****
397 FLDD
398 DATA Z
399 FMUD
400 DATA Z
401 FSTD
402 DATA R
403 *****
404 * CALCULATE ARCTAN *
405 *****
406 FLDD
407 DATA A4
408 FMUD
409 DATA R
410 FADD
411 DATA A3
412 FMUD
413 DATA R
414 FADD
415 DATA A2
416 FMUD
417 DATA R
418 FADD
419 DATA A1
420 FMUD
421 DATA R
422 FADD
423 DATA A0
424 FMUD
425 DATA Z
426 FADD
427 D8TH12 BSS 1
428 FSBB
429 D8TH18 BSS 1
430 FMUD

```











000001 A

```

1 VORTEX SET 1 03 00001
2 * THIS IS A COPYRIGHTED PROGRAM. COPYRIGHT 1973 BY VARIAN DATA MACHINE 03 00002
3 * 03 00003
4 * V.D.M. PART NO. 92L0506-150E 03 00004
5 * 03 00005
6 * 03 00006
7 * 03 00007
8 * 03 00008
9 * 03 00009
10 * 03 00010
11 * TITLE DEXP 03 00011
12 ***** 03 00012
13 * 03 00013
14 * D O U B L E - P R E C I S I O N E X P O N E N T I A L * 03 00014
15 * * 03 00015
16 * ( D E X P , $ D E X ) * 03 00016
17 * * 03 00017
18 * FUNCTION: TO COMPUTE THE EXPONENTIAL OF A DOUBLE-PRECISION * 03 00018
19 * ARGUMENT. * 03 00019
20 * * 03 00020
21 * ENTRY: DEXP: NO SPECIAL CONDITIONS * 03 00021
22 * $DEX: AC=DP ARGUMENT * 03 00022
23 * * 03 00023
24 * CALLING SEQ: DEXP: JPM DEXP * 03 00024
25 * DATA ADDRESS OF DP ARGUMENT * 03 00025
26 * * 03 00026
27 * $DEX: JPM $DEX * 03 00027
28 * * 03 00028
29 * EXIT: AC=E**ARG * 03 00029
30 * * 03 00030
31 * ERRORS: OVERFLOW: OUTPUT 'FUNC ARG' * 03 00031
32 * AC=MAX DP NUMBER * 03 00032
33 * UNDERFLOW: AC=0 * 03 00033
34 * BOTH: OVFL SET * 03 00034
35 * * 03 00035
36 ***** 03 00036
37 * 03 00037
38 * ENTRIES * 03 00038
39 * * 03 00039
40 * 03 00040
41 NAME DEXP ARG IN CALL SEQ 03 00041
42 NAME $DEX ARG IN AC 03 00042
43 * 03 00043
44 ***** 03 00044
45 * EXTERNALS * 03 00045
46 ***** 03 00046
47 * 03 00047
48 * DOUBLE PRECISION LOAD D.103 00048
49 FLDD MAC D.103 00049
50 IFT VORTEX-3 D.103 00050
51 IFF VORTEX-4 D.103 00051
52 GOTO FRMWR1 D.103 00052
53 EXT $DLD DP LOAD D.103 00053
54 CALL $DLD D.103 00054
55 GOTO FRMWR2 D.103 00055
56 FRMWR1 CONT D.103 00056
57 DATA 0105522 FPP DP LOAD D.103 00057
58 FRMWR2 CONT D.103 00058
59 EMAC D.103 00059
60 EXT AC D.103 00060
61 EXT $DND NORMALIZE DP ARG 03 00061
62 EXT $EE ERROR MESSAGE PROCESSOR 03 00062
63 * 03 00063
64 * 03 00064
65 * DOUBLE PRECISION STORE D.103 00065
66 FSTD MAC D.103 00066
67 IFT VORTEX-3 D.103 00067
68 IFF VORTEX-4 D.103 00068
69 GOTO FRMWR1 D.103 00069
70 EXT $STD D.103 00070
71 CALL $STD DP STORE D.103 00071
72 GOTO FRMWR2 D.103 00072
73 FRMWR1 CONT D.103 00073
74 DATA 0105710 FPP DP STORE D.103 00074
75 FRMWR2 CONT D.103 00075
76 EMAC D.103 00076
77 EXT $ZC NEGATE AC 03 00077
78 * 03 00078
79 * 03 00079
80 * DOUBLE PRECISION ADD D.103 00080
81 FADD MAC D.103 00081
82 IFT VORTEX-3 D.103 00082
83 IFF VORTEX-4 D.103 00083
84 GOTO FRMWR1 D.103 00084
85 EXT $ZK D.103 00085
86 CALL $ZK DP ADD D.103 00086
87 GOTO FRMWR2 D.103 00087
88 FRMWR1 CONT D.103 00088
89 DATA 0105503 FPP DP ADD D.103 00089
90 FRMWR2 CONT D.103 00090
91 EMAC D.103 00091
92 * 03 00092
93 * 03 00093
94 * DOUBLE PRECISION SUBTRACT D.103 00094
95 FSBD MAC D.103 00095
96 IFT VORTEX-3 D.103 00096
97 IFF VORTEX-4 D.103 00097
98 GOTO FRMWR1 D.103 00098
99 EXT $ZL D.103 00099
100 CALL $ZL DP SUBTRACT D.103 00100
101 GOTO FRMWR2 D.103 00101
102 FRMWR1 CONT D.103 00102

```



```

103          DATA      0105543      FPP DP SUBTRACT      D.103 00103
104 FRMWR2  CONT
105          EMAC      D.103 00104
108 * DOUBLE PRECISION MULTIPLY      D.103 00105
109 FMUD     MAC      D.103 00108
110          IFT        VORTEX-3      D.103 00109
111          IFF        VORTEX-4      D.103 00110
112          GOTO       FRMWR1      D.103 00111
113          EXT        $ZM      D.103 00112
114          CALL       $ZM      D.103 00113
115          GOTO       FRMWR2      D.103 00114
116 FRMWR1  CONT      D.103 00115
117          DATA      0105506      D.103 00116
118 FRMWR2  CONT      D.103 00117
119          EMAC      D.103 00118
122 * DOUBLE PRECISION DIVIDE      D.103 00119
123 FDVD     MAC      D.103 00122
124          IFT        VORTEX-3      D.103 00123
125          IFF        VORTEX-4      D.103 00124
126          GOTO       FRMWR1      D.103 00125
127          EXT        $ZM      D.103 00126
128          CALL       $ZM      D.103 00127
129          GOTO       FRMWR2      D.103 00128
130 FRMWR1  CONT      D.103 00129
131          DATA      0105535      D.103 00130
132 FRMWR2  CONT      D.103 00131
133          EMAC      D.103 00132
136 *****      D.103 00133
137 * MACRO *      03 00136
138 *****      03 00137
139 FSE      MAC      03 00138
140          IFT        VORTEX-2      D.103 00139
141          IFF        VORTEX-4      D.103 00140
142          GOTO       FRMWR1      D.103 00141
143          EXT        $SE      D.103 00142
144          CALL       $SE      D.103 00143
145          GOTO       FRMWR2      D.103 00144
146 FRMWR1  CONT      D.103 00145
147          DATA      0105036      D.103 00146
148 FRMWR2  CONT      D.103 00147
149          EMAC      D.103 00148
152 *****      03 00149
153 * SET BLOCK *      03 00152
154 *****      03 00153
000022 A 155 $BIT SET 18 PUT LAST FOR 18-BIT      03 00154
000020 A 156 $BIT SET 16 PUT LAST FOR 16-BIT      03 00155
158 *****      03 00156
159 * DEXP IS ENTRY WITH ARG IN CALL SEQ *      03 00159
160 *****      03 00160
000000 074337 A 161 DE STX DESX+1 SAVE X      03 00161
000001 034014 A 162 LDX DEP GET POINTER TO DP ARG      03 00162
000002 074002 A 163 STX DE01      V&103 00163
164 FLDD      V&103 00164
000003 002000 A
000004 000000 E
000005
165 DE01 BSS 1      V&103 00165
166 IFT VORTEX-1      V&103 00166
167 IFF VORTEX-2      V&103 00167
168 GOTO FRMWR1      V&103 00168
169 FSTD      V&103 00169
170 DATA AC      V&103 00170
171 FRMWR1 CONT      V&103 00171
172 CALL $DEX COMPUTE AC=E**(AC)      03 00172
000006 002000 A
000007 000021 R
000010 034327 A 173 LDX DESX+1 RESTORE X      03 00173
000011 001000 A 174 JMP 0 EXIT      03 00174
000012 000000 A
000012
175 DEXP BES 0 ENTRY      03 00175
176 FSE XFER PARAMETERS      03 00176
000013 002000 A
000014 000000 E
000015 000001 A
000016
000017 001000 A
000020 000000 R
177 DATA 1      03 00177
178 DEP BSS 1 POINTER TO DP ARG      03 00178
179 JMP DE JUMP BACK FOR FORWARD REF      03 00179
180 *****      03 00180
181 * $DEX IS ENTRY WITH ARG IN DP ACCUM AC *      03 00181
182 *****      03 00182
000021 000000 A
184 $DEX ENTR      03 00184
185 IFT VORTEX-1      D.103 00185
186 IFF VORTEX-2      D.103 00186
187 GOTO FRMWR1      D.103 00187
188 FLDD      V&103 00188
189 DATA AC      V&103 00189
190 FRMWR1 CONT      V&103 00190
000022 054311 A
000023 064311 A
000024 074312 A
191 STA DESA SAVE A      03 00191
192 STB DESB SAVE B      03 00192
193 STX DESX SAVE X      03 00193
194 *****      03 00194
195 * NORMALIZE ARG U *      03 00195
196 *****      03 00196
197 FSTD STORE U      V&103 00197
000025 002000 A

```



```

000026 000000 E
000027 000346 R 198      DATA    DEU
000030 002000 A 199      CALL     $DND      NORMALIZE U
000031 000000 E
000032 000346 R 200      DATA    DEU
000033 014313 A 201      LDA     DEU+1
000034 001010 A 202      JAZ     DEL1      EXIT WITH AC=1 IF U=0
000035 000276 R
203 *****
204 * CHECK EXPONENT RANGE *
205 *****
000036 014307 A 206      LDA     DEU      GET BINARY EXPONENT OF U
000037 006140 A 207      SUBI    0210
000040 000210 A
000041 001004 A 208      JAN     DE1      BINARY EXPONENT OF U .GT. 7 ?
000042 000050 R
000043 014303 A 209      LDA     DEU+1    YES
000044 001002 A 210      JAP     DEOV     OVERFLOW IF U +
000045 000303 R
000046 001000 A 211      JMP     DEUN     UNDERFLOW IF -
000047 000315 R
212 *****
213 * COMPUTE Y=U/LN(2) *
214 *****
000050 002000 A 215      DE1     FLDD     LOAD NORMALIZED U
000051 000004 E
000052 000346 R 216      DATA    DEU
000053 002000 A 217      FDVD     COMPUTE Y=U/LN(2)
000054 000000 E
000055 000413 R 218      DATA    DE1.2
000056 002000 A 219      FSTD     STORE IN DEY
000057 000026 E
000060 000346 R 220      DATA    DEY
221      IFT     VORTEX-1
222      IFF     VORTEX-2
223      GOTO    FRMWR1
224      FLDD
225      DATA    DEY
226      FRMWR1 CONT
227 *****
228 * COMPUTE N=INT(Y+(1/2)*SIGN(U)) *
229 *****
000061 024322 A 230      LDB     DE1+1    SET HIGH BIT IN B
000062 014264 A 231      LDA     DEY+1
000063 001002 A 232      JAP     *+3      IS U NEGATIVE ?
000064 000066 R
000065 005222 A 233      CPB
000066 064242 A 234      STB     DEH+1    YES, SET DEH TO -1/2
235      FADD     SET DEH TO + OR -(1/2)
236      COMPUTE Y+-(1/2)
000067 002000 A
000070 000000 E
000071 000330 R 236      DATA    DEH
237      FSTD     STORE IN DET
000072 002000 A
000073 000057 E
000074 000342 R 238      DATA    DET
000075 005002 A 239      TCB
000076 064245 A 240      STB     DET+2    CLEAR WORDS 2 AND 3
000077 064245 A 241      STB     DET+3
000100 014241 A 242      LDA     DET
000101 144236 A 243      CUB     DEH
000102 001010 A 244      JAZ     *+4      IS THERE AN INTEGER PART ?
000103 000106 R
000104 001002 A 245      JAP     DE1A
000105 000111 R
000106 064234 A 246      STB     DET+1    NO. SET N=0
247      IFT     VORTEX-1
248      IFF     VORTEX-2
249      GOTO    FRMWR1
250      STB     DET
251      FRMWR1 CONT
252      JNP     DE3
000107 001000 A
000110 000142 R
000111 054227 A 253      DE1A   STA     DET1    YES
000112 124223 A 254      ADD     DE5H     CONSTRUCT MASK SHIFT
000113 054006 A 255      STA     DE2      STORE IN LINE
000114 006010 A 256      LDAI    $BIT-1
000115 000017 A
000116 144222 A 257      SUB     DET1
000117 124216 A 258      ADD     DE5H     CONSTRUCT FIX SHIFT
000120 054017 A 259      STA     DE2X    STORE IN LINE
000121 014234 A 260      LDA     DE5I    LOAD SIGN BIT
000122 064300 A 261      DE2    ASRA     SHIFT MASK
000123 054215 A 262      STA     DET1    SAVE MASK
000124 014216 A 263      LDA     DET+1   GET MANTISSA FIRST WORD
000125 004520 A 264      LASR    $BIT
000126 005012 A 265      TAB
000127 014213 A 266      LDA     DET+1   GET SIGN FLAG IN B
000130 001020 A 267      JBZ     *+3     RELOAD MANTISSA WORD 1
000131 000133 R

```



000132	005211	A	268	CPA		YES, MAKE +	03	00268
000133	154205	A	269	ANA	DET1	MASK OFF FRACTION	03	00269
000134	001020	A	270	JBZ	*+3	NEGATIVE ?	03	00270
000135	000137	R						
000136	005211	A	271	CPA		YES, MAKE -	03	00271
000137	054203	A	272	STA	DET+1	CLEAR FRACTIONAL PART	03	00272
000140	004300	A	273	DE2X	ASRA 0	FIX INTEGER	03	00273
000141	005012	A	274	TAB			03	00274
000142	064214	A	275	DE3	STB DE2N	STORE IN EXPONENT FIELD OF 2**N	03	00275
			276	*****			03	00276
			277	* COMPUTE W=Y-N *			03	00277
			278	*****			03	00278
			279	FLDD		RELOAD Y	V&103	00279
000143	002000	A						
000144	000051	E						
000145	000346	R	280	DATA	DEY		03	00280
			281	FSBD		GET Y-N	V&103	00281
000146	002000	A						
000147	000000	E						
000150	000342	R	282	DATA	DET		03	00282
			283	*****			03	00283
			284	* COMPUTE X=W*LN(2) *			03	00284
			285	*****			03	00285
			286	FMUD		X=W*LN(2)	V&103	00286
000151	002000	A						
000152	000000	E						
000153	000413	R	287	DATA	DEL2		03	00287
			288	FSTD		STORE X IN DEX	V&103	00288
000154	002000	A						
000155	000073	E						
000156	000346	R	289	DATA	DEX		03	00289
			290	IFT	VORTEX-1		D.103	00290
			291	IFF	VORTEX-2		D.103	00291
			292	GOTO	FRMWR1		D.103	00292
			293	FLDD			V&103	00293
			294	DATA	DEX		V&103	00294
			295	FRMWR1	CONT		V&103	00295
			296	FMUD		GET Z=X**2	V&103	00296
000157	002000	A						
000160	000152	E						
000161	000346	R	297	DATA	DEX		03	00297
			298	FSTD		STORE IN DEX2	V&103	00298
000162	002000	A						
000163	000155	E						
000164	000352	R	299	DATA	DEX2		03	00299
			300	*****			03	00300
			301	* COMPUTE DENOMINATOR B3=15120+420*X**2+X**4 *			03	00301
			302	*****			03	00302
			303	IFT	VORTEX-1		D.103	00303
			304	IFF	VORTEX-2		D.103	00304
			305	GOTO	FRMWR1		D.103	00305
			306	FLDD			V&103	00306
			307	DATA	DEX2		V&103	00307
			308	FRMWR1	CONT		V&103	00308
			309	FADD		GET 420+X**2	V&103	00309
000165	002000	A						
000166	000070	E						
000167	000377	R	310	DATA	DEX2		03	00310
			311	FMUD		GET (420+X**2)*X**2	V&103	00311
000170	002000	A						
000171	000160	E						
000172	000352	R	312	DATA	DEX2		03	00312
			313	FADD		GET B3	V&103	00313
000173	002000	A						
000174	000166	E						
000175	000373	R	314	DATA	DEX1		03	00314
			315	FSTD		STORE IN TEMP	V&103	00315
000176	002000	A						
000177	000163	E						
000200	000342	R	316	DATA	DET		03	00316
			317	*****			03	00317
			318	* COMPUTE NUMERATOR A3=2520+28*X**2 *			03	00318
			319	*****			03	00319
			320	FLDD		LOAD X**2	V&103	00320
000201	002000	A						
000202	000144	E						
000203	000352	R	321	DATA	DEX2		03	00321
			322	FMUD		GET 28*X**2	V&103	00322
000204	002000	A						
000205	000171	E						
000206	000367	R	323	DATA	DEX3		03	00323
			324	FADD		GET A3	V&103	00324
000207	002000	A						
000210	000174	E						
000211	000363	R	325	DATA	DEX1		03	00325
			326	FQVD		GET A3/B3	V&103	00326
000212	002000	A						
000213	000054	E						
000214	000342	R	327	DATA	DET		03	00327
			328	*****			03	00328
			329	* COMPUTE F=X**2(A3/B3) *			03	00329
			330	*****			03	00330
			331	FMUD		GET F	V&103	00331



Address	Hex	Op	Label	Op	Op	Op	Op	Op
000215	002000	A						
000216	000205	E						
000217	000352	R	332	DATA	DEX2			03 00332
			333	*****				03 00333
			334	* GET S=2+F *				03 00334
			335	*****				03 00335
			336	FADD		GET S		V&103 00336
000220	002000	A						
000221	000210	E						
000222	000407	R	337	DATA	DED2			03 00337
			338	FSTD		SAVE		V&103 00338
000223	002000	A						
000224	000177	E						
000225	000342	R	339	DATA	DET			03 00339
			340	*****				03 00340
			341	* GET E**X=(S+X)/(S-X) *				03 00341
			342	*****				03 00342
			343	IFT	VORTEX-1			D.103 00343
			344	IFF	VORTEX-2			D.103 00344
			345	GOTO	FRMWR1			D.103 00345
			346	FLDD				V&103 00346
			347	DATA	DET			V&103 00347
			348	FRMWR1	CONT			V&103 00348
			349	FSBD		GET S-X		V&103 00349
000226	002000	A						
000227	000147	E						
000230	000346	R	350	DATA	DEX			03 00350
			351	FSTD		SAVE		V&103 00351
000231	002000	A						
000232	000224	E						
000233	000352	R	352	DATA	DEX2			03 00352
			353	FLDD		RELOAD S		V&103 00353
000234	002000	A						
000235	000202	E						
000236	000342	R	354	DATA	DET			03 00354
			355	FADD		GET STX		V&103 00355
000237	002000	A						
000240	000221	E						
000241	000346	R	356	DATA	DEX			03 00356
			357	FDVD		GET F**X		V&103 00357
000242	002000	A						
000243	000213	E						
000244	000352	R	358	DATA	DEX2			03 00358
			359	*****				03 00359
			360	* TEST IF N=0 *				03 00360
			361	*****				03 00361
000245	014111	A	362	LDA	DE2N			03 00362
000246	001010	A	363	JAZ	DEZ	EXIT IF N=0		03 00363
000247	000270	R						
000250	001002	A	364	JAP	*+3			03 00364
000251	000253	R						
000252	005111	A	365	IAR		CONVERT NEG FROM 1 TO 2 COMP		03 00365
000253	124047	A	366	ADD	K201	BIAS EXPONENT		03 00366
000254	001004	A	367	JAN	DEUN	TEST UNDERFLOW		03 00367
000255	000315	R						
000256	054100	A	368	STA	DE2N	2**N TO DE2N		03 00368
000257	006140	A	369	SUBI	0400			03 00369
000260	000400	A						
000261	001002	A	370	JAP	DEOV	TEST FOR OVERFLOW		03 00370
000262	000303	R						
			371	FMUD				V&103 00371
000263	002000	A						
000264	000216	E						
000265	000357	R	372	DATA	DE2N			03 00372
			373	IFT	VORTEX-3			V&103 00373
			374	IFF	VORTEX-4			V&103 00374
			375	GOTO	FRMWR1			V&103 00375
000266	001001	A	376	JOF	DEUN	TEST FOR UNDERFLOW		V&103 00376
000267	000315	R						
			377	FRMWR1	CONT			V&103 00377
			378	*****				03 00378
			379	* RELOAD REGS AND EXIT *				03 00379
			380	*****				03 00380
000270	007400	A	381	DEZ		RESET OVFL TO FLAG NO ERROR		03 00381
			382	ROF				D.103 00382
			383	IFT	VORTEX-1			D.103 00383
			384	IFF	VORTEX-2			D.103 00384
			385	GOTO	FRMWR1			V&103 00385
			386	FSTD				V&103 00386
			387	DATA	AC			V&103 00387
			388	FRMWR1	CONT			V&103 00388
000271	014042	A	389	LDA	DESA	RESTORE A		03 00389
000272	024042	A	390	LDB	DESB	RESTORE B		03 00390
000273	034043	A	391	LDX	DESX	RESTORE X		03 00391
000274	001000	A				EXIT		03 00392
000275	100021	R						03 00393
			392	*****				03 00394
			393	* LOAD 1 *				03 00395
			394	*****				V&103 00396
			395	DEL1	FLDD			
000276	002000	A						
000277	000235	E						
000300	000403	R	396	DATA	DE21			03 00396
000301	001000	A	397	JMP	DEZ			03 00397



```

000302 000270 R
398 *****
399 * OVERFLOW *
400 *****
000303 005002 A 401 DEDV TZB SET B=0 TO RETURN
000304 006010 A 402 LDAL 2
000305 000002 A 403 CALL SEE OUTPUT MESSAGE 'FUNC ARG'
000306 002000 A 404 FLDD LOAD MAX NUMBER V&103 00404
000307 000000 E
000310 002000 A 405 DATA DEMX
000311 000277 E 406 JMP DEUN1 V&103 00405
000312 000417 R
000313 001000 A
000314 000320 R 407 *****
408 * UNDERFLOW *
409 *****
410 DEUN FLDD SET AC=0 V&103 00410
000315 002000 A
000316 000311 E
000317 000324 R 411 DATA DEB0
000320 007401 A 412 DEUN1 SCF SET OVFL TO FLAG ERROR V&103 00412
000321 001000 A 413 JMP DEZ+1
000322 000271 R
414 *****
415 * CONSTANTS AND VARIABLES *
416 *****
000323 000201 A 417 K201 DATA 0201
000324 000000 A 418 DED0 DATA 0 DOUBLE-PRECISION ZERO
000325 000000 A 419 DATA 0
000326 000000 A 420 DATA 0
000327 000000 A 421 DATA 0
000330 000200 A 422 DEH DATA 0200 DOUBLE-PRECISION 1/2
000331 000000 A 423 DATA 0
000332 000000 H 424 DATA 0
000333 000000 A 425 DATA 0
000334 426 DESA BSS 1 SAVE A
000335 427 DESB BSS 1 SAVE B
000336 004300 A 428 DESH ASRA 0 DUMMY SHIFT
000337 429 DESX BSS 2 SAVE X
000341 430 DET1 BSS 1 TEMP STORE
000342 431 DET BSS 4 TEMP DP CELL
000346 432 DEU BSS 4 ARGUMENT U
000352 433 DEX2 BSS 4 Z=X**2
000346 R 434 DEY EQU DEU Y=U/(LN(2))
000346 R 435 DEX EQU DEU
436 IFT $BIT-16
437 GOTO Z1
000356 100000 A 438 DESI DATA 0100000 16-BIT SIGN BIT
000357 000000 A 439 DERN DATA 0 16-BIT 2**N
000360 040000 A 440 DATA 040000
000361 000000 A 441 DATA 0
000362 000000 A 442 DATA 0
000363 000214 A 443 DEB1 DATA 0214 16-BIT 2520
000364 047300 A 444 DATA 047300
000365 000000 A 445 DATA 0
000366 000000 A 446 DATA 0
000367 000205 A 447 DEB2 DATA 0205,070000,0,0 16-BIT 28 E.1*****
000370 070000 A
000371 000000 A
000372 000000 A
000373 000216 A 448 DER1 DATA 0216,073040,0,0 16-BIT 15,120 E.1*****
000374 073040 A
000375 000000 A
000376 000000 A
000377 000211 A 449 DER2 DATA 0211 16-BIT 420
000400 064400 A 450 DATA 064400
000401 000000 A 451 DATA 0
000402 000000 A 452 DATA 0
000403 000201 A 453 DER1 DATA 0201 16-BIT DOUBLE-PRECISION 1
000404 040000 A 454 DATA 040000
000405 000000 A 455 DATA 0
000406 000000 A 456 DATA 0
000407 000202 A 457 DER2 DATA 0202 16-BIT DOUBLE-PRECISION 2
000410 040000 A 458 DATA 040000
000411 000000 A 459 DATA 0
000412 000000 A 460 DATA 0
000413 000200 A 461 DEL2 DATA 0200 16-BIT LN(2)=0.6931 47180 55994 53
000414 054271 A 462 DATA 054271
000415 002775 A 463 DATA 02775
000416 075073 A 464 DATA 075073
000417 000377 A 465 DEMX DATA 0377 16-BIT MAX DP NUMBER
000420 077777 A 466 DATA 077777
000421 077777 A 467 DATA 077777
000422 077777 A 468 DATA 077777
469 Z1
470 IFT $BIT-18
471 GOTO Z2
472 DESI DATA 0400000 18-BIT SIGN BIT
473 DERN DATA 0 18-BIT 2**N
474 DATA 0200000
475 DATA 0

```



476		DATA	0			03	00482
477	DEA1	DATA	0214	18-BIT 2520		03	00483
478		DATA	0235400			03	00484
479		DATA	0			03	00485
480		DATA	0			03	00486
481	DEA2	DATA	0206	18-BIT 28		03	00487
482		DATA	0160000			03	00488
483		DATA	0			03	00489
484		DATA	0			03	00490
485	DEB1	DATA	0217	18-BIT 15,120		03	00491
486		DATA	0166100			03	00492
487		DATA	0			03	00493
488		DATA	0			03	00494
489	DEB2	DATA	0211	18-BIT 420		03	00495
490		DATA	0322000			03	00496
491		DATA	0			03	00497
492		DATA	0			03	00498
493	DED1	DATA	0201	18-BIT DOUBLE-PRECISION 1		03	00499
494		DATA	0200000			03	00500
495		DATA	0			03	00501
496		DATA	0			03	00502
497	DED2	DATA	0202	18-BIT DOUBLE-PRECISION 2		03	00503
498		DATA	0200000			03	00504
499		DATA	0			03	00505
500		DATA	0			03	00506
501	DEL2	DATA	0200	18-BIT LN(2)=0.6931 47180 55994 53		03	00507
502		DATA	0261344			03	00508
503		DATA	057737			03	00509
504		DATA	0107025			03	00510
505	DEMX	DATA	0377	18-BIT MAX DP NUMBER		03	00511
506		DATA	0377777			03	00512
507		DATA	0377777			03	00513
508		DATA	0377777			03	00514
509	Z2	CONT				03	00515
510		END				03	00516

ENTRY NAMES

000021 R \$DEX	000012 R DEXP				
000316 E \$DLO	000031 E \$DNO	000307 E \$EE	000014 E \$SE		
000232 E \$STD	000000 E \$ZC	000240 E \$ZK	000227 E \$ZL		
000264 E \$ZM	000243 E \$ZN	000000 E AC			
SYMBOLS					
000020 A \$BIT	000021 R \$DEX	000316 E \$DLO	000031 E \$DNO		
000307 E \$EE	000014 E \$SE	000232 E \$STD	000000 E \$ZC		
000240 E \$ZK	000227 E \$ZL	000264 E \$ZM	000243 E \$ZN		
000000 E AC	000000 R DE	000005 R DE01	000050 R DE1		
000111 R DE1A	000122 R DE2	000357 R DE2N	000140 R DE2X		
000142 R DE3	000363 R DEA1	000367 R DEA2	000373 R DEB1		
000377 R DEB2	000324 R DEB0	000403 R DED1	000407 R DED2		
000330 R DEH	000276 R DEL1	000413 R DEL2	000417 R DEMX		
000303 R DEOV	000016 R DEP	000334 R DESA	000335 R DESB		
000336 R DESH	000356 R DES1	000337 R DESX	000342 R DET		
000341 R DET1	000346 R DEU	000315 R DEUN	000320 R DEUN1		
000346 R DEX	000352 R DEX2	000012 R DEXP	000346 R DEY		
000270 R DEZ	000323 R K201	000001 A VORTEX			

0 ERRORS ASSEMBLY COMPLETE

155	\$BIT	256	264	436	470
184	\$DEX	42	172	391	
0	\$DLO	53	54		
0	\$DNO	62	199		
0	\$EE	63	403		
0	\$SE	143	144		
0	\$STD	70	71		
0	\$ZC	78			
0	\$ZK	85	86		
0	\$ZL	99	100		
0	\$ZM	113	114		
0	\$ZN	127	128		
0	AC	60	170	189	386
161	DE	179			
165	DE01	163			
215	DE1	208			
253	DE1A	245			
261	DE2	255			
439	DE2N	275	362	368	372
273	DE2X	259			
275	DE3	252			
443	DEA1	325			
447	DEA2	323			
448	DEB1	314			
449	DEB2	310			
418	DEB0	411			
453	DED1	230	396		
457	DED2	337			
422	DEH	234	236	243	
395	DEL1	202			
461	DEL2	218	287		
465	DEMX	405			
401	DEOV	210	370		
178	DEP	162			
426	DESA	191	388		







```

000001 A 1 VORTEX SET 1 03 00001
2 * THIS IS A COPYRIGHTED PROGRAM. COPYRIGHT 1973 BY VARJAN DATA MACHINE 03 00002
3 * 03 00003
4 * V.D.M. PART NO. 92L0506-151D 03 00004
5 * 03 00005
6 * RELEASE 10-15-73 03 00006
7 * 03 00007
8 * DLOG 03 00008
9 * 03 00009
10 * 03 00010
11 * TITLE DLOG 03 00011
12 * 03 00012
13 * 03 00013
14 * D O U B L E - P R E C I S I O N L O G T O B A S E E * 03 00014
15 * 03 00015
16 * ( $ D L N , D L O G ) * 03 00016
17 * 03 00017
18 * FUNCTION: TO COMPUTE THE DOUBLE-PRECISION LOGARITHM OF A DOUBLE- * 03 00018
19 * PRECISION ARGUMENT U. THE METHOD IS TO FACTOR U THUS: * 03 00019
20 * 03 00020
21 * U = 2**N * M (0.5.LE.M.LT.1) * 03 00021
22 * 03 00022
23 * THEN LET X=(M-1/SQRT(2))/(M+1/SQRT(2)) * 03 00023
24 * COMPUTE LN((1+X)/(1-X))=C0 + C1*X + ... + C6*X**6 * 03 00024
25 * 03 00025
26 * THEN LN(U)=(N-1/2)*LN(2) + LN((1+X)/(1-X)) * 03 00026
27 * 03 00027
28 * ENTRY: $DLN:DP ARG IS IN DP ACCUM AC * 03 00028
29 * DLOG:DP ARG IN CALLING SEQUENCE * 03 00029
30 * 03 00030
31 * EXIT : AC=LN(U) * 03 00031
32 * 03 00032
33 * ERRORS: OVFL SET * 03 00033
34 * MESSAGE 'FUNC ARG' OUTPUT * 03 00034
35 * AC=MAX(SIGNED) DP NUMBER IF EXPONENT OF U .GT. 0377 * 03 00035
36 * =MAX NEG DP NUMBER IF U.LE.0 * 03 00036
37 * 03 00037
38 * 03 00038
39 * 03 00039
40 * 03 00040
41 * ENTRIES * 03 00041
42 * 03 00042
43 * NAME $DLN ARG IN DOUBLE-PRECISION ACCUMULATR AC * 03 00043
44 * NAME DLOG ARG IN CALLING SEQUENCE * 03 00044
45 * 03 00045
46 * 03 00046
47 * EXTERNALS * 03 00047
48 * 03 00048
49 * 03 00049
50 * DOUBLE PRECISION LOAD D.103 00050
51 FLDD MAC D.103 00051
52 IFT VORTEX-3 D.103 00052
53 IFF VORTEX-4 D.103 00053
54 GOTO FRMWR1 D.103 00054
55 EXT $DLD DP LOAD D.103 00055
56 CALL $DLD D.103 00056
57 GOTO FRMWR2 D.103 00057
58 FRMWR1 CONT D.103 00058
59 DATA 0105522 FPP DP LOAD D.103 00059
60 FRMWR2 CONT D.103 00060
61 EMAC D.103 00061
62 EXT AC DP ACCUMULATR D.103 00062
64 EXT $DND NORMALIZE DP ARG 03 00064
65 EXT $EE ERROR MESSAGE PROCESSOR 03 00065
66 * 03 00066
67 * 03 00067
68 * MACRO * 03 00068
69 * 03 00069
70 FSE MAC 03 00070
71 IFT VORTEX-2 D.103 00071
72 IFF VORTEX-4 D.103 00072
73 GOTO FRMWR1 D.103 00073
74 EXT $SE D.103 00074
75 CALL $SE XFER PARAMETERS D.103 00075
76 GOTO FRMWR2 D.103 00076
77 FRMWR1 CONT D.103 00077
78 DATA 0105036 BCS XFER PARAMETERS D.103 00078
79 FRMWR2 CONT D.103 00079
80 EMAC 03 00080
81 * 03 00081
82 * 03 00082
83 * DOUBLE PRECISION STORE D.103 00083
84 FSTD MAC D.103 00084
85 IFT VORTEX-3 D.103 00085
86 IFF VORTEX-4 D.103 00086
87 GOTO FRMWR1 D.103 00087
88 EXT $STD D.103 00088
89 CALL $STD DP STORE D.103 00089
90 GOTO FRMWR2 D.103 00090
91 FRMWR1 CONT D.103 00091
92 DATA 0105710 FPP DP STORE D.103 00092
93 FRMWR2 CONT D.103 00093
94 EMAC D.103 00094
95 * 03 00095
96 * 03 00096
97 * DOUBLE PRECISION ADD D.103 00097
98 FADD MAC D.103 00098
99 IFT VORTEX-3 D.103 00099
100 IFF VORTEX-4 D.103 00100
101 GOTO FRMWR1 D.103 00101
102 EXT $ZK D.103 00102

```



103		CALL	\$ZK		DP ADD	D.103	00103	
104		GOTO	FRMWR2			D.103	00104	
105	FRMWR1	CONT				D.103	00105	
106		DATA	0105503		FPP DP ADD	D.103	00106	
107	FRMWR2	CONT				D.103	00107	
108		EMAC				D.103	00108	
111		* DOUBLE PRECISION SUBTRACT				D.103	00111	
112	FSD	MAC				D.103	00112	
113		IFT	VORTEX-3			D.103	00113	
114		IFF	VORTEX-4			D.103	00114	
115		GOTO	FRMWR1			D.103	00115	
116		EXT	\$ZL			D.103	00116	
117		CALL	\$ZL		DP SUBTRACT	D.103	00117	
118		GOTO	FRMWR2			D.103	00118	
119	FRMWR1	CONT				D.103	00119	
120		DATA	0105543		FPP DP SUBTRACT	D.103	00120	
121	FRMWR2	CONT				D.103	00121	
122		EMAC				D.103	00122	
124	FLT	MAC				E.103	00124	
125		DATA	0105425			E.103	00125	
126		DATA	P(1)			E.103	00126	
127		EMAC				E.103	00127	
130		* DOUBLE PRECISION MULTIPLY				D.103	00130	
131	FMUD	MAC				D.103	00131	
132		IFT	VORTEX-3			D.103	00132	
133		IFF	VORTEX-4			D.103	00133	
134		GOTO	FRMWR1			D.103	00134	
135		EXT	\$ZM			D.103	00135	
136		CALL	\$ZM		DP MULTIPLY	D.103	00136	
137		GOTO	FRMWR2			D.103	00137	
138	FRMWR1	CONT				D.103	00138	
139		DATA	0105506			D.103	00139	
140	FRMWR2	CONT				D.103	00140	
141		EMAC				D.103	00141	
144		* DOUBLE PRECISION DIVIDE				D.103	00144	
145	FDVD	MAC				D.103	00145	
146		IFT	VORTEX-3			D.103	00146	
147		IFF	VORTEX-4			D.103	00147	
148		GOTO	FRMWR1			D.103	00148	
149		EXT	\$ZN			D.103	00149	
150		CALL	\$ZN		DP DIVIDE	D.103	00150	
151		GOTO	FRMWR2			D.103	00151	
152	FRMWR1	CONT				D.103	00152	
153		DATA	0105535		FPP DP DIVIDE	D.103	00153	
154	FRMWR2	CONT				D.103	00154	
155		EMAC				D.103	00155	
158		*****				03	00158	
159		* SET BLMCK *				03	00159	
160		*****				03	00160	
000022	A	161	\$BIT	SET	18	03	00161	
000020	A	162	\$BIT	SET	16	03	00162	
		164	*****			03	00164	
		165	* DLOG IS ENTRY WITH ARG IN CALL SEQ *			03	00165	
		166	*****			03	00166	
000000	074251	A	167	DL	STX	DLSX+1	03	00167
000001	034014	A	168		LDX	DLP	03	00168
000002	074002	A	169		STX	DLOG01	03	00169
			170		FLDD		V&103	00170
							V&103	00171
000003	002000	A					03	00173
000004	000000	E					03	00174
000005			171	DLOG01	BSS	1	03	00175
			172		IFT	VORTEX-1	03	00176
			173		IFF	VORTEX-2	03	00177
			174		GOTO	FRMWR1	03	00178
			175		FSTD		03	00179
			176		DATA	AC	03	00180
000006	002000	A	177	FRMWR1	CONT		03	00181
000007	000021	R	178		CALL	\$DLN	03	00182
000010	034241	A					03	00183
000011	001000	A	179		LDX	DLSX+1	03	00184
000012	000000	A	180		JMP	0	03	00185
000012			181	DLOG	BSS	0	03	00186
			182		FSE		03	00187
000013	002000	A					03	00188
000014	000000	E					03	00189
000015	000001	A	183		DATA	1	03	00190
000016			184	DLP	BSS	1	03	00191
000017	001000	A	185		JMP	DL	03	00192
000020	000000	R					03	00193
			186	*****			03	00194
			187	* \$DLN IS ENTRY WITH ARG U IN AC *			03	00195
			188	*****			03	00196
000021	000000	A	189	\$DLN	ENTR		03	00197
000022	054224	A	190		STB	DLSA	03	00198
000023	064224	A	191		STB	DLSB	03	00199
000024	074224	A	192		STX	DLSX	03	00200
			193		IFT	VORTEX-1	D.103	00201
			194		IFF	VORTEX-2	D.103	00202
			195		GOTO	FRMWR1	D.103	00203
			196		FLDD		V&103	00204
			197		DATA	AC	V&103	00205
			198	FRMWR1	CONT		V&103	00206



```

000025 002000 A 199          FSTD          STORE U IN DLU          V&103 00194
000026 000000 E
000027 000257 R 200          DATA      DLU          03 00195
201          IFT        VORTEX-3  E.1*****
202          IFF        VORTEX-4  E.1*****
203          GOTO      DFRM1      E.1*****
000030 002000 A 204          CALL        $DND          NORMALIZE U          03 00196
000031 000000 E
000032 000257 R 205          DATA      DLU          03 00197
206 DFRM1     CONT          E.1*****
207 *****
208 * CHECK RANGE OF U *      03 00198
209 *****                    03 00199
000033 014224 A 210          LDA        DLU+1        03 00200
000034 001004 A 211          JAN        DLUN          03 00201
000035 000216 A          ERROR IF U ZERO OR NEGATIVE 03 00202
000036 001010 R 212          JAZ        DLUN          03 00203
000037 000216 R
000040 014216 A 213          LDA        DLU          GET BINARY EXPONENT OF U 03 00204
000041 006140 A 214          SUBI       0400          03 00205
000042 000400 A
000043 001004 A 215          JAN        #+4          GREATER THAN 0377 ?      03 00206
000044 000047 R
000045 001000 A 216          JMP        DLOV          YES. OVERFLOW          03 00207
000046 000213 R
217 *****                    03 00208
218 * CHECK FOR U=1 *          03 00209
219 *****                    03 00210
000047 014210 A 220          LDA        DLU+1        GET WORD 1          03 00211
000050 004242 A 221          LRLA       2          CLEAR HIGH BIT OF MANTISSA 03 00212
000051 004341 A 222          LSRA       1          03 00213
000052 114206 A 223          ORA        DLU+2        OR IN REST OF MANTISSA  03 00214
000053 114206 A 224          ORA        DLU+3        03 00215
000054 005012 A 225          TAB          03 00216
000055 014201 A 226          LDA        DLU          03 00217
000056 144161 A 227          SUB        K201          GET EXPONENT          03 00218
000057 001030 A 228          JIF        030,DLZE      EXIT IF 1              03 00219
000060 000206 R
229 *****                    03 00220
230 * FACTOR U=2**N * M WHERE M=0.1XX... * 03 00221
231 *****                    03 00222
000061 014175 A 232          LDA        DLU          03 00223
000062 144155 A 233          SUB        K201          GET N-1              03 00224
000063 054160 A 234          STA        DLN+1        SAVE                  03 00225
235          IFT        VORTEX-1  E.1*****
236          IFF        VORTEX-2  E.1*****
237          GOTO      DFRM1      E.1*****
238          FLT        DLN+1      E.1*****
239          FADD          E.1*****
240          DATA      DHALF     E.1*****
000064 014152 A 241 DFRM1     CONT          E.1*****
000065 054171 A 242          LDA        K200          03 00226
243          STA        DLU          DLU NOW HOLDS M      03 00227
244          IFT        VORTEX-3  E.1*****
245          IFF        VORTEX-4  E.1*****
246          GOTO      DFRM2      E.1*****
247 *****                    03 00228
248 * GET FACTOR (N - 1/2) *    03 00229
249 *****                    03 00230
000066 006120 A 250          ADDI       $BIT-1      03 00231
000067 000017 A
000070 054152 A 251          STA        DLN          INITIALIZE EXPONENT     03 00232
000071 014226 A 252          LDA        DLN#         03 00233
000072 054152 A 253          STA        DLN+2        GET N-1/2             03 00234
000073 005001 A 254          TZA          03 00235
000074 054151 A 255          STA        DLN+3        03 00236
000075 002000 A 256          CALL        $DND          NORMALIZE FACTOR (N-1/2) 03 00237
000076 000031 E
000077 000243 R 257          DATA      DLN          03 00238
258 *****                    03 00239
259 * GET FACTOR (N-1/2)*LN(2) * 03 00240
260 *****                    03 00241
261          FLDD          LOAD (N-1/2) IN AC          V&103 00242
000100 002000 A
000101 000004 E
000102 000243 R 262          DATA      DLN          03 00243
263 DFRM2     CONT          E.1*****
264          FMUD          MULTIPLY BY LN(2)          V&103 00244
000103 002000 A
000104 000000 E
000105 000327 R 265          DATA      DLN2         03 00245
266          FSTD          STORE PRODUCT IN DLN          V&103 00246
000106 002000 A
000107 000026 E
000110 000243 R 267          DATA      DLN          03 00247
268 *****                    03 00248
269 * GET X=(M-1/SQRT(2))/(M+1/SQRT(2)) * 03 00249
270 *****                    03 00250
271          FLDD          LOADM          V&103 00251
000111 002000 A
000112 000101 E
000113 000257 R 272          DATA      DLU          03 00252

```



E.2 VORTEX LISTING

DLOG

PROGRAM PAGE 4

LISTING PAGE ( 455 )

000114	002000	A	273	FADD		ADD 1/SQRT(2)	V&103	00253
000115	000000	E						
000116	000337	R	274	DATA	DL32		03	00254
			275	FSTD		SAVE DENOMINATOR	V&103	00255
000117	002000	A						
000120	000107	E						
000121	000253	R	276	DATA	DLT		03	00256
			277	FLDD		LOAD M	V&103	00257
000122	002000	A						
000123	000112	E						
000124	000257	R	278	DATA	DLU		03	00258
			279	FSBD		SUBTRACT 1/SQRT(2)	V&103	00259
000125	002000	A						
000126	000000	E						
000127	000337	R	280	DATA	DL32		03	00260
			281	FDVD			V&103	00261
000130	002000	A						
000131	000000	E						
000132	000253	R	282	DATA	DLT		03	00262
			283	FSTD		STORE IN X	V&103	00263
000133	002000	A						
000134	000120	E						
000135	000257	R	284	DATA	DLX		03	00264
			285	*****			03	00265
			286	* COMPUTE Z=X**2 *			03	00266
			287	*****			03	00267
			288	IFT	VORTEX-1		D.103	00268
			289	IFF	VORTEX-2		D.103	00269
			290	GOTO	FRMWR1		D.103	00270
			291	FLDD			V&103	00271
			292	DATA	DLX		V&103	00272
			293	FRMWR1	CONT		V&103	00273
			294	FMUD		GET Z=X**2	V&103	00274
000136	002000	A						
000137	000104	E						
000140	000257	R	295	DATA	DLX		03	00275
			296	FSTD		STORE IN DLZ	V&103	00276
000141	002000	A						
000142	000134	E						
000143	000253	R	297	DATA	DLZ		03	00277
			298	*****			03	00278
			299	* INITIALIZE LOOP *			03	00279
			300	*****			03	00280
			301	FLDD		INITIALIZE SERIES SUM TO C6	V&103	00281
000144	002000	A						
000145	000123	E						
000146	000267	R	302	DATA	DL06		03	00282
			303	IFT	VORTEX-1		E.103	*****
			304	IFF	VORTEX-2		E.103	*****
			305	GOTO	DFRM1		E.103	*****
			306	* EVALUATE POLY (NO LOOP FOR FPP)			E.103	*****
			307	FMUD			E.103	*****
			308	DATA	DLZ		E.103	*****
			309	FADD			E.103	*****
			310	DATA	A5		E.103	*****
			311	FMUD			E.103	*****
			312	DATA	DLZ		E.103	*****
			313	FADD			E.103	*****
			314	DATA	A4		E.103	*****
			315	FMUD			E.103	*****
			316	DATA	DLZ		E.103	*****
			317	FADD			E.103	*****
			318	DATA	A3		E.103	*****
			319	FMUD			E.103	*****
			320	DATA	DLZ		E.103	*****
			321	FADD			E.103	*****
			322	DATA	A2		E.103	*****
			323	FMUD			E.103	*****
			324	DATA	DLZ		E.103	*****
			325	FADD			E.103	*****
			326	DATA	A1		E.103	*****
			327	FMUD			E.103	*****
			328	DATA	DLZ		E.103	*****
			329	FADD			E.103	*****
			330	DATA	A0		E.103	*****
			331	GOTO	DFRM2		E.103	*****
			332	DFRM1	CONT		E.103	*****
000147	014072	A	333	LDA	DL16		03	00283
000150	054070	A	334	STA	DL0	INITIALIZE LOOP COUNT TO -6	03	00284
000151	006010	A	335	LDAI	DL06		03	00285
000152	000267	R						
000153	054010	A	336	STA	DLPT	INITIALIZE COEFFICIENT POINTER	03	00286
			337	*****			03	00287
			338	* LOOP TO EVALUATE POLYNOMIAL OF 6TH DEGREE *			03	00288
			339	*****			03	00289
000154	014007	A	340	DLI	DLPT		03	00290
000155	124060	A	341	ADD	K4	BUMP POINTER TO NEXT COEFFICIENT	03	00291
000156	054005	A	342	STA	DLPT		03	00292
			343	FMUD		( ) * Z	V&103	00293
000157	002000	A						
000160	000137	E						
000161	000253	R	344	DATA	DLZ		03	00294



```

345          FADD          (CI+( )#Z)          V&103 00295
000162 002000 A
000163 000115 E
000164          346 DLPT    BSS          1          03 00296
000165 044053 A          347          INR          DLC          BUMP LOOP COUNT          03 00297
000166 014052 A          348          LDA          DLC          03 00298
000167 001004 A          349          JAN          DLL          CHECK FINISH          03 00299
000170 000154 R
350 *****
351 * GET 2**X**POLYNOMIAL *          03 00300
352 *****          03 00301
353 DFRM2  CONT          03 00302
000171 044065 A          354          INR          DLX          GET 2X IN DLX          E.1*****          03 00303
000172 002000 A          355          FMUD          GET LN((1+X)/(1-X)) = 2**X**POLYNOMIAL          V&103 00304
000173 000160 E
000174 000257 R          356          DATA          DLX          03 00305
357 *****          03 00306
358 * LN(U)=(N-1/2)*LN(2) + LN((1+X)/(1-X)) *          03 00307
359 *****          03 00308
360          FADD          V&103 00309
000175 002000 A
000176 000163 E
000177 000243 R          361          DATA          DLN          03 00310
000200 007400 A          362 DLXT    ROF          DLN          RESET OVFL TO FLAG NO ERRORS          03 00311
363          IFT          VORTEX-1          D.103 00312
364          IFF          VORTEX-2          D.103 00313
365          GOTO          FRMWR1          D.103 00314
366          FSTB          AC          V&103 00315
367          DATA          AC          V&103 00316
368 FRMWR1  CONT          V&103 00317
000201 014045 A          369          LDA          DLSA          RESTORE A          03 00318
000202 024045 A          370          LDB          DLSB          RESTORE B          03 00319
000203 034045 A          371          LDX          DLSX          RESTORE X          03 00320
000204 001000 A          372          JMP*          $DLN          03 00321
000205 100021 R
373 *****          03 00322
374 * LOAD AC=0 *          03 00323
375 *****          03 00324
376 DLZE    FLDD          AC=0          V&103 00325
000206 002000 A
000207 000145 E
000210 000263 R          377          DATA          DLZZ          03 00326
000211 001000 A          378          JMP          DLXT          EXIT          03 00327
000212 000200 R
379 *****          03 00328
380 * OVERFLOW ERROR *          03 00329
381 *****          03 00330
000213 005001 A          382 DLOV    TZA          FLAG AS OVERFLOW          03 00331
000214 001000 A          383          JMP          *+3          03 00332
000215 000217 R
384 *****          03 00333
385 * UNDERFLOW ERROR *          03 00334
386 *****          03 00335
000216 005301 A          387 DLUN    DECR          1          FLAG AS UNDERFLOW          03 00336
000217 054021 A          388          STA          DLC          SAVE FLAG          03 00337
000220 006010 A          389          LDAI          2          03 00338
000221 000002 A
000222 005002 A          390          TZE          03 00339
000223 002000 A          391          CALL          SEE          OUTPUT ERROR MESSAGE 'FUNC ARG'          03 00340
000224 000000 E
000225 014107 A          392          LDA          DLMX+2          GET MAX WORD          03 00341
000226 134012 A          393          ERA          DLC          SET SIGN          03 00342
000227 054104 A          394          STA          DLMX+1          03 00343
395          FLDD          LOAD MAY SIGNED NUMBER          V&103 00344
000230 002000 A
000231 000207 E
000232 000333 R          396          DATA          DLMX          03 00345
000233 007401 A          397          SDF          03 00346
000234 001000 A          398          JMP          DLXT+1          SET OVFL TO FLAG ERROR          03 00347
000235 000201 R
399 *****          03 00348
400 * CONSTANTS AND VARIABLES *          03 00349
401 *****          03 00350
000236 000004 A          402 K4      DATA          4          03 00351
000237 000200 A          403 K200   DATA          0200          03 00352
000240 000201 A          404 K201   DATA          0201          03 00353
000241          405 DLX    BSS          1          LOOP COUNTER          03 00354
000242 177772 A          406 DLM6   DATA          -6          03 00355
000243          407 DLN    BSS          4          N          03 00356
000247          408 DLSA   BSS          1          SAVE A          03 00357
000250          409 DLSB   BSS          1          SAVE B          03 00358
000251          410 DLSX   BSS          2          SAVE X          03 00359
000253          411 DLT    BSS          4          TEMP          03 00360
000257          412 DLX    BSS          4          SERIES VARIABLE X          03 00361
          413 DLU    EQU          DLX          ARG U          03 00362
          414 DLZ    EQU          DLT          Z=X**2          03 00363
000263 000000 A          415 DLZZ   DATA          0          DP ZERO          03 00364
000264 000000 A          416          DATA          0          03 00365
000265 000000 A          417          DATA          0          03 00366
000266 000000 A          418          DATA          0          03 00367
          419          IFT          $BIT-16          03 00368
          420          GOTO          Z1          03 00369

```



Address	Hex	Label	Value	Comment	Hex	Label	Value	Comment
000267	000175	A 421	DLC6	DATA	0175			
000270	053066	A 422		DATA	053066			16-BIT C6=0.084191 86575 86305
000271	031074	A 423		DATA	031074			
000272	002705	A 424		DATA	02705			
	000273	R 425	A5	ECU	*			
000273	000175	A 426		DATA	0175			16-BIT C5=0.090609 35658 17935
000274	056310	A 427		DATA	056310			
000275	054576	A 428		DATA	054576			
000276	035373	A 429		DATA	035373			
	000277	R 430	A4	ECU	*			
000277	000175	A 431		DATA	0175			16-BIT C4=0.111111 71831 83715
000300	070710	A 432		DATA	070710			
000301	054767	A 433		DATA	054767			
000302	046066	A 434		DATA	046066			
	000303	R 435	A3	ECU	*			
000303	000176	A 436		DATA	0176			16-BIT C3=0.14285 70799 46083
000304	044444	A 437		DATA	044444			
000305	044026	A 438		DATA	044026			
000306	027554	A 439		DATA	027554			
	000307	R 440	A2	ECU	*			
000307	000176	A 441		DATA	0176			16-BIT C2=0.20000 00003 09803
000310	063146	A 442		DATA	063146			
000311	031464	A 443		DATA	031464			
000312	041753	A 444		DATA	041753			
	000313	R 445	A1	ECU	*			
000313	000177	A 446		DATA	0177			16-BIT C1=0.33333 33333 32762
000314	052525	A 447		DATA	052525			
000315	025252	A 448		DATA	025252			
000316	052455	A 449		DATA	052455			
	000317	R 450	A0	ECU	*			
000317	000201	A 451		DATA	0201			16-BIT C0=1.0000 00000 00000
000320	040000	A 452	DLHB	DATA	040000			
000321	000000	A 453		DATA	0			
000322	000000	A 454		DATA	0			
000323	000200	A 455	DHALF	DATA	0200,040000,0,0			
000324	040000	A						
000325	000000	A						
000326	000000	A						
000327	000200	A 456	DLN2	DATA	0200			16-BIT LN(2)=0.6931 47180 55994 53
000330	054271	A 457		DATA	054271			
000331	002775	A 458		DATA	02775			
000332	075073	A 459		DATA	075073			
000333	000377	A 460	DLMX	DATA	0377			16-BIT MAX + NUMBER
000334	077777	A 461		DATA	077777			
000335	077777	A 462		DATA	077777			
000336	077777	A 463		DATA	077777			
000337	000200	A 464	DLS2	DATA	0200			16-BIT 1/SQRT(2) = 0.70710 67811 86547 5
000340	055202	A 465		DATA	055202			
000341	036314	A 466		DATA	036314			
000342	077473	A 467		DATA	077473			
			Z1	CONT				
				IFT	\$BIT-18			
				GETO	Z8			
470			DLC6	DATA	0175			18-BIT C6=0.084191 86575 86305 3
471				DATA	0254331			
472				DATA	0231700			
473				DATA	0270515			
474				DATA	0175			18-BIT C5=0.090609 35658 17935 4
475				DATA	0271442			
476				DATA	0213747			
477				DATA	0137367			
478				DATA	0175			18-BIT C4=0.111111 71831 83715 4
479				DATA	0343442			
480				DATA	0317571			
481				DATA	0206600			
482				DATA	0176			18-BIT C3=0.14285 70799 46082 7
483				DATA	0222222			
484				DATA	0100545			
485				DATA	0355376			
486				DATA	0176			18-BIT C2=0.20000 00003 09807 8
487				DATA	0314631			
488				DATA	0231510			
489				DATA	0175312			
490				DATA	0177			18-BIT C1=0.33333 33333 32761 8
491				DATA	0252525			
492				DATA	0125252			
493				DATA	0245507			
494				DATA	0201			18-BIT C0=1.0000 00000 00000 0
495				DATA	0200000			
496			DLHB	DATA	0			
497				DATA	0			
498				DATA	0			
499			DLMX	DATA	0377			18-BIT MAX + NUMBER
500				DATA	0377777			
501				DATA	0377777			
502				DATA	0377777			
503			DLN2	DATA	0200			18-BIT LN(2)=0.6931 47180 55994 53
504				DATA	0261344			
505				DATA	057737			
506				DATA	0107173			
507			DLS2	DATA	0200			18-BIT 1/SQRT(2) = 0.70710 67811 86547 5
508				DATA	0265011			
509				DATA	0346317			
510				DATA	0347363			







```

1 * THIS IS A COPYRIGHTED PROGRAM. COPYRIGHT 1972 BY VARIAN DATA MACHINE 00 00001
2 * 00 00002
3 * V.D.M. PART NO. 92L0506-168C 00 00003
4 * 00 00004
5 * 00 00005
6 * RELEASED 01-04-71 00 00006
7 * 00 00007
8 * AC 00 00008
9 * 00 00009
10 * TITLE AC 00 00010
11 * SPACE OPSY SPAC 00 00011
12 * ***** 00 00012
13 * 00 00013
14 * DOUBLE - P R E C I S I O N 00 00014
15 * 00 00015
16 * P S U E D D - A C C U M U L A T O R ( A C ) 00 00016
17 * 00 00017
18 * FUNCTION: AC IS A 4-WORD PSUEDD-ACCUMULATOR USED FOR 00 00018
19 * DOUBLE-PRECISION OPERATIONS. 00 00019
20 * 00 00020
21 * ***** 00 00021
22 * ***** 00 00022
23 * ***** 00 00023
24 * ENTRIES * 00 00024
25 * ***** 00 00025
26 * NAME AC WORD 0 00 00026
27 * NAME AC1 WORD 1 00 00027
28 * NAME AC2 WORD 2 00 00028
29 * NAME AC3 WORD 3 00 00029
30 * NAME A$C WORD0 00 00030
31 * NAME $CAC 00 00031
32 * NAME $CACT 00 00032
33 * A$C EQU 00 00033
34 * ***** 00 00034
35 * AC DATA 0 WORD 0 00 00035
36 * AC1 DATA 0 WORD 1 00 00036
37 * AC2 DATA 0 WORD 2 00 00037
38 * AC3 DATA 0 WORD 3 00 00038
39 * $CAC DATA 0.0 00 00039
40 * $CACT DATA 0.0 00 00040
41 * END 00 00041

```

```

000000 000000 R
000001 000000 A
000002 000000 A
000003 000000 A
000004 000000 A
000005 000000 A
000006 000000 A
000007 000000 A

```

```

E.1 *****
E.2 *****
E.2 *****
E.1 *****
E.2 *****
E.2 *****

```

```

ENTRY NAMES
000004 R $CAC 000006 R $CACT 000000 R A$C 000000 R AC
000001 R AC1 000002 R AC2 000003 R AC3
EXTERNAL NAMES
SYMBOLS
000004 R $CAC 000006 R $CACT 000000 R A$C 000000 R AC
000001 R AC1 000002 R AC2 000003 R AC3
0 ERRORS ASSEMBLY COMPLETE

```

```

39 $CAC 31
40 $CACT 32
33 A$C 30
35 AC 10 26
36 AC1 27
37 AC2 28
38 AC3 29
0 SPAC 11

```



000001 A

```

1 VORTEX SET 1 07 00001
2 * THIS IS A COPYRIGHTED PROGRAM. COPYRIGHT 1973 BY VARIAN DATA MACHINE 07 00002
3 * 07 00003
4 * V.D.M. PART NO. 92L0506-122D 07 00004
5 * 07 00005
6 * RELEASE 10-15-73 07 00006
7 * 07 00007
8 * ALOG 07 00008
9 * 07 00009
10 * 07 00010
11 * TITLE ALOG 07 00011
12 ***** 07 00012
13 * 07 00013
14 * REAL LOG TO BASE E (ALOG) 07 00014
15 * 07 00015
16 * FUNCTION: TO COMPUTE LOG(R) TO BASE E, WHERE R AND RESULT ARE 07 00016
17 * REAL NUMBERS. THE METHOD IS TO FACTOR R INTO A PRODUCT 07 00017
18 * OF POWERS OF 2 AND A REMAINDER TERM. THE LOGS OF THE 07 00018
19 * POWERS OF 2 IN R ARE TAKEN FROM A TABLE; THE LOG OF THE 07 00019
20 * REMAINDER IS COMPUTED BY A FIXED-POINT POLYNOMIAL. THE 07 00020
21 * LOG OF R IS THE SUM OF ALL THESE. 07 00021
22 * 07 00022
23 * ENTRY: NO SPECIAL CONDITIONS 07 00023
24 * 07 00024
25 * CALLING SEQUENCE: JPM ALG 07 00025
26 * DATA ADDRESS OF ARGUMENT 07 00026
27 * 07 00027
28 * EXIT : REAL RESULT IN AB 07 00028
29 * 07 00029
30 * ERRORS: IF INVALID ARGUMENT: 07 00030
31 * 'FUNC ARG' MESSAGE OUTPUT 07 00031
32 * AB=0 07 00032
33 * DVFL SET 07 00033
34 * 07 00034
35 ***** 07 00035
36 ***** 07 00036
37 ***** 07 00037
38 * ENTRIES * 07 00038
39 ***** 07 00039
40 NAME ALOG 07 00040
41 ***** 07 00041
42 ***** 07 00042
43 * EXTERNALS * 07 00043
44 ***** 07 00044
45 EXT $EE ERROR MESSAGE PROCESSOR 07 00045
46 EXT $NML REAL NORMALIZE 07 00046
47 EXT $PC FLOAT INTEGER 07 00047
48 ***** 07 00048
49 ***** 07 00049
50 * MACRO * 07 00050
51 ***** 07 00051
52 FAD MAC 07 00052
53 IFT VORTEX-3 D.107 00053
54 IFF VORTEX-4 D.107 00054
55 GOTO FRMWR2 D.107 00055
56 IFT VORTEX-1 D.107 00056
57 GOTO FRMWR1 D.107 00057
58 EXT $OK REAL ADD D.107 00058
59 CALL $OK D.107 00059
60 GOTO FRMWR3 D.107 00060
61 FRMWR1 CONT D.107 00061
62 DATA 0105134 BCS REAL ADD D.107 00062
63 GOTO FRMWR3 D.107 00063
64 FRMWR2 CONT D.107 00064
65 DATA 0105410 FPP REAL ADD D.107 00065
66 FRMWR3 CONT D.107 00066
67 EMAC D.107 00067
68 ***** D.107 00068
69 ***** D.107 00069
70 * MACRO * D.107 00070
71 ***** D.107 00071
72 FLD MAC D.107 00072
73 DATA 0105420 FPP LOAD D.107 00073
74 DATA P(1) D.107 00074
75 EMAC D.107 00075
76 ***** D.107 00076
77 ***** D.107 00077
78 ***** D.107 00078
79 ***** D.107 00079
80 * MACRO * D.107 00080
81 ***** D.107 00081
82 FST MAC D.107 00082
83 DATA 0105600 FPP STORE D.107 00083
84 DATA P(1) D.107 00084
85 EMAC D.107 00085
86 ***** D.107 00086
87 ***** D.107 00087
88 ***** D.107 00088
89 * MACRO * D.107 00089
90 ***** D.107 00090
91 FSB MAC D.107 00091
92 IFT VORTEX-3 D.107 00092
93 IFF VORTEX-4 D.107 00093
94 GOTO FRMWR2 D.107 00094
95 IFT VORTEX-1 D.107 00095
96 GOTO FRMWR1 D.107 00096
97 EXT $OL REAL SUBTRACT D.107 00097
98 CALL $OL D.107 00098
99 GOTO FRMWR3 D.107 00099
100 FRMWR1 CONT D.107 00100
101 DATA 0105174 BCS REAL SUBTRACT D.107 00101
102 GOTO FRMWR3 D.107 00102

```



103	FRMWR2	CONT				D.107	00103
104		DATA	0105450	FPP REAL SUBTRACT		D.107	00104
105	FRMWR3	CONT				D.107	00105
106		EMAC				07	00106
107	* FIX	REAL TO FIXED				D.107	00107
108	FIX	MAC				D.107	00108
109		DATA	0105621			D.107	00109
110		DATA	P(1)			D.107	00110
111		EMAC				D.107	00111
115	* FLOAT	FIXED TO REAL				D.107	00115
116	FLT	MAC				D.107	00116
117		DATA	0105425			D.107	00117
118		DATA	P(1)			D.107	00118
119		EMAC				D.107	00119
122	*****					07	00122
123	* MACRO *					07	00123
124	*****					07	00124
125	FMU	MAC				07	00125
126		IFT	VORTEX-3			D.107	00126
127		IFF	VORTEX-4			D.107	00127
128		GOTO	FRMWR2			D.107	00128
129		IFT	VORTEX-1			D.107	00129
130		GOTO	FRMWR1			D.107	00130
131		EXT	SON	REAL MULTIPLY		D.107	00131
132		CALL	SON			D.107	00132
133		GOTO	FRMWR3			D.107	00133
134	FRMWR1	CONT				D.107	00134
135		DATA	0105074	BCS REAL MULTIPLY		D.107	00135
136		GOTO	FRMWR3			D.107	00136
137	FRMWR2	CONT				D.107	00137
138		DATA	0105416	FPP REAL MULTIPLY		D.107	00138
139	FRMWR3	CONT				D.107	00139
140		EMAC				07	00140
143	*****					07	00143
144	* MACRO *					07	00144
145	*****					07	00145
146	FDV	MAC				07	00146
147		IFT	VORTEX-3			D.107	00147
148		IFF	VORTEX-4			D.107	00148
149		GOTO	FRMWR2			D.107	00149
150		IFT	VORTEX-1			D.107	00150
151		GOTO	FRMWR1			D.107	00151
152		EXT	SON	REAL DIVIDE		D.107	00152
153		CALL	SON			D.107	00153
154		GOTO	FRMWR3			D.107	00154
155	FRMWR1	CONT				D.107	00155
156		DATA	0105034	BCS REAL DIVIDE		D.107	00156
157		GOTO	FRMWR3			D.107	00157
158	FRMWR2	CONT				D.107	00158
159		DATA	0105401	FPP REAL DIVIDE		D.107	00159
160	FRMWR3	CONT				D.107	00160
161		EMAC				07	00161
164	FSE	MAC				D.107	00164
165		IFT	VORTEX-1			D.107	00165
166		GOTO	SOFT1			D.107	00166
167		EXT	SON			D.107	00167
168		CALL	SON			D.107	00168
169		GOTO	FRMWR2			D.107	00169
170	SOFT1	CONT				D.107	00170
171		IFT	VORTEX-2			D.107	00171
172		IFF	VORTEX-4			D.107	00172
173		GOTO	FRMWR1			D.107	00173
174		STX	P(2)	SAVE X		D.107	00174
175		LDRE	P(1)			D.107	00175
176		LAX				D.107	00176
177		LAX				D.107	00177
178		STA	P(2)	SET RETURN ADDR		D.107	00178
179		LDA	0+1	FETCH ADDR OF ARGUMENT		D.107	00179
180		LAX				D.107	00180
181		JAN	*-2			D.107	00181
182		GOTO	FRMWR2			D.107	00182
183	FRMWR1	CONT				D.107	00183
184		DATA	0105006	BCS XFER PARAMETERS		D.107	00184
185		IFT	VORTEX-4			D.107	00185
186		GOTO	FRMWR2			D.107	00186
187		DATA	1			D.107	00187
188		STX	1			D.107	00188
189		STX	P(2)	SAVE X		D.107	00189
190		LDRE	P(1)			D.107	00190
191		STX	P(2)			D.107	00191
192		LDRE	*-5	FETCH ADDR OF ARG		E.1	*****
193	FRMWR2	CONT				D.107	00193
194		EMAC				D.107	00194
195		IFT	VORTEX-3			D.107	00195
196		IFF	VORTEX-4			D.107	00196
197		GOTO	FRMWR3			D.107	00197
200	*****					07	00200
201	* MACRO *					07	00201
202	*****					07	00202
203	KAD	MAC				07	00203
204		IFT	VORTEX-1	FIXED-POINT ADD		07	00204
205		EXT	YDAS			07	00205
206		IFF	VORTEX-1			07	00206



```

207          CALL      XDAD
208          IFT      VORTEX-1
209          DATA    0105334      BCS FIXED-POINT ADD
210          EMAC
213          *****
214          * MACRO *
215          *****
216          XSB      MAC
217          IFF      VORTEX-1
218          EXT      XDSU          FIXED-POINT SUBTRACT
219          IFF      VORTEX-1
220          CALL      XDSU
221          IFT      VORTEX-1
222          DATA    0105374      BCS FIXED-POINT SUBTRACT
223          EMAC
226          *****
227          * MACRO *
228          *****
229          XMU      MAC
230          IFF      VORTEX-1
231          EXT      XDMU          FIXED-POINT MULTIPLY
232          IFF      VORTEX-1
233          CALL      XDMU
234          IFT      VORTEX-1
235          DATA    0105274      BCS FIXED-POINT MULTIPLY
236          EMAC
239          *****
240          * MACRO *
241          *****
242          XDV      MAC
243          IFF      VORTEX-1
244          EXT      XDDI          FIXED-POINT DIVIDE
245          IFF      VORTEX-1
246          CALL      XDDI
247          IFT      VORTEX-1
248          DATA    0105234      BCS FIXED-POINT DIVIDE
249          EMAC
252          *****
253          * SET BLOCK *
254          *****
000022 A 255 SBIT SET 18
000020 A 256 SBIT SET 16
000001 A 257 X SET 1
000000 074213 A 259 LN STX LNSX      SAVE X
000001 005001 A 260 TZA
000002 054214 A 261 STA LNV          CLEAR RESULT TO ZERO
000003 054214 A 262 STA LNV+1
263 *****
264 * GET ARGUMENT U, CHECK RANGE *
265 *****
000004 034164 A 266 LDX LNP          POINT X AT ARGUMENT U
000005 015000 A 267 LDA J,X          LOAD U IN AB
000006 025001 A 268 LDB 1,X
000007 001004 A 269 JAN LNER          ERROR ON NEG ARG
000010 000174 R
000011 001010 A 270 JAZ LNER          ERROR ON ZERO ARG
000012 000174 R
271 *****
272 * FACTOR U=2**N * Y WHERE Y=1.XX *
273 *****
000013 054175 A 274 STA LNA          SAVE HIGH WORD OF U
000014 154207 A 275 ANA LNE          GET EXPONENT FIELD
000015 054175 A 276 STA LNE          SAVE IN LNE
000016 134172 A 277 ERA LNA          RESTORE HIGH WORD OF MANTISSA
000017 114201 A 278 ORA LNE1         MERGE EXPONENT
000020 054170 A 279 STA LNA          SAVE Y IN LNA
000021 064170 A 280 STB LNA+1
000022 014170 A 281 LDA LNE          RESTORE EXPONENT
000023 004347 A 282 LSRA SBIT-9      RIGHT-ADJUST
000024 006140 A 283 SUBI 0201        SUBTRACT BIAS TO GET N
000025 000201 A
000026 001010 A 284 JAZ LN1          SKIP NEXT BLOCK IF N=0
000027 000037 R
285 *****
286 * LN(U)=N*LN(2) + LN(Y) *
287 * COMPUTE N*LN(2) *
288 *****
000030 002000 A 289 CALL SPC          FLOAT N
000031 000000 E
290 FMU          GET N*LN(2)
000032 002000 A
000033 000000 E
000034 000222 R 291 DATA LN2E
000035 054161 A 292 STA LNV          SAVE IN LNV
000036 064161 A 293 STB LNV+1
294 *****
295 * INITIALIZE FACTOR LOOP *
296 *****
000037 006010 A 297 LN1 LDAI LNT1-2
000040 000225 R
000041 054035 A 298 STA LNP1
000042 006120 A 299 ADDI LNT2-LNT1
000043 000016 A

```



```

000044 054041 A 300 STA LNP2 INITIALIZE TABLE 2 POINTER 07 00300
301 ***** 07 00301
302 * LOOP TO FACTOR OUT POWERS OF 2 * 07 00302
303 ***** 07 00303
000045 044031 A 304 LNLP INR LNP1 BUMP TABLE POINTERS 07 00304
000046 044030 A 305 INR LNP1 07 00305
000047 044036 A 306 INR LNP2 07 00306
000050 044035 A 307 INR LNP2 07 00307
000051 014025 A 308 LDA LNP1 07 00308
000052 006140 A 309 SUBI LNP2 07 00309
000053 000245 R
000054 001010 A 310 JAZ LNI EXIT AT END OF TABLE 07 00310
000055 000110 R
000056 034020 A 311 LDX LNP1 POINT X AT TABLE 1 ENTRY 07 00311
000057 014131 A 312 LDA LNA 07 00312
000060 145000 A 313 SUB 0,X COMPARE HIGH WORDS 07 00313
000061 001004 A 314 JAN LNLP LOOP BACK IF TABLE 1 ENTRY.GT.Y 07 00314
000062 000045 R
315 IFT $BIT-16 07 00315
316 GOTO 1 07 00316
000063 001010 A 317 JAZ *+4 07 00317
000064 000067 R
000065 001000 A 318 JMP LNF 07 00318
000066 000073 R
000067 014122 A 319 LDA LNA+1 07 00319
000070 145001 A 320 SUB 1,X MUST TEST LOW WORDS FOR 16 BIT 07 00320
000071 001004 A 321 JAN LNLP 07 00321
000072 000045 R
322 1 CONT 07 00322
323 ***** 07 00323
324 * Y.GE.TABLE FACTOR TABLE ENTRY OUT OF Y * 07 00324
325 ***** 07 00325
000073 014115 A 326 LNF LDA LNA 07 00326
000074 024115 A 327 LDB LNA+1 07 00327
328 FDV AB=Y/(TABLE 1 ENTRY) 07 00328
000075 002000 A
000076 000000 E
000077
329 LNP1 BSS 1 07 00329
000100 054110 A 330 STA LNA SET Y=AB 07 00330
000101 064110 A 331 STB LNA+1 07 00331
000102 014114 A 332 LDA LNV 07 00332
000103 024114 A 333 LDB LNV+1 07 00333
334 FAD AB=LN(PREVIDUS) + LN(TABLE 1 ENTRY) 07 00334
000104 002000 A
000105 000000 E
000106
335 LNP2 BSS 1 07 00335
000107 054107 A 336 STA LNV SET VALUE=AB 07 00336
000110 064107 A 337 STB LNV+1 07 00337
000111 001000 A 338 JMP LNLP CONTINUE LOOP 07 00338
000112 000045 R
339 ***** 07 00339
340 * APPROXIMATE REST OF INTERVAL BY FIXED-POINT POLYNOMIAL * 07 00340
341 ***** 07 00341
000113 014076 A 342 LNI LDA LNA+1 07 00342
000114 005002 A 343 TZE 07 00343
000115 001010 A 344 JAZ LNW FINISHED IF LOW WORD OF Y = 0 07 00344
000116 000205 R
000117 054071 A 345 STA LNA 07 00345
000120 064071 A 346 STB LNA+1 SAVE Y 07 00346
347 ***** 07 00347
348 * APPROXIMATE BY FIXED-POINT POLYNOMIAL * 07 00348
349 ***** 07 00349
000121 004501 A 350 LASH 1 SHIFT TO PREVENT DIVIDE OVERFLOW 07 00350
351 XDV GET Y/3 07 00351
000122 002000 A
000123 000000 E
000124 000226 R 352 DATA LNK3 07 00352
000125 004511 A 353 LASH $BIT-7 ADJUST 07 00353
000126 054066 A 354 STA LNT SAVE 07 00354
000127 064066 A 355 STB LNT+1 07 00355
000130 014074 A 356 LDA LNK1 GET 1/2 07 00356
000131 005002 A 357 TZE 07 00357
358 XSB GET (1/2-Y/3) 07 00358
000132 002000 A
000133 000000 E
000134 000215 R 359 DATA LNT 07 00359
360 XMU GET (1/2-Y/3)*Y 07 00360
000135 002000 A
000136 000000 E
000137 000211 R 361 DATA LNA 07 00361
000140 004507 A 362 LASH $BIT-9 ADJUST 07 00362
000141 054053 A 363 STA LNT SAVE 07 00363
000142 054053 A 364 STB LNT+1 07 00364
000143 014061 A 365 LDA LNK1 GET 1 07 00365
000144 005002 A 366 TZE 07 00366
367 XSB GET (1-(1/2-Y/3)*Y) 07 00367
000145 002000 A
000146 000133 E
000147 000215 R 368 DATA LNT 07 00368
369 XMU GET (1-(1/2-Y/3)*Y)*Y 07 00369
000150 002000 A
000151 000136 E
000152 000211 R 370 DATA LNA 07 00370

```



```

000153 004506 A 371 LASR $BIT-10 ADJUST 07 00371
000154 002000 A 372 CALL $MML NORMALIZE 07 00372
000155 000000 E
000156 124042 A 373 ADD LNE1 CONVERT TO FLOATING POINT 07 00373
000157 002000 A 374 FAD ADD TO PREVIOUS VALUE 07 00374
000160 000103 E
000161 000217 R 375 DATA LNV 07 00375
376 ***** 07 00376
377 * EXIT * 07 00377
378 ***** 07 00378
000162 007400 A 379 LNZ RDF RESET OVFL TO FLAG NO ERROR 07 00379
000163 034030 A 380 LDX LNSX RESTORE X 07 00380
000164 001000 A 381 JMP 0 EXIT 07 00381
000165 000000 A 382 ALOG BES 0 ENTRY 07 00382
000165 383 FSE XFER PARAMETERS 07 00383
000166 002000 A
000167 000000 E
000170 000001 A 384 DATA 1 07 00384
000171 385 LNP BSS 1 POINTER TO ARGUMENT 07 00385
000172 001000 A 386 JMP LN JUMP BACK FOR FORWARD REF 07 00386
000173 000000 R
387 ***** 07 00387
388 * ERROR * 07 00388
389 ***** 07 00389
000174 005002 A 390 LNER TZB SET B=0 TO RETURN 07 00390
000175 006010 A 391 LDAB 2 07 00391
000176 000002 A
000177 002000 A 392 CALL $EE OUTPUT 'FUNC ARG' 07 00392
000200 000000 E
000201 005003 A 393 ZERO 3 SET AB=0 07 00393
000202 007401 A 394 SDF SET OVFL TO FLAG ERROR 07 00394
000203 001000 A 395 JMP LNZ+1 EXIT 07 00395
000204 000163 R
396 ***** 07 00396
397 * LOAD VALUE * 07 00397
398 ***** 07 00398
000205 014011 A 399 LNV LDA LNV LOAD AB WITH VALUE 07 00399
000206 024011 A 400 LDB LNV+1 07 00400
000207 001000 A 401 JMP LNZ EXIT 07 00401
000210 000162 R
402 ***** 07 00402
403 * CONSTANTS AND VARIABLES * 07 00403
404 ***** 07 00404
000211 405 LNA BSS 2 ARGUMENT 07 00405
000213 406 LNE BSS 1 EXPONENT 07 00406
000214 407 LNSX BSS 1 SAVE X 07 00407
000215 408 LNT BSS 2 TEMP STORE 07 00408
000217 409 LNV BSS 2 LN(U) 07 00409
410 IFT $BIT-16 07 00410
411 GOTO 4 07 00411
000221 040200 A 412 LNE1 DATA 040200 16-BIT EXP=1 07 00412
000222 040130 A 413 LNE2 DATA 040130 LN(2) 07 00413
000223 056206 A 414 DATA 056206 07 00414
000224 077600 A 415 LNE3 DATA 077600 16-BIT EXPONENT MASK 07 00415
000225 040000 A 416 LNK1 DATA 040000 16-BIT FIXED-POINT 1 07 00416
000226 060000 A 417 LNK3 DATA 060000 16-BIT FIXED-POINT 3 07 00417
418 ***** 07 00418
419 * TABLE OF FACTORS 1.0..010.. * 07 00419
420 ***** 07 00420
000227 040340 A 421 LNT1 DATA 040340 1.1 07 00421
000230 000000 A 422 DATA 0 07 00422
000231 040320 A 423 DATA 040320 1.01 07 00423
000232 000000 A 424 DATA 0 07 00424
000233 040310 A 425 DATA 040310 1.001 07 00425
000234 000000 A 426 DATA 0 07 00426
000235 040304 A 427 DATA 040304 1.0001 07 00427
000236 000000 A 428 DATA 0 07 00428
000237 040302 A 429 DATA 040302 1.00001 07 00429
000240 000000 A 430 DATA 0 07 00430
000241 040301 A 431 DATA 040301 1.000001 07 00431
000242 000000 A 432 DATA 0 07 00432
000243 040300 A 433 DATA 040300 1.0000001 07 00433
000244 040000 A 434 DATA 040000 07 00434
435 ***** 07 00435
436 * TABLE OF LOGS OF FACTORS * 07 00436
437 ***** 07 00437
000245 037747 A 438 LNT2 DATA 037747 LN(1.1) 07 00438
000246 063110 A 439 DATA 063110 07 00439
000247 037562 A 440 DATA 037562 LN(1.01) 07 00440
000250 017760 A 441 DATA 017760 07 00441
000251 037370 A 442 DATA 037370 LN(1.001) 07 00442
000252 047017 A 443 DATA 047017 07 00443
000253 037174 A 444 DATA 037174 LN(1.0001) 07 00444
000254 012141 A 445 DATA 012141 07 00445
000255 036776 A 446 DATA 036776 LN(1.00001) 07 00446
000256 002466 A 447 DATA 02466 07 00447
000257 036577 A 448 DATA 036577 LN(1.000001) 07 00448
000260 000321 A 449 DATA 000321 07 00449
000261 036377 A 450 DATA 036377 LN(1.0000001) 07 00450
000262 040125 A 451 DATA 040125 07 00451
452 4 CNT 07 00452

```



```

453          IFT          $BIT-18
454          GOTO          5
455 LNE1     DATA        0201000      18-BIT EXP=1
456 LN2E     DATA        0200542      LN(2)
457          DATA        0344140
458 LNEM     DATA        0377000      18-BIT EXPONENT MASK
459 LNK1     DATA        0200000      18-BIT FIXED-POINT 1
460 LNK3     DATA        0300000      18-BIT FIXED-POINT 3
461 *****
462 * TABLE OF FACTORS 1.0..010.. *
463 *****
464 LNT1     DATA        0201600      1.1
465          DATA        0
466          DATA        0201500      1.01
467          DATA        0
468          DATA        0201440      1.001
469          DATA        0
470          DATA        0201420      1.0001
471          DATA        0
472          DATA        0201410      1.00001
473          DATA        0
474          DATA        0201404      1.000001
475          DATA        0
476          DATA        0201402      1.0000001
477          DATA        0
478          DATA        0201401      1.00000001
479          DATA        0
480 *****
481 * TABLE OF LOGS OF FACTORS *
482 *****
483 LNT2     DATA        0177637      LN(1.1)
484          DATA        062176
485          DATA        0176710      LN(1.01)
486          DATA        0377371
487          DATA        0175742      LN(1.001)
488          DATA        0160356
489          DATA        0174760      LN(1.0001)
490          DATA        0243030
491          DATA        0173770      LN(1.00001)
492          DATA        051542
493          DATA        0172774      LN(1.000001)
494          DATA        012426
495          DATA        0171776      LN(1.0000001)
496          DATA        02515
497          DATA        0170777      LN(1.00000001)
498          DATA        0526
499 5       CONT
500          GOTO          LOGEND
501 NEWLOG  CONT
502 *****
503 * COMPUTES NATURAL LOG OF A FLOATING POINT NO. *
504 * PERFORMS THREE SUMS A(2K+1)*U**(2K+1) WHERE K FROM *
505 * 0 TO 2, U=(X-V2/2)/(X+V2/2), WHEN 1/2<=X<1, *
506 * LN X=-1/2LN2+SUM DESCRIBED ABOVE, FINALLY, ADD *
507 * EXP*LN2, ACCURACY ESTIMATED AT 3X10**-8. *
508 *****
509 *****
510 * ALOG ENTRY *
511 *****
512 ALOG    ENTR
513          FSE          ALOG,LOGX,ALOGXT
514 *****
515 * FIRST SEPARATE EXPONENT AND MANTISSA *
516 *****
517          LDA          0,1
518          JAM          ALUG03      NEGATIVE ARGUMENT
519          JAZ          ALUG03      ZERO ARGUMENT
520          TAB
521          ANA          H177        MASK OUT EXPONENT
522          ORA          H40000      BIAS FRACTION
523          STA          X
524          LDA          1,1
525          STA          X+1
526          LRA
527          LSRA         7
528          SUB          H200        UNBIAS IT
529          STA          EXP
530          FLT          EXP
531          FPU
532          DATA        LN2
533          FST          EXP
534 *****
535 * FIRST CALCULATE (X-V2/2)/(X+V2/2)=U *
536 *****
537          FLD          X
538          FAD          X+V2/2
539          DATA        000V2
540          FST          NEWX
541          FLD          X
542          FSB          X-V2/2
543          DATA        000V2
544          FDU
545          DATA        NEWX

```

```

07 00453
07 00454
07 00455
07 00456
07 00457
07 00458
07 00459
07 00460
07 00461
07 00462
07 00463
07 00464
07 00465
07 00466
07 00467
07 00468
07 00469
07 00470
07 00471
07 00472
07 00473
07 00474
07 00475
07 00476
07 00477
07 00478
07 00479
07 00480
07 00481
07 00482
07 00483
07 00484
07 00485
07 00486
07 00487
07 00488
07 00489
07 00490
07 00491
07 00492
07 00493
07 00494
07 00495
07 00496
07 00497
07 00498
07 00499
D.107 00500
D.107 00501
D.107 00502
D.107 00503
D.107 00504
D.107 00505
D.107 00506
D.107 00507
D.107 00508
D.107 00509
D.107 00510
D.107 00511
D.107 00512
D.107 00513
D.107 00514
D.107 00515
D.107 00516
D.107 00517
D.107 00518
D.107 00519
D.107 00520
D.107 00521
D.107 00522
D.107 00523
D.107 00524
D.107 00525
D.107 00526
D.107 00527
D.107 00528
D.107 00529
D.107 00530
D.107 00531
D.107 00532
D.107 00533
D.107 00534
D.107 00535
D.107 00536
D.107 00537
D.107 00538
D.107 00539
D.107 00540
D.107 00541
D.107 00542
D.107 00543
D.107 00544
D.107 00545

```



```

546      FST      NEWX
547      *
548      FLD      NEWX
549      FMU
550      DATA   NEWX
551      FST      X
552      *****
553      * PERFORM ITERATIONS *
554      *****
555      FLD      A5
556      FMU      A(5)*U**2
557      DATA   X
558      FAD      A(3)+A(5)*U**2
559      DATA   A3
560      FMU      U**2*(A(3)+A(5)*U**2)
561      DATA   X
562      FAD      A(1)+U**2*(A(3)+A(5)*U**2)
563      DATA   A1
564      FMU      U*(A(1)+U**2*(A(3)+A(5)*U**2))
565      DATA   NEWX
566      FAD      -1/2LN2+U*(A(1)+U**2*(A(3)+A(5)*U**2))
567      DATA   HALFLN
568      FAD      ADD EXPONENT FACTOR
569      DATA   EXP
570      FST      Y
571      LDA      Y
572      LDB      Y+1
573      RDB
574      ALOG02  LDX      LOGX
575      JMP      ALOGXT
576      ALOGXT  BES      0
577      ALOG03  TZB
578      LDAI    2
579      CALL    $EE
580      ZERO
581      SDF
582      JMP      ALOG02
583      LOGX    BSS      1
584      H177    DATA   0177
585      H40000  DATA   040000
586      X       BSS      2
587      H377    DATA   0377
588      H200    DATA   0200
589      EXP     BSS      2
590      LN2     DATA   16472,23686
591      SQDVR2  DATA   16474,16701
592      NEWX    BSS      2
593      Y       BSS      2
594      HALFLN  DATA   -16345,23686
595      A1      DATA   16704,1
596      A3      DATA   16469,9993
597      A5      DATA   16362,8319
598      LOGEND  CNT
599      END

```

CALCULATE U\*\*2

RESTORE ORIGINAL X  
EXIT

ANNOUNCE INVALID ARGUMENT

GO EXIT  
INITIAL X

EXPONENTIAL FACTOR  
LN2  
V2/2  
[X-V2/2]/[X<V2/2]  
INTERMEDIATE RESULTS  
-1/2LN2  
2.0000000815  
0.666445063  
0.415054254

ENTRY NAMES

```

000165 R ALOG
EXTERNAL NAMES
000200 E $EE      000155 E $NML      000031 E $PC      000160 E $QK
000033 E $QM      000076 E $QN      000167 E $SE      000123 E XDDI
000151 E XDMU     000146 E XDSU

```

```

SYMBOLS
000020 A $BIT     000200 E $EE      000155 E $NML      000031 E $PC
000160 E $QK      000033 E $QM      000076 E $QN      000167 E $SE
000165 R ALOG     000000 R LN       000037 R LN1      000222 R LN2E
000211 R LNA      000213 R LNE      000221 R LNE1     000224 R LNEM
000174 R LNER     000073 R LNF      000113 R LNI      000225 R LNK1
000226 R LNK3     000045 R LNL      000171 R LNP      000077 R LNP1
000106 R LNP2     000214 R LNSX     000215 R LNT      000227 R LNT1
000245 R LNT2     000217 R LNV      000205 R LNW      000162 R LN2
000001 A VORTEX  000001 A X       000123 E XDDI     000151 E XDMU
000146 E XDSU

```

0 ERRORS ASSEMBLY COMPLETE

```

255 $BIT      282 315 353 362 371 410 453
0 $EE        45 392 379
0 $NML       46 372
0 $PC        47 289
0 $QK        58 59
0 $QL        97 98
0 $QM       131 132
0 $QN       152 153
0 $SE       167 168
595 A1       363
596 A3       359
597 A5       355
382 ALOG     11 40 313
374 ALOG02  382
377 ALOG03  318 519
376 ALOGXT  313 575
589 EXP     329 530 533 560
61 FRMWR1   57 96 130 151 173

```



E.2 VORTEX LISTING

ALOG

PROGRAM PAGE 8

LISTING PAGE ( 467)

64	FRMWR2	55	94	128	149	169	182	186		
66	FRMWR3	60	63	99	102	133	136	154	157	
584	H177	521								
588	H200	528								
585	H40000	522								
534	HALFLN	567								
259	LN	386								
297	LN1	284								
590	LN2	532								
413	LN2E	291								
405	LNA	274	277	279	280	312	319	326	327	330
		331	342	345	346	361	370			
406	LNE	276	281							
412	LNE1	278	373							
415	LNEC	275								
390	LNER	269	270							
326	LNF	318								
342	LNI	310								
416	LNK1	356	365							
417	LNK3	352								
304	LNL	314	321	338						
385	LNP	266								
329	LNP1	298	304	305	308	311				
335	LNP2	300	306	307						
407	LNSX	259	380							
408	LNT	354	355	359	363	364	368			
421	LNT1	297	299							
438	LNT2	299	309							
409	LNV	261	262	292	293	332	333	336	337	375
		399	400							
399	LNW	344								
379	LNZ	395	401							
598	LOGEND	500								
583	LOGX	513	574							
501	NEWLOG	197								
592	NEWX	540	545	546	548	550	565			
0	P	74	84	110	118	174	175	178	189	190
		191								
170	SOFT1	166								
591	SQOVR2	539	543							
1	VORTEX	53	54	56	92	93	95	126	127	129
		147	148	150	165	171	172	185	195	196
		204	206	208	217	219	221	230	232	234
		243	245	247						
257	X	267	268	313	320	523	525	537	541	551
		557	561							
0	XDAD	205	207							
0	XDDI	244	246							
0	XDNU	231	233							
0	XDSU	218	220							
593	Y	570	571	572						



000001 A

```

1 VORTEX SET 1 06 00001
2 * THIS IS A COPYRIGHTED PROGRAM. COPYRIGHT 1973 BY VARIAN DATA MACHINE 06 00002
3 * 06 00003
4 * V.D.M. PART NO. 92L0506-123E 06 00004
5 * 06 00005
6 * RELEASE 10-15-73 06 00006
7 * 06 00007
8 * EXP 06 00008
9 * 06 00009
10 * 06 00010
11 * TITLE EXP 06 00011
12 * 06 00012
13 * REAL EXPONENTIAL (EXP) * 06 00013
14 * 06 00014
15 * 06 00015
16 * FUNCTION: TO COMPUTE THE EXPONENTIAL OF A REAL ARGUMENT. THE METHOD * 06 00016
17 * IS TO FACTOR THE EXPONENTIAL INTO A PRODUCT OF * 06 00017
18 * EXPONENTIALS OF POWERS OF 2, DOWN TO 2**-8. THE REMAINING * 06 00018
19 * FACTOR IS APPROXIMATED BY A FIXED-POINT POLYNOMIAL OF * 06 00019
20 * 2ND DEGREE. * 06 00020
21 * 06 00021
22 * ENTRY: NO SPECIAL CONDITIONS * 06 00022
23 * 06 00023
24 * CALLING SEQUENCE: JPM EXP * 06 00024
25 * DATA -- ADDRESS OF REAL ARG R E.1 *****
26 * 06 00026
27 * EXIT: AB=E**R * 06 00027
28 * OVFL=0 IF NO ERROR * 06 00028
29 * 06 00029
30 * ERRORS: UNDERFLOW: AB=0 * 06 00030
31 * OVERFLOW : AB=MAX REAL NUMBER * 06 00031
32 * MESSAGE 'FUNC ARG' OUTPUT * 06 00032
33 * BOTH: OVFL SET * 06 00033
34 * 06 00034
35 * 06 00035
36 * 06 00037
37 * 06 00038
38 * ENTRIES * 06 00039
39 * 06 00040
40 * NAME EXP 06 00040
41 * 06 00042
42 * 06 00043
43 * EXTERNALS * 06 00044
44 * 06 00045
45 * EXT SEE ERROR MESSAGE PROCESSOR 06 00045
46 * EXT $NML REAL NORMALIZE 06 00046
47 * 06 00048
48 * 06 00049
49 * MACRO * 06 00050
50 * 06 00051
51 * FAD MAC 06 00052
52 * IFT VORTEX-3 D.106 00052
53 * IFF VORTEX-4 D.106 00053
54 * GOTO FRMWR2 D.106 00054
55 * IFT VORTEX-1 D.106 00055
56 * GOTO FRMWR3 D.106 00056
57 * EXT $QK REAL ADD D.106 00057
58 * CALL $QK D.106 00058
59 * GOTO FRMWR3 D.106 00059
60 * FRMWR1 CONT D.106 00060
61 * DATA 0105134 BCS REAL ADD D.106 00061
62 * GOTO FRMWR3 D.106 00062
63 * FRMWR2 CONT D.106 00063
64 * DATA 0105410 FPP REAL ADD D.106 00064
65 * FRMWR3 CONT D.106 00065
66 * EMAC 06 00066
67 * 06 00068
68 * * FLOAT FIXED TO REAL D.106 00068
69 * FLT MAC D.106 00069
70 * DATA 0105425 D.106 00070
71 * DATA P(1) D.106 00071
72 * EMAC D.106 00072
73 * 06 00074
74 * 06 00075
75 * 06 00076
76 * 06 00077
77 * MACRO * D.106 00077
78 * 06 00078
79 * 06 00079
80 * FLD MAC D.106 00079
81 * DATA 0105420 FPP LOAD D.106 00080
82 * DATA P(1) D.106 00081
83 * EMAC D.106 00082
84 * 06 00085
85 * 06 00086
86 * MACRO * 06 00086
87 * 06 00087
88 * 06 00088
89 * FMU MAC D.106 00088
90 * IFT VORTEX-3 D.106 00089
91 * IFF VORTEX-4 D.106 00090
92 * GOTO FRMWR2 D.106 00091
93 * IFT VORTEX-1 D.106 00092
94 * GOTO FRMWR1 D.106 00093
95 * EXT $QM REAL MULTIPLY D.106 00094
96 * CALL $QM D.106 00095
97 * GOTO FRMWR3 D.106 00096
98 * FRMWR1 CONT D.106 00097
99 * DATA 0105074 BCS REAL MULTIPLY D.106 00098
100 * GOTO FRMWR3 D.106 00099
101 * FRMWR2 CONT D.106 00100
102 * DATA 0105416 FPP REAL MULTIPLY D.106 00101
103 * FRMWR3 CONT D.106 00102

```



```

103          EMAC
104 * FIX REAL TO FIXED
105 FIX      MAC
106          DATA      0105621
107          DATA      P(1)
108          EMAC
112 *****
113 * MACRO *
114 *****
115 FST      MAC
116          DATA      0105600      FPP STORE
117          DATA      P(1)
118          EMAC
121 *****
122 * MACRO *
123 *****
124 FDV      MAC
125          IFT        VORTEX-3
126          IFF        VORTEX-4
127          GOTO      FRMWR2
128          IFT        VORTEX-1
129          GOTO      FRMWR1
130          EXT        $QN
131          CALL       $QN
132          GOTO      FRMWR3
133 FRMWR1   CONT
134          DATA      0105034      BCS REAL DIVIDE
135          GOTO      FRMWR3
136 FRMWR2   CONT
137          DATA      0105401      FPP REAL DIVIDE
138 FRMWR3   CONT
139          EMAC
142 *****
143 * MACRO *
144 *****
145 FSE      MAC
146          IFT        VORTEX-1
147          GOTO      SOFT1
148          EXT        $SE
149          CALL       $SE
150          GOTO      FRMWR2
151 SOFT1    CONT
152          IFT        VORTEX-2
153          IFF        VORTEX-4
154          GOTO      FRMWR1
155          STX        P(2)
156          LDAE       P(1)
157          TAX
158          IAR
159          STA        P(3)
160          LDA        0,1
161          TAX
162          JAN        *-2
163          GOTO      FRMWR2
164 FRMWR1   CONT
165          DATA      0105036      BCS XFER PARAMETERS
166          IFT        VORTEX-4
167          GOTO      FRMWR2
168          DATA      1
169          BSS        1
170          STX        P(2)
171          LDXE       P(1)
172          STX        P(3)
173          LDXE       *-5
174 FRMWR2   CONT
175          EMAC
177 FSB      MAC
178          DATA      0105450
179          EMAC
182 *****
183 * MACRO *
184 *****
185 XMU      MAC
186          IFF        VORTEX-1
187          EXT        XDMU
188          IFF        VORTEX-1
189          CALL       XDMU
190          IFT        VORTEX-1
191          DATA      0105274      BCS FIXED-POINT MULTIPLY
192          EMAC
194          IFT        VORTEX-3
195          IFF        VORTEX-4
196          GOTO      FPPEXP
198 *****
199 * SET BLOCK *
200 *****
000022 A 201 SBIT SET 18 PUT LAST FOR 18-BIT
000020 A 202 SBIT SET 16 PUT LAST FOR 16-BIT
000001 A 203 S SET 1
204 *****
205 * INITIALIZE *
206 *****
000000 074215 A 208 EX STX EXSX SAVE X

```

```

06 00103
D.106 00104
D.106 00105
D.106 00106
D.106 00107
D.106 00108
D.106 00112
D.106 00113
D.106 00114
D.106 00115
D.106 00116
D.106 00117
D.106 00119
06 00121
06 00122
06 00123
06 00124
D.106 00125
D.106 00126
D.106 00127
D.106 00128
D.106 00129
D.106 00130
D.106 00131
D.106 00132
D.106 00133
D.106 00134
D.106 00135
D.106 00136
D.106 00137
D.106 00138
06 00139
06 00142
06 00143
06 00144
D.106 00145
D.106 00146
D.106 00147
D.106 00148
D.106 00149
D.106 00150
D.106 00151
D.106 00152
D.106 00153
D.106 00154
D.106 00155
D.106 00156
D.106 00157
D.106 00158
D.106 00159
D.106 00160
D.106 00161
D.106 00162
D.106 00163
D.106 00164
D.106 00165
D.106 00166
D.106 00167
D.106 00168
D.106 00169
D.106 00170
D.106 00171
D.106 00172
D.106 00173
E.106 *****
D.106 00174
D.106 00175
D.106 00177
D.106 00178
D.106 00179
06 00182
06 00183
06 00184
06 00185
06 00186
06 00187
06 00188
06 00189
06 00190
06 00191
06 00192
D.106 00194
D.106 00195
D.106 00196
06 00198
06 00199
06 00200
06 00201
06 00202
06 00203
06 00205
06 00206
06 00207
06 00208

```



E.2 VORTEX LISTING

EXP

PROGRAM PAGE

3

LISTING PAGE ( 470 )

```

000001 014217 A 209 LDA EXF1 LOAD AB=1.0 06 00209
000002 005002 A 210 TZB 06 00210
000003 054213 A 211 STA EXV INITIALIZE VALUE=1.0 06 00211
000004 064213 A 212 STB EXV+1 06 00212
000005 006010 A 213 LDAI EXA 06 00213
000006 000226 R
000007 054174 A 214 STA EXPT INITIALIZE TABLE POINTER 06 00214
215 *****
216 * GET ARGUMENT * 06 00216
217 *****
000010 034141 A 218 LDX EXPP 06 00217
000011 015000 A 219 LDA 0,X LOAD ARGUMENT INTO AB 06 00218
000012 025001 A 220 LDB 1,X 06 00219
000013 054201 A 221 STA EXSF STORE SIGN FLAG 06 00220
000014 001002 A 222 JAP *+3 06 00221
000015 000017 R
000016 005211 A 223 CPA CONVERT TO ABS VALUE 06 00223
000017 054206 A 224 STA EXA SAVE HIGH-ORDER WORD IN EXA 06 00224
000020 154204 A 225 ANA EXMM GET EXPONENT FIELD 06 00225
000021 054172 A 226 STA EXE SAVE IN EXE 06 00226
000022 134203 A 227 ERA EXA GET HIGH WORD OF MANTISSA 06 00227
000023 054202 A 228 STA EXA SAVE IN EXA 06 00228
000024 014167 A 229 LDA EXE GET EXPONENT 06 00229
000025 004347 A 230 LSRA *BIT-9 RIGHT ADJUST 06 00230
000026 006140 A 231 SUBI 0200 UNBIAS EXPONENT 06 00231
000027 000200 A
000030 054163 A 232 STA EXE STORE IN EXE 06 00232
000031 001002 A 233 JAP EX1 IS EXPONENT + ? 06 00233
000032 000054 R
000033 006120 A 234 ADDI 7 NO 06 00234
000034 000007 A
000035 001002 A 235 JAP EX2 IS EXPONENT < -7 ? 06 00235
000036 000060 R
000037 005111 A 236 IAR YES 06 00236
000040 054153 A 237 STA EXE BUMP EXPONENT BY 8 06 00237
238 *****
239 * LARGE NEGATIVE EXPONENT. SCALE TO 8 BITS RIGHT FIXED-POINT * 06 00238
240 *****
000041 014152 A 241 EXL1 LDA EXE GET EXPONENT 06 00241
000042 001010 A 242 JAZ EX1 SCALED OK WHEN ZERO 06 00242
000043 000106 R
000044 014161 A 243 LDA EXA RESTORE HIGH WORD OF MANTISSA 06 00243
000045 004501 A 244 LASR 1 SHIFT MANTISSA RIGHT 1 06 00244
000046 001030 A 245 JIF 030,EXY EXIT IF SHIFTED TO ZERO 06 00245
000047 000141 R
000050 054155 A 246 STA EXA SAVE HIGH WORD OF MANTISSA 06 00246
000051 044142 A 247 INR EXE BUMP EXPONENT 06 00247
000052 001000 A 248 JMP EXL1 CONTINUE SHIFT LOOP 06 00248
000053 000041 R
249 *****
250 * ARGUMENT HAS INTEGER PART * 06 00249
251 *****
000054 006140 A 252 EX1 SUBI 8 06 00251
000055 000010 A
000056 001002 A 253 JAP EXDU OVERFLOW/UNDERFLOW IF EXPONENT .GT. 7 06 00253
000057 000155 R
254 *****
255 * EXPONENT HAS BITS LEFT OF 8 BITS TO RIGHT OF FIXED BINARY POINT * 06 00254
256 *****
000060 014133 A 257 EX2 LDA EXE RESTORE HIGH WORD OF MANTISSA 06 00257
000061 004201 A 258 ASLA 1 GET 2*EXPONENT 06 00258
000062 006120 A 259 ADDI EXT0 ADD TABLE BASE ADDRESS 06 00259
000063 000246 R
000064 054117 A 260 STA EXPT STORE AS TABLE POINTER 06 00260
261 *****
262 * LOOP TO MULTIPLY BY 2**(POWER OF 2) * 06 00262
263 *****
000065 014140 A 264 EXLP LDA EXA RESTORE HIGH WORD OF MANTISSA 06 00264
000066 004401 A 265 LASL 1 SHIFT LEFT 06 00265
000067 054137 A 266 STA EXA+1 SAVE 06 00266
000070 154133 A 267 ANA EXM1 CLEAR HIGH BIT 06 00267
000071 054134 A 268 STA EXA SAVE 06 00268
000072 134134 A 269 ERA EXA+1 RESTORE NEW BIT 06 00269
000073 004250 A 270 LRLA 8 SHIFT TO SIGN 06 00270
000074 002004 A 271 JANM EXSS MULTIPLY IN 2**(2**N) IF BIT SET 06 00271
000075 000176 R
000076 014105 A 272 LDA EXPT 06 00272
000077 005311 A 273 DAR DECREMENT POINTER BY 2 06 00273
000100 005311 A 274 DAR 06 00274
000101 054102 A 275 STA EXPT 06 00275
000102 006140 A 276 SUBI EXTE TEST FOR TABLE END 06 00276
000103 000230 R
000104 001002 A 277 JAP EXLP LOOP TILL ALL POWERS OF 2 TO -8 DONE 06 00277
000105 000065 R
278 *****
279 * THERE REMAINS ONLY A FIXED-POINT FRACTION SCALED 8 BITS RIGHT. * 06 00278
280 * APPROXIMATE BY POLYNOMIAL TRUNCATION OF POWER SERIES * 06 00280
281 *****
000106 014117 A 282 EX1 LDA EXA RESTORE HIGH-ORDER WORD 06 00282
000107 004410 A 283 LASL 8 LEFT-JUSTIFY 06 00283
000110 054115 A 284 STA EXA SAVE FIXED-POINT ARG X 06 00284
000111 064115 A 285 STB EXA+1 06 00285
000112 004512 A 286 LASR 10 SET AB=X/2 (FIXED POINT) 06 00286

```



E.2 VORTEX LISTING

EXP

PROGRAM PAGE 4

LISTING PAGE ( 471)

000113	124107	A	287	ADD	EXFX	ADD 1.0	06	00287
			288	XMU		AB=X(1+X/2) (FIXED POINT)	06	00288
000114	002000	A						
000115	000000	E						
000116	000226	R	289	DATA	EXA		06	00289
000117	001030	A	290	JIF	030,EXX	EXIT IF ZERO	06	00290
000120	000127	R						
000121	004520	A	291	LSR	16	ADJUST TO FLOATING-POINT BIAS	06	00291
000122	114076	A	292	ORA	EXF1	AB=(FLOATING-PT) 1+X+(X**2)/2	06	00292
000123	054102	A	293	STA	EXA	STORE APPROXIMATION VALUE	06	00293
000124	064102	A	294	STB	EXA+1		06	00294
000125	002000	A	295	CALL	EXSS	MULTIPLY IN APPROXIMATION VALUE	06	00295
000126	000176	R						
			296	*****			06	00296
			297	* TEST SIGN *			06	00297
			298	*****			06	00298
000127	014065	A	299	EXX	LDA	EXSF	06	00299
000130	001002	A	300	JAP	EXY	GET SIGN FLAG	06	00300
000131	000141	R				NEGATIVE ?		
000132	014066	A	301	LDA	EXF1	YES	06	00301
000133	005002	A	302	TZB			06	00302
			303	FDV		GET RECIPROCAL	06	00303
000134	002000	A						
000135	000000	E						
000136	000217	R	304	DATA	EXV		06	00304
000137	001000	A	305	JMP	EXZ		06	00305
000140	000143	R						
000141	014055	A	306	EXY	LDA	EXV	06	00306
000142	024055	A	307	LDB	EXV+1	LOAD RESULT IN AB AT EXIT	06	00307
000143	007400	A	308	EXZ	ROF	CLEAR OVFL TO FLAG NO ERRORS	06	00308
000144	034051	A	309	LDX	EXSX	RESTORE X	06	00309
000145	001000	A	310	JMP	0		06	00310
000146	000000	A						
			311	*****			06	00311
			312	* ENTRY/EXIT *			06	00312
			313	*****			06	00313
000146			314	EXP	BES	0	06	00314
			315	FSE		XFER PARAMETERS	06	00315
000147	002000	A						
000150	000000	E						
000151	000001	A	316	DATA	1		06	00316
000152			317	EXPP	BSS	1	06	00317
000153	001000	A	318	JMP	EX	POINTER TO ARGUMENT	06	00318
000154	000000	R				JUMP BACK FOR FORWARD REF	06	00318
			319	*****			06	00319
			320	* OVER/UNDERFLOW *			06	00320
			321	*****			06	00321
000155	014037	A	322	EXDU	LDA	EXSF	06	00322
000156	001004	A	323	JAN	EXU	GET ARGUMENT SIGN	06	00323
000157	000172	R				UNDERFLOW IF NEGATIVE	06	00323
000160	005101	A	324	EXD	INCR	1	06	00324
000161	005111	A	325	IAR		SET A=2	06	00325
000162	005002	A	326	TZB		SET B=0	06	00326
000163	002000	A	327	CALL	SEE	OUTPUT MESSAGE 'FUNC ARG'	06	00327
000164	000000	E						
000165	005301	A	328	DECR	1		06	00328
000166	004341	A	329	LSRA	1		06	00329
000167	005012	A	330	TAB		GET MAX VALUE IN AB	06	00330
000170	001000	A	331	JMP	EXU+1		06	00331
000171	000173	R						
000172	005003	A	332	EXU	ZERO	3	06	00332
000173	007401	A	333	ROF		CLEAR AB	06	00333
000174	001000	A	334	JMP	EXZ+1	SET OVFL TO FLAG ERROR	06	00334
000175	000144	R						
			335	*****			06	00335
			336	* SERVICE SUBROUTINE TO MULTIPLY BY E**(2**N) *			06	00336
			337	*****			06	00337
000176	000000	A	338	EXSS	ENTR		06	00338
000177	064027	A	339	STB	EXA+1	SAVE B	06	00339
000200	014016	A	340	LDA	EXV	LOAD VALUE	06	00340
000201	024016	A	341	LDB	EXV+1		06	00341
			342	FMU		FLOATING POINT MULTIPLY	06	00342
000202	002000	A						
000203	000000	E						
000204			343	EXPT	BSS	1	06	00343
000205	001001	A	344	JOF	EXD	BY E**(2**N)	06	00344
000206	000160	A				TEST FOR OVERFLOW	06	00344
000207	054007	A	345	STA	EXV	RESTORE VALUE	06	00345
000210	064007	A	346	SIB	EXV+1		06	00346
000211	024015	A	347	LDB	EXA+1	RESTORE B	06	00347
000212	001000	A	348	JMP*	EXSS		06	00348
000213	100176	R						
			349	*****			06	00349
			350	* CONSTANTS AND VARIABLES *			06	00350
			351	*****			06	00351
000214			352	EXE	BSS	1	06	00352
000215			353	EXSF	BSS	1	06	00353
000216			354	EXSX	BSS	1	06	00354
000217			355	EXV	BSS	2	06	00355
			356	IFF	8BIT-18	FUNCTION VALUE	06	00356
			357	GOTO	1		06	00357
000221	040300	A	358	EXF1	DATA	040300	06	00358
000222	000000	A	359	DATA	0	16-BIT FLOATING-POINT 1	06	00359



```

000223 040000 A 360 EXFX DATA 040000 16-BIT FIXED-POINT 1 06 00360
000224 000177 A 361 EXM1 DATA 0177 16-BIT MANTISSA MASK 06 00361
000225 077600 A 362 EXMM DATA 077600 16-BIT EXPONENT FIELD MASK 06 00362
363 1 CONT 06 00363
364 IFF $BIT-16 06 00364
365 GOTO 2 06 00365
366 EXF1 DATA 0201400 18-BIT FLOATING-POINT 1 06 00366
367 DATA 0 06 00367
368 EXFX DATA 0200000 18-BIT FIXED-POINT 1 06 00368
369 EXM1 DATA 0777 18-BIT MANTISSA MASK 06 00369
370 EXMM DATA 0377000 18-BIT EXPONENT FIELD MASK 06 00370
371 2 CONT 06 00371
000226 372 EXA BSS 2 WORKING STORE 06 00372
000230 R 373 EXTE EQU * TABLE START ADDRESS 06 00373
374 IFF $BIT-18 06 00374
375 GOTO 3 06 00375
376 ***** 06 00376
377 * 16-BIT TABLE * 06 00377
378 ***** 06 00378
000230 040300 A 379 DATA 040300 E**(2**8) 06 00379
000231 020020 A 380 DATA 020020 06 00380
000232 040300 A 381 DATA 040300 E**(2**7) 06 00381
000233 040100 A 382 DATA 040100 06 00382
000234 040301 A 383 DATA 040301 E**(2**6) 06 00383
000235 000401 A 384 DATA 000401 06 00384
000236 040302 A 385 DATA 040302 E**(2**5) 06 00385
000237 002013 A 386 DATA 002013 06 00386
000240 040304 A 387 DATA 040304 E**(2**4) 06 00387
000241 010127 A 388 DATA 010127 06 00388
000242 040310 A 389 DATA 040310 E**(2**3) 06 00389
000243 041301 A 390 DATA 041301 06 00390
000244 040322 A 391 DATA 040322 E**(2**2) 06 00391
000245 013274 A 392 DATA 013274 06 00392
000246 000246 R 393 EXTO EQU * 06 00393
000246 040351 A 394 DATA 040351 E**(2**1) 06 00394
000247 041123 A 395 DATA 041123 06 00395
000250 040526 A 396 DATA 040526 E**(2**0) 06 00396
000251 077025 A 397 DATA 077025 06 00397
000252 040766 A 398 DATA 040766 E**(2**1) 06 00398
000253 016311 A 399 DATA 016311 06 00399
000254 041555 A 400 DATA 041555 E**(2**2) 06 00400
000255 014440 A 401 DATA 014440 06 00401
000256 043135 A 402 DATA 043135 E**(2**3) 06 00402
000257 011725 A 403 DATA 011725 06 00403
000260 046103 A 404 DATA 046103 E**(2**4) 06 00404
000261 062730 A 405 DATA 062730 06 00405
000262 053707 A 406 DATA 053707 E**(2**5) 06 00406
000263 064200 A 407 DATA 064200 06 00407
000264 067320 A 408 DATA 067320 E**(2**6) 06 00408
000265 045460 A 409 DATA 045460 06 00409
410 3 CONT 06 00410
411 IFF $BIT-16 06 00411
412 GOTO 4 06 00412
413 ***** 06 00413
414 * 18-BIT TABLE * 06 00414
415 ***** 06 00415
416 DATA 0201401 E**(2**8) 06 00416
417 DATA 0000400 06 00417
418 DATA 0201402 E**(2**7) 06 00418
419 DATA 0002003 06 00419
420 DATA 0201404 E**(2**6) 06 00420
421 DATA 0010025 06 00421
422 DATA 0201410 E**(2**5) 06 00422
423 DATA 0040253 06 00423
424 DATA 0201420 E**(2**4) 06 00424
425 DATA 0202553 06 00425
426 DATA 0201442 E**(2**3) 06 00426
427 DATA 026011 06 00427
428 DATA 0201510 E**(2**2) 06 00428
429 DATA 0265707 06 00429
430 EXTO EQU * 06 00430
431 DATA 0201646 E**(2**1) 06 00431
432 DATA 022462 06 00432
433 DATA 0202533 E**(2**0) 06 00433
434 DATA 0360521 06 00434
435 DATA 0203730 E**(2**1) 06 00435
436 DATA 0346227 06 00436
437 DATA 0206664 E**(2**2) 06 00437
438 DATA 0311006 06 00438
439 DATA 0214564 E**(2**3) 06 00439
440 DATA 0236520 06 00440
441 DATA 0230417 E**(2**4) 06 00441
442 DATA 0056572 06 00442
443 DATA 0257437 E**(2**5) 06 00443
444 DATA 0103772 06 00444
445 DATA 0335502 E**(2**6) 06 00445
446 DATA 0131406 06 00446
447 4 CONT 06 00447
448 GOTO EXPEND 06 00448
449 FPPEXP CONT 06 00449
450 ***** 06 00450
451 * COMPUTES EXPONENTIAL OF A FLOATING POINT NUMBER. * 06 00451
452 * USES MACON EVEN PART CONTRACTION OF GAUSSIAN CONTINUED * 06 00452

```

```

D.106 00448
D.106 00449
D.106 00450
D.106 00451
D.106 00452

```



```

453 * FRACTION. (E**X=(3+X)/(3-X)) EXPECTED ERROR 3*10***-8. *
454 *****
455 *****
456 * EXP ENTRY *
457 *****
458 EXP      ENTR
459      FSE      EXP,EXPX,EXPXT
460      LDA      0,1      SAVE VALUE
461      STA      X
462      LDA      1,1
463      STA      X+1
464      LDA      X
465      JAZ      EXP05      IS IT ZERO
466      JAZ      EXP05      YES, RETURN 1
467 *****
468 * IS VALUE GREATER THAN +88.0296918? *
469 *****
470      FLD      X
471      FSB
472      DATA    MAX
473      FST      Y
474      LDA      Y
475      JAP      EXP02
476 *****
477 * IS VALUE LESS THAN -180.218? *
478 *****
479      FLD      MIN
480      FSB
481      DATA    X
482      FST      Y
483      LDA      Y
484      JAP      EXP03
485 *****
486 * Y=U/LOG2 *
487 *****
488      FLD      X
489      FDV
490      DATA    LOG2
491      FST      Y
492 *****
493 * N=Y+-1/2 *
494 *****
495      FLD      Y
496      LDA      X
497      JAP      EXP005
498      FSB
499      DATA    HALF
500      JMP      EXP010
501 EXP005 FAD
502      DATA    HALF
503 EXP010 FIX      XSO
504 *****
505 * CALCULATE 2 TO THEN *
506 *****
507      LDA      XSO
508      ADDI     0201
509      ASLA
510      ADD      TWO6
511      STA      THON
512 *****
513 * N = Y-N *
514 *****
515      FLT      XSO
516      FST      XSO
517      FLD      Y
518      FSB
519      DATA    XSO
520 *****
521 * X = N*LOG2 *
522 *****
523      FMU
524      DATA    LOG2
525      FST      X
526 *****
527 * CALCULATE DENOMINATOR *
528 *****
529 *
530      FLD      X
531      FMU
532      DATA    X
533      FST      XSO
534      FLD      XSO
535      FAD
536      DATA    B420
537      FMU
538      DATA    XSO
539      FAD
540      DATA    D15120
541      FST      IEMP
542 *****
543 * CALCULATE NUMERATOR *
544 *****
545      FLD      XSO
546      FMU
547      DATA    XSO
548      FST      XSO
549      FLD      XSO
550      FAD
551      DATA    B420
552      FMU
553      DATA    XSO
554      FAD
555      DATA    D15120
556      FST      IEMP
557 *****
558 * CALCULATE X**2
559 *****
560      FLD      X
561      FMU
562      DATA    X
563      FST      XSO
564      FLD      XSO
565      FAD
566      DATA    B420
567      FMU
568      DATA    XSO
569      FAD
570      DATA    D15120
571      FST      IEMP
572 *****
573 * CALCULATE X**2
574 *****
575      FLD      X
576      FMU
577      DATA    X
578      FST      XSO
579      FLD      XSO
580      FAD
581      DATA    B420
582      FMU
583      DATA    XSO
584      FAD
585      DATA    D15120
586      FST      IEMP
587 *****
588 * CALCULATE X**2
589 *****
590      FLD      X
591      FMU
592      DATA    X
593      FST      XSO
594      FLD      XSO
595      FAD
596      DATA    B420
597      FMU
598      DATA    XSO
599      FAD
600      DATA    D15120
601      FST      IEMP
602 *****
603 * CALCULATE X**2
604 *****
605      FLD      X
606      FMU
607      DATA    X
608      FST      XSO
609      FLD      XSO
610      FAD
611      DATA    B420
612      FMU
613      DATA    XSO
614      FAD
615      DATA    D15120
616      FST      IEMP
617 *****
618 * CALCULATE X**2
619 *****
620      FLD      X
621      FMU
622      DATA    X
623      FST      XSO
624      FLD      XSO
625      FAD
626      DATA    B420
627      FMU
628      DATA    XSO
629      FAD
630      DATA    D15120
631      FST      IEMP
632 *****
633 * CALCULATE X**2
634 *****
635      FLD      X
636      FMU
637      DATA    X
638      FST      XSO
639      FLD      XSO
640      FAD
641      DATA    B420
642      FMU
643      DATA    XSO
644      FAD
645      DATA    D15120
646      FST      IEMP
647 *****
648 * CALCULATE X**2
649 *****
650      FLD      X
651      FMU
652      DATA    X
653      FST      XSO
654      FLD      XSO
655      FAD
656      DATA    B420
657      FMU
658      DATA    XSO
659      FAD
660      DATA    D15120
661      FST      IEMP
662 *****
663 * CALCULATE X**2
664 *****
665      FLD      X
666      FMU
667      DATA    X
668      FST      XSO
669      FLD      XSO
670      FAD
671      DATA    B420
672      FMU
673      DATA    XSO
674      FAD
675      DATA    D15120
676      FST      IEMP
677 *****
678 * CALCULATE X**2
679 *****
680      FLD      X
681      FMU
682      DATA    X
683      FST      XSO
684      FLD      XSO
685      FAD
686      DATA    B420
687      FMU
688      DATA    XSO
689      FAD
690      DATA    D15120
691      FST      IEMP
692 *****
693 * CALCULATE X**2
694 *****
695      FLD      X
696      FMU
697      DATA    X
698      FST      XSO
699      FLD      XSO
700      FAD
701      DATA    B420
702      FMU
703      DATA    XSO
704      FAD
705      DATA    D15120
706      FST      IEMP
707 *****
708 * CALCULATE X**2
709 *****
710      FLD      X
711      FMU
712      DATA    X
713      FST      XSO
714      FLD      XSO
715      FAD
716      DATA    B420
717      FMU
718      DATA    XSO
719      FAD
720      DATA    D15120
721      FST      IEMP
722 *****
723 * CALCULATE X**2
724 *****
725      FLD      X
726      FMU
727      DATA    X
728      FST      XSO
729      FLD      XSO
730      FAD
731      DATA    B420
732      FMU
733      DATA    XSO
734      FAD
735      DATA    D15120
736      FST      IEMP
737 *****
738 * CALCULATE X**2
739 *****
740      FLD      X
741      FMU
742      DATA    X
743      FST      XSO
744      FLD      XSO
745      FAD
746      DATA    B420
747      FMU
748      DATA    XSO
749      FAD
750      DATA    D15120
751      FST      IEMP
752 *****
753 * CALCULATE X**2
754 *****
755      FLD      X
756      FMU
757      DATA    X
758      FST      XSO
759      FLD      XSO
760      FAD
761      DATA    B420
762      FMU
763      DATA    XSO
764      FAD
765      DATA    D15120
766      FST      IEMP
767 *****
768 * CALCULATE X**2
769 *****
770      FLD      X
771      FMU
772      DATA    X
773      FST      XSO
774      FLD      XSO
775      FAD
776      DATA    B420
777      FMU
778      DATA    XSO
779      FAD
780      DATA    D15120
781      FST      IEMP
782 *****
783 * CALCULATE X**2
784 *****
785      FLD      X
786      FMU
787      DATA    X
788      FST      XSO
789      FLD      XSO
790      FAD
791      DATA    B420
792      FMU
793      DATA    XSO
794      FAD
795      DATA    D15120
796      FST      IEMP
797 *****
798 * CALCULATE X**2
799 *****
800      FLD      X
801      FMU
802      DATA    X
803      FST      XSO
804      FLD      XSO
805      FAD
806      DATA    B420
807      FMU
808      DATA    XSO
809      FAD
810      DATA    D15120
811      FST      IEMP
812 *****
813 * CALCULATE X**2
814 *****
815      FLD      X
816      FMU
817      DATA    X
818      FST      XSO
819      FLD      XSO
820      FAD
821      DATA    B420
822      FMU
823      DATA    XSO
824      FAD
825      DATA    D15120
826      FST      IEMP
827 *****
828 * CALCULATE X**2
829 *****
830      FLD      X
831      FMU
832      DATA    X
833      FST      XSO
834      FLD      XSO
835      FAD
836      DATA    B420
837      FMU
838      DATA    XSO
839      FAD
840      DATA    D15120
841      FST      IEMP
842 *****
843 * CALCULATE X**2
844 *****
845      FLD      X
846      FMU
847      DATA    X
848      FST      XSO
849      FLD      XSO
850      FAD
851      DATA    B420
852      FMU
853      DATA    XSO
854      FAD
855      DATA    D15120
856      FST      IEMP
857 *****
858 * CALCULATE X**2
859 *****
860      FLD      X
861      FMU
862      DATA    X
863      FST      XSO
864      FLD      XSO
865      FAD
866      DATA    B420
867      FMU
868      DATA    XSO
869      FAD
870      DATA    D15120
871      FST      IEMP
872 *****
873 * CALCULATE X**2
874 *****
875      FLD      X
876      FMU
877      DATA    X
878      FST      XSO
879      FLD      XSO
880      FAD
881      DATA    B420
882      FMU
883      DATA    XSO
884      FAD
885      DATA    D15120
886      FST      IEMP
887 *****
888 * CALCULATE X**2
889 *****
890      FLD      X
891      FMU
892      DATA    X
893      FST      XSO
894      FLD      XSO
895      FAD
896      DATA    B420
897      FMU
898      DATA    XSO
899      FAD
900      DATA    D15120
901      FST      IEMP
902 *****
903 * CALCULATE X**2
904 *****
905      FLD      X
906      FMU
907      DATA    X
908      FST      XSO
909      FLD      XSO
910      FAD
911      DATA    B420
912      FMU
913      DATA    XSO
914      FAD
915      DATA    D15120
916      FST      IEMP
917 *****
918 * CALCULATE X**2
919 *****
920      FLD      X
921      FMU
922      DATA    X
923      FST      XSO
924      FLD      XSO
925      FAD
926      DATA    B420
927      FMU
928      DATA    XSO
929      FAD
930      DATA    D15120
931      FST      IEMP
932 *****
933 * CALCULATE X**2
934 *****
935      FLD      X
936      FMU
937      DATA    X
938      FST      XSO
939      FLD      XSO
940      FAD
941      DATA    B420
942      FMU
943      DATA    XSO
944      FAD
945      DATA    D15120
946      FST      IEMP
947 *****
948 * CALCULATE X**2
949 *****
950      FLD      X
951      FMU
952      DATA    X
953      FST      XSO
954      FLD      XSO
955      FAD
956      DATA    B420
957      FMU
958      DATA    XSO
959      FAD
960      DATA    D15120
961      FST      IEMP
962 *****
963 * CALCULATE X**2
964 *****
965      FLD      X
966      FMU
967      DATA    X
968      FST      XSO
969      FLD      XSO
970      FAD
971      DATA    B420
972      FMU
973      DATA    XSO
974      FAD
975      DATA    D15120
976      FST      IEMP
977 *****
978 * CALCULATE X**2
979 *****
980      FLD      X
981      FMU
982      DATA    X
983      FST      XSO
984      FLD      XSO
985      FAD
986      DATA    B420
987      FMU
988      DATA    XSO
989      FAD
990      DATA    D15120
991      FST      IEMP
992 *****
993 * CALCULATE X**2
994 *****
995      FLD      X
996      FMU
997      DATA    X
998      FST      XSO
999      FLD      XSO
1000     FAD
1001     DATA    B420
1002     FMU
1003     DATA    XSO
1004     FAD
1005     DATA    D15120
1006     FST      IEMP
1007 *****
1008 * CALCULATE X**2
1009 *****
1010     FLD      X
1011     FMU
1012     DATA    X
1013     FST      XSO
1014     FLD      XSO
1015     FAD
1016     DATA    B420
1017     FMU
1018     DATA    XSO
1019     FAD
1020     DATA    D15120
1021     FST      IEMP
1022 *****
1023 * CALCULATE X**2
1024 *****
1025     FLD      X
1026     FMU
1027     DATA    X
1028     FST      XSO
1029     FLD      XSO
1030     FAD
1031     DATA    B420
1032     FMU
1033     DATA    XSO
1034     FAD
1035     DATA    D15120
1036     FST      IEMP
1037 *****
1038 * CALCULATE X**2
1039 *****
1040     FLD      X
1041     FMU
1042     DATA    X
1043     FST      XSO
1044     FLD      XSO
1045     FAD
1046     DATA    B420
1047     FMU
1048     DATA    XSO
1049     FAD
1050     DATA    D15120
1051     FST      IEMP
1052 *****
1053 * CALCULATE X**2
1054 *****
1055     FLD      X
1056     FMU
1057     DATA    X
1058     FST      XSO
1059     FLD      XSO
1060     FAD
1061     DATA    B420
1062     FMU
1063     DATA    XSO
1064     FAD
1065     DATA    D15120
1066     FST      IEMP
1067 *****
1068 * CALCULATE X**2
1069 *****
1070     FLD      X
1071     FMU
1072     DATA    X
1073     FST      XSO
1074     FLD      XSO
1075     FAD
1076     DATA    B420
1077     FMU
1078     DATA    XSO
1079     FAD
1080     DATA    D15120
1081     FST      IEMP
1082 *****
1083 * CALCULATE X**2
1084 *****
1085     FLD      X
1086     FMU
1087     DATA    X
1088     FST      XSO
1089     FLD      XSO
1090     FAD
1091     DATA    B420
1092     FMU
1093     DATA    XSO
1094     FAD
1095     DATA    D15120
1096     FST      IEMP
1097 *****
1098 * CALCULATE X**2
1099 *****
1100     FLD      X
1101     FMU
1102     DATA    X
1103     FST      XSO
1104     FLD      XSO
1105     FAD
1106     DATA    B420
1107     FMU
1108     DATA    XSO
1109     FAD
1110     DATA    D15120
1111     FST      IEMP
1112 *****
1113 * CALCULATE X**2
1114 *****
1115     FLD      X
1116     FMU
1117     DATA    X
1118     FST      XSO
1119     FLD      XSO
1120     FAD
1121     DATA    B420
1122     FMU
1123     DATA    XSO
1124     FAD
1125     DATA    D15120
1126     FST      IEMP
1127 *****
1128 * CALCULATE X**2
1129 *****
1130     FLD      X
1131     FMU
1132     DATA    X
1133     FST      XSO
1134     FLD      XSO
1135     FAD
1136     DATA    B420
1137     FMU
1138     DATA    XSO
1139     FAD
1140     DATA    D15120
1141     FST      IEMP
1142 *****
1143 * CALCULATE X**2
1144 *****
1145     FLD      X
1146     FMU
1147     DATA    X
1148     FST      XSO
1149     FLD      XSO
1150     FAD
1151     DATA    B420
1152     FMU
1153     DATA    XSO
1154     FAD
1155     DATA    D15120
1156     FST      IEMP
1157 *****
1158 * CALCULATE X**2
1159 *****
1160     FLD      X
1161     FMU
1162     DATA    X
1163     FST      XSO
1164     FLD      XSO
1165     FAD
1166     DATA    B420
1167     FMU
1168     DATA    XSO
1169     FAD
1170     DATA    D15120
1171     FST      IEMP
1172 *****
1173 * CALCULATE X**2
1174 *****
1175     FLD      X
1176     FMU
1177     DATA    X
1178     FST      XSO
1179     FLD      XSO
1180     FAD
1181     DATA    B420
1182     FMU
1183     DATA    XSO
1184     FAD
1185     DATA    D15120
1186     FST      IEMP
1187 *****
1188 * CALCULATE X**2
1189 *****
1190     FLD      X
1191     FMU
1192     DATA    X
1193     FST      XSO
1194     FLD      XSO
1195     FAD
1196     DATA    B420
1197     FMU
1198     DATA    XSO
1199     FAD
1200     DATA    D15120
1201     FST      IEMP
1202 *****
1203 * CALCULATE X**2
1204 *****
1205     FLD      X
1206     FMU
1207     DATA    X
1208     FST      XSO
1209     FLD      XSO
1210     FAD
1211     DATA    B420
1212     FMU
1213     DATA    XSO
1214     FAD
1215     DATA    D15120
1216     FST      IEMP
1217 *****
1218 * CALCULATE X**2
1219 *****
1220     FLD      X
1221     FMU
1222     DATA    X
1223     FST      XSO
1224     FLD      XSO
1225     FAD
1226     DATA    B420
1227     FMU
1228     DATA    XSO
1229     FAD
1230     DATA    D15120
1231     FST      IEMP
1232 *****
1233 * CALCULATE X**2
1234 *****
1235     FLD      X
1236     FMU
1237     DATA    X
1238     FST      XSO
1239     FLD      XSO
1240     FAD
1241     DATA    B420
1242     FMU
1243     DATA    XSO
1244     FAD
1245     DATA    D15120
1246     FST      IEMP
1247 *****
1248 * CALCULATE X**2
1249 *****
1250     FLD      X
1251     FMU
1252     DATA    X
1253     FST      XSO
1254     FLD      XSO
1255     FAD
1256     DATA    B420
1257     FMU
1258     DATA    XSO
1259     FAD
1260     DATA    D15120
1261     FST      IEMP
1262 *****
1263 * CALCULATE X**2
1264 *****
1265     FLD      X
1266     FMU
1267     DATA    X
1268     FST      XSO
1269     FLD      XSO
1270     FAD
1271     DATA    B420
1272     FMU
1273     DATA    XSO
1274     FAD
1275     DATA    D15120
1276     FST      IEMP
1277 *****
1278 * CALCULATE X**2
1279 *****
1280     FLD      X
1281     FMU
1282     DATA    X
1283     FST      XSO
1284     FLD      XSO
1285     FAD
1286     DATA    B420
1287     FMU
1288     DATA    XSO
1289     FAD
1290     DATA    D15120
1291     FST      IEMP
1292 *****
1293 * CALCULATE X**2
1294 *****
1295     FLD      X
1296     FMU
1297     DATA    X
1298     FST      XSO
1299     FLD      XSO
1300     FAD
1301     DATA    B420
1302     FMU
1303     DATA    XSO
1304     FAD
1305     DATA    D15120
1306     FST      IEMP
1307 *****
1308 * CALCULATE X**2
1309 *****
1310     FLD      X
1311     FMU
1312     DATA    X
1313     FST      XSO
1314     FLD      XSO
1315     FAD
1316     DATA    B420
1317     FMU
1318     DATA    XSO
1319     FAD
1320     DATA    D15120
1321     FST      IEMP
1322 *****
1323 * CALCULATE X**2
1324 *****
1325     FLD      X
1326     FMU
1327     DATA    X
1328     FST      XSO
1329     FLD      XSO
1330     FAD
1331     DATA    B420
1332     FMU
1333     DATA    XSO
1334     FAD
1335     DATA    D15120
1336     FST      IEMP
1337 *****
1338 * CALCULATE X**2
1339 *****
1340     FLD      X
1341     FMU
1342     DATA    X
1343     FST      XSO
1344     FLD      XSO
1345     FAD
1346     DATA    B420
1347     FMU
1348     DATA    XSO
1349     FAD
1350     DATA    D15120
1351     FST      IEMP
1352 *****
1353 * CALCULATE X**2
1354 *****
1355     FLD      X
1356     FMU
1357     DATA    X
1358     FST      XSO
1359     FLD      XSO
1360     FAD
1361     DATA    B420
1362     FMU
1363     DATA    XSO
1364     FAD
1365     DATA    D15120
1366     FST      IEMP
1367 *****
1368 * CALCULATE X**2
1369 *****
1370     FLD      X
1371     FMU
1372     DATA    X
1373     FST      XSO
1374     FLD      XSO
1375     FAD
1376     DATA    B420
1377     FMU
1378     DATA    XSO
1379     FAD
1380     DATA    D15120
1381     FST      IEMP
1382 *****
1383 * CALCULATE X**2
1384 *****
1385     FLD      X
1386     FMU
1387     DATA    X
1388     FST      XSO
1389     FLD      XSO
1390     FAD
1391     DATA    B420
1392     FMU
1393     DATA    XSO
1394     FAD
1395     DATA    D15120
1396     FST      IEMP
1397 *****
1398 * CALCULATE X**2
1399 *****
1400     FLD      X
1401     FMU
1402     DATA    X
1403     FST      XSO
1404     FLD      XSO
1405     FAD
1406     DATA    B420
1407     FMU
1408     DATA    XSO
1409     FAD
1410     DATA    D15120
1411     FST      IEMP
1412 *****
1413 * CALCULATE X**2
1414 *****
1415     FLD      X
1416     FMU
1417     DATA    X
1418     FST      XSO
1419     FLD      XSO
1420     FAD
1421     DATA    B420
1422     FMU
1423     DATA    XSO
1424     FAD
1425     DATA    D15120
1426     FST      IEMP
1427 *****
1428 * CALCULATE X**2
1429 *****
1430     FLD      X
1431     FMU
1432     DATA    X
1433     FST      XSO
1434     FLD      XSO
1435     FAD
1436     DATA    B420
1437     FMU
1438     DATA    XSO
1439     FAD
1440     DATA    D15120
1441     FST      IEMP
1442 *****
1443 * CALCULATE X**2
1444 *****
1445     FLD      X
1446     FMU
1447     DATA    X
1448     FST      XSO
1449     FLD      XSO
1450     FAD
1451     DATA    B420
1452     FMU
1453     DATA    XSO
1454     FAD
1455     DATA    D15120
1456     FST      IEMP
1457 *****
1458 * CALCULATE X**2
1459 *****
1460     FLD      X
1461     FMU
1462     DATA    X
1463     FST      XSO
1464     FLD      XSO
1465     FAD
1466     DATA    B420
1467     FMU
1468     DATA    XSO
1469     FAD
1470     DATA    D15120
1471     FST      IEMP
1472 *****
1473 * CALCULATE X**2
1474 *****
1475     FLD      X
1476     FMU
1477     DATA    X
1478     FST      XSO
1479     FLD      XSO
1480     FAD
1481     DATA    B420
1482     FMU
1483     DATA    XSO
1484     FAD
1485     DATA    D15120
1486     FST      IEMP
1487 *****
1488 * CALCULATE X**2
1489 *****
1490     FLD      X
1491     FMU
1492     DATA    X
1493     FST      XSO
1494     FLD      XSO
1495     FAD
1496     DATA    B420
1497     FMU
1498     DATA    XSO
1499     FAD
1500     DATA    D15120
1501     FST      IEMP
1502 *****
1503 * CALCULATE X**2
1504 *****
1505     FLD      X
1506     FMU
1507     DATA    X
1508     FST      XSO
1509     FLD      XSO
1510     FAD
1511     DATA    B420
1512     FMU
1513     DATA    XSO
1514     FAD
1515     DATA    D15120
1516     FST      IEMP
1517 *****
1518 * CALCULATE X**2
1519 *****
1520     FLD      X
1521     FMU
1522     DATA    X
1523     FST      XSO
1524     FLD      XSO
1525     FAD
1526     DATA    B420
1527     FMU
1528     DATA    XSO
1529     FAD
1530     DATA    D15120
1531     FST      IEMP
1532 *****
1533 * CALCULATE X**2
1534 *****
1535     FLD      X
1536     FMU
1537     DATA    X
1538     FST      XSO
1539     FLD      XSO
1540     FAD
1541     DATA    B420
1542     FMU
1543     DATA    XSO
1544     FAD
1545     DATA    D15120
1546     FST      IEMP
1547 *****
1548 * CALCULATE X**2
1549 *****
1550     FLD      X
1551     FMU
1552     DATA    X
1553     FST      XSO
1554     FLD      XSO
1555     FAD
1556     DATA    B420
1557     FMU
1558     DATA    XSO
1559     FAD
1560     DATA    D15120
1561     FST      IEMP
1562 *****
1563 * CALCULATE X**2
1564 *****
1565     FLD      X
1566     FMU
1567     DATA    X
1568     FST      XSO
1569     FLD      XSO
1570     FAD
1571     DATA    B420
1572     FMU
1573     DATA    XSO
1574     FAD
1575     DATA    D15120
1576     FST      IEMP
1577 *****
1578 * CALCULATE X**2
1579 *****
1580     FLD      X
1581     FMU
1582     DATA    X
1583     FST      XSO
1584     FLD      XSO
1585     FAD
1586     DATA    B420
1587     FMU
1588     DATA    XSO
1589     FAD
1590     DATA    D15120
1591     FST      IEMP
1592 *****
1593 * CALCULATE X**2
1594 *****
1595     FLD      X
1596     FMU
1597     DATA    X
1598     FST      XSO
1599     FLD      XSO
1600     FAD
1601     DATA    B420
1602     FMU
1603     DATA    XSO
1604     FAD
1605     DATA    D15120
1606     FST      IEMP
1607 *****
1608 * CALCULATE X**2
1609 *****
1610     FLD      X
1611     FMU
1612     DATA    X
1613     FST      XSO
1614     FLD      XSO
1615     FAD
1616     DATA    B420
1617     FMU
1618     DATA    XSO
1619     FAD
1620     DATA    D15120
1621     FST      IEMP
1622 *****
1623 * CALCULATE X**2
1624 *****
1625     FLD      X
1626     FMU
1627     DATA    X
1628     FST      XSO
1629     FLD      XSO
1630     FAD
1631     DATA    B420
1632     FMU
1633     DATA    XSO
1634     FAD
1635     DATA    D15120
1636     FST      IEMP
1637 *****
1638 * CALCULATE X**2
1639 *****
1640     FLD      X
1641     FMU
1642     DATA    X
1643     FST      XSO
1644     FLD      XSO
1645     FAD
1646     DATA    B420
1647     FMU
1648     DATA    XSO
1649     FAD
1650     DATA    D15120
1651     FST      IEMP
1652 *****
1653 * CALCULATE X**2
1654 *****
1655     FLD      X
1656     FMU
1657     DATA    X
1658     FST      XSO
1659     FLD      XSO
1660     FAD
1661     DATA    B420
1662     FMU
1663     DATA    XSO
1664     FAD
1665     DATA    D15120
1666     FST      IEMP
1667 *****
1668 * CALCULATE X**2
1669 *****
1670     FLD      X
1671     FMU
1672     DATA    X
1673     FST      XSO
1674     FLD      XSO
1675     FAD
1676     DATA    B420
1677     FMU
1678     DATA    XSO
1679     FAD
1680     DATA    D15120
1681     FST      IEMP
1682 *****
1683 * CALCULATE X**2
1684 *****
1685     FLD      X
1686     FMU
1687     DATA    X
1688     FST      XSO
1689     FLD      XSO
1690     FAD
1691     DATA    B420
1692     FMU
1693     DATA    XSO
1694     FAD
1695     DATA    D15120
1696     FST      IEMP
1697 *****
1698 * CALCULATE X**2
1699 *****
1700     FLD      X
1701     FMU
1702     DATA    X
1703     FST      XSO
1704     FLD      XSO
1705     FAD
1706     DATA    B420
1707     FMU
1708     DATA    XSO
1709     FAD
1710     DATA    D15120
1711     FST      IEMP
1712 *****
1713 * CALCULATE X**2
1714 *****
1715     FLD      X
1716     FMU
1717     DATA    X
1718     FST      XSO
1719     FLD      XSO
1720     FAD
1721     DATA    B420
1722     FMU
1723     DATA    XSO
1724     FAD
1725     DATA    D15120
1726     FST      IEMP
1727 *****
1728 * CALCULATE X**2
1729 *****
1730     FLD      X
1731     FMU
1732     DATA    X
1733     FST      XSO
1734     FLD      XSO
1735     FAD
1736     DATA    B420
1737     FMU
1738     DATA    XSO
1739     FAD
1740     DATA    D15120
1741     FST      IEMP
1742 *****
1743 * CALCULATE X**2
1744 *****
1745     FLD      X
1746     FMU
1747     DATA    X
1748     FST      XSO
1749     FLD      XSO
1750     FAD
1751     DATA    B420
1752     FMU
1753     DATA    XSO
1754     FAD
1755     DATA    D15120
1756     FST      IEMP
1757 *****
1758 * CALCULATE X**2
1759 *****
1760     FLD      X
1761     FMU
1762     DATA    X
1763     FST      XSO
1764     FLD      XSO
1765     FAD
1766     DATA    B420
1767     FMU
1768     DATA    XSO
1769     FAD
1770     DATA    D15120
1771     FST      IEMP
1772 *****
1773 * CALCULATE X**2
1774 *****
1775     FLD      X
1776     FMU
1777     DATA    X
1778     FST      XSO
1779     FLD      XSO
17
```



			2411	*		ADD CIN			S03 02399
			2412	**					S03 02400
005530	015032	A	2413	X072	LDA	LTCHA,1	A		S03 02401
005531	115033	A	2414		DRA	LTCHB,1	DR WITH B		S03 02402
005532	054322	A	2415		STA	X0AA	FIRST RESULT		S03 02403
005533	015033	A	2416		LDA	LTCHB,1	B		S03 02404
005534	005211	A	2417		COMPL	011	COMPLEMENT		S03 02405
005535	155032	A	2418		ANA	LTCHA,1	AND WITH A		S03 02406
005536	054317	A	2419		STA	X0AB	SECOND RESULT		S03 02407
005537	124315	A	2420		ADD	X0AA	ADD FIRST RESULT		S03 02408
005540	125035	A	2421		ADD	XCIN,1	ADD CIN		S03 02409
005541	002000	A	2422		JMPM	X094	SAVE OVERFLOW		S03 02410
005542	005752	R							
005543	001000	A	2423		JMP	X071	DO CARRY CALCULATION		S03 02411
005544	005520	R							
			2424	*					S03 02412
			2425	**	0110	ADD A AND CIN, SUBTRACT B, SUBTRACT 1			S03 02413
			2426	**					S03 02414
005545	015032	A	2427	X074	LDA	LTCHA,1	A		S03 02415
005546	145033	A	2428		SUB	LTCHB,1	SUBTRACT B		S03 02416
005547	005311	A	2429		DAR		SUBTRACT 1		S03 02417
005550	125035	A	2430		ADD	XCIN,1	ADD CIN		S03 02418
005551	002000	A	2431		JMPM	X094	SAVE OVERFLOW		S03 02419
005552	005752	R							
005553	015035	A	2432		LDA	XCIN,1	CIN		S03 02420
005554	001010	A	2433		JAZ	X075	JUMP IF NO CARRY IN		S03 02421
005555	005575	R							
			2434	*					S03 02422
005556	015032	A	2435		LDA	LTCHA,1	A		S03 02423
005557	135033	A	2436		ERA	LTCHB,1	B		S03 02424
005560	001002	A	2437		JAP	*+7	JUMP IF SIGNS THE SAME		S03 02425
005561	005567	R							
005562	015032	A	2438		LDA	LTCHA,1	A		S03 02426
005563	001004	A	2439		JAN	X097	SET CARRY IF A NEGATIVE		S03 02427
005564	005771	R							
005565	001000	A	2440		JMP	X096	NO CARRY		S03 02428
005566	005762	R							
			2441	*					S03 02429
005567	015032	A	2442		LDA	LTCHA,1	A		S03 02430
005570	145033	A	2443		SUB	LTCHB,1	LESS B		S03 02431
005571	001002	A	2444		JAP	X097	SET CARRY IF A GREATER		S03 02432
005572	005771	R							
005573	001000	A	2445		JMP	X096	NO CARRY		S03 02433
005574	005762	R							
			2446	*					S03 02434
005575	014227	A	2447	X075	LDA	X099	RESULT		S03 02435
005576	005211	A	2448		CPA				S03 02436
005577	001010	A	2449		JAZ	X096	NO CARRY ON -1 RESULT		S03 02437
005600	005762	R							
005601	001000	A	2450		JMP	X097	SET CARRY		S03 02438
005602	005771	R							
			2451	*					S03 02439
			2452	**	0111	COMPLEMENT B, AND WITH A, SUBTRACT 1, ADD CIN			S03 02440
			2453	**					S03 02441
005603	015033	A	2454	X076	LDA	LTCHB,1	B		S03 02442
005604	005211	A	2455		COMPL	011	COMPLEMENT		S03 02443
005605	155032	A	2456		ANA	LTCHA,1	AND WITH A		S03 02444
005606	005311	A	2457		DAR		SUBTRACT 1		S03 02445
005607	125035	A	2458		ADD	XCIN,1	ADD CIN		S03 02446
005610	002000	A	2459		JMPM	X094	SAVE OVERFLOW		S03 02447
005611	005752	R							
005612	015035	A	2460		LDA	XCIN,1	CIN		S03 02448
005613	001010	A	2461		JAZ	X075	JUMP IF NO CARRY IN		S03 02449
005614	005575	R							
005615	001000	A	2462		JMP	X096	NO CARRY OUT		S03 02450
005616	005762	R							
			2463	*					S03 02451
			2464	**	1000	AND A AND B, ADD A, ADD CIN			S03 02452
			2465	**					S03 02453
005617	015032	A	2466	X078	LDA	LTCHA,1	A		S03 02454
005620	054234	A	2467		STA	X0AA	FIRST RESULT		S03 02455
005621	155033	A	2468		ANA	LTCHB,1	AND WITH B		S03 02456
005622	054233	A	2469		STA	X0AB	SECOND RESULT		S03 02457
005623	125032	A	2470		ADD	LTCHA,1	ADD A		S03 02458
005624	125035	A	2471		ADD	XCIN,1	ADD CIN		S03 02459
005625	002000	A	2472		JMPM	X094	SAVE OVERFLOW		S03 02460
005626	005752	R							
005627	001000	A	2473		JMP	X071	DO CARRY CALCULATION		S03 02461
005630	005520	R							
			2474	*					S03 02462
			2475	**	1001	ADD A AND B, ADD CIN			S03 02463
			2476	**					S03 02464
005631	015032	A	2477	X080	LDA	LTCHA,1	A		S03 02465
005632	054222	A	2478		STA	X0AA	FIRST RESULT		S03 02466
005633	125033	A	2479		ADD	LTCHB,1	ADD B		S03 02467
005634	125035	A	2480		ADD	XCIN,1	ADD CIN		S03 02468
005635	002000	A	2481		JMPM	X094	SAVE OVERFLOW		S03 02469
005636	005752	R							
005637	015033	A	2482		LDA	LTCHB,1	B		S03 02470
005640	054215	A	2483		STA	X0AB	SECOND RESULT		S03 02471
005641	001000	A	2484		JMP	X071	DO CARRY CALCULATION		S03 02472
005642	005520	R							
			2485	*					S03 02473



0	SE	148	149							
604	D15120	539								
605	D2520	548								
607	D28	546								
603	D420	535								
208	EX	318								
252	EX1	233								
257	EX2	235								
372	EXA	213	224	227	228	243	246	264	266	268
		269	282	284	285	289	293	294	339	347
352	EXE	226	229	232	237	241	247	257		
358	EXF1	209	292	301						
360	EXFX	287								
382	EXI	242								
241	EXL1	248								
264	EXLP	277								
361	EXM1	267								
362	EXMM	225								
324	EXO	344								
322	EXOU	253								
314	EXP	11	40	459						
500	EXP005	496								
574	EXP01	593								
502	EXP010	499								
580	EXP02	474								
570	EXP020	595								
591	EXP03	483								
592	EXP04	587								
594	EXP05	465								
613	EXPEND	448								
317	EXPP	218								
343	EXPT	214	260	272	275					
596	EXPX	459	574							
576	EXPXT	459	575							
353	EXSF	221	299	322						
338	EXSS	271	295	348						
354	EXSX	208	309							
393	EXT0	259								
373	EXTE	276								
332	EXU	323	331							
355	EXV	211	212	304	306	307	340	341	345	346
299	EXX	290								
306	EXY	245	300							
308	EXZ	305	334							
449	FPPEXP	196								
60	FRMWR1	56	93	129	154					
63	FRMWR2	54	91	127	150	163	167			
65	FRMWR3	59	62	96	99	132	135			
602	HALF	498	501							
601	LOG2	489	523							
598	MAX	471								
600	MIN	478								
608	ONE	534								
0	P	71	81	107	117	155	156	159	170	171
		172								
151	SOFT1	147								
612	TEMP	540	553	558	559	563				
606	TWD	557								
610	TWD6	509								
611	TWON	510	569							
1	VORTEX	52	53	55	89	90	92	125	126	128
		146	152	153	166	186	188	190	194	195
203	X	219	220	461	463	464	469	480	487	495
		524	529	531	561	565	570	571	572	
0	XDMU	187	189							
609	XSQ	502	506	514	515	518	532	533	537	544
		555								
599	Y	472	473	481	482	490	494	516	562	567



```

1 * THIS IS A COPYRIGHTED PROGRAM. COPYRIGHT 1972 BY VARIAN DATA MACHINE 00 00001
2 * 00 00002
3 * V.D.M. PART NO. 92L0506-136C 00 00003
4 * 00 00004
5 * 00 00005
6 * RELEASED 11-02-70 00 00006
7 * 00 00007
8 * XDCOMP 00 00008
9 * 00 00009
10 * TITLE XDCOMP 00 00010
11 ENTRY OPSY ENTR 00 00011
12 SPACE OPSY SPAC 00 00012
13 ***** 00 00013
14 * 00 00014
15 * NEGATE DOUBLE REGISTER (XDCD) * 00 00015
16 * 00 00016
17 * FUNCTION: TO CONSTRUCT THE TWO'S COMPLEMENT OF A 2-WORD NUMBER * 00 00017
18 * 00 00018
19 * ENTRY: NUMBER IN AB * 00 00019
20 * 00 00020
21 * EXIT : -NUMBER IN AB * 00 00021
22 * 00 00022
23 ***** 00 00023
24 ***** 00 00024
25 ***** 00 00025
26 * ENTRIES * 00 00026
27 ***** 00 00027
28 NAME $6D E.2*****
29 NAME XDCD 00 00028
31 XDCD ENTRY 00 00029
32 $6D, EQU XDCD E.2*****
33 CPA ONE'S COMPLEMENT A 00 00031
34 JBZ XDC1 B=0 ? 00 00032
35 CPB NO 00 00033
36 IER TWO'S COMPLEMENT B 00 00034
37 LRLB 1 00 00035
38 LSRB 1 CLEAR SIGN BIT OF B 00 00036
39 JMP* XDCD EXIT 00 00037
40 XDC1 IAR TWO'S COMPLEMENT A 00 00038
41 JMP* XDCD EXIT 00 00039
42 END 00 00040

```

```

000000 000000 A
000001 000000 R
000002 005211 A
000003 001020 A
000004 000012 R
000005 005222 A
000006 005122 A
000007 004041 A
000008 004141 A
000009 001000 A
000010 001000 A
000011 100000 R
000012 005111 A
000013 001000 A
000014 100000 R

```

```

ENTRY NAMES
000000 R $6D 000000 R XDCD
EXTERNAL NAMES
SYMBOLS
000000 R $6D 000012 R XDC1 000000 R XDCD
0 ERRORS ASSEMBLY COMPLETE

```

```

32 $6D 28
0 ENTR 11
0 SPAC 12
40 XDC1 34
31 XDCD 29 32 39 41
0 XDCOMP 10

```



```

000001 A 1 VORTEX SET 1 03 00001
2 THIS IS A COPYRIGHTED PROGRAM. COPYRIGHT 1973 BY VARIAN DATA MACHINE 03 00002
3 * 03 00003
4 * V.D.M. PART NO. 92L0506-148E 03 00004
5 * 03 00005
6 * RELEASE 10-15-73 03 00006
7 * 03 00007
8 * DSINCOS 03 00008
9 * 03 00009
10 * 03 00010
11 * TITLE DSINCOS 03 00011
12 ***** 03 00012
13 * 03 00013
14 * DOUBLE - PRECISION SINE / COSINE 03 00014
15 * 03 00015
16 * ( $ D S I , D S I N , $ D C O , D C O S ) 03 00016
17 * 03 00017
18 * FUNCTION: TO COMPUTE THE SINE OR COSINE OF A DOUBLE-PRECISION 03 00018
19 * ARGUMENT D. THE METHOD IS TO REDUCE THE RANGE OF D 03 00019
20 * TO 0.LE.D.LT.PI/4 AND COMPUTE THE FUNCTION BY USING 03 00020
21 * CHEBYSHEV POLYNOMIAL APPROXIMATION TO THE TELESCOPED 03 00021
22 * SERIES. 03 00022
23 * 03 00023
24 * ENTRY: $DSI,$DCO: AC=D 03 00024
25 * DSIN,DCOS: D IN CALL SEQ 03 00025
26 * 03 00026
27 * CALLING SEQUENCE: JPM DSIN(OR DCOS) 03 00027
28 * DATA ADDRESS OF D 03 00028
29 * 03 00029
30 * EXIT : AC=RESULT 03 00030
31 * 03 00031
32 ***** 03 00032
33 * 03 00033
34 * ENTRIES * 03 00034
35 ***** 03 00035
36 * 03 00036
37 NAME $DSI SINE: AC=D 03 00037
38 NAME $DCO COSINE: AC=D 03 00038
39 NAME DSIN SINE: D IN CALL SEQ 03 00039
40 NAME DCOS COSINE: D IN CALL SEQ 03 00040
41 * 03 00041
42 ***** 03 00042
43 * EXTERNALS * 03 00043
44 ***** 03 00044
45 * 03 00045
46 * DOUBLE PRECISION LOAD 03 00046
47 FLDD MAC D.103 00047
48 IFT VORTEX-3 D.103 00048
49 IFF VORTEX-4 D.103 00049
50 GOTO FRMWR1 D.103 00050
51 EXT $DLO DP LOAD D.103 00051
52 CALL $DLO D.103 00052
53 GOTO FRMWR2 D.103 00053
54 FRMWR1 CONT D.103 00054
55 DATA 0105522 FPP DP LOAD D.103 00055
56 FRMWR2 CONT D.103 00056
57 EMAC D.103 00057
58 EXT AC DP ACCUMULATOR D.103 00058
59 EXT $DNO DP NORMALIZE 03 00059
60 * 03 00060
61 ***** 03 00061
62 * MACRO * 03 00062
63 ***** 03 00063
64 * 03 00064
65 FSE MAC 03 00065
66 IFT VORTEX-2 D.103 00066
67 IFF VORTEX-4 D.103 00067
68 GOTO FRMWR1 D.103 00068
69 EXT $SE 03 00069
70 CALL $SE XFER PARAMETERS D.103 00070
71 GOTO FRMWR2 D.103 00071
72 FRMWR1 CONT D.103 00072
73 DATA 0105036 BCS XFER PARAMETERS D.103 00073
74 FRMWR2 CONT D.103 00074
75 EMAC 03 00075
76 * DOUBLE PRECISION STORE 03 00076
77 FSTD MAC D.103 00077
78 IFT VORTEX-3 D.103 00078
79 IFF VORTEX-4 D.103 00079
80 GOTO FRMWR1 D.103 00080
81 EXT $STO 03 00081
82 CALL $STO DP STORE D.103 00082
83 GOTO FRMWR2 D.103 00083
84 FRMWR1 CONT D.103 00084
85 DATA 0105710 FPP DP STORE D.103 00085
86 FRMWR2 CONT D.103 00086
87 EMAC 03 00087
88 EXT $ZC 03 00088
89 * DOUBLE PRECISION ADD 03 00089
90 FADD MAC D.103 00090
91 IFT VORTEX-3 D.103 00091
92 IFF VORTEX-4 D.103 00092
93 GOTO FRMWR1 D.103 00093
94 EXT $ZK 03 00094
95 CALL $ZK DP ADD D.103 00095
96 GOTO FRMWR2 D.103 00096
97 FRMWR1 CONT D.103 00097
98 DATA 0105503 FPP DP ADD D.103 00098
99 * 03 00099
100 * 03 00100
101 * 03 00101
102 * 03 00102

```



103	FRMWR2	CONT				D.103	00103	
104		EMAC				D.103	00104	
107	* DOUBLE PRECISION SUBTRACT					D.103	00107	
108	FSED	MAC				D.103	00108	
109		IFT	VORTEX-3			D.103	00109	
110		IFF	VORTEX-4			D.103	00110	
111		GOTO	FRMWR1			D.103	00111	
112		EXT	\$ZL			D.103	00112	
113		CALL	\$ZL	DP SUBTRACT		D.103	00113	
114		GOTO	FRMWR2			D.103	00114	
115	FRMWR1	CONT				D.103	00115	
116		DATA	0105543	FPP DP SUBTRACT		D.103	00116	
117	FRMWR2	CONT				D.103	00117	
118		EMAC				D.103	00118	
121	* DOUBLE PRECISION MULTIPLY					D.103	00121	
122	FMUD	MAC				D.103	00122	
123		IFT	VORTEX-3			D.103	00123	
124		IFF	VORTEX-4			D.103	00124	
125		GOTO	FRMWR1			D.103	00125	
126		EXT	\$ZM			D.103	00126	
127		CALL	\$ZM	DP MULTIPLY		D.103	00127	
128		GOTO	FRMWR2			D.103	00128	
129	FRMWR1	CONT				D.103	00129	
130		DATA	0105506			D.103	00130	
131	FRMWR2	CONT				D.103	00131	
132		EMAC				D.103	00132	
135	* DOUBLE PRECISION DIVIDE					D.103	00135	
136	FDVD	MAC				D.103	00136	
137		IFT	VORTEX-3			D.103	00137	
138		IFF	VORTEX-4			D.103	00138	
139		GOTO	FRMWR1			D.103	00139	
140		EXT	\$ZN			D.103	00140	
141		CALL	\$ZN	DP DIVIDE		D.103	00141	
142		GOTO	FRMWR2			D.103	00142	
143	FRMWR1	CONT				D.103	00143	
144		DATA	0105535	FPP DP DIVIDE		D.103	00144	
145	FRMWR2	CONT				D.103	00145	
146		EMAC				D.103	00146	
148	* FLOATING TO FIX					E.1	*****	
149	FIX	MAC				E.1	*****	
150		DATA	0105621	FPP FIX		E.1	*****	
151		DATA	P(1)			F.1	*****	
152		EMAC				E.1	*****	
154	* FIX TO FLOATING					E.1	*****	
155	FLT	MAC				E.1	*****	
156		DATA	0105425	FPP FLOAT		E.1	*****	
157		DATA	P(1)			E.1	*****	
158		EMAC				E.1	*****	
161	*****					03	00149	
162	* SET BLOCK *					03	00150	
163	*****					03	00151	
000022	A	164	\$BIT	SET	18	PUT LAST FOR 18-BIT	03 00152	
000020	A	165	\$BIT	SET	16	PUT LAST FOR 16-BIT	03 00153	
000001	A	166	X	SET	1	X-REG	03 00154	
		168	*****				03	00156
		169	* DSIN ENTRY *				03	00157
		170	*****				03	00158
000000	000000	A	171	DSIN	ENTR		03 00159	
			172		FSE	XFER PARAMETERS	03 00160	
000001	002000	A						
000002	000000	E						
000003	000001	A	173	DATA	1		03 00161	
000004			174	DSP	BSS	1	03 00162	
			175		FLDD		V&103 00163	
000005	002000	A						
000006	000000	E						
000007	100004	R	176	DATA	(DSP)*		03 00164	
000010	054332	A	177	STA	DSSA	SAVE A	03 00165	
000011	006010	A	178	LDAI	DSIN+0100000		03 00166	
000012	100000	R						
000013	054027	A	179	STA	\$DSI	LOAD EXIT	03 00167	
000014	001000	A	180	JMP	DS01	CALL \$DSI	V&103 00168	
000015	000045	R						
			181	*****				03 00169
			182	* DCOS ENTRY *				03 00170
			183	*****				03 00171
000016	000000	A	184	DCOS	ENTR		03 00172	
			185		FSE	XFER PARAMETERS	03 00173	
000017	002000	A						
000020	000002	E						
000021	000001	A	186	DATA	1		03 00174	
000022			187	DCP	BSS	1	03 00175	
			188		FLDD		V&103 00176	
000023	002000	A						
000024	000006	E						
000025	100022	R	189	DATA	(DCP)*		03 00177	
000026	054314	A	190	STA	DSSA	SAVE A	03 00178	
000027	006010	A	191	LDAI	DCOS+0100000		03 00179	
000030	100016	R						
000031	001000	A	192	JMP	DC01		V&103 00181	
000032	000037	R						
			193	*****				03 00182
			194	* \$DCO ENTRY *				03 00183







000123	014224	A	272	LDA	DSHB			03	00258		
000124	054213	A	273	STA	DSMF	SET SHIFT BIT		03	00259		
			274	*****						03	00260
			275	* LOOP TO GET INTEGER PART AND MASK *						03	00261
			276	*****						03	00262
000125	006030	A	277	DSL1	LDXI	DSF2	POINT X AT OP	03	00263		
000126	000331	R									
000127	014217	A	278	LDA	KM3	LOOP ENTRY		03	00264		
000130	054206	A	279	STA	DSL2	SET LOOP COUNT TO -3		03	00265		
			280	*****						03	00266
			281	* LOOP TO ROTATE OUT INTEGER PART *						03	00267
			282	*****						03	00268
000131	015000	A	283	DSL2	LDA	0,X	LOAD 2 MANTISSA WORDS	03	00269		
000132	025001	A	284	LDB	1,X			03	00270		
000133	004401	A	285	LASL	1	SHIFT LEFT 1		03	00271		
000134	055000	A	286	STA	0,X	REPLACE FIRST WORD		03	00272		
000135	007400	A	287	ROF				03	00273		
000136	044200	A	288	INR	DSL2	BUMP LOOP COUNT		03	00274		
000137	001001	A	289	JOF	*+5	LOOP FINISHED ?		03	00275		
000140	000144	R									
000141	005144	A	290	IXR		NO, BUMP POINTER		03	00276		
000142	001000	A	291	JMP	DSL2	AND LOOP BACK		03	00277		
000143	000131	R									
000144	065001	A	292	STB	1,X	RESTORE LAST WORD		03	00278		
			293	*****						03	00279
			294	* SHIFT INTEGER PART MASK *						03	00280
			295	*****						03	00281
000145	006030	A	296	LDXI	DSMF	POINT X AT MASK FIELD		03	00282		
000146	000340	R									
000147	015001	A	297	LDA	1,X	LOAD LAST TWO WORDS		03	00283		
000150	025002	A	298	LDB	2,X			03	00284		
000151	004501	A	299	LASR	1	EXTEND SIGN		03	00285		
000152	065002	A	300	STB	2,X	REPLACE WORD 2		03	00286		
000153	015000	A	301	LDA	0,X	LOAD FIRST TWO WORDS		03	00287		
000154	025001	A	302	LDB	1,X			03	00288		
000155	004501	A	303	LASR	1	EXTEND SIGN		03	00289		
000156	065001	A	304	STB	1,X	RESTORE WORD 1		03	00290		
000157	055000	A	305	STA	0,X	RESTORE WORD 0		03	00291		
000160	014165	A	306	LDA	DST			03	00292		
000161	005311	A	307	DAR		DROP LOOP COUNT		03	00293		
000162	054163	A	308	STA	DST			03	00294		
000163	005311	A	309	DAR				03	00295		
000164	001002	A	310	JAP	DSL1	FINISHED ?		03	00296		
000165	000125	R									
000166	014142	A	311	LDA	DSF2	YES, GET INTEGER PART		03	00297		
000167	124145	A	312	ADD	DSFL	ADD INTO SIN/COS FLAG(ONLY LOW 4 BITS IMP)		03	00298		
000170	054144	A	313	STA	DSFL			03	00299		
			314	*****						03	00300
			315	* GET FRACTIONAL PART *						03	00301
			316	*****						03	00302
			317	IFT	VORTEX-1			D.103	00303		
			318	IFF	VORTEX-2			D.103	00304		
			319	GOTO	FRMWR1			D.103	00305		
			320	FLDD				V&103	00306		
			321	DATA	AC			V&103	00307		
			322	FRMWR1	CONT			V&103	00308		
			323	FSTD		STORE ARG IN DSF2		V&103	00309		
000171	002000	A									
000172	000101	E									
000173	000331	R	324	DATA	DSF2			03	00310		
000174	014135	A	325	LDA	DSF2+1			03	00311		
000175	154142	A	326	ANA	DSMF	MASK WORD 1		03	00312		
000176	054133	A	327	STA	DSF2+1			03	00313		
000177	014133	A	328	LDA	DSF2+2			03	00314		
000200	154140	A	329	ANA	DSMF+1	MASK WORD 2		03	00315		
000201	054131	A	330	STA	DSF2+2			03	00316		
000202	014131	A	331	LDA	DSF2+3			03	00317		
000203	154136	A	332	ANA	DSMF+2	MASK WORD 3		03	00318		
000204	054127	A	333	STA	DSF2+3			03	00319		
			334	IFT	VORTEX-1			D.103	00320		
			335	IFF	VORTEX-2			D.103	00321		
			336	GOTO	FRMWR1			D.103	00322		
			337	FLDD				V&103	00323		
			338	DATA	AC			V&103	00324		
			339	FRMWR1	CONT			V&103	00325		
			340	FSTD				V&103	00326		
000205	002000	A									
000206	000000	E									
000207	000331	R	341	DATA	DSF2			V&103	00327		
			342	IFT	VORTEX-1			V&103	00328		
			343	IFF	VORTEX-2			V&103	00329		
			344	GOTO	FRMWR1			V&103	00330		
			345	JMP	DS31			V&103	00331		
			346	DS3	FLDD			V&103	00332		
			347	DATA	AC			V&103	00333		
			348	GOTO	FRMWR2			V&103	00334		
			349	FRMWR1	CONT			V&103	00335		
	000210	R	350	DS3	EQU	*		V&103	00336		
			351	FRMWR2	CONT			V&103	00337		
			352	DS31	FSTD	STORE REDUCED ARG		V&103	00338		
000210	002000	A									
000211	000172	E									
000212	000325	R	353	DATA	DSF			03	00339		



E.2 VORTEX LISTING

DSINCOB

PROGRAM PAGE 5

LISTING PAGE ( 481)

000213	005102	A	354	INCR	2	FLAG F.LT.1/2	03	00340
			355	IFT	VORTEX-1		D.103	00341
			356	IFF	VORTEX-2		D.103	00342
			357	GOTO	FRMWR1		D.103	00343
			358	FLDD			V&103	00344
			359	DATA	DSF		V&103	00345
			360	FRMWR1	CONT		V&103	00346
000214	014110	A	361	LDA	DSF		03	00347
000215	144105	A	362	SUB	K200		03	00348
000216	001004	A	363	JAN	DS4	IS F.GE.1/2 ?	03	00349
000217	000231	R						
			364	FSSD		YES, GET F-1	V&103	00350
000220	002000	A						
000221	000206	E						
000222	000436	R	365	DATA	DSF1		03	00351
			366	IFT	VORTEX-1		D.103	00352
			367	IFF	VORTEX-2		D.103	00353
			368	GOTO	FRMWR1		D.103	00354
			369	FSTD			V&103	00355
			370	DATA	AC		V&103	00356
			371	FRMWR1	CONT		V&103	00357
000223	002000	A	372	CALL	\$ZC	GET 1-F	03	00358
000224	000000	E						
			373	IFT	VORTEX-1		D.103	00359
			374	IFF	VORTEX-2		D.103	00360
			375	GOTO	FRMWR1		D.103	00361
			376	FLDD			V&103	00362
			377	DATA	AC		V&103	00363
			378	FRMWR1	CONT		V&103	00364
			379	FSTD		STORE F	V&103	00365
000225	002000	A						
000226	000211	E						
000227	000325	R	380	DATA	DSF		03	00366
000230	005002	A	381	TZB		FLAG F.GE.1/2	03	00367
000231	064104	A	382	DS4	DSFL+1	LOAD RANGE FLAG	03	00368
			383	IFT	VORTEX-1		D.103	00369
			384	IFF	VORTEX-2		D.103	00370
			385	GOTO	FRMWR1		D.103	00371
			386	FLDD			V&103	00372
			387	DATA	AC		V&103	00373
			388	FRMWR1	CONT		V&103	00374
			389	FMUD		GET F**2	V&103	00375
000232	002000	A						
000233	000000	E						
000234	000325	R	390	DATA	DSF		03	00376
			391	FSTD		STORE F**2 IN DSF2	V&103	00377
000235	002000	A						
000236	000226	E						
000237	000331	R	392	DATA	DSF2		03	00378
000240	005101	A	393	INCR	1		03	00379
000241	154073	A	394	ANA	DSFL	GET FLAG MOD 2	03	00380
000242	144073	A	395	SUB	DSFL+1	COMPARE WITH RANGE FLAG	03	00381
000243	054072	A	396	STA	DSFL+1	SAVE SERIES FLAG	03	00382
000244	001010	A	397	JAZ	*+6	SINE SERIES ?	03	00383
000245	000252	R						
000246	006030	A	398	LDXI	DSST	YES, POINT X AT SINE TABLE	03	00384
000247	000352	R						
000250	001000	A	399	JMP	*+4		03	00385
000251	000254	R						
000252	006030	A	400	LDXI	DSCT	NO, POINT X AT COSINE TABLE	03	00386
000253	000406	R						
000254	074005	A	401	STX	DSP1	LOAD TABLE POINTERS	03	00387
000255	074015	A	402	STX	DSP3		03	00388
000256	014045	A	403	LDA	KH6		03	00389
000257	054057	A	404	STA	DSLC	LOAD LOOP COUNT	03	00390
			405	*****			03	00391
			406	* EVALUATE POLYNOMIAL *			03	00392
			407	*****			03	00393
			408	FLDD		GET LAST COEFFICIENT	V&103	00394
000260	002000	A						
000261	000073	E						
000262			409	DSP1	BSS		03	00395
			410	DSL3	FMUD	GET ( ) **	V&103	00396
000263	002000	A						
000264	000233	E						
000265	000331	R	411	DATA	DSF2		03	00397
000266	014004	A	412	LDA	DSP3		03	00398
000267	124032	A	413	ADD	K4	BUMP TABLE POINTER TO NEXT COEFFICIENT	03	00399
000270	054002	A	414	STA	DSP3		03	00400
			415	FADD		GET (C+( )**)	V&103	00401
000271	002000	A						
000272	000000	E						
000273			416	DSP3	BSS		03	00402
000274	044042	A	417	INR	DSLC	BUMP LOOP COUNT	03	00403
000275	014041	A	418	LDA	DSLC		03	00404
000276	001004	A	419	JAN	DSL3	LOOP TILL DONE	03	00405
000277	000263	R						
000300	014035	A	420	LDA	DSFL+1		03	00406
000301	001010	A	421	JAZ	DSP4	SINE SERIES?	V&103	00407
000302	000306	R						
			422	FMUD		YES, MULTIPLY BYF	V&103	00408
000303	002000	A						
000304	000264	E						



E.2 VORTEX LISTING

DSINCO5

PROGRAM PAGE

6

LISTING PAGE ( 482)

000305	000325	R	423		DATA	DSF				03	00409
000306	014026	A	424	DSP4	LDA	DSFL				V&103	00410
000307	006150	A	425		ANAI	2				03	00411
000310	000002	A									
			426		IFT	VORTEX-1				D.103	00412
			427		IFF	VORTEX-2				D.103	00413
			428		GOTO	FRMWR1				D.103	00414
			429		FSTD					V&103	00415
			430		DATA	AC				V&103	00416
			431	FRMWR1	CONT					V&103	00417
000311	001010	A	432		JAZ	*+4		SIN/COS FLAG.GT.2 ?		03	00418
000312	000315	R									
000313	002000	A	433		CALL	\$ZC		YES, FLIP SIGN		03	00419
000314	000224	E									
			434		*****					03	00420
			435		* EXIT *					03	00421
			436		*****					03	00422
000315	014025	A	437		LDA	DSSA	RESTORE A			03	00423
000316	024025	A	438		LDB	DSSB	RESTORE B			03	00424
000317	034025	A	439		LDX	DSSX	RESTORE C			03	00425
000320	001000	A	440		JMP*	\$DSI				03	00426
000321	100043	R									
			441		*****					03	00427
			442		* CONSTANTS AND VARIABLES *					03	00428
			443		*****					03	00429
000322	000004	A	444	K4	DATA	4				03	00430
000323	000200	A	445	K200	DATA	0200				03	00431
000324	177772	A	446	KM6	DATA	-6				03	00432
000325			447	DSF	BSS	4	F=FRACTIONAL PART			03	00433
000331			448	DSF2	BSS	4	F**2			03	00434
000335			449	DSFL	BSS	2	SIN/COS FLAG			03	00435
000337			450	DSLCL	BSS	1	LOOP COUNTER			03	00436
000340			451	DSMF	BSS	3	MASK FIELD			03	00437
000343			452	DSSA	BSS	1	SAVE A			03	00438
000344			453	DSSB	BSS	1	SAVE B			03	00439
000345			454	DSSX	BSS	1	SAVE X			03	00440
000346			455	DST	BSS	1	TEMP STORE			03	00441
	000325	R	456	DSU	EQU	DSF	ARGUMENT U			03	00442
			457		IFT	\$BIT-16				03	00443
			458		GOTO	Z1				03	00444
000347	077775	A	459	KM3	DATA	077775	16-BIT -3 COUNTER			03	00445
000350	100000	A	460	DSHB	DATA	0100000	16-BIT SIGN BIT			03	00446
000351	000055	A	461	DSSC	DATA	45	16-BIT MANTISSA LENGTH			03	00447
000352	000150	A	462	DSST	DATA	0150	16-BIT S6=.56339 36132 27383 E-7			03	00448
000353	074374	A	463		DATA	074374				03	00449
000354	071032	A	464		DATA	071032				03	00450
000355	050631	A	465		DATA	050631				03	00451
000356	000156	A	466		DATA	0156	16-BIT S5=-.35986 43370 61349 E-5			03	00452
000357	103477	A	467		DATA	0103477				03	00453
000360	007072	A	468		DATA	07072				03	00454
000361	073571	A	469		DATA	073571				03	00455
000362	000164	A	470		DATA	0164	16-BIT S4=.16044 11507 47150 E-3			03	00456
000363	052036	A	471		DATA	052036				03	00457
000364	002773	A	472		DATA	02773				03	00458
000365	021770	A	473		DATA	021770				03	00459
000366	000171	A	474		DATA	0171	16-BIT S3=-.46817 54132 34162 E-2			03	00460
000367	131513	A	475		DATA	0131513				03	00461
000370	054634	A	476		DATA	054634				03	00462
000371	027136	A	477		DATA	027136				03	00463
000372	000175	A	478		DATA	0175	16-BIT S2=.79692 62624 60430 E-1			03	00464
000373	050632	A	479		DATA	050632				03	00465
000374	074316	A	480		DATA	074316				03	00466
000375	072607	A	481		DATA	072607				03	00467
000376	000200	A	482		DATA	00200	16-BIT S1=-.64596 40975 06244			03	00468
000377	126521	A	483		DATA	0126521				03	00469
000400	074714	A	484		DATA	074714				03	00470
000401	022676	A	485		DATA	022676				03	00471
000402	000201	A	486	DSP2	DATA	0201	16-BIT S0=1.5707 96326 79490			03	00472
000403	062207	A	487		DATA	062207				03	00473
000404	073250	A	488		DATA	073250				03	00474
000405	042055	A	489		DATA	042055				03	00475
000406	000153	A	490	DSCT	DATA	0153	16-BIT C6=.46552 98729 14909 E-6			03	00476
000407	076366	A	491		DATA	076366				03	00477
000410	076021	A	492		DATA	076021				03	00478
000411	006037	A	493		DATA	06037				03	00479
000412	000161	A	494		DATA	0161	16-BIT C5=-.25200 13545 49175 E-4			03	00480
000413	113115	A	495		DATA	0113115				03	00481
000414	034076	A	496		DATA	034076				03	00482
000415	042163	A	497		DATA	042163				03	00483
000416	000166	A	498		DATA	0166	16-BIT C4=.91925 99500 95279 E-3			03	00484
000417	074175	A	499		DATA	074175				03	00485
000420	017554	A	500		DATA	017554				03	00486
000421	005015	A	501		DATA	05015				03	00487
000422	000173	A	502		DATA	0173	16-BIT C3=-.20863 48073 49535 E-1			03	00488
000423	125213	A	503		DATA	0125213				03	00489
000424	074373	A	504		DATA	074373				03	00490
000425	037731	A	505		DATA	037731				03	00491
000426	000177	A	506		DATA	0177	16-BIT C2=.25366 95078 99865			03	00492
000427	040360	A	507		DATA	040360				03	00493
000430	037020	A	508		DATA	037020				03	00494
000431	015407	A	509		DATA	015407				03	00495
000432	000201	A	510		DATA	0201	16-BIT C1=-1.2337 00550 13615			03	00496
000433	130413	A	511		DATA	0130413				03	00497



```

000434 074623 A 512 DATA 074623 03 00498
000435 037105 A 513 DATA 037105 03 00499
000436 000201 A 514 DSD1 DATA 0201 16-BIT C0=1 03 00500
000437 040000 A 515 DATA 040000 03 00501
000440 000000 A 516 DATA 0 03 00502
000441 000000 A 517 DATA 0 03 00503
518 Z1 CONT 03 00504
519 IFT $BIT-18 03 00505
520 GOTO Z2 03 00506
521 KM3 DATA 0377775 18-BIT -3 COUNTER 03 00507
522 DSHB DATA 0400000 18-BIT SIGN BIT 03 00508
523 DSSC DATA 51 18-BIT MANTISSA LENGTH 03 00509
524 DSST DATA 0150 18-BIT S6=.56339 36132 27383 5 E-7 03 00510
525 DATA 0361763 03 00511
526 DATA 0220652 03 00512
527 DATA 063160 03 00513
528 DATA 0156 18-BIT S5=-.35986 42370 61349 3 E-5 03 00514
529 DATA 0416377 03 00515
530 DATA 0161656 03 00516
531 DATA 0357123 18-BIT S4=.16044 11507 47149 9 E-3 03 00517
532 DATA 0164 03 00518
533 DATA 0250170 03 00519
534 DATA 057664 03 00520
535 DATA 0177020 18-BIT S3=-.46817 54132 34161 9 E-2 03 00521
536 DATA 0171 03 00522
537 DATA 0546455 03 00523
538 DATA 0314705 03 00524
539 DATA 0313577 18-BIT S2=.79692 62624 60430 4 E-1 03 00525
540 DATA 0175 03 00526
541 DATA 0243153 03 00527
542 DATA 0306356 03 00528
543 DATA 0260776 18-BIT S1=-.64596 40975 06244 3 03 00529
544 DATA 0200 03 00530
545 DATA 0532504 03 00531
546 DATA 0316304 03 00532
547 DATA 0267620 18-BIT S0=1.5707 96326 79489 7 03 00533
548 DSP2 DATA 0201 03 00534
549 DATA 0311037 03 00535
550 DATA 0265210 03 00536
551 DATA 0205506 18-BIT C6=.46552 98729 14908 7 E-6 03 00537
552 DSCT DATA 0153 03 00538
553 DATA 0371733 03 00539
554 DATA 0340421 03 00540
555 DATA 0203732 18-BIT C5=-.25200 13545 49174 8 E-4 03 00541
556 DATA 0161 03 00542
557 DATA 0454466 03 00543
558 DATA 0361750 03 00544
559 DATA 0216364 18-BIT C4=.91925 99500 95279 1 E-3 03 00545
560 DATA 0164 03 00546
561 DATA 0360764 03 00547
562 DATA 0373301 03 00548
563 DATA 0101560 18-BIT C3=-.20863 48073 49535 2 E-1 03 00549
564 DATA 0173 03 00550
565 DATA 0525054 03 00551
566 DATA 0307667 03 00552
567 DATA 0373103 18-BIT C2=.25366 95078 99865 1 03 00553
568 DATA 0177 03 00554
569 DATA 0301701 03 00555
570 DATA 0360403 03 00556
571 DATA 0140741 18-BIT C1=-1.2337 00550 13615 1 03 00557
572 DATA 0201 03 00558
573 DATA 0542054 03 00559
574 DATA 0314467 03 00560
575 DATA 0310542 18-BIT C0=1 03 00561
576 DSD1 DATA 0201 03 00562
577 DATA 0200000 03 00563
578 DATA 0 03 00564
579 DATA 0 03 00565
580 Z2 CONT 03 00566
581 DSCFPP CONT 03 00567
582 IFT VORTEX-1 E.1 *****
583 IFF VORTEX-2 E.1 *****
584 GOTO DSCFPP E.1 *****
585 STR DSSB E.1 *****
586 ORX DSSX E.1 *****
587 ***** E.1 *****
588 * COMPUTES SIN/COS BY FORCING X TO MODULAR PI/2 AND * E.1 *****
589 * PERFORMING 7 ITERATIONS. * E.1 *****
590 ***** E.1 *****
591 * E.1 *****
592 DS1 FSTB A=1 FOR COS, 0 FOR SIN E.1 *****
593 DATA XVAL SAVE ARGUMENT E.1 *****
594 STA FLAG E.1 *****
595 LBA XVAL+1 SAVE SIN FLAG E.1 *****
596 JAP SC030 CONVERT NEGATIVE TO PLU E.1 *****
597 CPA E.1 *****
598 STA XVAL+1 E.1 *****
599 LBA FLAG IS IT SIN E.1 *****
600 DAP E.1 *****
601 JAZ SC030 E.1 *****
602 INR FLAG YES, SET FLAG TO TND E.1 *****
603 INR FLAG E.1 *****
604 ***** E.1 *****

```



```

605 * INITIALLY FORCE X TO MODULAR PI/2 *
606 *****
607 SC030 FLDD
608 DATA XVAL
609 FVVD X/(PI/2)
610 DATA PIQVR2
611 FSTD
612 DATA XSQR
613 FLDD
614 DATA XSQR
615 FIX MOD FORCE INTEGER MODULAR
616 LDA MOD
617 CPA
618 IAR
619 STA NEWX
620 FLT NEWX SEPARATE MANTISSA AND EXP
621 FADD
622 DATA XSQR
623 FSTD
624 DATA NEWX
625 *****
626 * SELECT OCTANT *
627 *****
628 LDA MOD ONLY LEAST TWO BITS IMP
629 ADD FLAG
630 STA FLAG
631 INCR 1
632 STA MOD
633 LDA NEWX
634 SUB H200 IS NEW X .GE. 1/2
635 JAN SC080
636 *****
637 * INVERT ARGUMENT AND FUNCTION IF REQUESTED *
638 *****
639 TZA YES; INVERT ARGUMENT
640 STA MOD
641 FLDD
642 DATA DONE
643 FSBD
644 DATA NEWX
645 FSTD
646 DATA NEWX
647 * FIRST CALCULATE X**2
648 SC080 FLDD
649 DATA NEWX
650 FMUD
651 DATA NEWX
652 FSTD
653 DATA XSQR
654 INCR 1
655 ANA FLAG
656 SUB MOD
657 STA MOD
658 JANZ SC090
659 *****
660 * PERFORM COSINE ITERATIONS *
661 *****
662 FLDD
663 DATA XSQR
664 FMUD
665 DATA COS7
666 FADD
667 DATA COS6
668 FMUD
669 DATA XSQR
670 FADD
671 DATA COS5
672 FMUD
673 DATA XSQR
674 FADD
675 DATA COS4
676 FMUD
677 DATA XSQR
678 FADD
679 DATA COS3
680 FMUD
681 DATA XSQR
682 FADD
683 DATA COS2
684 FMUD
685 DATA XSQR
686 FADD
687 DATA COS1
688 JMP SC100
689 *****
690 * PERFORM SIN ITERATIONS *
691 *****
692 SC090 FLDD
693 DATA XSQR
694 FMUD
695 DATA SIN7
696 FADD
697 DATA SIN6

```











```

000001 A 1 VORTEX SET 1 04 00001
2 * THIS IS A COPYRIGHTED PROGRAM. COPYRIGHT 1973 BY VARIAN DATA MACHINE 04 00002
3 * 04 00003
4 * V.D.M. PART NO. 92L0506-157C 04 00004
5 * 04 00005
6 * 04 00006
7 * 04 00007
8 * 04 00008
9 * 04 00009
10 * 04 00010
11 * 04 00011
12 * CALL $DIT,ARG A=INTEGER PART OF ARG 04 00012
13 * 04 00013
14 * NAME $DIT, IDINT 04 00014
15 * 04 00015
16 ***** 04 00016
17 * MACRO * 04 00017
18 ***** 04 00018
19 FSE MAC 04 00019
20 IFT VORTEX-2 D.104 00020
21 IFF VORTEX-4 D.104 00021
22 GOTO FRMWR1 D.104 00022
23 EXT $SE D.104 00023
24 CALL $SE XFER PARAMETERS D.104 00024
25 GOTO FRMWR2 D.104 00025
26 FRMWR1 CONT D.104 00026
27 DATA 0105036 BCS XFER PARAMETERS D.104 00027
28 FRMWR2 CONT D.104 00028
29 EMAC 04 00029
000003 A 31 INC SET 3 *****
32 IFF VORTEX-1 *****
000004 A 33 INC SET INC+1 *****
34 IFF VORTEX-3 *****
35 INC SET INC+1 *****
36 EXT $DND 04 00031
000001 A 37 X EQU 1 04 00032
000000 38 DIT1 BSS 0 04 00033
000000 074046 A 39 STX DITG 04 00034
000001 064046 A 40 STB DITG+1 04 00035
000002 034035 A 41 LDX $DIT+INC *****
000003 074002 A 42 STX DITG 04 00037
000004 002000 A 43 CALL $DND,0 04 00038
000005 000000 E
000006 000000 A
000006 44 DITG BSS 0 04 00039
000007 015000 A 45 LDA 0,X EXPONENT OF ARGUMENT. 04 00040
000010 144040 A 46 SUB DITB 04 00041
000011 005002 A 47 TZE 04 00042
000012 054037 A 48 STA DITS 04 00043
000013 001004 A 49 JAN DITS 04 00044
000014 000025 R
000015 124035 A 50 ADD DITL 04 00045
000016 054005 A 51 STA DITA 04 00046
000017 015001 A 52 LDA 1,X 04 00047
000020 001002 A 53 JAP DITA 04 00048
000021 000024 R
000022 064027 A 54 STB DITS 04 00049
000023 005211 A 55 CPA 04 00050
000024 004441 A 56 DITA LLRL 1 MODIFIED SHIFT. 04 00051
000025 57 DITS BSS 0 04 00052
000025 005021 A 58 TBA 04 00053
000026 024023 A 59 LDE DITS 04 00054
000027 001020 A 60 JBZ DIT7 04 00055
000030 000043 R
000031 61 DIT6 BSS 0 04 00056
000031 034015 A 62 LDX DITG 04 00057
000032 024015 A 63 LDE DITG+1 04 00058
000033 001000 A 64 JMP* $DIT RETURN 04 00059
000034 100034 R
000034 65 $DIT BSS 0 ENTRY 04 00060
000034 66 IDINT BSS 0 04 00061
000034 67 FSE XFER PARAMETERS 04 00062
000035 002000 A
000036 000000 E
000037 000001 A 68 DATA 1,0 04 00063
000040 000000 A
000041 001000 A 69 JMP DIT1 04 00064
000042 000000 R
000043 70 DIT7 BSS 0 04 00065
000043 005211 A 71 CPA 04 00066
000044 005111 A 72 IAR 04 00067
000045 001000 A 73 JMP DIT6 04 00068
000046 000031 R
000047 74 * TERMS FOR $DIT 04 00069
000051 003200 A 75 DITG BSS 2 04 00070
000052 76 DITB DATA 0200 04 00071
000053 004441 A 77 DITS BSS 1 04 00072
000054 78 DITL LLRL 1 04 00073
79 DITM BSS 8 04 00074
80 END 04 00075

```

```

ENTRY NAMES
000034 R $DIT 000034 R IDINT
EXTERNAL NAMES
000005 E $DND 000036 E $SE

```



## SYMBOLS

```

000034 R $DIT 000005 E $DND 000036 E $SE 000000 R DIT1
000025 R DIT5 000031 R DIT6 000043 R DIT7 000024 R DITA
000051 R DITB 000047 R DITG 000053 R DITL 000054 R DITM
000006 R DITQ 000052 R DITS 000034 R IDINT 000004 A INC
000001 A VORTEX 000001 A X
0 ERRORS ASSEMBLY COMPLETE

```

```

65 $DIT 14 41 64
0 $DND 36 43
0 $SE 23 24
38 DIT1 69
57 DIT5 49
61 DIT6 73
70 DIT7 60
56 DITA 51 53
76 DITB 46
75 DITG 39 40 62 63
78 DITL 50
44 DITQ 42
77 DITS 48 54 59
26 FRMWR1 22
28 FRMWR2 25
66 IDINT 11 14
31 INC 33 35 41
1 VORTEX 20 21 32 34
37 X 45 52

```



```

1 *THIS IS A COPYRIGHTED PROGRAM.COPYRIGHT 1974 BY VARIAN DATA MACHINE      00 00001
2 **                                                                            00 00002
3 * V.D.M. PART NO. 92L1709-003A                                           00 00003
4 **                                                                            00 00004
5 **                                                                            E.2*******
6 **                                                                            00 00006
7 **                                                                            00 00007
8 ** THE FOLLOWING ARE SUPPLEMENTAL OPCODES                                00 00008
9 ** FOR USE WITH THE MICRO ASSEMBLER                                       00 00009
10 **                                                                            00 00010
11 **                                                                            60 00011
12 00009 12 ADD EQU 9 00 00012
13 00008 13 ALUC EQU 8 00 00013
14 00006 14 ALUD EQU 6 00 00014
15 00007 15 ALUS EQU 7 00 00015
16 00009 16 ALUZ EQU 9 00 00016
17 0000B 17 AND EQU X'B 00 00017
18 00002 18 ARMS EQU 2 00 00018
19 00002 19 ARMS$ EQU 2 00 00019
20 00001 20 AZERO EQU 1 00 00020
21 00000 21 ASGPR EQU 0 00 00021
22 00002 22 ASGPRL EQU 2 00 00022
23 00003 23 ASGPRR EQU 3 00 00023
24 00001 24 ASP EQU 1 00 00024
25 00000 25 ASSPEC EQU 0 00 00025
26 00007 26 BSALU EQU 7 00 00026
27 0000F 27 BS$MIR EQU X'F 00 00027
28 00003 28 BS$OVR EQU 3 00 00028
29 0000B 29 BS$P EQU X'B 00 00029
30 00000 30 BS$GVR EQU 0 00 00030
31 00001 31 BS$SPEC EQU 1 00 00031
32 00003 32 CRY1 EQU 3 00 00032
33 0000F 33 DECA EQU X'F 00 00033
34 00009 34 DECB EQU 9 00 00034
35 00004 35 DECBDE EQU 4 00 00035
36 00005 36 DECBDS EQU 5 00 00036
37 00006 37 EDR EQU 6 00 00037
38 00003 38 FT EQU 3 00 00038
39 00001 39 GPRDUT EQU 1 00 00039
40 0000D 40 GPRS EQU X'D 00 00040
41 00001 41 IBR$I EQU 1 00 00041
42 00004 42 IF$ALU EQU 4 00 00042
43 0000C 43 IF$MIR EQU X'C 00 00043
44 00003 44 IF$OVR EQU 3 00 00044
45 00008 45 IF$P EQU 8 00 00045
46 00000 46 INCA EQU 0 00 00046
47 00001 47 INCB EQU 1 00 00047
48 00004 48 INCF EQU 4 00 00048
49 00005 49 INCSC EQU 5 00 00049
50 00002 50 IDR EQU 2 00 00050
51 00001 51 IOSR EQU 1 00 00051
52 00006 52 KOUT EQU 6 00 00052
53 00000 53 LFT EQU 0 00 00053
54 00003 54 LIT EQU 3 00 00054
55 00001 55 LOG EQU 1 00 00055
56 00001 56 MEMC EQU 1 00 00056
57 00002 57 MEMC$ EQU 2 00 00057
58 00001 58 MIR EQU 1 00 00058
59 0000B 59 MIRS EQU X'B 00 00059
60 00002 60 MSK EQU 2 00 00060
61 0000E 61 NORM EQU X'E 00 00061
62 00000 62 NDTA EQU 0 00 00062
63 00005 63 NDTB EQU 5 00 00063
64 00005 64 DF$ALU EQU 5 00 00064
65 0000B 65 DF$MIR EQU X'B 00 00065
66 00001 66 DF$OVR EQU 1 00 00066
67 00003 67 DF$P EQU 3 00 00067
68 00005 68 DLDB EQU 5 00 00068
69 00003 69 DNES EQU 3 00 00069
70 00000 70 DFR EQU 0 00 00070
71 00003 71 DFRDUT EQU 3 00 00071
72 00001 72 DR EQU 1 00 00072
73 00007 73 DRLEZ EQU 7 00 00073
74 00004 74 DRSE EQU 4 00 00074
75 00006 75 DVEF EQU 6 00 00075
76 00006 76 DS$ALU EQU 6 00 00076
77 0000E 77 DS$MIR EQU X'E 00 00077
78 00002 78 DS$OVR EQU 2 00 00078
79 00004 79 DS$P EQU 4 00 00079
80 00000 80 DVTE EQU 0 00 00080
81 00003 81 PUMP EQU 3 00 00081
82 00004 82 PUMP$ EQU 4 00 00082
83 00001 83 POPDEL EQU 1 00 00083
84 00001 84 POPUMP EQU 1 00 00084
85 00001 85 POUT EQU 1 00 00085
86 00002 86 PUSH EQU 2 00 00086
87 0000F 87 R000 EQU X'F 00 00087
88 00000 88 R0 EQU 0 00 00088
89 00001 89 R1 EQU 1 00 00089
90 00002 90 R2 EQU 2 00 00090
91 00003 91 R3 EQU 3 00 00091
92 00004 92 R4 EQU 4 00 00092
93 00005 93 R5 EQU 5 00 00093

```



```

0006 94 R6 EQU 6
0007 95 R7 EQU 7
0008 96 R8 EQU 8
0009 97 R9 EQU 9
000A 98 RA EQU X'A
000B 99 RB EQU X'B
000C 100 RC EQU X'C
000D 101 RD EQU X'D
000E 102 RE EQU X'E
000F 103 RF EQU X'F
0001 104 RGHT EQU 1
0004 105 ROVFL EQU 4
0002 106 SCOUT EQU 2
000C 107 SFTC EQU X'C
000C 108 SHFA EQU X'C
000A 109 SHFT EQU X'A
0001 110 SHFTOP EQU 1
0002 111 SOVFL EQU 2
0000 112 SPEC EQU 0
0004 113 SSW1 EQU 4
0003 114 SSW2 EQU 3
0002 115 SSW3 EQU 2
000D 116 STACK EQU X'D
0003 117 STAT EQU 3
0006 118 SUB EQU 6
0002 119 S$ALU EQU 2
0006 120 S$OVFL EQU 6
0008 121 S$OVF$ EQU 8
0001 122 S$SHFT EQU 1
0002 123 TCB EQU 2
0003 124 TESTT EQU 3
0002 125 TESTF EQU 2
0005 126 TFIR EQU 5
000F 127 TRNA EQU X'F
000A 128 TRNB EQU X'A
0002 129 TT EQU 2
0001 130 WAITMD EQU 1
0003 131 ZERD EQU 3
133 *
134 * FOLLOWING ARE ROM STANDARD STATE ADDRESSES
135 *
013E 136 SS1M EQU X'13E RESTART PIPELINE @ P
0092 137 SS2M EQU X'092 MAINTAIN PIPELINE
002D 138 SS3M EQU X'02D DECODE NEXT INSTRUCTION (IN IBR)
0000 140 ALOC 0
141 *
142 * INITIALIZE ALL ENTRY POINTS
0000 0490000180000000 143 GEN /P(SS2M),10(PJMP),1(0),6(0),5(0)
0001 0490000180000000 144 GEN /P(SS2M),10(PJMP),1(0),6(0),5(0)
0002 0490000180000000 145 GEN /P(SS2M),10(PJMP),1(0),6(0),5(0)
0003 0490000180000000 146 GEN /P(SS2M),10(PJMP),1(0),6(0),5(0)
0004 0490000180000000 147 GEN /P(SS2M),10(PJMP),1(0),6(0),5(0)
0005 0490000180000000 148 GEN /P(SS2M),10(PJMP),1(0),6(0),5(0)
0006 0490000180000000 149 GEN /P(SS2M),10(PJMP),1(0),6(0),5(0)
0007 0490000180000000 150 GEN /P(SS2M),10(PJMP),1(0),6(0),5(0)
0008 0490000180000000 151 GEN /P(SS2M),10(PJMP),1(0),6(0),5(0)
0009 0490000180000000 152 GEN /P(SS2M),10(PJMP),1(0),6(0),5(0)
000A 0490000180000000 153 GEN /P(SS2M),10(PJMP),1(0),6(0),5(0)
000B 0490000180000000 154 GEN /P(SS2M),10(PJMP),1(0),6(0),5(0)
000C 0490000180000000 155 GEN /P(SS2M),10(PJMP),1(0),6(0),5(0)
000D 0490000180000000 156 GEN /P(SS2M),10(PJMP),1(0),6(0),5(0)
000E 0490000180000000 157 GEN /P(SS2M),10(PJMP),1(0),6(0),5(0)
000F 0490000180000000 158 GEN /P(SS2M),10(PJMP),1(0),6(0),5(0)
0010 0490000180000000 159 GEN /P(SS2M),10(PJMP),1(0),6(0),5(0)
0011 0490000180000000 160 GEN /P(SS2M),10(PJMP),1(0),6(0),5(0)
0012 0490000180000000 161 GEN /P(SS2M),10(PJMP),1(0),6(0),5(0)
0013 0490000180000000 162 GEN /P(SS2M),10(PJMP),1(0),6(0),5(0)
0014 0490000180000000 163 GEN /P(SS2M),10(PJMP),1(0),6(0),5(0)
0015 0490000180000000 164 GEN /P(SS2M),10(PJMP),1(0),6(0),5(0)
0016 0490000180000000 165 GEN /P(SS2M),10(PJMP),1(0),6(0),5(0)
0017 0490000180000000 166 GEN /P(SS2M),10(PJMP),1(0),6(0),5(0)
0018 0490000180000000 167 GEN /P(SS2M),10(PJMP),1(0),6(0),5(0)
0019 0490000180000000 168 GEN /P(SS2M),10(PJMP),1(0),6(0),5(0)
001A 0490000180000000 169 GEN /P(SS2M),10(PJMP),1(0),6(0),5(0)
001B 0490000180000000 170 GEN /P(SS2M),10(PJMP),1(0),6(0),5(0)
001C 0490000180000000 171 GEN /P(SS2M),10(PJMP),1(0),6(0),5(0)
001D 0490000180000000 172 GEN /P(SS2M),10(PJMP),1(0),6(0),5(0)
001E 0490000180000000 173 GEN /P(SS2M),10(PJMP),1(0),6(0),5(0)
001F 0490000180000000 174 GEN /P(SS2M),10(PJMP),1(0),6(0),5(0)
0020 175 DRG X'20
0020 00000006E0000004 176 COMPOP GEN IMD,LB3,AA4 COMMON POP/RETURN
177 *
178 *
179 * SINGLE PRECISION FIXED DIVIDE (DIV)
180 *
181 * CALLING SEQUENCE
182 *
183 * AR0/AR1=DIVIDEND
184 * ARC =DIVISOR
185 *
186 * RETURN
187 *
188 * AR0 =REMAINDER

```

```

00 00093
00 00094
00 00095
00 00096
00 00097
00 00098
00 00099
00 00100
00 00101
00 00102
00 00103
E.2*****
00 00104
00 00105
00 00106
00 00107
00 00108
E.2*****
00 00109
00 00110
00 00111
00 00112
00 00113
00 00114
00 00115
00 00116
00 00117
E.2*****
00 00118
00 00119
00 00120
00 00121
00 00122
00 00123
00 00124
00 00125
00 00126
00 00127
00 00
00 00131
00 00132
00 00133
00 00134
00 00136
00 00137
00 00138
00 00139
00 00140
00 00141
00 00142
00 00143
00 00144
00 00145
00 00146
00 00147
00 00148
00 00149
00 00150
00 00151
00 00152
00 00153
00 00154
00 00155
00 00156
00 00157
00 00158
00 00159
00 00160
00 00161
00 00162
00 00163
00 00164
00 00165
00 00166
00 00167
00 00168
00 00169
00 00170
00 00171
00 00172
00 00173
00 00174
00 00175
00 00
00 00178
00 00179
00 00180
00 00181
00 00182
00 00183
00 00184

```



```

189 *      ARI      =QUOTIENT
190 *
0021 0110000000A900FE 191 DIV2  GEN      /*,FFA,MF1,BBF,AAE,WR1
0022 21282280002701FF 192      GEN      /T(DIV5,DIV4),TF2,GFA,FF2,CF3,WR1,SH1,BBF,AAF
0023 01A80080003260110 193 DIV18  GEN      /N(DIV18A),GF2,RF3,FF2,CF3,SH1,BB1 NOT B TO OPREG
0024 01780000003000001 194 DIV4  GEN      /N(DIV7),RF3,AA1 B TO OPREG
0025 01180000010010001 195 DIV5  GEN      /N(DIV18),LA2,WR1,AA1
196 DIV1  GEN      /T(DIV5,DIV4),TF2,GFA,FF2,
0026 212822800002701FE 197      CCF3,WR1,SH1,BBF,AAE
0027 01000000020A90001 198 DIV16  GEN      /N(COMPDP),LB1,FFA,MF1,WR1,AA1 DPREG TO ARI
199 *      SAMPLE SIGN
200 DIV9  GEN      /N(DIV10),SF1,GF2 SET OVERFLOW
201 DIV7A  GEN      /T(DIV10,DIV9),TF2,GFD,LB3,RF2, SET -DIVIDE COUNT
202 CFFA,BBE
203 DIV10  GEN      /T(DIV19,DIV10),TF2,GFC,MR1,LA2, SHIFT/ADD/INCREMENT
002A 51602320159192F0 204 CFF9,WR1,SC1,XF2,SH2,BBF,RF5 COUNT TILL DONE
002B 310822C000004000 205 DIV8  GEN      /T(DIV2,DIV1),TF2,GFF,VF1 TEST SIGN
002C 016800800040A00000 206 DIV19  GEN      /*,GF2,LB2,FFA (HERE ON ZERO COUNT)
002D 21982340000000000 207      GEN      /T(DIV12,DIV13),TF2,GFD TEST SIGN OF REMAINDER
002E 01000000020270101 208 DIV17  GEN      /N(COMPDP),LB1,FF2,CF3,WR1,SH1,AA1 NOT PPREG TO ARI
209 DIV7  GEN      /N(DIV7A),GF2,FF9,WR1,SC1,XF2,
210 CBBE,AA0 ARE + AR0
002F 01480080009190E0 211 DIV  GEN      /N(DIV0),FFA,MF1,WR1,BBC,AAF,WF1 MOVE DIVISOR/
0030 0158000000A920CF 212 DIV14  GEN      /T(DIV16,DIV17),TF2,GFF,FF2,CF3, COMPLEMENT ARG/TEST
213 CHR1,SH1 SIGN OF DIVISOR
0031 713823C0000270100 214 DIV15  GEN      /T(DIV16,DIV17),TF2,GFF TEST SIGN OF DIVISOR
0032 713833C0000000000 215 DIV12  GEN      /*,FF9,WR1,BBF,AA0 ADD DIVISOR TO IT
0033 01A0000000910CF0 216 DIV13  GEN      /T(DIV14,DIV15),TF2,GFA TEST SIGN OF DIVIDEND
0034 11882280000000000 217 DIV18A  GEN      /N(DIV7),FF2,CF1,WR1,SC1,WF1,SH1 SHIFT OPREG RIGHT
0035 0178000000023A100 218 *
219 *      SINGLE PRECISION FIXED MULTIPLY (MUL)
220 *
221 *
222 *      CALLING SEQUENCE
223 *
224 *      ARI      =MULTIPLIER
225 *      ARC      =MULTIPLICAND
226 *
227 *      RETURN
228 *
229 *      AR0/ARI=PRODUCT
230 *
0036 31F823201D91A800 231 MUL8  GEN      /T(MUL9,*),TF2,GFC,MR1,LA3,RF5,FF9,
0037 05880080009000F1 232      CHR1,SC1,WF1,XF1
0038 01E00000013004001 233 MUL1  GEN      /N(MUL2),GF2,FF9,BBF,AA1
234 MUL4  GEN      /N(MUL5),LA2,RF3,VF1,AA1
235 MCTDSB  GEN      /N(MCTDS3),10(WAITMD),6(SPEC),FFB,12(A$SPEC), RC=R8-1
0039 0518000080B1028C 236      C11(B$GPR),23(R8),22(ADNE),17(GPROUT),24(RC)
237 FAULT  GMCK      /N(FAULTA),10(CDS$ALU),5(MEMO),12(A$GPR), LDC OF BCS
003A 05280403619FFFC0 238      C16(RD),11(ELIT),MKFFFC,14(ADD),13(PAUT) E.2***
003B 01E00200009000F1 239 MUL3  GEN      /N(MUL5),GF8,FF9,BBF,AA1 SAMPLE OVERFLOW
003C 01E800000039000F 240 MUL5  GEN      /N(MUL6),FF3,MF1,WR1,AAE ZERD OUT ARE
003D 01F000200000A800 241 MUL6  GEN      /*,MR1,SC1,WF1,XF1
003E 01B000200591A800 242      GEN      /N(MUL8),MR1,RF5,FF9,WR1,SC1,XF1,WF1
003F 020000001801A800 243 MUL9  GEN      /*,LA3,WR1,SC1,WF1,XF1
244      GEN      /T(MUL12,MUL13),TF2,GFA,LB1,FFA, TEST PRODUCT SIGN
0040 1218228020A90001 245      CMF1,WR1,AA1
0041 0580000000A900CF 246 MUL  GEN      /N(MULA),FFA,MF1,WR1,BBC,AAF MOVE MULTIPLICAND
0042 0100000018010401 247 MUL13  GEN      /N(COMPDP),LA3,WR1,SH4,AA1
0043 02100000006700F0 248 MUL12  GEN      /N(MUL13),FF6,CF3,WR1,BBF
249 ADDR1  EQU      *
001A 251 DRG      X*1A
252 *
001A 0278000080000000 253      GEN      /N(FLOAD),6(SPEC),10(WAITMD)
254 *
255      GEN      /N(FSTOR),6(SPEC),10(WAITMD)
001B 02A8000080000000 256 DRG      X*10
001D 0310000084000000 257 $DB  GEN      /N(YT01),10(WAITMD),5(SPEC),13(INCP)
258 * FOLLOWING IS BCS ENTRY POINT-
001E 02F8000080000000 259      GEN      /N(DOSE1),6(SPEC),10(WAITMD)
260 *
261      GEN      /N(FMOVE),6(SPEC),10(WAITMD)
262 *
263 *
264 *
265 *
266 *
267 * ROUTINE TO FETCH PARAMETERS FOR SUBROUTINE INTERFACE
268 *
269 *      CALLING SEQUENCE*
270 *      BCS      1      SUBROUTINE ENTRY POIN
271 *      BCS      X$SAIE  NOS CALL
272 *      DATA    NUMBER OF PARAMETER ADDRESSES
273 *      BCS      N      STORAGE FOR ADDRESSES
274 * NOTE* INDIRECTS ARE RESOLVED
275 *
276 * THE CALLING PROGRAM MUST CALL A SUBROUTINE AS FOLLOWS
277 *      CALL    SUB      SUBROUTINE CALL
278 *      DATA    A,B,C,... PARAMETER ADDRESSES TO BE PASSED
279 *      (MAY BE INCORRECT)
280 *
281 * FORTSE PASSES PARAMETER ADDRESSES FROM THE CALLING PROGRAM TO
282 * THE SUBROUTINE AND SETS A PROPER RETURN ADDRESS
283 *

```



0044	0228000022660110	284	* 285 * 286 *     ORG     ADDR1 287 *     SET MOVE AMOUNT IN SHIFT COUNT 288 FORTSE GEN     /*, 11(B\$SPEC), 23(MIR), 12(A\$SPEC), 22(AZERO), 14(SUB), 289     C16(CRY1), 13(SCOUT) 290 *     WAIT FOR MEMORY 291     GEN     /*, 6(SPEC), 10(WAITMD) 292 *     SET UP FROM PARAMETER ADDRESS 293     GEN     /*, 11(B\$SPEC), 23(MIR), 14(DEC8), 17(GPROUT), 294     C24(R9), 12(A\$SPEC), 22(ADNE) 295 *     RETURN TO NORMAL MICRO CONTROL 296 FORTS4 GEN     /*, 10(IF\$P), 12(A\$GPR), 24(R9), 14(INCA), 297     C16(CRY1), 6(MEMC), 13(INCP), 17(GPROUT) 298 *     FETCH FROM PARAMETER (OR INDIRECT ADDRESS) 299 FORTS1 GEN     /*, 10(DF\$ALU), 12(A\$GPR), 24(R9), 14(INCA), 16(CRY1), 300     C17(GPROUT), 6(MEMC) 301 FORTS2 GEN     /*, 10(DF\$MIR) 302 *     STORE PARAMETER (DUMMY IF INDIRECT) 303 FORTS9 GEN     /*, 11(B\$SPEC), 23(MIR), 17(GPROUT), 304     C24(R8), 14(TRNB), 15(LOG), 5(0), 6(0), 7(\$ALU) 305 *     COMPLETE DATA STORAGE AND INCREMENT MOVE COUNT 306 FORTS5 GEN     /*, 12(A\$GPR), 24(R8), 14(TRNA), 15(LOG), 307     C6(SPEC), 10(WAITMD) 308 *     STORE VALUE 309 FORTS3 GEN     /*, 10(DF\$P), 6(MEMC), 13(INCP), 12(A\$GPR), 310     C24(R8), 14(TRNA), 15(LOG) 311 *     STORE RETURN IF COMPLETE/FETCH NEXT IF NOT 312 FORTS6 GEN     /*, 5(TT), 7(SFTC), 10(DF\$ALU), 6(TESTT), 313     C11(B\$SPEC), 23(OPR), 14(TRNB), 15(LOG), 13(INCSC), 314     C12(A\$GPR), 24(R9) 315 * 316 * 317 * 318 * 319 * 320 * 321 *     ROUTINE TO LOAD DOUBLE WORD FROM MEMORY TO REGISTER A (R0) 322 *     AND B (R1) 323 * 324 *     CALLING SEQUENCE: 325 *     BCS     *8A1A 326 *     ADDRESS OF DOUBLE WORD (MAY BE MULTI LEVEL INDIRECT) 327 * 328 *     RETURN 329 *     TWO WORDS IN A (R0) AND B (R1) 330 * 331 *     FETCH SECOND WORD 332 FLOAD2 GEN     /*, 10(DF\$ALU), 12(A\$GPR), 24(R0), 14(INCA), 333     C16(CRY1), 6(MEMC) 334 *     FETCH CONTENTS OR FETCH NEXT INDIRECT LEVEL 335 FLOAD GEN     /*, 10(DF\$MIR), 6(MEMC) 336 *     SAVE ADDRESS AND LOOP IF INDIRECT 337 FLOAD1 GEN     /*, 5(TT), 11(B\$SPEC), 23(MIR), 14(TRNB), 338     C15(LOG), 7(MIR), 17(GPROUT), 24(R0) 339 *     SAVE FIRST WORD 340 FLOAD3 GEN     /*, 11(B\$SPEC), 23(MIR), 14(TRNB), 15(LOG), 341     C17(GPROUT), 24(R0) 342 *     WAIT TIL MEMORY DONE AND SAVE PC 343     GEN     /*, 6(SPEC), 10(WAITMD), 13(INCP) 344 *     STORE 2ND WORD AND RESTART THE PIPELINE 345     GEN     /*, 7(PUMPS), 1(0), 5(0), 6(MEMC), 10(IF\$P), 346     C11(B\$SPEC), 23(MIR), 14(TRNB), 15(LOG), 17(GPROUT), 24(R1) 347 * 348 * 349 * 350 * 351 * 352 *     ROUTINE TO STORE DOUBLE WORD 353 * 354 *     CALLING SEQUENCE: 355 *     DOUBLE WORD IN A (R0) AND B (R1) 356 *     BCS     *8A1B 357 *     ADDRESS TO STORE DOUBLE WORD (MAY BE MULTILEVEL INDIRECT) 358 * 359 *     RETURN 360 *     DOUBLE WORD STORED 361 * 362 *     COMPLETE R0 (A) STORAGE 363 FSTOR2 GEN     /*, 12(A\$GPR), 24(R0), 14(TRNA), 15(LOG), 364     C6(SPEC), 10(WAITMD) 365 *     FETCH ADDRESS TO STORE (IF MULTILEVEL INDIRECT) 366 FSTOR GEN     /*, 10(DF\$MIR), 6(MEMC) 367 *     STORE A (R0) OR LOOP ON INDIRECT 368 FSTOR1 GEN     /*, 5(TT), 7(MIR), 10(DF\$OVR), 6(TESTF), 369     C12(A\$GPR), 24(R0), 14(TRNA), 15(LOG) 370 *     STORE B (R1) 371 FSTOR3 GEN     /*, 10(DF\$ALU), 11(B\$SPEC), 23(MIR), 14(INCB), 16(CRY1), 372     C12(A\$SPEC), 22(AZERO), 6(MEMC) 373 *     COMPLETE STORAGE AND RESTART PIPELINE 374     GEN     /*, 10(IF\$P), 6(MEMC), 13(INCP), 12(A\$GPR), 375     C24(R1), 14(TRNA), 15(LOG) 376 * 377 *	00 00287 00 00288 00 00289 00 00290 00 00291 00 00292 00 00293 00 00294 00 00295 00 00296 E.2***** 00 00298 E.2***** 00 00300 00 00301 E.2***** 00 00303 00 00304 00 00305 00 00306 00 00307 00 00308 00 00309 00 00310 00 00311 00 00312 00 00313 00 00314 00 00315 00 00316 E.2***** 00 00318 00 00319 00 00321 00 00322 00 00323 00 00324 00 00325 00 00 00 00 00 00328 00 00329 00 00330 00 00331 00 00332 00 00333 00 00334 00 00335 00 00336 00 00337 00 00338 00 00339 00 00340 00 00341 00 00342 00 00343 00 00344 00 00345 00 00346 00 00347 00 00348 00 00349 00 00350 00 00351 00 00352 00 00353 00 00354 00 00355 00 00356 00 00357 00 00358 00 00359 00 00360 00 00361 00 00362 00 00363 00 00364 00 00365 00 00366 00 00367 00 00368 00 00369 00 00370 00 00371 00 00 00 00374 00 00375 00 00376 00 00377 00 00378 00 00379 00 00380
------	------------------	-----	--	---



```

378 *
380 *
381 *
382 * ROUTINE TO PERFORM MEMORY TO MEMORY DOUBLE WORD MOVE
383 *
384 * CALLING SEQUENCE:
385 * BCS *8A1F
386 * ADDRESS OF SOURCE (MAY BE MULTILEVEL INDIRECT)
387 * ADDRESS OF TARGET (MAY BE MULTILEVEL INDIRECT)
388 *
389 * RETURN
390 * A (R0) AND B (R1) ARE DESTROYED, DOUBLE WORD IS STORED
391 *
392 *
393 *
394 *
395 *
396 *
397 *
398 *
399 *
400 *
401 *
402 *
403 *
404 *
405 *
406 *
407 *
408 *
409 *
410 *
411 *
412 *
413 *
414 *
415 *
416 *
417 *
418 *
419 *
420 *
421 *
422 *
423 *
424 *
425 *
426 *
427 *
428 *
429 *
430 *
431 *
432 *
433 *
434 *
435 *
436 *
437 *
438 *
439 *
440 *
441 *
442 *
443 *
444 *
445 *
446 *
447 *
448 *
449 *
450 *
451 *
452 *
453 *
454 *
455 *
456 *
457 *
458 *
459 *
460 *
461 *
462 *
463 *
464 *
465 *
466 *
467 *
468 *
469 *
470 *
471 *
472 *
473 *
474 *
475 *
476 *
477 *
478 *
479 *
480 *
481 *
482 *
483 *
484 *
485 *
486 *
487 *
488 *
489 *
490 *
491 *
492 *
493 *
494 *
495 *
496 *
497 *
498 *
499 *
500 *
501 *
502 *
503 *
504 *
505 *
506 *
507 *
508 *
509 *
510 *
511 *
512 *
513 *
514 *
515 *
516 *
517 *
518 *
519 *
520 *
521 *
522 *
523 *
524 *
525 *
526 *
527 *
528 *
529 *
530 *
531 *
532 *
533 *
534 *
535 *
536 *
537 *
538 *
539 *
540 *
541 *
542 *
543 *
544 *
545 *
546 *
547 *
548 *
549 *
550 *
551 *
552 *
553 *
554 *
555 *
556 *
557 *
558 *
559 *
560 *
561 *
562 *
563 *
564 *
565 *
566 *
567 *
568 *
569 *
570 *
571 *
572 *
573 *
574 *
575 *
576 *
577 *
578 *
579 *
580 *
581 *
582 *
583 *
584 *
585 *
586 *
587 *
588 *
589 *
590 *
591 *
592 *
593 *
594 *
595 *
596 *
597 *
598 *
599 *
600 *
601 *
602 *
603 *
604 *
605 *
606 *
607 *
608 *
609 *
610 *
611 *
612 *
613 *
614 *
615 *
616 *
617 *
618 *
619 *
620 *
621 *
622 *
623 *
624 *
625 *
626 *
627 *
628 *
629 *
630 *
631 *
632 *
633 *
634 *
635 *
636 *
637 *
638 *
639 *
640 *
641 *
642 *
643 *
644 *
645 *
646 *
647 *
648 *
649 *
650 *
651 *
652 *
653 *
654 *
655 *
656 *
657 *
658 *
659 *
660 *
661 *
662 *
663 *
664 *
665 *
666 *
667 *
668 *
669 *
670 *
671 *
672 *
673 *
674 *
675 *
676 *
677 *
678 *
679 *
680 *
681 *
682 *
683 *
684 *
685 *
686 *
687 *
688 *
689 *
690 *
691 *
692 *
693 *
694 *
695 *
696 *
697 *
698 *
699 *
700 *
701 *
702 *
703 *
704 *
705 *
706 *
707 *
708 *
709 *
710 *
711 *
712 *
713 *
714 *
715 *
716 *
717 *
718 *
719 *
720 *
721 *
722 *
723 *
724 *
725 *
726 *
727 *
728 *
729 *
730 *
731 *
732 *
733 *
734 *
735 *
736 *
737 *
738 *
739 *
740 *
741 *
742 *
743 *
744 *
745 *
746 *
747 *
748 *
749 *
750 *
751 *
752 *
753 *
754 *
755 *
756 *
757 *
758 *
759 *
760 *
761 *
762 *
763 *
764 *
765 *
766 *
767 *
768 *
769 *
770 *
771 *
772 *
773 *
774 *
775 *
776 *
777 *
778 *
779 *
780 *
781 *
782 *
783 *
784 *
785 *
786 *
787 *
788 *
789 *
790 *
791 *
792 *
793 *
794 *
795 *
796 *
797 *
798 *
799 *
800 *
801 *
802 *
803 *
804 *
805 *
806 *
807 *
808 *
809 *
810 *
811 *
812 *
813 *
814 *
815 *
816 *
817 *
818 *
819 *
820 *
821 *
822 *
823 *
824 *
825 *
826 *
827 *
828 *
829 *
830 *
831 *
832 *
833 *
834 *
835 *
836 *
837 *
838 *
839 *
840 *
841 *
842 *
843 *
844 *
845 *
846 *
847 *
848 *
849 *
850 *
851 *
852 *
853 *
854 *
855 *
856 *
857 *
858 *
859 *
860 *
861 *
862 *
863 *
864 *
865 *
866 *
867 *
868 *
869 *
870 *
871 *
872 *
873 *
874 *
875 *
876 *
877 *
878 *
879 *
880 *
881 *
882 *
883 *
884 *
885 *
886 *
887 *
888 *
889 *
890 *
891 *
892 *
893 *
894 *
895 *
896 *
897 *
898 *
899 *
900 *
901 *
902 *
903 *
904 *
905 *
906 *
907 *
908 *
909 *
910 *
911 *
912 *
913 *
914 *
915 *
916 *
917 *
918 *
919 *
920 *
921 *
922 *
923 *
924 *
925 *
926 *
927 *
928 *
929 *
930 *
931 *
932 *
933 *
934 *
935 *
936 *
937 *
938 *
939 *
940 *
941 *
942 *
943 *
944 *
945 *
946 *
947 *
948 *
949 *
950 *
951 *
952 *
953 *
954 *
955 *
956 *
957 *
958 *
959 *
960 *
961 *
962 *
963 *
964 *
965 *
966 *
967 *
968 *
969 *
970 *
971 *
972 *
973 *
974 *
975 *
976 *
977 *
978 *
979 *
980 *
981 *
982 *
983 *
984 *
985 *
986 *
987 *
988 *
989 *
990 *
991 *
992 *
993 *
994 *
995 *
996 *
997 *
998 *
999 *

```



Address	Label	OpCode	Description	Comments	Hex
474	*		IF VALUE LT LIMIT RETURN		00 00477
475	*				00 00478
006C 737831C080000000	LIM4	GEN	/T(NEXT,RETURN),5(FT),7(ALUS),10(WAITMD),6(SPEC)		00 00479
477	LIM3	GEN	/N(LIM4),12(A\$GPR),24(RF),11(B\$SPEC),23(MIR),14(SUB),		00 00480
006D 036000802067001F	RETURN	GEN	C17(GPROUT),16(CRY1),5(0),6(0),7(S\$ALU)		00 00481
479	RETURN	GEN	/N(SS2M),7(PJMP\$),1(0),10(IF\$MIR),11(B\$SPEC),23(MIR),		00 00482
006E 04900906P1A80010	NEXT	GEN	C14(TRNB),15(LDG),13(POUT),6(MEMC\$)		00 00483
006F 0490090404000000	YDD2	GEN	/N(SS2M),7(PJMP\$),1(0),10(IF\$P),6(MEMC\$),13(INCP)		00 00484
481	NEXT	GEN	/N(\$DD1),11(A\$GPR),24(RC),14(TRNA),15(LDG),		00 00485
0070 0320008000F9000C	FORTS8	GEN	C17(GPROUT),5(0),6(0),7(S\$ALU)		00 00486
0071 624821C000000000	ADDR2	EQU	/T(FORTS2,FORTS3),5(TT),7(ALUS)		00 00487
0072 0072	ADDR2	EQU	*		00 00488
487	*				00 00489
488	*				00 00490
489	*		MUST BE ASSEMBLED WITH SUPPLEMENTAL OPCODE EQUATE DECK		00 00491
490	*				00 00492
491	*				00 00493
0019 0200	P	EQU	X*200	PAGE 1 ADDRESS	00 00494
492	P	ORG	X*19		00 00495
493	STACKS	GEN	/N(STACK1),12(A\$P),14(DECA),	SAVE PROGRAM COUNTER	00 00496
0019 03B8000088F10009	STACKS	GEN	C15(000),17(GPROUT),24(R9),10(WAITMD),6(SPEC)		00 00497
495	*				00 00498
0072	ADDR2	ORG	ADDR2		00 00499
496	*				00 00500
497	*				00 00501
498	*				00 00502
0072 04F0000020A90010	INCR0B	GEN	/N(INCTOS),	TRANSFER MIR TO GPR	00 00503
0073 0548040280000008	INCLR1	GEN	C11(B\$SPEC),23(MIR),14(TRNB),15(LDG),		00 00504
501	INCLR1	GEN	C17(GPROUT),24(R0)		00 00505
502	INCLR1B	GEN	/N(INCR1A),10(DF\$ALU),6(MEMC),24(R8)		00 00506
503	INCLR1B	GEN	/N(INCTOS),	TRANSFER MIR TO GPR	00 00507
0074 04F0000020A90011	INCLRB	GEN	C11(B\$SPEC),23(MIR),14(TRNB),15(LDG),		00 00508
0075 0540040280000008	INCLRB	GEN	C17(GPROUT),24(R1)		00 00509
506	INCLRB	GEN	/N(INCRBA),10(DF\$ALU),6(MEMC),24(R8)		00 00510
507	INCLRB	GEN	/N(INCTOS),	TRANSFER MIR TO GPR	00 00511
0076 04F0000020A9001B	STACK1	GEN	C11(B\$SPEC),23(MIR),14(TRNB),15(LDG),		00 00512
509	STACK1	GEN	C17(GPROUT),24(RB)		00 00513
510	STACK1	GEN	/T(STACK3,STACK2),5(FT),7(MIRS),	SAVE STACK CONTROL BLK00	00 00514
0077 43C832C020A9001D	STACK2	GEN	C11(B\$SPEC),17(GPROUT),24(RD),	PTR IN 'P', TEST FOR.2***	00 00515
0078 00C8040685000000	STACK2	GEN	C23(MIR),14(TRNB),15(LDG)	INDIRECT ADDRESS	00 00516
0079 0558040680000000	STACK3	GEN	/N(STACKS),10(DF\$MIR),6(MEMC),13(INOSC)	INDIRECT,TRY NEXT00	00 00517
513	STACK3	GEN	/N(STACK5),10(DF\$MIR),6(MEMC)	GET TOP OF STACK PTR	00 00518
514	STACK4	GEN	/F(SADD),FS9,2(X*7),11(B\$SPEC),23(MIR),	SAVE PTR IN R8	00 00519
007A 043A400020A90018	STACK4	GEN	C14(TRNB),15(LDG),17(GPROUT),24(R8)	FIELD SLELCT 5-7	00 00520
515	*				00 00521
516	*				00 00522
007B 0560040480000000	SADD3	GEN	/N(SADD3),10(DF\$P),6(MEMC)	FETCH NEXT DATA	00 00523
519	SADD4	GEN	/N(SADD5),11(B\$SPEC),23(MIR),14(TRNB),	TRANSFER DATA TO	00 00524
007C 03E8000020A9001A	SADD4	GEN	C15(LDG),17(GPROUT),24(RA)	RA	00 00525
521	SADD5	GEN	/N(SADD5),10(DF\$P),6(MEMC),12(A\$GPR),24(RB),		00 00526
007D 03F00585009100AB	SADD5	GEN	C14(ADD),11(B\$GPR),23(RA),17(GPROUT),5(0),7(S\$OVFL)		00 00527
007E 0488000080F8000B	SADD6	GEN	/N(SEXIT),10(WAITMD),12(A\$GPR),24(RB),14(TRNA),15(LDG)		00 00528
524	*		STORE RESULT OF RA + RB		00 00529
525	*				00 00530
007F 0568040480000000	SSUB3	GEN	/N(SSUBA),10(DF\$P),6(MEMC)	FETCH NEXT DATA	00 00531
527	*				00 00532
528	*				00 00533
529	*				00 00534
530	*				00 00535
0080 13A80006E00027B2	SSUB	GMSK	/P(INCLRB+P),IMD,LB3,15(SADD3+P),AK2	INCR STACK PTR	00 00536
0081 13A80006E00027F2	SSUB	GMSK	/P(INCLRB+P),IMD,LB3,15(SSUB3+P),AK2	INCR STACK PTR	00 00537
0082 13980006E00028A2	SMUL	GMSK	/P(INCLR1+P),IMD,LB3,15(SMUL3+P),AK2	INCR STACK PTR	00 00538
0083 15380006E0002952	SDIV	GMSK	/P(INCLRO+P),IMD,LB3,15(SDIV5+P),AK2	INCR STACK PTR	00 00539
0084 14E80006E00029A2	PUSH\$	GMSK	/P(DECTOS+P),IMD,LB3,15(PUSH1+P),AK2	DECR TOP OF STACK00	00 00540
0085 14E80006E0002992	PUSHD	GMSK	/P(DECTOS+P),IMD,LB3,15(PUSHD1+P),AK2	DECR TOP OF STACK00	00 00541
0086 15380006E0002912	POP	GMSK	/P(INCLRO+P),IMD,LB3,15(SEXIT+P),AK2	INCR STACK PTR	00 00542
0087 15380006E0002882	POP\$	GMSK	/P(INCLRO+P),IMD,LB3,15(POPDA+P),AK2	INCR STACK PTR	00 00543
0088 13980006E0002912	POPDA	GMSK	/P(INCLR1+P),IMD,LB3,15(SEXIT+P),AK2	INCR STACK PTR	00 00544
531	*				00 00545
532	*				00 00546
0089 03E800002027011A	SSUB4	GEN	/N(SADD5),12(A\$SPEC),22(AZERD),11(B\$SPEC),		00 00547
543	SMUL3	GEN	C23(MIR),14(TCB),16(CRY1),17(GPROUT),24(RA)		00 00548
008A 0458040480A90003	SMUL3	GEN	/N(SMUL4),10(DF\$P),6(MEMC),11(B\$GPR),23(R0),		00 00549
544	SMUL4	GEN	C14(TRNB),15(LDG),17(GPROUT),24(RB)		00 00550
008B 0460000080390000	SMUL4	GEN	/N(SMUL6),10(WAITMD),6(SPEC),14(ZERD),		00 00551
546	SMUL6	GEN	C15(LDG),17(GPROUT),24(RB)		00 00552
008C 0468000020A9001F	SMUL6	GEN	/N(SMUL7),11(B\$SPEC),23(MIR),14(TRNB),	RF = MULTIPLICAND00	00 00553
008D 15800006E00028E2	SMUL7	GMSK	C15(LDG),17(GPROUT),24(RT)		00 00554
549	SMUL8	GMSK	/P(MULA+P)-IMD,LB3,15(SMULO+P),AK2	MULTIPLY SUBROUTINE00	00 00555
008E 0478040300F80008	SMUL8	GEN	/N(SMUL9),12(A\$GPR),24(RB),14(TRNB),		00 00556
551	SMUL9	GEN	C15(LDG),10(B\$ALU),6(MEMC)		00 00557
008F 0480000080F80001	SMUL9	GEN	/N(SMUL12),12(A\$GPR),24(R1),14(TRNB),15(LDG),10(WAITMD)		00 00558
0090 14E80006E0002922	SMUL12	GMSK	/P(DECTOS+P),IMD,LB3,15(SMUL10+P),AK2	DECR TOP OF STACK00	00 00559
553	SEXIT	GMSK	/P(SS2M),10(IF\$ALU),7(PJMP\$),	PROG CNTR = 99+1 00	00 00560
554	*		06(MEMC\$),12(A\$GPR)-AK9,	FETCH NEXT INSTR00	00 00561
0091 04900902619FFFD9	SMUL13	GEN	C13(POUT),11(LIT),14(ADD),MKFFD		00 00562
557	SMUL13A	GEN	/N(SMUL13A),10(DF\$P),6(MEMC),11(B\$GPR),		00 00563
0092 0498040500A900A1	SMU13A	GEN	C23(RA),14(TRNB),15(LDG),17(GPROUT),24(R1)		00 00564
0093 04A0000080F80000	SMU14	GEN	/N(SMU14),12(A\$GPR),24(R0),14(TRNA),15(LDG),10(WAITMD)		00 00565
560	*		/N(SEXIT),11(B\$GPR),23(RB),14(TRNB),15(LDG),		00 00566
0094 0488000000A900B0	SDIV5	GMSK	C17(GPROUT),24(R0)		00 00567
562	*				00 00568
563	*				00 00569
0095 13980006E0002962	SDIV5	GMSK	/P(INCLR1+P),IMD,LB3,15(SDIV5+P),AK2	INCR STACK PTR	00 00570
0096 0570040280000008	SDIV8	GEN	/N(SDIVY),10(DF\$ALU),6(MEMC),24(RB)		00 00571
565	SDIV9	GEN	/N(SDIV10),11(B\$SPEC),23(MIR),14(TRNB),	RF = DIVISOR	00 00572
566	*				00 00573
567	*				00 00574



E.2 VORTEX LISTING

FPPMCS

PROGRAM PAGE 7

LISTING PAGE ( 495)

0097	04C0000020A9001C	568			C15(LOG),17(GPROUT),24(RC)	00	00571
0098	11800006E00028E2	569	S DIV10	GMSK	/P(DIV+P),1MD,LB3,15(\$MUL8+P),AK2	00	00572
		570	*			00	00573
		571	*			00	00574
		572	PUSHD1	GEN	/N(PUSH5),10(\$SALU),6(MEMC),12(A\$GPR), STORE R1 ON TO	00	00575
0099	04E0040300F80008	573			C24(R8),14(TRNA),15(LOG)	00	00576
		574	*		TOP OF STACK	00	00577
		575	*			00	00578
		576	PUSH1	GEN	/N(PUSH2),10(\$SALU),6(MEMC),12(A\$GPR), STORE R0 ON TO TOP	00	00579
009A	04D8040300F80008	577			C24(R8),14(TRNA),15(LOG)	00	00580
009B	0488000080000000	578	PUSH2	GEN	/N(SEXIT),10(WAITMD)	00	00581
009C	0420000080F80001	579	PUSH5	GEN	/N(PUSH5),AA1,10(WAITMD),14(TRNA),15(LOG)	00	00582
		580	*			00	00583
		581	*			00	00584
		582	DECTOS	GEN	/N(MCTOS),12(A\$GPR), CTOS=CTOS+1, STORE	00	00585
009D	04F8000000F10008	583			C24(R8),14(DECA),17(GPROUT)	00	00586
		584	INCTOS	GEN	/N(MCTOS),12(A\$GPR), CTOS=CTOS+1, STORE	00	00587
009E	04F8000000070008	585			C24(R8),14(INCA),16(CRY1),17(GPROUT)	00	00588
009F	050004030100000D	586	MCTOS	GEN	/N(MCTOSX),10(\$SALU),6(MEMC),24(RD),13(POUT)	00	00589
		587	MCTOSX	GEN	/N(MCTOSA),10(\$SALU),6(MEMC),13(INCP), READ STACK LD LIMIT	00	00590
00A0	0578040434F80008	588			CBB0,AA8,14(TRNA),15(LOG)	00	00591
		589	MCTOS1	GEN	/N(MCTOS2),12(A\$GPR),24(R8),11(B\$SPEC), CTOS<LD LIMIT-100	00	00592
00A1	0510008020660018	590			C23(MIR),14(SUB),16(\$),5(\$),6(\$),7(\$SALU)	00	00593
		591	MCTOS2	GEN	/T(MCTOSB,FAULT),10(\$SALU),6(MEMC), READ HI LIMIT, GO TO	00	00594
00A2	51C835C484000000	592			C13(INCP),5(\$),7(ALUS)	00	00595
		593	MCTOS3	GEN	/N(MCTOS4),12(A\$GPR),24(RC),11(B\$SPEC), CTOS<HI LIMIT	00	00596
00A3	052000802060001C	594			C23(MIR),14(SUB),16(\$),5(\$),6(\$),7(\$SALU)	00	00597
		595	MCTOS4	GEN	/T(COMPPOP,FAULT),5(\$),7(ALUS),12(A\$GPR), TEST HI LIM	00	00598
00A4	D10021C001F80008	596			C24(R8),14(TRNA),15(LOG),13(POUT)	00	00599
		597	*			00	00600
		598	FAULTA	GEN	/N(FAULT1),12(A\$GPR),10(WAITMD),	00	00601
00A5	0530000080F80009	599			C24(R8),14(TRNA),15(LOG)	00	00602
00A6	09F00006E4000014	600	FAULT1	GEN	/P(SS1M),1MD,LB3,AA4,DB1,RF4	00	00603
		601	*		BRANCH/DELETE	00	00604
00A7	0550040280000008	602	INCLR0	GEN	/N(INCR0A),10(\$SALU),6(MEMC),24(R8)	00	00605
00A8	03B0000080000000	603	INCRBA	GEN	/N(INCR0B),10(WAITMD),6(SPEC)	00	00606
		604	INCR1A	GEN	/N(INCR1B),10(WAITMD),6(SPEC)	00	00607
00A9	03A0000080A9001A	605			C11(B\$GPR),23(R1),14(TRNB),15(LOG),17(GPROUT),24(RA)	00	00608
		606	INCR0A	GEN	/N(INCR0B),10(WAITMD),6(SPEC)	00	00609
00AA	0390000080A9000B	607			C11(B\$GPR),23(R0),14(TRNB),15(LOG),17(GPROUT),24(RB)	00	00610
00AB	03D0000080000000	608	STACK5	GEN	/N(STACK4),10(WAITMD),6(SPEC)	00	00611
00AC	03E0000080000000	609	SADDA	GEN	/N(SADD4),10(WAITMD),6(SPEC)	00	00612
00AD	0448000080000000	610	SSUBA	GEN	/N(SSUB4),10(WAITMD),6(SPEC)	00	00613
00AE	04B8000080000000	611	S DIV9	GEN	/N(SDIV9),10(WAITMD),6(SPEC)	00	00614
00AF	0508000080000000	612	MCTOSA	GEN	/N(MCTOS1),10(WAITMD),6(SPEC)	00	00615
		613	MULA	GMSK	/T(MUL1,MUL4),TF3,CF3,LB3,RF2, SET SHIFT COUNTER	00	00616
00B0	41B8334062A000E0	614			CMK000E	00	00617
00B1	61D8224013004001	615	MUL2	GEN	/T(MUL3,MUL5),TF2,CF3,LA2,RF3,VF1,AA1	00	00618
	00B2	616	ADDR3	EQU	*	00	00619
		618	*			00	00620
		619	*			00	00621
		620	*			00	00622
		621	*			00	00623
		622	*			00	00624
		623	*			00	00625
		624	*			00	00626
		625	*			00	00627
		626	*			00	00628
		627	*			00	00629
		628	*			00	00630
		629	*			00	00631
0018		630			ORG X*18	00	00632
0018	170A400000000000	631			GEN /F(CBS),FS9,2(1)	00	00633
00B2		632			ORG ADDR3	00	00634
		633	*		SET ALU FLAGS FROM BYTE NUMBER OF DEST PTR. JUMP ON SOURCE BYTE	00	00635
		634	MBS4	GMSK	/F(MBS2),FS2,2(1),12(A\$GPR),16(R2),11(LIT),15(X'FFFF),	00	00636
00B2	2588808060BFFFE2	635			C14(AND),7(\$SALU)	00	00637
		636	*		DEC SOURCE ADDR. PUT IT IN P. SET BYTE FLAG FROM SOURCE PTR.	00	00638
00B3	0590000019F00401	637	MBS1	GEN	/N(MBS4),12(A\$GPR),24(R1),23(4),14(DEC),13(POUT)	00	00639
		638	*		MBS2-MBS3 IS A 2-WORD TABLE WHICH MUST START ON AN EVEN ADDRESS	00	00640
		639	*		SELECT ROUTINE - L TO L, L TO R, R TO R OR R TO L BYTE MOVE	00	00641
		640	MBS2	GEN	/T(MBS5,MBS6),5(\$),12(A\$GPR),24(R2),14(DEC),	00	00642
00B4	35B8224000F10002	641			C17(GPROUT),7(ALUS)	00	00643
		642	MBS3	GEN	/T(MBS7,MBS4),5(\$),12(A\$GPR),24(R2),14(DEC),	00	00644
00B5	65D8324000F10002	643			C17(GPROUT),7(ALUS)	00	00645
		644	*			00	00646
		645	*			00	00647
		646	*			00	00648
		647	MBS20	GEN	/N(MBS21),10(\$SALU),6(MEMC),11(B\$SPEC),23(CALZ),	00	00649
00B6	06600404A4A80070	648			C14(TRNB),15(LOG),13(INCP)	00	00650
		649	*			00	00651
		650	*			00	00652
		651	MBS5	GEN	/N(MBS6),12(\$SALU),6(MEMC),11(B\$SPEC),23(CALZ),14(TRNB),	00	00653
00B7	05C00404A4A80010	652			C15(LOG),13(INCP)	00	00654
		653	*		DECREMENT BYTE COUNT	00	00655
00B8	05C8009000F10000	654	MBS6	GEN	/N(MBS7),12(A\$GPR),24(R0),14(DEC),17(GPROUT),7(\$SALU)	00	00656
		655	*		INCREMENT DEST PTR. TEST FOR DONE - LOOP OR RETURN.	00	00657
		656	MBS7	GEN	/T(MBS8,MBS4),5(\$),7(ALUS),12(A\$GPR),24(R2),14(INCA),	00	00658
00B9	364031C080070002	657			C16(CRY1),17(GPROUT),6(SPEC),13(WAITMD)	00	00659
		658	*			00	00660
		659	MBS25	GEN	/N(MBS15),10(\$SALU),6(MEMC),12(A\$GPR),24(R2),22(4),	00	00661
00BA	0670040398F80402	660			C14(TRNA),15(LOG)	00	00662
		661	*			00	00663



```

662 *
663 * START R TO R STRING MOVE - FETCH A WORD
00BB 05E8040484000000 664 MBS9 GEN /N(MBS11),10(DF$P),6(MEMC),13(INCP)
665 * START R TO L BYTE MOVE - FETCH A WORD
00BC 0648040484000000 666 MBS14 GEN /N(MBS16),10(DF$P),6(MEMC),13(INCP)
667 * DECREMENT BYTE COUNT
00BD 05F0008000F10000 668 MBS11 GEN /N(MBS12),12(A$GPR),24(R0),14(DECA),17(GPROUT),7($ALU)
669 * INCREMENT DESTINATION PTR. TEST FOR DONE - LOOP OR RETURN.
00BE 363831C080070002 670 MBS12 GEN /T(MBS13,MBS24),5(FT),7(ALUS),12(A$GPR),24(R2),
671 C14(INCA),16(CRY1),17(GPROUT),6(SPEC),10(WAITMD)
672 * FINISH L TO L BYTE STORE
00BF 05E80000A0A80010 673 MBS10 GEN /N(MBS11),11(B$SPEC),23(MIR),14(TRNB),15(LOG),
674 C6(SPEC),10(WAITMD)
675 *
676 *
677 *
678 * CBS4 IS A 4-WORD TABLE WHICH MUST START AT AN ADDR DIV BY X'10
679 * START LOOP FETCH WORD FROM STRING1 IF FIRST-READ OR IF L BYTE
00C0 06D8040298F80401 680 CBS4 GEN /N(CBS5),10(DF$ALU),6(MEMC),12(A$GPR),24(R1),22(4),
681 C14(TRNA),15(LOG)
00C1 06E80000000070001 682 GEN /N(CBS7),12(A$GPR),24(R1),14(INCA),16(CRY1),17(GPROUT)
683 GEN /N(CBS5),10(DF$ALU),6(MEMC),12(A$GPR),24(R1),22(4),
00C2 06D8040298F80401 684 C14(TRNA),15(LOG)
685 GEN /N(CBS5),10(DF$ALU),6(MEMC),12(A$GPR),24(R1),22(4),
00C3 06D8040298F80401 686 C14(TRNA),15(LOG)
687 *
688 * TRANSFER DATA WORD TO OPERAND REG FOR BYTE SHIFT
00C4 05D0000023A80010 689 MBS23 GEN /N(MBS25),11(B$SPEC),23(MIR),14(TRNB),15(LOG),13(OPROUT)
690 * TRANSFER SOURCE WORD TO OPERAND REG FOR BYTE SHIFT
00C5 0658000023A80010 691 MBS18 GEN /N(MBS19),11(B$SPEC),23(MIR),14(TRNB),15(LOG),13(OPROUT)
692 *
693 * RESTORE P FROM R9 AND RETURN
00C6 0490000181F80009 694 MBS24 GEN /P(SS2M),10(PJMP),12(A$GPR),24(R9),14(TRNA),15(LOG),
695 C13(POUT)
696 * INITIATE R TO R BYTE STORE
00C7 05B8040398F80402 697 MBS13 GEN /N(MBS5),10(B$ALU),6(MEMC),12(A$GPR),24(R2),22(4),
698 C14(TRNA),15(LOG)
699 * INITIATE L TO L BYTE STORE
00C8 05F8040398F80402 700 MBS8 GEN /N(MBS10),10(B$ALU),6(MEMC),12(A$GPR),24(R2),22(4),
701 C14(TRNA),15(LOG)
702 * DECREMENT BYTE COUNT
00C9 0650008000F10000 703 MBS16 GEN /N(MBS17),12(A$GPR),24(R0),14(DECA),17(GPROUT),7($ALU)
704 * WAIT FOR FETCH, INCREMENT DEST PTR, TEST FOR DONE
00CA 362831C080070002 705 MBS17 GEN /T(MBS18,MBS24),5(FT),7(ALUS),12(A$GPR),24(R2),
706 C14(INCA),16(CRY1),17(GPROUT),6(SPEC),10(WAITMD)
707 * INITIATE R TO L BYTE STORE, FINISH PREVIOUS BYTE STORE
00CB 05B0040398F80402 708 MBS19 GEN /N(MBS20),10(B$ALU),6(MEMC),12(A$GPR),24(R2),22(4),
709 C14(TRNA),15(LOG)
710 * DECREMENT BYTE COUNT
00CC 0668008000F10000 711 MBS21 GEN /N(MBS22),12(A$GPR),24(R0),14(DECA),17(GPROUT),7($ALU)
712 * INCREMENT DEST PTR, WAIT FOR FETCH, TEST FOR DONE
00CD 362031C080070002 713 MBS22 GEN /T(MBS23,MBS24),5(FT),7(ALUS),12(A$GPR),24(R2),
714 C14(INCA),16(CRY1),17(GPROUT),6(SPEC),10(WAITMD)
715 * FINISH L TO R BYTE STORE
00CE 06480000A0A80050 716 MBS15 GEN /N(MBS16),11(B$SPEC),23(OLSE),14(TRNB),15(LOG),
717 C6(SPEC),10(WAITMD)
718 *
719 *
720 * COMPARE BYTE STRING
721 *
722 * CALL: DATA 0105030
723 * DATA UNEQUAL JUMP ADDRESS
724 *
725 * ON ENTRY: B REG - BYTE POINTER TO STRING 1
726 * X REG - BYTE POINTER TO STRING 2
727 * A REG - NUMBER OF BYTES TO BE COMPARED
728 *
729 * EXIT CONDITIONS: IF THE TWO STRINGS ARE NOT EQUAL, THE SECOND
730 * WORD IS USED AS A DIRECT JUMP ADDRESS. OTHERWISE,
731 * EXECUTION CONTINUES AFTER THE SECOND WORD.
732 * POINTERS POINT TO THE BYTE AFTER THE LAST BYTE READ.
733 * OVERFLOW IS SET IF STRING 1 IS GREATER, ELSE RESET.
734 *
735 * WAIT FOR PARAMETER FETCH, SET SHFT AS FIRST-READ FLAG
00CF 06A800008039400E 736 CBS0 GEN /N(CBS1),6(SPEC),10(WAITMD),12(A$GPR),24(R0),
737 C19($SHFT),14(ZERO),15(LOG),17(GPROUT)
738 * CBS10 IS A 2-WORD TABLE WHICH MUST START ON AN ADDR DIV BY X'10
739 * START WORD FETCH FROM STRING2 IF FIRST-READ OR IF L BYTE
00D0 06F0040298F80402 740 CBS10 GEN /N(CBS11),10(DF$ALU),6(MEMC),12(A$GPR),24(R0),22(4),
741 C14(TRNA),15(LOG)
742 * STRING2 R BYTE - INCREMENT STRING2 PTR AND GO USE OLD WORD
00D1 07200000000070002 743 GEN /N(CBS13),12(A$GPR),24(R2),14(INCA),16(CRY1),17(GPROUT)
744 * RETURN
00D2 0490090400000000 745 CBS18 GEN /N(SS2M),7(PJMP),1(0),10(IF$P),6(MEMC)
746 * SET OVFL IF STRING1 IS GREATER
00D3 0690048000000000 747 CBS17 GEN /N(CBS18),6(MEMC),7(R)
748 * TEST FOR DONE (UNEQUAL) OR LOOP (EQUAL), CLEAR FIRST-READ FLAG
00D4 362832400000400E 749 CBS19 GEN /T(CBS16,CBS2),5(FT),7(ALUS),12(A$GPR),24(R0),
750 C19($SHFT)
751 * SAVE PARAMETER IN R0, INC P PAST PARAMETER, RESET OVFL
00D5 06B0050024A9001F 752 CBS1 GEN /N(CBS2),11(B$SPEC),23(MIR),14(TRNB),15(LOG),
753 C17(GPROUT),24(R0),7(4),6(MEMC),13(INCP)
754 * DECREMENT BYTE COUNT
    
```

00 00665  
00 00666  
00 00667  
00 00668  
00 00669  
00 00670  
00 00671  
00 00672  
00 00673  
00 00674  
00 00675  
00 00676  
00 00677  
00 00678  
00 00679  
00 00680  
00 00681  
00 00682  
00 00683  
00 00684  
00 00685  
00 00686  
00 00687  
00 00688  
00 00689  
00 00690  
00 00691  
00 00692  
00 00693  
00 00694  
00 00695  
E.2\*\*\*\*\*  
E.2\*\*\*\*\*  
E.2\*\*\*\*\*  
00 00699  
00 00700  
00 00701  
00 00702  
00 00703  
00 00704  
00 00705  
00 00706  
00 00707  
00 00708  
00 00709  
00 00710  
00 00711  
00 00712  
00 00713  
00 00714  
00 00715  
00 00716  
00 00717  
00 00718  
00 00719  
00 00720  
00 00721  
00 00722  
00 00723  
00 00724  
00 00725  
00 00726  
00 00727  
00 00728  
00 00729  
00 00730  
00 00731  
00 00732  
00 00733  
00 00734  
00 00735  
00 00736  
00 00737  
00 00738  
00 00739  
00 00740  
00 00741  
00 00742  
00 00743  
00 00744  
00 00745  
00 00746  
00 00747  
00 00748  
00 00749  
00 00750  
00 00751  
00 00752  
00 00753  
00 00754  
00 00755  
00 00756  
00 00757



```

00D6 06D0009000F10000 755 CBS2 GEN /N(CBS3),12(A$GPR),24(R0),14(DECA),17(GPROUT),7(S$ALU) 00 00758
756 * UNEQUAL RETURN - SET P TO RF 00 00759
757 CBS16 GEN /T(CBS17,CBS18),5(FT),12(A$GPR),24(RF),14(TRNA), 00 00760
00D7 169831C001F8000F 758 C15(LOG),13(POUT),7(ALUS) 00 00761
759 * CBS8-CBS9 IS A 2-WORD TABLE WHICH MUST START ON AN EVEN ADDRESS 00 00762
760 * MOVE STRING1 L BYTE TO OPERAND REG 00 00763
761 CBS8 GEN /N(CBS9),12(A$GPR),24(R2),22(4),11(B$SPEC),23(DLSE), 00 00764
00D8 06C800003BA80452 762 C14(TRNB),15(LOG),13(OPROUT) 00 00765
763 * PUT STRING1 BYTE IN RC, RT-ADJUSTED, ZERO-FILLED, SELECT STR2 RTN 00 00766
764 CBS9 GEN /S(CBS10,CBS10),FS2,2(1),5(FT),11(B$SPEC),23(DRZF), 00 00767
00D9 0688B28020A9006C 765 C14(TRNB),15(LOG),17(GPROUT),24(RC),7(SHFT) 00 00768
766 * TEST FOR END OF STRINGS - LOOP OR RETURN 00 00769
767 CBS3 GEN /S(CBS4,CBS18),FS2,2(3),5(FT), 00 00770
00DA 9618B1C018000401 768 C12(A$GPR),24(R1),22(4),7(ALUS) 00 00771
769 * INCREMENT STRING1 PTR, WAIT FOR FETCH 00 00772
00DB 06E0000080070001 770 CBS5 GEN /N(CBS6),6(SPEC),10(WAITMD),12(A$GPR),24(R1),14(INCA), 00 00773
771 C16(CRY1),17(GPROUT) 00 00774
772 * SAVE STRING1 WORD IN RA AND DPR, SELECT SHIFT ROUTINE 00 00775
00DC 4688800023A9001A 773 CBS6 GEN /F(CBS8),FS2,2(1),11(B$SPEC),23(MIR), 00 00776
774 C14(TRNB),15(LOG),17(GPROUT),24(RA),13(OPROUT) 00 00777
775 * FOR STRING1 R BYTE USE PREVIOUSLY FETCHED WORD IN RA 00 00778
00DD 06C800001BA804A2 776 CBS7 GEN /N(CBS9),12(A$GPR),24(R2),22(4),11(B$GPR),23(RA), 00 00779
777 C14(TRNB),15(LOG),13(OPROUT) 00 00780
778 * STRING2 FIRST-READ OR L BYTE - INC STRING2 PTR, WAIT FOR FETCH 00 00781
00DE 06F8000080070002 779 CBS11 GEN /N(CBS12),6(SPEC),10(WAITMD),12(A$GPR),24(R2),14(INCA), 00 00782
780 C16(CRY1),17(GPROUT) 00 00783
781 * SAVE STRING2 WORD IN RB AND DPR, SELECT SHIFT ROUTINE 00 00784
00DF 0708800023A9001B 782 CBS12 GEN /F(CBS14),FS2,2(1),11(B$SPEC),23(MIR),14(TRNB),15(LOG), 00 00785
783 C17(GPROUT),24(RB),13(OPROUT) 00 00786
784 * CBS14-CBS15 IS A 2-WORD TABLE WHICH MUST START ON AN EVEN ADDR 00 00787
00E0 0708000023A80050 785 * MOVE STRING2 L BYTE TO OPERAND REG 00 00788
786 CBS14 GEN /N(CBS15),11(B$SPEC),23(DLSE),14(TRNB),15(LOG),13(OPROUT) 00 00789
787 * SUBTRACT STRING1 BYTE - STRING2 BYTE (RC - DPR REG, ZERO-FILLED) 00 00790
00E1 06A000802066006C 788 CBS15 GEN /N(CBS19),12(A$GPR),24(RC),11(B$SPEC),23(DRZF),14(SUB), 00 00791
789 C16(CRY1),7(S$ALU) 00 00792
790 * 00 00793
791 * 00 00794
792 * CBS-MBS IS A TWO-WORD TABLE FOR FIELD-SELECT ADDRESSING 00 00795
00E2 067800000031000E 793 CBS GEN /N(CBS0),14(ONES),17(GPROUT),24(RE) 00 00796
794 * SAVE P IN R7 00 00797
795 * SAVE P IN R9 E.2*****
00E3 0598000008F90009 796 MBS GEN /N(MBS1),12(A$P),14(TRNA),15(LOG),17(GPROUT),24(R9) E.2*****
797 * FOR STRING2 R BYTE USE PREVIOUSLY FETCHED WORD IN RB 00 00799
00E4 0708000003F8000B 798 CBS13 GEN /N(CBS15),12(A$GPR),24(RB),14(TRNA),15(LOG),13(OPROUT) 00 00800
0200 800 PAGE EQU X'200 PAGE NUMBER E.2*****
801 * E.2*****
802 * E.2*****
803 * E.2*****
804 * E.2*****
805 * E.2*****
806 * E.2*****
807 * E.2*****
0015 808 DRG X'15 E.2*****
809 GEN /F(STKJ1),FSA,2(1),12(A$GPR),24(R0),14(TRNA),15(LOG), 00 00799
0015 370A808000F80000 810 CTF0,SF0,7(S$ALU) E.2*****
811 * E.2*****
812 * E.2*****
813 * E.2*****
814 * E.2*****
0014 815 * E.2*****
816 TFR1 DRG X'14 E.2*****
0014 07C0000000F82100 817 GEN /N(REL1),12(A$SPEC),22(AZERD),14(TRNA),15(LOG), 00 00800
0016 818 CWF1,SO0 E.2*****
819 JIR1 DRG X'16 E.2*****
0016 07C0000000F82200 820 GEN /N(REL1),12(A$SPEC),22(ADNES),14(TRNA),15(LOG), 00 00800
821 CWF1,SO0 E.2*****
822 * E.2*****
823 * E.2*****
0017 824 DRG X'17 E.2*****
0017 3E0AC00000000000 825 GEN /F($DOIN1),FSB,2(1) E.2*****
826 * E.2*****
827 * E.2*****
828 * E.2*****
829 * E.2*****
001C 830 DRG X'1C E.2*****
001C 0900040680000000 831 GEN /N(IAR1),10(OP$MIR),6(MENC) E.2*****
832 * E.2*****
833 * E.2*****
834 * E.2*****
835 * E.2*****
00E6 836 DRG X'E6 E.2*****
837 * E.2*****
838 * E.2*****
839 ** FIELD SELECT ENTRY POINT FOR STACK JUMPS E.2*****
840 * (THIS MICRO MUST BE ON AN EVEN MICRO ADDR) E.2*****
841 * E.2*****
842 * E.2*****
843 * E.2*****
844 STKJ1 GEN /N(STKJ2),10(OP$ALU),6(MENC),12(A$GPR),24(R1), 00 00800
00E6 0768040280F80001 845 C14(TRNA),15(LOG) E.2*****
846 * E.2*****
847 * JUMP IF A REGISTER GREATER THAN ZERO E.2*****
848 * E.2*****
849 * CALLING SEQUENCE: E.2*****

```



```

850 *
851 * DATA 0105125
852 * DATA (JUMP ADDR IF A>0)
853 *
854 **
855 ** TEST IF R0 WAS NEGATIVE; IF SO, A NOT > 0 SO JUMP TO EXIT
856 ** (THIS MICRO MUST FOLLOW STKJ1)
857 **
00E7 674031C000000000 858 JAG1 GEN /T(JAG2,JAG6),5(FT),7(ALUS)
859 *
860 * TEST IF R0 WAS ZERO; IF SO, A NOT > 0 SO JUMP TO EXIT
861 *
00E8 6750324000000000 862 JAG2 GEN /T(JAG3,JAG6),5(FT),7(ALUZ)
863 **
864 ** A REG IS > 0 SO FETCH INSTRUCTION AT JUMP ADDR;
865 ** IF ADDR WAS IND, FETCH EFFECTIVE ADDR;
866 ** (THIS MICRO MUST BE ON AN EVEN LOCATION)
867 **
00EA 868 ORG *+1
00EA 0748040600000000 869 JAG3 GEN /N(JAG4),10(IF$MIR),6(MEMC)
870 *
871 * TEST IF ADDR WAS INDIRECT; IF SO, BACK TO FETCH AGAIN
872 * ALSO, SET NEW P VALUE.
873 ORG *-2
00E9 874 JAG4 GEN /T(JAG5,JAG3),5(FT),7(MIRS),
00E9 575832C021A80010 875 C11(B$SPEC),23(MIR),14(TRNB),15(LOG),13(PQUT)
876 *
877 * CONTINUE RESTART OF PIPELINE AT JUMP ADDR;
878 * EXIT TO ROM.
879 *
00EB 880 ORG *+1
00EB 0168090404000000 881 JAG5 GEN /P(SS3M),7(PJMP$),TF0,13(INCP),10(IF$P),6(MEMC$)
882 **
883 ** EXIT TO NEXT INSTRUCTION IN SEQUENCE; NO JUMP; A NOT > 0.
884 ** (THIS MICRO MUST BE EVEN)
885 **
00EC 0490090404000000 886 JAG6 GEN /P(SS2M),7(PJMP$),TF0,13(INCP),10(IF$P),6(MEMC$)
887 *
888 * REENRANT SUBROUTINE CALL/RETURN
889 *
890 * RETURN ADDRESS IS SAVED ON STACK
891 *
892 * R1 (B REG) CONTAINS ADDRESS OF STACK POINTER
893 *
894 *
895 * SAMPLE MICRO FLOW:
896 * DIR PSHJMP : STKJ1,STKJ2,STKJ3,PSHJ1,PSHJ2,PSHJ3
897 * IND PSHJMP : STKJ1,...,STKJ3,PSHJ1,PSHJ2,PSHJ4,PSHJ5,
898 * PSHJ6,PSHJ3
899 * POPJMP : STKJ1,STKJ2,STKJ3,POPJ1,POPJ2,POPJ3
900 *
901 * CALLING SEQUENCE:
902 *
903 * PSHJMP: DATA 0105025
904 * DATA (JUMP ADDR)
905 *
906 * POPJMP: DATA 0105065
907 *
908 *
909 * SAVE CONTENTS OF LOC P+1 IN RF;
910 * ALSO SAMPLE ITS SIGN AND INCR P REG.
911 *
00ED 0770008024A9001F 912 STKJ2 GEN /N(STKJ3),11(B$SPEC),23(MIR),14(TRNB),15(LOG),
913 C17(GPROUT),24(RF),7($ALU),13(INCP)
914 *
915 * INITIATE STORE OF NEW STACK POINTER;
916 * ALSO FIELD SELECT TO DECIDE IF PSHJMP OR POPJMP.
917 *
00EE 078A440300F80001 918 STKJ3 GEN /F(PSHJ1),FS9,2(1),10($ALU),6(MEMC),
919 C12(A$GPR),24(R1),14(TRNA),15(LOG)
920 **
921 ** PROVIDE UPDATED STACK POINTER FOR STORE;
922 ** INITIATE STORE OF RETURN ADDRESS ON STACK.
923 ** (THIS MICRO ADDR MUST BE EVEN AND POPJ1 MUST FOLLOW PSHJ1)
924 **
00F0 925 ORG *+1
00F0 0798040320900210 926 PSHJ1 GEN /N(PSHJ2),10($ALU),6(MEMC),11(B$SPEC),23(MIR),
927 C14(DEC),12(A$SPEC),22(ADMS)
928 *
929 * PROVIDE UPDATED STACK POINTER FOR STORE;
930 * INITIATE FETCH OF EXIT ADDRESS FROM STACK.
931 *
00F1 07780406A0160110 932 POPJ1 GEN /N(POPJ2),10($MIR),6(MEMC),11(B$SPEC),23(MIR),
933 C14(INCE),16(CRY1),12(A$SPEC),22(AZER)
934 *
935 * WAIT FOR EXIT ADDRESS TO ARRIVE FROM MEMORY;
936 * RESTART PIPELINE AT EXIT ADDRESS.
937 *
00EF 938 ORG *-3
00EF 0790040600000000 939 POPJ2 GEN /N(POPJ3),10(IF$MIR),6(MEMC)
940 *
941 * CONTINUE PIPELINE STARTUP;
942 * EXIT BACK TO ROM TO DECODE NEXT INSTRUCTION.
943 *

```



```

00F2          944          DRG      *+2
          945          POPJ3   GEN      /P(SSSM),7(PJMP$),6(MEMC$),10(IF$ALU),11(B$SPEC),
          946          C23(MIR),14(INCB),16(CRY1),12(A$SPEC),22(AZERU),
00F2 0168090221160110 947          C13(POUT)
          948          *
          949          *   PROVIDE RETURN ADDRESS FOR STORE ON STACK;
          950          *   CHECK IF JUMP ADDRESS IS INDIRECT; (NOTE, SIGN OF JUMP ADDR
          951          *   WAS SAMPLED BACK AT STKJ2.)
          952          *
          953          PSHJ2   GEN      /T(PSHJ3,PSHJ4),5(FT),7(ALUS),12(A$P),
          954          C14(TRNA),15(LDG),6(SPEC),10(WAITMD)
          955          *
          956          *   SET P TO JUMP ADDRESS;
          957          *   RESTART PIPELINE; EXIT BACK TO ROM.
          958          *
00F4 0490090201F8000F 959          PSHJ3   GEN      /P(SS2M),7(PJMP$),6(MEMC$),10(IF$ALU),13(POUT),
          960          C12(A$GPR),24(RF),14(TRNA),15(LDG)
          961          **
          962          **   FETCH EFFECTIVE JUMP ADDRESS USING INDIRECT POINTER;
          963          **   (THIS MICRO ADDR MUST BE EVEN)
          964          **
00F6          965          DRG      *+1
00F6 07A8040280F8000F 966          PSHJ4   GEN      /N(PSHJ5),10(DF$ALU),6(MEMC),12(A$GPR),24(RF),
          967          C14(TRNA),15(LDG)
          968          *
          969          *   WAIT FOR EFFECTIVE ADDRESS TO ARRIVE;
          970          *
00F5          971          DRG      *-2
00F5 07B8000080000000 972          PSHJ5   GEN      /N(PSHJ6),6(SPEC),10(WAITMD)
          973          *
          974          *   CHECK IF ANOTHER LEVEL OF INDIRECT
          975          *
00F7          976          DRG      *+1
00F7 37A032C020A9001F 977          PSHJ6   GEN      /T(PSHJ3,PSHJ4),5(FT),7(MIRS),11(B$SPEC),23(MIR),
          978          C14(TRNB),15(LDG),17(GPRDUT),24(RF)
          980          *
          981          *   RELATIONAL/LOGICAL CONVERSION ROUTINES
          982          *
          983          *   TWO SINGLE PRECISION FLOATING POINT NUMBERS ARE COMPARED. THE
          984          *   FOLLOWING OPTIONS ARE ALLOWED BY THESE ROUTINES:
          985          *   1) JUMP IF SPECIFIED RELATION MET; (BCS X'14).
          986          *   2) TEST FOR SPECIFIED RELATION; SET A TO ONES IF
          987          *   RELATION MET OR TO ZERO IF NOT; (BCS X'16).
          988          *   3) THREE WAY BRANCH ON LT, EQ, AND GT;
          989          *   (BCS X'14 OR X'16).
          990          *
          991          *   PARAMETER FIELD OF BCS SPECIFIES RELATION AS FOLLOWS:
          992          *   0 - NE
          993          *   1 - EQ
          994          *   2 - LT
          995          *   3 - GE
          996          *   4 - 3 WAY BRANCH
          997          *   5 - 3 WAY BRANCH
          998          *   6 - LE
          999          *   7 - GT
1000          *
1001          *   REGISTER USAGE:
1002          *   R8 - ADDR OF FIRST OPERAND
1003          *   R9 - FIRST WORD OF FIRST OPERAND
1004          *   RA - SECOND WORD OF FIRST OPERAND
1005          *   RE - DIFFERENCE BETWEEN OPERANDS; ALSO SET TO FLAG REL
1006          *   RF - ADDR OF SECOND OPERAND
1007          *   MIR- FIRST/SECOND WORD OF SECOND OPERAND
1008          *   DPR- DIFFERENCE BETWEEN OPERAND SECOND WORDS.
1009          *   QUDS - IF ONE, THEN JUMP IF RELATION MET; SET AT ENTRY
1010          *
1011          *   CAUTION: THIS ROUTINE MAY NOT BE USED TO COMPARE DOUBLE-WORD
1012          *   FIXED POINT NUMBERS SINCE FORMATS OF NEGATIVE NUMBERS
1013          *   ARE NOT CONSISTENT.
1014          *
1015          *
1016          *   BEGIN FETCH OF WORD ONE, OPERAND ONE (OR IND ADDR)
1017          *
00F8 07C8040680000000 1018          REL1   GEN      /N(REL2),10(DF$MIR),6(MEMC)
          1019          *
          1020          *   IF ADDRESS WAS INDIRECT, LOOP BACK TO FETCH FINAL ADDR;
          1021          *   SAVE FINAL ADDR;
          1022          *
          1023          REL2   GEN      /T(REL1,REL3),5(TT),7(MIRS),11(B$SPEC),23(MIR),
          1024          C14(TRNB),15(LDG),17(GPRDUT),24(R8)
          1025          *
          1026          **   INITIATE FETCH OF ADDR OF OPERAND TWO
          1027          **   (THIS MICRO ADDR MUST BE EVEN)
          1028          **
00FA 07D8040484000000 1029          REL3   GEN      /N(REL4),13(INCP),10(DF$P),6(MEMC)
          1030          *
          1031          *   SAVE WORD ONE, OPERAND ONE
          1032          *
          1033          REL4   GEN      /N(REL5),11(B$SPEC),23(MIR),14(TRNB),15(LDG),
00FB 07E0000080A90019 1034          C17(GPRDUT),24(R9)
          1035          *
          1036          *   BEGIN FETCH OF WORD ONE, OPERAND TWO (OR IND ADDR).
          1037          *

```



```

00FC 07E8040680000000 1038 REL5 GEN /N(REL6),10(DF$MIR),6(MEMC)
1039 *
1040 * IF ADDR WAS INDIRECT, LOOP BACK TO FETCH FINAL ADDR;
1041 * SAVE FINAL ADDR;
1042 *
00FD 77E022C020A9001F 1043 REL6 GEN /T(REL5,REL7),5(TT),7(MIRS),11(B$SPEC),23(MIR),
1044 C14(TRNB),15(LOG),17(GPROUT),24(RF)
1045 **
1046 ** INITIATE FETCH OF SECOND WORD, OPERAND ONE;
1047 ** (THIS MICRO ADDR MUST BE EVEN).
1048 **
00FE 07F8050280060008 1049 REL7 GEN /N(REL8),10(DF$ALU),6(MEMC),12(A$GPR),24(R8),
1050 C14(INCA),16(CRY1),7(ROVFL)
1051 *
1052 * COMPARE FIRST TWO WORDS OF OPERANDS
1053 *
00FF 0800028020660019 1054 REL8 GEN /N(REL9),12(A$GPR),24(R9),11(B$SPEC),23(MIR),
1055 C14(SUB),16(CRY1),7($OVF+$S$ALU),TF0,SF0
1056 *
1057 * IF OVERFLOW OCCURED, JUMP TO MAKE LT/GT DECISION
1058 *
0100 5808300000000000 1059 REL9 GEN /T(REL10,REL20),5(FT),7(OVFL)
1060 *
1061 * IF SIGN SET, THEN JUMP TO LT STATE
1062 *
0101 681031C000000000 1063 REL10 GEN /T(REL11,RLT),5(FT),7(ALUS)
1064 *
1065 * IF FIRST WORDS OF OPERANDS ARE EQUAL, BEGIN FETCH OF OP2 SECON
1066 * WORD; ELSE JUMP TO GT STATE.
1067 *
0102 78182E428006000F 1068 REL11 GEN /T(REL12,RGT),5(TT),7(ALUZ),10(DF$ALU),6(TESTT),
1069 C12(A$GPR),24(RF),14(INCA),16(CRY1)
1070 *
1071 * SAVE SECOND WORD OF OPERAND ONE
1072 *
0103 0820000020A9001A 1073 REL12 GEN /N(REL13),11(B$SPEC),23(MIR),14(TRNB),15(LOG),
1074 C17(GPROUT),24(RA)
1075 *
1076 * WAIT FOR SECOND WORD OF OPERAND TWO
1077 *
0104 0828000080000000 1078 REL13 GEN /N(REL14),6(SPEC),10(WAITMD)
1079 *
1080 * COMPARE SECOND WORDS OF OPERANDS;
1081 * NOTE: OVERFLOW SHOULD NOT BE POSSIBLE DUE TO SNGL
1082 * PRECISION FP FORMAT.
1083 *
0105 083002802366001A 1084 REL14 GEN /N(REL15),12(A$GPR),24(RA),11(B$SPEC),23(MIR),
1085 C14(SUB),16(CRY1),7($OVF+$S$ALU),TF0,SF0,13(OPROUT)
1086 *
1087 * IF WORDS EQUAL, JUMP TO EQ STATE
1088 *
0106 4868224000000000 1089 REL15 GEN /T(REQ,REL16),5(TT),7(ALUZ)
1090 **
1091 ** TOGGLE SIGN IF OPERANDS (FIRST WORD) ARE NEGATIVE
1092 ** (THIS MICRO ADDR MUST BE EVEN)
1093 **
0108 1094 DRG *+1 PUT ON EVEN WORD
0108 0848008020680009 1095 REL16 GEN /N(REL17),12(A$GPR),24(R9),11(B$SPEC),23(OPR),
1096 C14(EOR),15(LOG),TF0,SF0,7($S$ALU)
1097 *
1098 * IF SIGN SET, JUMP TO LT STATE; ELSE, GT STATE.
1099 *
0109 786021C000000000 1100 REL17 GEN /T(RLT,RGT),5(TT),7(ALUS)
1101 **
1102 ** MAKE LT/GT DECISION AFTER OVERFLOW
1103 ** (THIS MICRO ADDR MUST BE EVEN)
1104 **
010A 687021C000000000 1105 REL20 GEN /T(RGT,RLT),5(TT),7(ALUS)
1106 **
1107 ** SIGNAL LT,EQ, OR GT BY LOADING RE WITH -1,0,OR 1.
1108 ** BRANCH TO RELATIONAL CHECK USING PARAMETER FIELD OF DCS
1109 ** (THIS MICRO ADDR MUST BE EVEN)
1110 **
010C 1111 DRG *+1
010C 088A408004F1010E 1112 RLT GEN /F(TJNE),FS9,2(7),12(A$SPEC),22(AZERO),
1113 C14(DECA),17(GPROUT),24(RE),TF0,SF0,7($S$ALU),13(INCP)
1114 REQ GEN /F(TJNE),FS9,2(7),12(A$SPEC),22(AZERO),
1115 C14(TRNA),15(LOG),17(GPROUT),24(RE),TF0,SF0,
010D 088A408004F9010E 1116 RGT GEN /F(TJNE),FS9,2(7),12(A$SPEC),22(AZERO),
1117 C14(INCA),16(CRY1),17(GPROUT),24(RE),TF0,SF0,
010E 088A40800407010E 1118 C7($S$ALU),13(INCP)
1119 *
1120 * RELATIONAL TESTS
1121 * THESE MICROS TEST FOR ONE OF THE 6 RELATIONS OR
1122 * BEGIN PROCESSING THE THREE WAY BRANCH (AIF).
1123 * THESE MICROS MUST BE ON AN 8 WORD BOUNDARY.
1124 *
0110 1125 DRG *+1 PUT ON EVEN WORD
0110 48C8324000000000 1126 TJNE GEN /T(RMET,RNOT),5(FT),7(ALUZ)
0111 48C8224000000000 1127 TJEQ GEN /T(RMET,RNOT),5(TT),7(ALUZ)
0112 48C821C000000000 1128 TJLT GEN /T(RMET,RNOT),5(TT),7(ALUS)
0113 48C831C000000000 1129 TJGE GEN /T(RMET,RNOT),5(FT),7(ALUS)

```



E.2 VORTEX LISTING

FPPHCS

PROGRAM PAGE

13

LISTING PAGE ( 501)

```

1131 AIF1 GEN /N(AIF2),10(DF$ALU),6(MEMC),12(A$P),11(B$GPR),23(RE),
0114 08E00402889600E01132 C14(ADD),16(CRY1) *** FETCH 3-WAY JUMP ADDR ***
1133 GEN /N(AIF2),10(DF$ALU),6(MEMC),12(A$P),11(B$GPR),23(RE),
0115 08E09402889600E01134 C14(ADD),16(CRY1) *** FETCH 3-WAY JUMP ADDR ***
0116 0880008000F0000E1135 TJLE GEN /N(TJNE),12(A$GPR),24(RE),14(DECA),7($$ALU),TF0,SF0
0117 0888008000F0000E1136 TJGT GEN /N(TJEQ),12(A$GPR),24(RE),14(DECA),7($$ALU),TF0,SF0
1137 *
1138 * FLAG RELATION TRUE; TEST QUOS TO DECIDE IF JUMP WANTED.
1139 *
0119 1140 ORG *+1
0119 58D833C000F902001141 RMET GEN /T(TFR2,JIR2),5(FT),7(QUOS),12(A$SPEC),22(ADNES),
1142 C14(TRNA),15(LOG),17(GPROUT),24(R0)
1143 **
1144 ** FLAG RELATION FALSE; TEST QUOS TO DECIDE IF JUMP WANTED.
1145 ** THIS MICRO ADDR MUST BE EVEN.
0118 1146 ORG *-2
0118 58D833C000F901001147 RNDT GEN /T(TFR2,JIR2),5(FT),7(QUOS),12(A$SPEC),22(AZERO),
1148 C14(TRNA),15(LOG),17(GPROUT),24(R0)
1149 *
1150 * NO JUMP- RETURN LOGICAL VALUE IN R0;
1151 * EXIT TO ROM.
1152 *
011B 1153 ORG *+2
011B 04900904000000001154 TFR2 GEN /P($S2M),7(PJUMP$),6(MEMC$),TF0,10(IF$P)
1155 **
1156 ** JUMP IF RELATION MET;
1157 ** ADVANCE P TO SKIP JUMP ADDR OTHERWISE.
1158 ** THIS MICRO ADDR MUST BE EVEN.
1159 **
011A 1160 ORG *-2
011A 28D8334004F1020E1161 JIR2 GEN /T(TFR2,AIF1),5(FT),7(GPRS),12(A$SPEC),22(ADNES),
1162 C14(DECA),17(GPROUT),24(RE),13(INCP)
1163 **
1164 ** FETCH NEXT INSTRUCTION (OR IND ADDR).
1165 ** THIS MICRO ADDR MUST BE EVEN
011C 1166 ORG *+1
011C 08E80406000000001167 AIF2 GEN /N(AIF3),10(IF$MIR),6(MEMC)
1168 *
1169 * IF INDIRECT ADDR, LOOP BACK TO FETCH EFFECTIVE ADDR;
1170 * SAVE EFFECTIVE ADDR IN P.
1171 *
011D 1172 AIF3 GEN /T(AIF4,AIF2),5(FT),7(MIRS),11(B$SPEC),23(MIR),
1173 C14(TRNB),15(LOG),13(POUT)
1174 *
1175 * CONTINUE RESTART OF PIPELINE;
1176 * EXIT TO ROM.
1177 *
011E 01680904040000001178 AIF4 GEN /P($S3M),7(PJUMP$),6(MEMC$),TF0,13(INCP),10(IF$P)
1180 *
1181 * TWO WORD INTEGER MATH ROUTINES
1182 *
1183 * CALLING SEQUENCE:
1184 * (OPERAND 1 IN A/B REGISTER)
1185 * BCS
1186 * DATA (ADDR OF OPERAND 2)
1187 *
1188 *
1189 * BCS VALUES:
1190 * IAD - 0105304
1191 * ISB - 0105374
1192 * IMV - 0105027
1193 * IDV - 0105067
1194 *
1195 * *****
1196 **
1197 ** IF OPERAND ADDRESS IS INDIRECT, LOOP BACK TO RESOLVE IT;
1198 ** SAVE EFFECTIVE ADDRESS IN RC.
1199 ** (THIS MICRO ADDR MUST BE EVEN)
1200 **
0120 1201 ORG *+1 LEAVE SPACE FOR IAR4
0120 191832C020A9001C1202 IAR1 GEN /T(IAR3,IAR2),5(FT),7(MIRS),11(B$SPEC),23(MIR),
1203 C14(TRNB),15(LOG),17(GPROUT),24(RC)
0122 1204 ORG *+1 LEAVE SPACE FOR SOIN1
1205 **
1206 ** FETCH INDIRECT ADDR
1207 ** (THIS MICRO ADDR MUST BE EVEN)
1208 **
0122 09000406800000001209 IAR2 GEN /N(IAR1),10(DF$MIR),6(MEMC)
1210 **
1211 ** INITIATE FETCH OF SECOND OPERAND WORD; CLEAR OVERFLOW FLAG.
1212 **
0123 08F805028006000C1213 IAR3 GEN /N(IAR4),10(DF$ALU),6(MEMC),12(A$GPR),24(R0),
1214 C14(INCA),16(CRY1),7(OVFL)
1215 *
1216 * SAVE FIRST WORD OF OPERAND 2
1217 *
011F 01241218 IARG1 EQU * SAVE POSITION
011F 1219 ORG IAR1-1 RELOCATE IAR4
1220 IAR4 GEN /N(IAR5),11(B$SPEC),23(MIR),
011F 0920000020A9001C1221 C14(TRNB),15(LOG),17(GPROUT),24(RC)
0124 1222 ORG IARG1 RESTORE POSITION
1223 *
1224 * BEGIN FETCH OF NEXT INSTRUCTION TO RESTART PIPELINE AND

```



```

1225 * FORCE COMPLETION OF FETCH OF SECOND WORD OF OPERAND 2.
1226 *
0124 092804040.4000000 1227 IAR5 GEN /N(IAR6),10(IF$P),6(MEMC),13(INCP)
1228 *
1229 * SAVE SECOND WORD OF OPERAND 2;
1230 * USE FIELD SELECT ON BCS TO BRANCH TO ADD/SUBTRACT OR
1231 * MULTIPLY/DIVIDE ROUTINES.
1232 *
0125 390A800020A9001D 1233 IAR6 GEN /F(IMD1),FSA,2(1),11(B$SPEC),23(MIR),
1234 C14(TRNB),15(LOG),17(GPROUT),24(RD)
1235 *
1236 * MULTIPLY-DIVIDE COMMON MICROS
1237 *
1238 *
1239 *
1240 * INITIALIZES SIGN FLAG (RA AND QUOS);
1241 * TESTS SIGN OF OP1 AND IF NEG, JUMPS TO COMPLEMENT IT.
1242 * (THIS MICRO ADDR MUST BE EVEN).
1243 *
0126 5940234000F9210A 1244 IMD1 GEN /T(IMD2,IMD3),5(TT),7(GPRS),12(A$SPEC),22(AZERO),
0128 1245 C14(TRNA),15(LOG),17(GPROUT),24(RA),WF1,SC0
1246 DRG *+1 LEAVE SPACE FOR IAS1
1247 *
1248 * MAKE OP1 POSITIVE ; TOGGLE SIGN FLAG .
1249 *
0128 1B780006E00032A2 1250 IMD2 GMSK /P(PAGE+ICMP),10(STACK),16(PUSH),
1251 C15(PAGE+IMD3),LB3,TF0,SF0
1252 *
1253 * TRANSFER MS(OP1) ;
1254 * (THIS MICRO ADDR MUST BE EVEN)
1255 *
012A 1256 DRG *+1 ALLIGN EVEN LOCATIONS
012A 0958000000A90008 1257 IMD3 GEN /N(IMD4),11(B$GPR),23(R0),14(TRNB),15(LOG),
1258 C17(GPROUT),24(R8)
1259 *
1260 * TRANSFER LS(OP1) ;
1261 *
012B 0960000000A90019 1262 IMD4 GEN /N(IMD5),11(B$GPR),23(R1),14(TRNB),15(LOG),
1263 C17(GPROUT),24(R9)
1264 *
1265 * SETUP MS(OP2) FOR POTENTIAL COMPLEMENT.
1266 *
012C 0968000000A900C0 1267 IMD5 GEN /N(IMD6),11(B$GPR),23(R0),14(TRNB),15(LOG),
1268 C17(GPROUT),24(R0)
1269 *
1270 * SETUP LS(OP2);
1271 * IF OP2 NOT NEGATIVE, SKIP COMPLEMENT.
1272 *
012D 7978334000A900D1 1273 IMD6 GEN /T(IMD8,IMD7),5(FT),7(GPRS),11(B$GPR),23(RD),
1274 C14(TRNB),15(LOG),17(GPROUT),24(R1)
1275 *
1276 * MAKE OP2 POSITIVE; TOGGLE SIGN FLAG.
1277 * (THIS MICRO ADDR MUST BE EVEN)
1278 *
012E 1B780006E00032F2 1279 IMD7 GMSK /P(PAGE+ICMP),10(STACK),16(PUSH),15(PAGE+IMD8),
1280 CLB3,TF0,SF0
1281 *
1282 * TRANSFER MS(OP2)
1283 *
012F 0980000000A9000B 1284 IMD8 GEN /N(IMD9),11(B$GPR),23(R0),14(TRNB),15(LOG),
1285 C17(GPROUT),24(RB)
1286 *
1287 * CLEAR R0 INPREPARATION FOR FIRST MULTIPLY
1288 *
0130 0988000000F90100 1289 IMD9 GEN /N(IMD10),12(A$SPEC),22(AZERO),14(TRNA),15(LOG),
1290 C17(GPROUT),24(R0)
1291 *
1292 * TRANSFER LS(OP2);
1293 * USE FIELD SELECT TO CHOOSE BETWEEN MULTIPLY AND DIVIDE.
1294 *
0131 198A400000A9001C 1295 IMD10 GEN /F(IMU1),FSA,2(1),11(B$GPR),23(R1),14(TRNB),15(LOG),
1296 C17(GPROUT),24(RC)
1297 *
1298 * MICROS UNIQUE TO MULTIPLY
1299 *
1300 *
1301 *
1302 * SETUP LS(OP1)FOR FIRST MULTIPLY;
1303 * (THIS MICRO ADDR MUST BE EVEN).
1304 *
0132 09A0000000A90091 1305 IMU1 GEN /N(IMU3),11(B$GPR),23(R9),14(TRNB),15(LOG),
0134 1306 C17(GPROUT),24(R1)
1307 DRG *+1 ALLOW SPACE FOR IDV1
1308 *
1309 * MULTIPLY LS(OP1) AND LS(OP2)
1310 *
0134 12080006E0003352 1311 IMU3 GMSK /P(PAGE+MUL),10(STACK),16(PUSH),15(PAGE+IMU4),
1312 CLB3,TF0,SF0
1313 *
1314 * SAVE LS(LCXLS)
1315 *
0135 09E0000000A9001D 1316 IMU4 GEN /N(IMU5),11(B$GPR),23(R1),14(TRNB),15(LOG),
1317 C17(GPROUT),24(RD)
1318 *
1319 * SETUP MS(OP1) FOR NEXT MULTIPLY

```



















```

1698 * CHECK FOR SIGN BIT ON INDEX ADDR;
1699 * IF SET, LOOP ON IOP2 UNTIL REACH END OF IND ADDR CHAIN.
1700 * ALSO SAVE ADDR OF OPERAND
1701 * THEN FIELD SELECT TO EITHER SQUARE ROOT OR INDEX
1702 *
0121 1703 ORG IAR1+1 PLACE MICRO IN FIELD SELECT TABLE
1704 SQIN1 GEN /S(SQ1,SQIN2),5(FT),7(MIRS),FS9,2(1),
1705 C11(B$SPEC),23(MIR),14(TRNB),15(LOG),17(GPROUT),24(R8)
1706 *
1707 * FOLLOW INDIRECT ADDRESS CHAIN
1708 *
0182 1709 ORG X*182 PLACE TO ALLOW TEST ADDRESSING
0182 0908040680000000 1710 SQIN2 GEN /N(SQIN1),6(MEMC),10(OF$MIR)
1711 *
1712 * SINGLE PRECISION FLOATING POINT SQUARE ROOT
1713 *
1714 * USES TABLE LOOKUP TO GET INITIAL GUESS, THEN PERFORMS
1715 * TWO ITERATIONS THROUGH Y2= 1/2(X/Y1 +Y1).
1716 *
1717 * CALLING SEQUENCE:
1718 *
1719 * DATA 0105127
1720 * DATA ADDR OF OPERAND
1721 *
1722 * RESULT RETURNED IN AB REG.
1723 *
1724 * REGISTER USAGE:
1725 *
1726 * R0,R1 - TEMPORARY VALUES; FINAL RESULT
1727 * R8,R9 - LEFT JUSTIFIED OPERAND (WITHOUT EXPONENT).
1728 * RA - EXPONENT
1729 * RC - Y1, INTERMEDIATE RESULT
1730 * DPR - TEMP, STORAGE;(BYTE SWAPPING USED FOR SHIFT 8)
1731 *
1732 *
1733 *
1734 * START FETCH OF SECOND WORD OF OPERAND; CLEAR OVERFLOW.
1735 * THIS MICRO MUST BE ON A 16 WORD BOUNDARY TO ALLOW 'S'
1736 *
0180 1737 ORG X*180 PLACE ON 16 WORD BLOCK
1738 SQ1 GEN /N(SQ2),10(OF$ALU),6(MEMC),12(A$GPR),24(R8),
1739 C14(INCA),16(CRY1),7(SOVFL)
0180 0C1805028006000 1740 ORG *+2 LEAVE ROOM FOR IOP3 AND SQIN2
0183 1741 *
1742 * FIRST OPERAND WORD TO R8; SAMPLE
1743 *
1744 * SQ2
0183 0C20000020A90018 1745 GEN /N(SQ3),11(B$SPEC),23(MIR),14(TRNB),15(LOG),
1746 C17(GPROUT),24(R8),7(S$ALU)
1747 *
1748 * RESTART PIPELINE FOR EXIT IF NEGATIVE ; CLEAR R0,
1749 *
1750 * SQ3
0184 3C2835C404F90100 1751 GEN /T(SQ4,SQOVF),5(FT),7(ALUS),10(IF$P),6(MEMC),
1752 C13(INCP),12(A$SPEC),22(AZERO),14(TRNA),15(LOG),
1753 C17(GPROUT),24(R0)
1754 *
1755 * SAVE SECOND OPERAND WORD IN R9
1756 *
0185 0C40000020A90019 1757 SQ4 GEN /N(SQ5),11(B$SPEC),23(MIR),14(TRNB),15(LOG),
1758 C17(GPROUT),24(R9)
1759 *
1760 * OVERFLOW EXIT - CAN'T TAKE ROOT OF NEGATIVE; CLEAR R0,R1.
1761 *
0186 0C38048400F90100 1762 SQOVF GEN /N(SQOVF1),12(A$SPEC),22(AZERO),14(TRNA),15(LOG),
1763 C17(GPROUT),24(R0),10(IF$P),6(MEMC),7(SOVFL)
0187 0490000180F90101 1764 SQOVF1 GEN /P(SS2M),10(PJMP),SF0,TF0,12(A$SPEC),22(AZERO),
1765 C14(TRNA),15(LOG),17(GPROUT),24(R1)
1766 *
1767 * ADD 0201 TO EXPONENT TO OBTAIN CORRECT BIAS AFTER SHIFT.
1768 *
0188 0C480000639BF7F8 1769 SQ5 GMSK /N(SQ6),12(A$GPR),16(R8),11(LIT),15(X'BF7F),
1770 C14(ADD),13(OPROUT)
1771 *
1772 * SAMPLE ADJUSTED EXPONENT EVEN OR ODD
1773 *
0189 0C50008020A80040 1774 SQ6 GEN /N(SQ7),11(B$SPEC),23(ORSE),14(TRNB),15(LOG),7(S$ALU)
1775 *
1776 * TRANSFER EXPONENT (DPR LEFT BYTE), TO RA.
1777 *
018A 0C58000023A80050 1778 SQ7 GEN /N(SQ8),11(B$SPEC),23(DLSE), EXP TO RIGHT BYTE
1779 C14(TRNB),15(LOG),13(OPROUT)
018B 0C60000020A9007A 1780 SQ8 GEN /N(SQ9),11(B$SPEC),23(DRLZ), EXP TO LEFT BYTE
1781 C14(TRNB),15(LOG),17(GPROUT),24(RA)
1782 *
1783 * TRANSFER REST OF FIRST OP WORD TO R8
1784 *
018C 0C68000063BFF808 1785 SQ9 GMSK /N(SQ10),12(A$GPR),16(R8),11(LIT),15(X'FF80),
1786 C14(AND),13(OPROUT)
018D 0C70000020A90078 1787 SQ10 GEN /N(SQ11),11(B$SPEC),23(DRLZ),14(TRNB),15(LOG),
1788 C17(GPROUT),24(R8)
1789 *
1790 * SETUP SECOND OP WORD FOR COMBINATION WITH FIRST
1791 *
018E 0C78000013F80009 1791 SQ11 GEN /N(SQ12),12(A$GPR),24(R9),14(TRNA),15(LOG),
C13(OPROUT)

```



```

1792 *
1793 *
1794 *
1795 * SQ12 GEN /N(SQ13),11(B$SPEC),23(DRLZ),14(TRNB),15(LOG),
018F 0C80000020A90079 1796 C17(GPROUT),24(R9)
1797 *
1798 * RIGHT JUSTIFY LEFT BYTE TO SIMULATE 8 BIT SHIFT INTO NEXT WORD
1799 *
1800 * SQ13 GEN /N(SQ14),11(B$SPEC),23(DLSE),
0190 0C88000023A80050 1801 C14(TRNB),15(LOG),13(GPROUT)
1802 *
1803 * COMBINE FIRST OP WORD AND TOP OF SECOND OP WORD;
1804 * IF EXPONENT WAS ODD, JUMP TO SKIP RIGHT SHIFT.
1805 *
1806 * SQ14 GEN /T(SQ17,SQ15),5(TT),7(ALUS),12(A$GPR),24(R8),
0191 1CA021C020110068 1807 C11(B$SPEC),23(DRZF),14(DR),17(GPROUT)
1808 **
1809 ** SHIFT COMBINED FIRST OP WORD RIGHT ONE
1810 ** (THIS MICRO ADDR MUST BE EVEN)
1811 **
1812 * SQ15 GEN /N(SQ16),12(A$GPRR),SH4,24(R8),14(TRNA),15(LOG),
0192 0C98000018F90408 1813 C17(GPROUT)
1814 *
1815 * SHIFT SECOND WORD OF COMBINED OP RIGHT ONE;
1816 * SET BIT 15 FROM COPY OF FIRST WORD IN DPR
1817 *
1818 * SQ16 GEN /N(SQ17),12(A$GPRR),24(R9),SH3,14(TRNA),15(LOG),
0193 0CA0000018F90309 1819 C17(GPROUT)
1820 *
1821 * TRANSFER FIRST OP WORD TO IBR FOR FIELD SELECTION CHOICE
1822 * OF INITIAL YI VALUES.
1823 *
1824 * SQ17 GEN /N(SQ18),12(A$GPRR),24(R8),14(TRNA),15(LOG),
0194 0CAB0000218F80008 1825 CSF0,IM4
0195 0CB0000018F80008 1826 SQ18 GEN /N(SQ19),12(A$GPRR),24(R8),14(TRNA),15(LOG)
1827 *
1828 * CLEAR SIGN BIT OF SECOND OP WORD BY RIGHT SHIFT;
1829 * TRANSFER FIRST OP WORD ON TO I.
1830 *
1831 * SQ19 GEN /N(SQ20),12(A$GPRR),SH4,24(R9),14(TRNA),15(LOG),
0196 0CB8004018F90409 1832 C17(GPROUT),TF0,SF0,7(IBR$1)
1833 *
1834 * SETUP FIRST OP WORD FOR MULTIPLY;
1835 * USE FIELD SELECT TO CHOOSE 'K' VALUE TO MULTIPLY.
1836 *
1837 * SQ20 GEN /F(SQ21A),FSF,2(7),11(B$GPR),23(R8),
0197 4CBBC00000A90081 1838 C14(TRNB),15(LOG),17(GPROUT),24(R1)
1839 **
1840 ** CHOOSE INITIAL VALUE FOR MULTIPLY;
1841 ** THIS TABLE MUST BE ON AN EVEN 8 WORD BOUNDARY.
1842 **
1843 *
1844 * ORG X*198
0198 0C30000000000000 1844 SQ21A GEN /N(SQ0VF) OVERFLOW - NOT NORMALIZED OP
0199 0C30000000000000 1845 SQ21B GEN /N(SQ0VF) OVERFLOW - NOT NORMALIZED OP
1846 * SQ21C GMSK /N(SQ22),11(LIT),15(X'8CED), 1(98-2) 071422
019A 0D00000063A8CED0 1847 C14(TRNB),13(GPROUT)
1848 * SQ21D GMSK /N(SQ22),11(LIT),15(X'9EFB), 2(V-V6) 060402
019B 0D00000063A9EFD0 1849 C14(TRNB),13(GPROUT)
1850 * SQ21E GMSK /N(SQ22),11(LIT),15(X'AEA1), 3(V3-V2) 050536
019C 0D00000063AAEA10 1851 C14(TRNB),13(GPROUT)
1852 * SQ21F GMSK /N(SQ22),11(LIT),15(X'AEA1),
019D 0D00000063AAEA10 1853 C14(TRNB),13(GPROUT)
1854 * SQ21G GMSK /N(SQ22),11(LIT),15(X'B867), 2(2-V3) 042230
019E 0D00000063ABB670 1855 C14(TRNB),13(GPROUT)
1856 * SQ21H GMSK /N(SQ22),11(LIT),15(X'B867),
019F 0D00000063ABB670 1857 C14(TRNB),13(GPROUT)
1858 *
1859 * SETUP CONSTANT VALUE FOR MULTIPLY.
1860 *
1861 * SQ22 GEN /N(SQ23),11(B$SPEC),23(DPR),14(TRNB),15(LOG),
01A0 0D08000020A9000C 1862 C17(GPROUT),24(RC)
1863 *
1864 * MULTIPLY CONSTANT BY FIRST WORD OF OPERAND
1865 *
1866 * SQ23 GMSK /P(PAGE+MUL),10(STACK),16(PUSH),
01A1 12080006E0003A22 1867 C15(PAGE+SQ24),LB3,TF0,SF0
1868 *
1869 * FIELD SELECT TO CHOOSE SECOND CONSTANT TO ADD TO RESULT
1870 *
1871 * SQ24 GEN /F(SQ25A),FSF,2(7)
01A2 4D3BC00000000000 1872 **
1873 ** CHOOSE CONSTANT AND ADD INTO PRODUCT
1874 ** THIS TABLE MUST BE ON AN EVEN 8 WORD BOUNDARY
1875 **
1876 *
1877 * ORG X*1A8
01A8 0C30000000000000 1877 SQ25A GEN /N(SQ0VF) OVERFLOW - BAD OP
01A9 0C30000000000000 1878 SQ25B GEN /N(SQ0VF) OVERFLOW - BAD OP
1879 * SQ25C GMSK /N(SQ26),12(A$GPR),16(R0),11(LIT),14(ADD),13(GPROUT),
01AA 0D800000639DC950 1880 C15(D'156225) (26-V6)/32 021552
1881 * SQ25D GMSK /N(SQ26),12(A$GPR),16(R0),11(LIT),14(ADD),13(GPROUT),
01AB 0D800000639D5E20 1882 C15(D'152742) (26V8-15V6)/32 025085
1883 * SQ25E GMSK /N(SQ26),12(A$GPR),16(R0),11(LIT),14(ADD),13(GPROUT),
01AC 0D800000639CDEA0 1884 C15(D'146752) (18V2-7V3)/16 001025

```



```

1885 SQ25F GMSK /N(SQ26),12(A$GPR),16(R0),11(LIT),14(ADD),13(OPROUT),
01AD 0D800000639CDEA0 1886 C15(O'146752) 031025
1887 SQ25G GMSK /N(SQ26),12(A$GPR),16(R0),11(LIT),14(ADD),13(OPROUT),
01AE 0D800000639C4700 1888 C15(O'142160) 1-2(2-V3) 035617
1889 SQ25H GMSK /N(SQ26),12(A$GPR),16(R0),11(LIT),14(ADD),13(OPROUT),
01AF 0D800000639C4960 1890 C15(O'142226) 1-2(2-V3)(1-2**(-15)) 035551
1891 *
1892 * TRANSFER SUM TO RC FOR DIVIDE;
1893 * SAMPLE FOR OVERFLOW,(IE ALU SIGN).
1894 *
1895 SQ26 GEN /N(SQ27),11(B$SPEC),23(DPR),14(TRNB),15(LOG),
01B0 0D88008020A9000C 1896 C17(GPROUT),24(RC),7(S$ALU)
1897 *
1898 * SETUP FIRST OP WORD FOR DIVIDE;
1899 *
1900 SQ27 GEN /N(SQ28),11(B$GPR),23(R8),14(TRNB),15(LOG),
01B1 0D90000000A90080 1901 C17(GPROUT),24(R0)
1902 *
1903 * SETUP SECOND OP WORD FOR DIVIDE;
1904 * IF GOT OVERFLOW (ALUS) IN LAST SUM, TAKE QUICK EXIT
1905 *
1906 SQ28 GEN /T(SQ29,SQ38),5(FT),7(ALUS),11(B$GPR),23(R9),
01B2 6D9831C000A90091 1907 C14(TRNB),15(LOG),17(GPROUT),24(R1)
1908 *
1909 * DIVIDE OP BY Y1
1910 *
1911 SQ29 GMSK /P(PAGE+DIV),10(STACK),16(PUSH),
01B3 11800006E0003B42 1912 C15(PAGE+SQ30),LB3,TF0,SF0
1913 *
1914 * Y2 = (X/Y1)+Y1
1915 *
1916 SQ30 GEN /N(SQ31),12(A$GPR),24(RC),11(B$GPR),23(R1),
01B4 0DA800000091001C 1917 C14(ADD),17(GPROUT)
1918 *
1919 * Y2 = 1/2 (X/Y1 + Y1)
1920 *
1921 SQ31 GEN /N(SQ32),12(A$GPR),SH4,24(RC),14(TRNA),15(LOG),
01B5 0DE0000018F9040C 1922 C17(GPROUT)
1923 *
1924 * SETUP OPERAND FOR SECOND DIVIDE
1925 *
1926 SQ32 GEN /N(SQ33),11(B$GPR),23(R8),14(TRNB),15(LOG),
01B6 0DE8000000A90080 1927 C17(GPROUT),24(R0)
1928 SQ33 GEN /N(SQ34),11(B$GPR),23(R9),14(TRNB),15(LOG),
01B7 0DC0000000A90091 1929 C17(GPROUT),24(R1)
1930 *
1931 * DIVIDE OP BY Y2 TO GET MS RESULT WORD
1932 *
1933 SQ34 GMSK /P(PAGE+DIV),10(STACK),16(PUSH),
01B8 11800006E0003B92 1934 C15(PAGE+SQ35),LB3,TF0,SF0
1935 *
1936 * SAVE MS RESULT WORD
1937 *
1938 SQ35 GEN /N(SQ36),11(B$GPR),23(R1),14(TRNB),15(LOG),
01B9 0DD0000000A90018 1939 C17(GPROUT),24(R8)
1940 *
1941 * DIVIDE AGAIN BY Y2 TO GET LS RESULT WORD
1942 *
1943 SQ36 GEN /N(SQ37),12(A$SPEC),22(AZERD),14(TRNA),15(LOG),
01BA 0DD8000000F90101 1944 C17(GPROUT),24(R1)
1945 SQ37 GMSK /P(PAGE+DIV),10(STACK),16(PUSH),
01BB 11800006E0003BC2 1946 C15(PAGE+SQ38),LB3,TF0,SF0
1947 *
1948 * TRANSFER LS RESULT WORD TO DPR FOR SHIFTING.
1949 * ( THIS MICRO ADDR MUST BE EVEN ).
1950 *
1951 SQ38 GEN /N(SQ39),13(A$GPR),24(R1),14(TRNA),15(LOG),13(OPROUT)
01BC 0DE8000003F80001 1952 *
1953 * SETUP LEFT BYTE OF LS FOR COMBINATION WITH MS RESULT WORD
1954 *
1955 SQ39 GEN /N(SQ40),11(B$SPEC),23(DLSE),14(TRNB),15(LOG),
01BD 0DF0000020A90051 1956 C17(GPROUT),24(R1)
1957 *
1958 * GET MS RESULT BY SUM OF Y2 AND FIRST QUOTIENT,(OP/Y2).
1959 *
1960 SQ40 GEN /N(SQ41),12(A$GPR),24(RC),11(B$GPR),23(R8),
01BE 0DF800000391008C 1961 C14(ADD),17(GPROUT),13(OPROUT)
1962 *
1963 * INCLUSIVE OP LS AND RIGHT BYTE MS TO SIMULATE SHIFT 8.
1964 *
1965 SQ41 GEN /N(SQ42),12(A$GPR),24(R1),11(B$SPEC),23(DRLZ),
01BF 0E00000030110071 1966 C14(OR),17(GPROUT)
1967 *
1968 * RIGHT SHIFT MS BY 8,(THROUGH BYTE SWAP).
1969 *
1970 SQ42 GEN /N(SQ43),11(B$SPEC),23(DLSE),14(TRNB),15(LOG),
01C0 0E08000023A80050 1971 C13(OPROUT)
1972 *
1973 * DOUBLE SHIFT DPR AND R1 TO COMPLETE 9 PLACE SHIFT
1974 *
1975 SQ43 GEN /N(SQ44),12(A$GPR),SH3,24(R1),14(TRNA),15(LOG),
01C1 0E10000018F9B301 1976 C17(GPROUT),18(SHFTOP),20(RSHT),XF2
1977 *

```



```

1978 * CLEAR SIGN BIT OF LS RESULT WORD; RESTART PIPELINE.
1979 * ALIGN MS FOR COMBINATION WITH EXPONENT .
1980 *
01C2 0E18040418F98401 1981 SQ44 GEN /N(SQ45),12(A$GPRR),SH4,24(R1),14(TRNA),15(LOG),
1982 C17(GPROUT),10(IF$P),6(MEMC),18(SHFTDP),20(LFT)
1983 *
1984 * COMBINE MS RESULT WITH EXPONENT
1985 *
01C3 0E2000002011006A 1986 SQ45 GEN /N(SQ46),12(A$GPR),24(RA),11(B$SPEC),23(ORZF),
1987 C14(OR),17(GPROUT)
1988 *
1989 * CLEAR SIGN BIT
1990 *
01C4 0E28000018F9C40A 1991 SQ46 GEN /N(SQ47),12(A$GPRR),SH4,24(RA),14(TRNA),15(LOG),
1992 C17(GPROUT)
1993 *
1994 * SETUP RESULT AND EXIT BACK TO ROM
1995 *
01C5 0490000180A900A0 1996 SQ47 GEN /P(SS2M),10(PJMP),SF0,TF0,11(B$GPR),23(RA),
1997 C14(TRNB),15(LOG),17(GPROUT),24(R0)
1998 *
1999 * INDEX AND PERFORM OPERATION
2000 *
2001 * COMPUTES EFFECTIVE MEMORY ADDRESS FROM INDEX AND BASE;
2002 * STORES IT AS OPERAND ADDRESS OF FOLLOWING INSTRUCTION.
2003 *
2004 * CALLING SEQUENCE:
2005 *
2006 * BCS IOP1
2007 * DATA : INDEX ADDR
2008 * DATA : ARRAY BASE ADDR
2009 * - : FOLLOWING INSTR , FIRST WORD
2010 * - : SECOND INSTR WORD (REPLACED BY EFFEC ADDR)
2011 *
2012 * NOTE: BOTH INDEX ADDRESS AND ARRAY BASE ADDRESS MAY
2013 * BE INDIRECT.
2014 *
2015 * REG USAGE:
2016 * RA - INDEX VALUE STORAGE
2017 * DPR - EFFECTIVE ADDR STORAGE
2018 * RB - COPY OF DPR ON EXIT
2019 *
2020 *
2021 *
2022 *
2023 *
2024 * WAIT FOR COMPLETION OF INDEX VALUE FETCH;
2025 * START FETCH OF ARRAY BASE ADDRESS;
2026 *
01C6 01C6 2027 IDRG1 EQU * SAVE POSITION
0181 0181 2028 DRG SQ1+1 PLACE MICRO IN FIELD SEL TABLE
0181 0BC8040484000000 2029 IDP3 GEN /N(IOP4),6(MEMC),10(DF$P),13(INCP)
2030 *
2031 * SAVE INDEX VALUE; ADVANCE P TO FOLLOWING INSTR.
2032 *
0179 2033 DRG X'179
0179 0BD000002491021A 2034 IDP4 GEN /*,11(B$SPEC),23(MIR),14(DEC),12(A$SPEC),22(ADNES),
2035 C17(GPROUT),24(RA),13(INCP)
2036 *
2037 * WAIT FOR COMPLETION OF BASE ADDRESS FETCH
2038 *
017A 0BDS000080000000 2039 IDP5 GEN /*,6(SPEC),10(WAITMD)
2040 *
2041 * TEST IF BASE ADDRESS HAS INDIRECT BIT SET;
2042 * IF SO, USE IT AS INDIRECT ADDRESS AND LOOP TILL END OF CHAIN.
2043 * SET EFFECTIVE ADDR = BASE ADDR +(2*INDEX)
2044 *
2045 *
017B 6BD02EC6B390001A 2046 GEN /T(IOP5,IOP7),5(TT),7(MIRS),6(TESTT),10(DF$MIR),
2047 C12(A$GPR),24(RA),11(B$SPEC),23(MIR),14(ADD),
2048 C13(GPROUT)
2049 *
2050 * START STORE OF EFFECTIVE ADDRESS INTO SECOND WORD
2051 * OF FOLLOWING INSTRUCTION.
017C 0BE8040308060000 2052 IDP7 GEN /*,6(MEMC),10(OS$ALU),12(A$P),14(INCA),16(CRY1)
2053 *
2054 * SETUP EFFECTIVE ADDR FOR STORAGE;
2055 * WAIT FOR STUPE TO COMPLETE;
2056 * START FETCH OF FOLLOWING INSTR;
2057 * EXIT THROUGH ROM STANDARD STATE
2058 *
017D 0490090420A90000 2059 GEN /P(SS2M),7(PJMP),6(MEMC),TF0,10(IF$P),
01C6 01C6 2060 C11(B$SPEC),23(DPR),14(TRNB),15(LOG),17(GPROUT),24(RB)
2061 DRG IDRG1 RESTORE LOCATION
2062 *
2063 * FOLLOWING IS FIELD SELECT TABLE USED BY BCS X'17;
2064 * CHOOSES BETWEEN $DD PROCESSING AND MATH/SQRT/INDEX;
2065 *
2066 *
2067 *
2068 * ENTRY FOR $DD WITH INCREMENT = 1
2069 * SET RF = 1; ENTER INTO DD LOOP.
2070 *
01C6 033800008007010F 2071 $DDINI GEN /N(VALUE),12(A$SPEC),22(AZERD),14(INCA),16(CRY1),
2072 C17(GPROUT),24(RF),10(WAITMD),6(SPEC)

```







```

0193 SQ16      0194 SQ17      0195 SQ18      0196 SQ19      0183 SQ2
0197 SQ20      0198 SQ21A     0199 SQ21B     019A SQ21C     019B SQ21D
019C SQ21E     019D SQ21F     019E SQ21G     019F SQ21H     01A0 SQ22
01A1 SQ23      01A2 SQ24      01A8 SQ25A     01A9 SQ25B     01AA SQ25C
01AB SQ25D     01AC SQ25E     01AD SQ25F     01AE SQ25G     01AF SQ25H
01B0 SQ26      01B1 SQ27      01B2 SQ28      01B3 SQ29      0184 SQ3
01B4 SQ30      01B5 SQ31      01B6 SQ32      01B7 SQ33      01B8 SQ34
01B9 SQ35      01BA SQ36      01BB SQ37      01BC SQ38      01BD SQ39
0183 SQ4       01BE SQ40      01BF SQ41      01C0 SQ42      01C1 SQ43
01C2 SQ44      01C3 SQ45      01C4 SQ46      01C5 SQ47      0188 SQ5
0189 SQ6       018A SQ7       018B SQ8       018C SQ9       0121 SQIN1
0182 SQIN2     0186 SQDVF     0187 SQDVF1    013E SS1M     0092 SS2M
002D SS3M     0081 SSUB      007F SSUB3     0089 SSUB4     00AD SSUBA
0004 SSW1     0003 SSW2     0002 SSW3     000D STACK     0077 STACK1
0078 STACK2    0079 STACK3    007A STACK4    00AB STACK5    0019 STACKS
0003 STAT     00E6 STKJ1     00ED STKJ2     00EE STKJ3     0006 SUB
0002 TCB       0002 TESTF     0003 TESTT     0005 TFIR      0014 TFR1
011B TFR2     0111 TJEQ      0113 TJGE      0117 TJGT      0116 TJLE
0112 TJLT     0110 TJNE      000F TRNA      000A TRNB      0002 TT
0066 VAL2     0068 VAL3      0067 VALUE     0065 VALUX     0001 WAITMD
0062 YDD1     0070 YDD2      0003 ZERO
0 ERRORS ASSEMBLY COMPLETE

```

452	\$DD1	482								
2071	\$DDIN1	825								
0	A	127								
21	A\$GPR	237	296	299	306	309	314	332	363	369
		374	395	417	420	460	464	470	477	482
		522	524	551	553	556	560	572	576	582
		584	589	593	595	598	634	640	642	654
		656	668	670	682	694	703	705	711	713
		736	743	749	755	757	770	779	788	798
		809	844	919	960	966	1049	1054	1069	1084
		1095	1135	1133	1213	1331	1364	1382	1392	1403
		1437	1449	1487	1566	1575	1634	1640	1656	1669
		1676	1681	1691	1738	1767	1783	1806	1879	1881
		1883	1885	1887	1889	1916	1951	1960	1986	
22	A\$GPR1	1607	1614	1619	1790	1965	2046			
23	A\$GPRR	637	659	680	683	685	697	700	708	740
		761	768	776	1626	1812	1818	1824	1826	1831
		1921	1975	1981	1991					
24	ASP	415	494	796	953	1131	1133	2052		
25	AS\$SPEC	235	288	294	372	542	816	819	927	933
		946	1112	1114	1117	1141	1147	1161	1244	1289
		1342	1444	1553	1592	1597	1665	1750	1760	1762
		1943	2034	2071						
0	AA0	210	215							
0	AA1	194	195	198	208	233	234	239	245	247
		579	615							
0	AA4	176	600							
0	AAS	588								
0	AAE	191	197	240						
0	AAF	192	211	246						
12	ADD	238	416	465	523	557	1132	1134	1383	1615
		1635	1768	1879	1881	1883	1885	1887	1889	1917
		1961	2046							
249	ADDR1	286								
485	ADDR2	497								
616	ADDR3	632								
1131	AIF1	1161								
1167	AIF2	1131	1133	1172						
1172	AIF3	1167								
1178	AIF4	1172								
0	AK2	531	532	533	534	535	536	537	538	539
		556	554	565	569					
0	AK9	556								
15	ALUS	452	476	484	592	595	656	670	705	713
		758	768	858	953	1063	1100	1105	1129	1130
		1492	1582	1742	1806	1906				
16	ALUZ	641	643	749	862	1068	1089	1127	1128	1337
		1370	1398	1408	1444	1456	1571	1660		
17	AND	635	1670	1784						
18	ADNE	236	294							
19	ADNES	819	927	1141	1161	1593	2034			
20	AZFRD	288	372	542	816	933	946	1112	1114	1117
		1147	1244	1289	1342	1444	1553	1597	1665	1750
		1760	1762	1943	2071					
0	B	98								
30	B\$GPR	236	461	523	544	558	561	605	607	776
		1131	1133	1257	1262	1267	1273	1284	1295	1305
		1316	1321	1337	1349	1354	1370	1382	1387	1456
		1466	1471	1482	1510	1514	1522	1528	1533	1543
		1548	1555	1566	1575	1586	1592	1614	1619	1635
		1641	1664	1837	1900	1906	1916	1926	1928	1938
		1960	1996							
31	B\$SPEC	288	293	383	313	337	340	346	371	398
		431	406	445	450	463	464	477	479	500
		504	508	511	520	542	548	567	589	533
		647	631	673	689	691	716	752	761	764
		773	782	786	789	875	912	926	932	943
		977	1023	1033	1043	1054	1073	1084	1095	1172
		1202	1220	1233	1671	1705	1744	1755	1772	1776











1509	IDVDF	1456									
1514	IDVDF3	1509									
42	IF\$ALU	555	945	959							
43	IF\$MIR	479	869	939	1167						
44	IF\$DVR	1376	1413	1569							
45	IF\$P	296	345	374	417	419	481	745	881	886	
		1154	1178	1227	1343	1749	1761	1982	2059		
0	IM4	1825									
0	IMD	176	531	532	533	534	535	536	537	538	
		538	550	554	565	569	600				
1244	IMD1	1233	1606								
1295	IMD10	1289									
1250	IMD2	1244									
1257	IMD3	1244	1251								
1262	IMD4	1237									
1267	IMD5	1262									
1273	IMD6	1267									
1279	IMD7	1273									
1284	IMD8	1273	1279								
1289	IMD9	1284									
1305	IMU1	1295	1436								
1349	IMU10	1337	1342								
1354	IMU11	1349									
1359	IMU12	1351									
1364	IMU13	1359									
1370	IMU14	1364									
1376	IMU15	1370									
1382	IMU16	1370	1376								
1387	IMU17	1382									
1392	IMU18	1387									
1398	IMU19	1392									
1403	IMU20	1398									
1408	IMU21	1403									
1413	IMU22	1408									
1417	IMU23	1398	1408	1413							
1422	IMU24	1417									
1427	IMU25	1417	1423								
1311	IMU3	1305									
1316	IMU4	1311									
1321	IMU5	1316									
1326	IMU6	1321									
1331	IMU7	1326									
1337	IMU8	1331									
1342	IMU9	1337									
46	INCA	296	299	332	396	585	656	671	682	706	
		714	743	770	779	1050	1069	1118	1214	1739	
		2052	2071								
47	INCB	371	933	946							
602	INCLR0	534	537	538							
502	INCLR1	530	539	565							
506	INCLRB	531	532								
48	INCP	357	309	343	374	404	413	420	461		
		471	481	587	592	648	652	664	666	753	
		881	986	913	1029	1113	1116	1119	1162	1178	
		1227	1750	2129	2035						
606	INCR0A	602									
499	INCR0B	606									
604	INCR1A	502									
503	INCR1B	604									
603	INCRBA	506									
507	INCRBB	603									
49	INCS0	313	513								
584	INCT03	499	503	507							
2034	IDP4	2039									
2039	IDP5	2045									
2052	IDP7	2045									
2027	IDRG1	2061									
862	JAG2	858									
869	JAG3	862	874								
874	JAG4	869									
881	JAG5	874									
886	JAG6	858	862								
1161	JIR2	1141	1147								
0	LAB	100	203	204	615						
0	LAB	231	243	247							
0	LB1	193	208	244							
0	LB2	206									
0	LB3	174	201	271	532	533	534	535	536	537	
		538	539	550	554	565	569	600	613	1251	
		1403	1432	1477	1497	1539	1561	1606	1667	1912	
		1934	1946								
53	LFT	1982									
472	LIM1	474									
473	LIM2	472									
475	LIM3	473									
476	LIM4	477									
469	LIMIT	472									
54	LIT	206	472								
		215	537	634	1669	1767	1793	1846	1848		
		1907	1972	1954	1856	1872	1881	1882	1885	1887	
		1989									
55	LDG	304	306	313	317	308	340	346	363	369	
		375	399	407	409	418	420	446	450	461	
		463	480	487	500	504	508	512	516	521	



		524	545	547	549	552	553	559	560	561
		568	573	577	579	588	596	599	605	607
		648	652	660	673	681	684	686	689	691
		694	698	701	709	716	737	741	752	758
		762	765	774	777	782	786	796	798	809
		816	819	845	875	912	919	954	960	967
		978	1024	1033	1044	1073	1096	1115	1142	1148
		1173	1203	1221	1234	1245	1257	1262	1267	1274
		1284	1289	1295	1305	1316	1321	1331	1338	1342
		1349	1354	1364	1371	1387	1392	1403	1437	1445
		1449	1457	1466	1471	1482	1487	1510	1514	1522
		1528	1533	1543	1548	1553	1553	1586	1597	1608
		1627	1656	1671	1677	1681	1705	1744	1750	1755
		1760	1763	1772	1777	1779	1785	1790	1795	1801
		1812	1818	1824	1826	1831	1838	1861	1895	1900
		1907	1921	1926	1928	1938	1943	1951	1955	1970
		1975	1981	1991	1997	2060				
637	MBS1	796								
673	MBS10	700								
668	MBS11	664	673							
670	MBS12	668								
697	MBS13	670								
666	MBS14	642								
716	MBS15	659								
703	MBS16	666	716							
705	MBS17	703								
691	MBS18	705								
708	MBS19	691								
640	MBS2	634								
647	MBS20	640	708							
711	MBS21	647								
713	MBS22	711								
689	MBS23	713								
694	MBS24	656	670	705	713					
659	MBS25	689								
634	MBS4	637								
651	MBS5	640	697							
654	MBS6	651								
656	MBS7	654								
700	MBS8	656								
664	MBS9	642								
586	MCTOS	582	584							
589	MCTOS1	612								
591	MCTOS2	589								
593	MCTOS3	235								
595	MCTOS4	593								
612	MCTOSA	587								
235	MCTOSB	591								
587	MCTOSX	586								
56	MEMC	237	297	300	301	309	333	335	366	372
		374	393	395	404	413	443	451	460	462
		465	471	472	502	506	513	514	519	522
		527	544	552	558	566	572	576	586	587
		591	602	647	651	659	664	666	680	683
		685	697	700	708	740	747	753	831	844
		869	918	926	932	939	966	1018	1029	1038
		1049	1131	1133	1167	1209	1213	1227	1343	1710
		1738	1749	1761	1982	2029	2052	2078		
57	MEMCS	345	418	419	480	481	556	745	821	886
		945	959	1154	1178	2059				
0	MF1	191	198	211	240	246				
58	MIR	288	293	303	337	340	346	371	398	401
		406	445	450	463	464	477	479	500	504
		508	512	520	543	548	567	590	594	651
		673	689	691	752	773	782	975	912	926
		932	946	977	1023	1033	1043	1054	1073	1084
59	MIRS	1172	1262	1220	1233	1705	1744	1755	2034	2046
		338	368	398	462	472	510	974	977	1023
		1043	1172	1262	1704	2045				
0	MKFFFC	238								
0	MKFFFD	557								
0	MR1	203	231	241	242					
246	MUL	1311	1326	1359	1560	1866				
233	MUL1	613								
248	MUL12	244								
247	MUL13	244	248							
615	MUL2	233								
239	MUL3	615								
234	MUL4	613								
240	MUL5	234	239	515						
241	MUL6	240								
231	MUL8	242								
243	MUL9	231								
613	MULA	246	550							
0	N	193	194	195	198	200	208	209	211	217
		233	234	235	237	239	240	242	246	247
		248	253	255	257	259	261	293	296	301
		303	306	309	332	335	345	363	366	374
		393	395	406	415	419	445	450	456	460
		464	469	470	477	479	481	482	494	499
		502	503	506	507	513	514	519	520	522
		524	527	542	544	546	548	551	553	558



		560	561	566	567	572	576	578	579	582
		584	586	587	589	593	598	602	603	604
		606	608	609	610	611	612	637	647	651
		654	659	664	666	668	673	680	682	683
		685	689	691	697	700	703	708	711	716
		736	740	743	745	747	752	755	761	770
		776	779	785	789	793	796	798	813	819
		831	844	869	912	926	932	939	966	972
		1018	1029	1033	1038	1049	1054	1073	1078	1084
		1095	1131	1133	1135	1136	1167	1209	1213	1220
		1227	1237	1262	1267	1284	1289	1305	1316	1321
		1331	1342	1349	1354	1364	1376	1382	1387	1392
		1403	1413	1437	1449	1466	1471	1482	1487	1509
		1514	1522	1528	1532	1543	1548	1553	1555	1566
		1575	1586	1592	1597	1614	1619	1656	1664	1669
		1671	1676	1681	1691	1710	1738	1744	1755	1760
		1767	1772	1776	1779	1783	1785	1793	1795	1800
		1812	1818	1824	1826	1831	1844	1845	1846	1848
		1850	1852	1854	1856	1861	1877	1878	1879	1891
		1893	1895	1897	1899	1895	1900	1916	1921	1926
		1928	1933	1943	1951	1955	1960	1965	1970	1975
		1981	1986	1991	2022	2071				
481	NEXT	476								
62	NOTA	1677	1681							
0	0	1880	1882	1884	1886	1888	1890			
64	DF\$ALU	299	332	395	415	502	506	566	602	630
		603	635	740	844	966	1049	1060	1131	1133
		1213	1738							
65	DF\$MIR	301	335	366	393	445	462	472	513	514
		831	932	1018	1038	1209	1710	2045	2070	
67	DF\$P	404	450	465	470	519	527	544	597	591
		647	651	664	666	1029	2029			
68	DLSE	716	761	786	1774	1800	1955	1970		
69	ONES	793								
70	OPR	313	1095	1671	1861	1895	2060			
71	OPROUT	416	689	991	762	774	777	790	786	798
		1085	1370	1768	1777	1784	1791	1801	1847	1849
		1851	1853	1855	1857	1879	1881	1880	1885	1887
		1893	1951	1961	1971	2047				
72	OR	1897	1966	1987						
73	ORLZ	647	1738	1785	1793	1965				
74	ORSE	1772								
75	ORZF	764	788	1807	1986					
76	OS\$ALU	237	312	371	469	552	572	576	586	918
		926	2052							
78	OS\$DVR	368								
79	OS\$P	309	522	558						
80	OVFL	1039								
492	P	143	144	145	146	147	148	149	150	151
		152	153	154	155	156	157	158	159	160
		161	162	163	164	165	166	167	168	169
		170	171	172	173	174	417	531	531	531
		532	532	532	533	533	533	534	534	534
		535	535	535	536	536	536	537	537	537
		538	538	538	539	539	539	550	550	550
		554	554	554	555	565	565	565	569	569
		569	600	694	931	806	945	959	1154	1170
		1250	1259	1311	1323	1359	1422	1427	1461	1476
		1496	1501	1533	1569	1634	1640	1762	1866	1911
		1933	1945	1956	2059					
800	PAGE	1250	1251	1279	1279	1311	1311	1326	1326	1359
		1359	1432	1433	1461	1462	1476	1477	1493	1497
		1533	1533	1540	1561	1636	1857	1911	1912	1933
		1934	1945	1946						
81	PJMP	143	144	145	146	147	148	149	150	151
		152	153	154	155	156	157	158	159	160
		161	162	163	164	165	166	167	168	169
		170	171	172	173	174	604	1407	1581	1634
		1643	1732	1933						
82	PJNPS	343	418	419	474	481	555	743	881	936
		943	619	1134	1173	2059				
939	POPDA	538								
939	POPJ2	917								
945	POPJ3	917								
84	POPJMP	1603								
85	POUT	233	483	587	586	596	637	690	751	976
		947	959	1173						
926	PUSH1	918								
953	PUSH2	926								
959	PUSH3	953	977							
966	PUSH4	953	977							
979	PUSH5	966								
977	PUSH6	977								
86	PUSH	1250	1311	1323	1359	1422	1422	1461	1476	1496
		1500	1501	1533	1569	1634	1640	1762	1866	1911
976	PUSH1	521								
978	PUSH2	521								
979	PUSH3	521								
979	PUSH3.1	531								
985	PUSH3.2	521								
97	QUIT	1141	1147	1477						
88	R0	332	378	379	363	369	395	399	402	501



		544	547	560	562	607	654	668	703	711
		755	809	1142	1148	1257	1268	1284	1290	1331
		1343	1364	1371	1382	1445	1483	1510	1543	1554
		1566	1598	1634	1640	1676	1691	1751	1761	1879
		1881	1883	1885	1887	1889	1901	1927	1997	
89	R1	346	375	407	420	505	553	559	605	637
		680	682	683	685	768	770	844	919	1262
		1274	1295	1306	1316	1322	1337	1355	1370	1388
		1457	1466	1472	1515	1523	1548	1556	1575	1587
		1593	1614	1619	1626	1656	1664	1665	1669	1672
		1763	1838	1907	1916	1929	1938	1944	1951	1956
		1965	1975	1981						
90	R2	634	640	642	656	659	670	697	700	705
		708	713	740	743	761	776	779		
96	R8	236	304	306	310	502	506	516	551	566
		573	577	583	585	589	596	602	1024	1049
		1258	1321	1403	1456	1510	1522	1544	1566	1705
		1738	1745	1767	1783	1786	1806	1812	1824	1826
		1837	1900	1926	1939	1960				
97	R9	294	296	299	314	417	495	599	694	796
		1034	1054	1095	1263	1305	1354	1471	1514	1575
		1756	1790	1796	1818	1831	1906	1928		
98	RA	521	523	543	559	605	774	775	1074	1084
		1245	1338	1382	1487	1681	1779	1986	1991	1996
		2035	2046							
99	RB	509	522	524	545	561	607	783	798	1285
		1349	1392	1437	1533	2060				
100	RC	236	446	482	568	593	765	788	1203	1213
		1221	1267	1296	1350	1449	1528	1534	1549	1586
		1592	1635	1641	1862	1896	1916	1921	1960	
101	RD	238	511	566	1234	1273	1317	1387	1467	1482
		1529	1555	1607	1614	1619				
102	RE	461	463	736	749	793	1113	1115	1118	1131
		1133	1135	1136	1162					
1018	REL1	816	819	1023						
1063	REL10	1059								
1068	REL11	1063								
1073	REL12	1068								
1078	REL13	1073								
1084	REL14	1078								
1089	REL15	1084								
1095	REL16	1089								
1100	REL17	1095								
1023	REL2	1018								
1105	REL20	1059								
1029	REL3	1023								
1033	REL4	1029								
1038	REL5	1033	1043							
1043	REL6	1038								
1049	REL7	1043								
1054	REL8	1049								
1059	REL9	1054								
1114	REQ	1089								
479	RETURN	476								
103	RF	451	460	464	470	477	549	753	757	913
		960	966	978	1044	1069	2072			
0	RF2	201	613							
0	RF3	193	194	234	615					
0	RF4	600								
0	RF5	204	231	242						
104	RGHT	1976								
1117	RGT	1068	1100	1105						
1112	RLT	1063	1100	1105						
1141	RNET	1127	1128	1129	1130					
1147	RNOT	1127	1128	1129	1130					
105	ROVFL	1050	1214	1739						
0	S	764	767	1704						
119	S\$ALU	304	478	483	590	594	635	654	668	703
		711	755	789	810	913	1055	1085	1096	1113
		1116	1119	1135	1136	1332	1365	1393	1404	1436
		1450	1488	1567	1576	1615	1620	1656	1745	1772
		1896								
121	\$SOVFS	1055	1085	1383						
120	\$SOVFL	523								
122	\$SHFT	737	750							
531	SADD	515								
519	SADD3	531								
520	SADD4	609								
522	SADD5	520	542							
524	SADD6	522								
609	SADDA	519								
0	SC0	817	820	1245	1682					
0	SC1	204	209	217	232	241	242	243		
106	SCOUT	289								
569	SDIV10	567								
565	SDIV5	534								
566	SDIV8	565								
567	SDIV9	611								
611	SDIVY	566								
555	SEXIT	524	537	539	561	578				
0	SFO	810	1055	1085	1096	1113	1115	1118	1135	1136
		1251	1280	1312	1327	1332	1360	1365	1423	1427
		1462	1477	1497	1501	1539	1561	1634	1640	1686



E.2 VORTEX LISTING

FPPWCS

PROGRAM PAGE

31

LISTING PAGE ( 519)

Line	Label	1762	1832	1867	1912	1934	1946	1998												
0	SF1	200	1376	1413	1509															
107	SFTC	312																		
0	SH1	192	193	197	209	213	217													
0	SH2	204																		
0	SH3	1918	1975																	
0	SH4	247	1626	1812	1831	1921	1981	1991												
109	SHFT	765																		
110	SHFTDP	1976	1982																	
560	SMU13A	558																		
561	SMU14	560																		
554	SMUL12	553																		
553	SMUL13	554																		
544	SMUL3	539																		
546	SMUL4	544																		
548	SMUL6	546																		
550	SMUL7	540																		
551	SMUL8	556	569																	
553	SMUL9	551																		
111	SOVFL	1940	1376	1413	1509	1761														
112	SOVFC	2005	253	253	257	259	261	291	307	343										
		367	452	456	469	476	495	546	603	604										
		606	603	609	610	611	612	657	671	674										
		768	714	717	736	779	779	854	972	1078										
		2839	2872																	
		1701	2098																	
1738	001	1738																		
1735	0010	1733																		
1790	0011	1785																		
1795	0012	1791																		
1800	0013	1795																		
1806	0014	1800																		
1812	0015	1806																		
1818	0016	1812																		
1824	0017	1806	1818																	
1826	0018	1824																		
1831	0019	1826																		
1744	002	1738																		
1837	0020	1831																		
1844	0021A	1837																		
1861	0022	1845	1848	1850	1853	1954	1956													
1866	0023	1861																		
1871	0024	1867																		
1877	0025A	1871																		
1895	0026	1879	1881	1883	1885	1887	1889													
1900	0027	1895																		
1906	0028	1900																		
1911	0029	1904																		
1749	003	1744																		
1716	0030	1712																		
1931	0031	1716																		
1936	0032	1731																		
1933	0033	1926																		
1933	0034	1926																		
1933	0035	1934																		
1943	0036	1933																		
1945	0037	1940																		
1951	0038	1936	1946																	
1955	0039	1951																		
1755	004	1749																		
1960	0043	1950																		
1965	0041	1960																		
1970	0042	1965																		
1975	0043	1970																		
1981	0044	1975																		
1986	0045	1981																		
1991	0046	1986																		
1996	0047	1991																		
1707	005	1705																		
1772	006	1767																		
1776	007	1772																		
1778	008	1776																		
1783	009	1778																		
1784	00101	1783																		
1710	00102	1784																		
1769	00201	1749	1734	1845	1877	1878														
1752	00201F1	1769																		
136	0010	135																		
137	0020	138	144	145	146	147	148	149	150	151										
		140	145	146	147	148	149	150	151	152										
		141	146	147	148	149	150	151	152	153										
		142	147	148	149	150	151	152	153	154										
		143	148	149	150	151	152	153	154	155										
		144	149	150	151	152	153	154	155	156										
		145	150	151	152	153	154	155	156	157										
		146	151	152	153	154	155	156	157	158										
		147	152	153	154	155	156	157	158	159										
		148	153	154	155	156	157	158	159	160										
		149	154	155	156	157	158	159	160	161										
		150	155	156	157	158	159	160	161	162										
		151	156	157	158	159	160	161	162	163										
		152	157	158	159	160	161	162</												



608	STACKS	514								
494	STACKS	513								
844	STKJ1	809								
918	STKJ2	844								
918	STKJ3	912								
118	SUB	288	477	590	594	788	1055	1085	1567	1576
		1620	1641							
0	T	192	196	201	203	205	207	212	214	216
		231	244	312	337	368	398	452	462	472
		476	484	510	591	595	613	615	640	642
		656	670	705	713	749	757	858	862	874
		953	977	1023	1043	1059	1063	1068	1089	1100
		1105	1127	1128	1129	1130	1141	1147	1161	1172
		1202	1244	1273	1337	1370	1398	1408	1417	1444
		1456	1492	1571	1582	1660	1749	1806	1906	2045
123	TCB	543	1664							
125	TESTF	368								
124	TESTT	312	1068	2045						
0	TF0	881	886	1035	1085	1096	1113	1115	1118	1135
		1136	1154	1178	1251	1280	1312	1327	1360	1376
		1413	1423	1427	1462	1477	1497	1501	1509	1539
		1561	1634	1640	1686	1762	1832	1867	1912	1934
		1946	1996	2059						
0	TF2	192	196	201	203	205	207	212	216	231
		244	615							
0	TF3	214	613							
1154	TFR2	1141	1147	1161						
1128	TJED	1136								
1127	TJNE	1112	1114	1117	1135					
127	TRNA	306	310	363	369	375	417	420	482	524
		551	553	560	573	577	579	588	596	599
		660	681	684	686	694	698	701	709	741
		757	796	798	809	816	819	845	919	954
		960	967	1115	1142	1148	1245	1289	1331	1342
		1364	1392	1403	1437	1445	1449	1487	1553	1597
		1608	1627	1656	1750	1760	1763	1790	1812	1818
		1824	1826	1831	1921	1943	1951	1975	1981	1991
128	TRNB	304	313	337	340	346	399	401	406	446
		450	461	463	480	500	504	508	512	516
		520	545	548	559	561	567	605	607	648
		651	673	689	691	716	752	762	765	774
		777	782	786	875	912	978	1024	1033	1044
		1073	1173	1203	1221	1234	1257	1262	1267	1274
		1284	1295	1305	1316	1321	1338	1349	1354	1371
		1387	1457	1466	1471	1482	1510	1514	1522	1528
		1533	1543	1548	1555	1586	1671	1705	1744	1755
		1772	1777	1779	1785	1795	1801	1838	1847	1849
		1851	1853	1855	1857	1861	1895	1900	1907	1926
		1928	1938	1953	1970	1997	2060			
129	TT	312	337	368	398	462	472	484	595	640
		1023	1043	1068	1089	1100	1105	1128	1129	1244
		1398	1408	1444	1456	1492	1571	1806	2045	
460	VAL2	462								
464	VAL3	460								
462	VALUE	456	2071							
488	VALUX	450	462							
0	VF1	203	234	615						
130	WAITND	888	889	889	887	889	861	291	807	243
		884	488	488	489	498	498	884	846	888
		560	578	579	598	603	604	606	608	609
		610	611	612	657	671	674	706	714	717
		736	770	779	954	972	1078	2039	2072	
0	HF1	211	217	232	241	242	243	1245	1682	
0	HR1	191	192	195	197	198	204	208	209	211
		215	217	240	242	243	245	246	247	248
0	X	17	27	29	33	40	43	59	61	65
		77	79	87	98	99	100	101	102	103
		107	108	109	116	127	128	136	137	138
		175	251	256	492	493	515	630	634	800
		808	815	818	824	830	836	1669	1709	1737
		1767	1783	1843	1846	1848	1850	1852	1854	1856
		1876	2033							
0	XF1	232	241	242	243					
0	XF2	204	209	1976						
0	YAAA	888	888							
0	YAAA	888	888							
0	YAAA	888	888							
0	YAAA	888	888							