DATE OF ORDER:			F ORDER:					
SHIP TO:								
TELE	EPHONE:		TELEPH	IONE:				
DRIVER'S LICENSE NO.:				EXP.DATE:				
		I	MSAI MICROCOMPUTER PRODUCTS PRICE	LIST/ORDER FORM				
QTY	UNITEXTENDE	NO.	DESCRIPTION		KIT PRICE	ASSEMBLED PRICE		
			BASIC COMPUTER SYSTEM					
		1-8080	Table top version of basic computer system		\$599	\$931		
		I-8080-1K I-8080-OEM	Table top verson with 1K bytes of memory		\$659 \$529	\$999 \$74 9		
		1-0000-OEIW	BASIC COMPUTER SYSTEM OPTIONS AND		\$329	\$743		
		RM	Rack mount chassis (when purchased with basic comp	outer system in lieu of table top cover)		\$ 20		
		CP-A	Front panel		\$189	\$325		
		PS-28	Power supply (28 amp)		\$100	\$179		
		FM	Cooling Fan		\$ 29	\$ 39		
		DC	Table top cover			\$ 50		
		EXPM	Edge Connector and Guides		\$ 7	\$ 15		
		EXP-4	Four slot mother board expansion			\$ 18		
		EXP-22	Twenty-two slot mother board, when ordered with ba	sic system:		\$ 52		
		EXP-22	Twenty-two slot mother board, when ordered without	t basic system:		\$ 65		
		MPU-A	Microprocessor board		\$190	\$350		
		PIC-8	Priority interrupt/interval clock board		\$125	\$238		
		EXT	Extender board		\$ 39	\$ 49		
		GP-88	General purpose prototype board		\$ 39	\$ 47		
			MEMORIES					



RAM 4A-4

MM02-1

MM11-1

PROM 4-4

MM702-5

\$139

\$ 33

\$ 37

\$399

\$165

\$ 50

\$279

\$ 57

\$ 59

\$579

\$247

\$ 69

MABP-3	ASSEMBLED PRICE	KIT PRICE		UNIT EXTENDED OTY PRICE PRICE
MAPT-6 Port timing board . \$225 BB B Bs basard frequires one of the following cables) . \$225 BB CABLE-8 8" bus board requires one of the following cables) . \$225 BB CABLE-18 18" bus board cable . \$255 STANDARD INPUT/OUTPUT INTERFACES PIO 4-4 4 port parallel I/O board . \$156 PIO 4-1 One port parallel I/O board . \$9.3 PIOM One port parallel I/O board . \$9.3 PIOM One port parallel I/O module . \$2.2 PIO CABLE Cable from PIO 4-4 or PIO 4-1 to rear of chassis (one cable required for input, one for output.) SIO 2-2 Two port serial I/O interface board (one Cable A required per channel) . \$156 SIO 2-1 One port serial I/O interface board (one Cable A required per channel) . \$156 SIO 2-1 One port serial I/O interface board (one Cable A required per channel) . \$156 SIO 2-1 One port serial I/O interface board (one Cable A required) . \$125 SIOM One port serial I/O interface board . \$47 SIOC Serial I/O clock piggyback board . \$31 UCRI-1 Cassette recorder I/O interface board . \$99 SPECIAL INTERFACE PDP/DMA DMA Interface between a P.D.P. 11/45 and an IMSAI Disk Controller or IMSAI 8080 . GENERAL PURPOSE CABLES CABLE A 15" cable with board edge connector and 25 pin female EIA type connector . \$99 SPECIAL INTERFACE DISK DRIVES FIF Floppy disk drive interface when ordered with FDC2-1 . \$399 FIF Floppy disk drive interface when ordered without FDC2-1 . \$399 FIF Floppy disk drive interface when ordered without FDC2-1 . \$399 FIF Floppy disk drive interface when ordered without FDC2-1 . \$399 FIF Floppy disk drive interface when ordered without FDC2-1 . \$399 FIF Floppy disk drive interface when ordered without FDC2-1 . \$399 FIF Floppy disk drive interface when ordered without FDC2-1 . \$399 FIF Floppy disk drive interface when ordered without FDC2-1 . \$399 FIF Floppy disk drive interface when ordered without FDC2-1 . \$399 FIF Floppy disk drive interface when ordered without FDC2-1 . \$399 FIF Floppy disk drive interface when ordered without FDC2-1 . \$399 FIF Floppy disk drive interface when ordered withou			MULTIPROCESSORS AND SHARED MEMORY	
BB Bus board (requires one of the following cables) BB CABLE-18 18" bus board cable BB CABLE-18 18" bus board cable STANDARD INPUT/OUTPUT INTERFACES PIO 4-4 4 port parallel I/O board . \$156 PIO 4-1 0 ne port parallel I/O board . \$93 PIOM One port parallel I/O board . \$93 PIOM One port parallel I/O board . \$93 PIOM One port parallel I/O module . \$93 PIOM One port parallel I/O module . \$93 SIO 2-2 Two port serial I/O interface board (one Cable A required per channel) . \$156 SIO 2-1 One port serial I/O interface board (one Cable A required per channel) . \$156 SIO 2-1 One port serial I/O interface board (one Cable A required per channel) . \$156 SIO Cable . \$100 Serial I/O clock piggyback board . \$110 UCRI-1 Cassette recorder I/O interface board . \$31 UCRI-1 Cassette recorder I/O interface board . \$31 UCRI-1 Cassette recorder I/O interface board . \$350 SPECIAL INTERFACE PDP/DMA DMA Interface between a P.D.P. 11/45 and an IMSAI Disk Controller or IMSAI 8080 . GENERAL PURPOSE CABLES CABLE A 15" cable with board edge connector and 25 pin female EIA type connector . \$399 FIF Floppy disk drive interface when ordered with FDC2-1 . \$399 FIF Floppy disk drive interface when ordered without FDC2-1 . \$599 FDC2-1 Floppy disk drive interface when ordered without FDC2-1 . \$599 FDC-RM Rack mount chassis for floppy disk drive cabinet . FDC Floppy disk drive and power supply FDD Floppy disk drive and power supply	\$399	\$325	MABP-3 Access port board	
BB CABLE-18 18" bus board cable BB CABLE-18 18" bus board cable STANDARD INPUT/OUTPUT INTERFACES PIO 4-4 4 port parallel I/O board. \$156 PIO 4-1 One port parallel I/O board. \$93 PIOM One port parallel I/O module \$22 PIO CABLE Cable from PIO 4-1 or PIO 4-1 to rear of chassis (one cable required for input, one for output). SIO 2-2 Two port serial I/O interface board (one Cable A required per channel). \$156 SIO 2-1 Two port serial I/O interface board (one Cable A required) \$125 SIOM One port serial I/O interface board (one Cable A required) \$125 SIOM One port serial I/O clock piggyback board \$130 SIOC Serial I/O clock piggyback board \$110 SIOC Serial I/O clock piggyback board \$110 SPECIAL INTERFACE PDP/DMA DMA Interface between a P.D.P. 11/45 and an IMSAI Disk Controller or IMSAI 8080 CENERAL PURPOSE CABLES CABLE A 15" cable with board edge connector and 25 pin female EIA type connector. CABLE C 5" cable with a male 25 pin EIA type connector at each end DISK DRIVES FIF Floppy disk drive interface when ordered with FDC2-1 \$399 FIF Floppy disk drive interface when ordered without FDC2-1 \$599 FDC-21 Floopy disk drive interface when ordered without FDC2-1 \$599 FDC-RM Rack mount chassis for floppy disk drive cabinet. FDC Floppy disk drive and power supply FDD Floppy disk drive and power supply FDD Floppy disk drive lisk and interface. DISK-80 80 megabyte disk and interface. DISK-90 90 megabyte disk and interface. DISK-90 200 megabyte disk and interface. DISK-90 200 megabyte disk and interface. DISK-90 90 megabyte disk and interface. DISK-90 90 megabyte disk and interface. DISK-90 180 megabyte disk and interface. DISK-90 90 megabyte disk and interface.	\$305	\$225	MAPT-6 Port timing board	
BB CABLE-18 18" bus board cable STANDARD INPUT/OUTPUT INTERFACES P10 4-4 4 port parallel I/O board. \$156 P10 4-1 One port parallel I/O board. \$93 P10M One port parallel I/O module \$22 P10 CABLE Cable from P10 4-4 or P10 4-1 to rear of chassis (one cable required for input, one for output.) S10 2-2 Two port serial I/O interface board (one Cable A required per channel). \$156 S10 2-1 One port serial I/O interface board (one Cable A required per channel). \$125 S10M One port serial I/O module \$4.7 S10C Serial I/O clock piggyback board. \$4.7 S10C Serial I/O clock piggyback board. \$3.1 UCRI-1 Cassette recorder I/O interface board. \$59 SPECIAL INTERFACE PDP/DMA DMA Interface between a P.D.P. 11/45 and an IMSAI Disk Controller or IMSAI 8080. GENERAL PURPOSE CABLES CABLE A 15" cable with board edge connector and 25 pin female EIA type connector. CABLE C 5' cable with a male 25 pin EIA type connector at each end DISK DRIVES FIF Floppy disk drive interface when ordered with FDC2-1 \$399 FDC2-1 Floppy disk drive interface when ordered without FDC2-1 \$599 FDC2-1 Floppy disk drive interface when ordered without FDC2-1 \$599 FDC-RM Rack mount chassis for floppy disk drive cabinet. FDC-RM Rack mount chassis for floppy disk drive cabinet. FDC Floppy disk drive and power supply FDD Floppy disk drive disk and interface. DISK-80 80 megabyte disk and interface. DISK-80 80 megabyte disk and interface. DISK-80 200 megabyte disk and interface. DISK-80 200 megabyte disk and interface. DISK-80 200 megabyte disk and interface.	\$ 30		BB Bus board (requires one of the following cables)	
STANDARD INPUT/OUTPUT INTERFACES PIO 4-4	\$ 35		BB CABLE-8 8" bus board cable	-
PIO 4-4 4 port parallel I/O board . \$156 PIO 4-1 One port parallel I/O board . \$93 PIOM One port parallel I/O board . \$93 PIOM One port parallel I/O module . \$22 PIO CABLE Cable from PIO 4-4 or PIO 4-1 to rear of chassis (one cable required for input, one for output.) SIO 2-2 Two port serial I/O interface board (one Cable A required per channel) . \$156 SIO 2-1 One port serial I/O interface board (one Cable A required per channel) . \$125 SIOM One port serial I/O module . \$47 SIOC Serial I/O clock piggyback board . \$31 UCRI-1 Cassette recorder I/O interface board. \$59 SPECIAL INTERFACE PDP/DMA DMA Interface between a P.D.P. 11/45 and an IMSALDisk Controller or IMSAL8080 . GENERAL PURPOSE CABLES CABLE A 15" cable with board edge connector and 25 pin female EIA type connector . \$399 STABLE A 15" cable with a male 25 pin EIA type connector at each end DISK DRIVES FIF Floppy disk drive interface when ordered with FDC2-1 . \$399 FIF Floppy disk drive interface when ordered without FDC2-1 . \$599 FIF Floppy disk drive, power supply and phase lock loop in a 2 drive cabinet (one cable C required per cabinet) FDC-RM Rack mount chassis for floppy disk drive cabinet. FDC Floppy disk drive and power supply and phase lock loop in a 2 drive cabinet (one cable C required per cabinet) FDC Floppy disk drive and power supply and phase lock loop in a 2 drive cabinet (one cable C required per cabinet) FDC Floppy disk drive and power supply FDD Floppy disk drive and power supply FDD Floppy disk drive and power supply FDD Floppy disk drive and power supply FIRM Floppy disk drive a	\$ 45		BB CABLE-18 18" bus board cable	
PIO 4-1 One port parallel I/O board . \$ 93 PIOM One port parallel I/O module . \$ 22 PIO CABLE Cable from PIO 4-4 or PIO 4-1 to rear of chassis (one cable required for input, one for output.) SIO 2-2 Two port serial I/O interface board (one Cable A required per channel) . \$156 SIO 2-1 One port serial I/O interface board (one Cable A required per channel) . \$156 SIO SIO One port serial I/O interface board (one Cable A required) . \$125 SIOM One port serial I/O module . \$ 47 SIOC Serial I/O clock piggyback board . \$ 31 UCRI-1 Cassette recorder I/O interface board . \$ 59 SPECIAL INTERFACE PDP/DMA DMA Interface between a P.D.P. 11/45 and an IMSAI Disk Controller or IMSAI 8080 . GENERAL PURPOSE CABLES CABLE A 15" cable with board edge connector and 25 pin female EIA type connector . CABLE C 5" cable with a male 25 pin EIA type connector at each end DISK DRIVES FIF Floppy disk drive interface when ordered with FDC2-1 . \$399 FIF Floppy disk drive interface when ordered without FDC2-1 . \$599 FDC-RM Rack mount chassis for floppy disk drive cabinet (one cable C required per cabinet) FDC-RM Rack mount chassis for floppy disk drive cabinet . \$599 FID Floppy disk drive and power supply . FDD Floppy disk drive and power supply . \$500 FDC Floppy disk drive and power supply . \$500 FDC Floppy disk drive disk and interface . \$500 megabyte disk and interface .			STANDARD INPUT/OUTPUT INTERFACES	
PIOM One port parallel I/O module \$ 22 PIO CABLE Cable from PIO 44 or PIO 4-1 to rear of chassis (one cable required for input, one for output.) SIO 2-2 Two port serial I/O interface board (one Cable A required per channel) \$156 SIO 2-1 One port serial I/O interface board (one Cable A required per channel) \$125 SIOM One port serial I/O module \$ 47 SIOC Serial I/O clock piggyback board \$ 37 UCRI-1 Cassette recorder I/O interface board. \$ 31 UCRI-1 Cassette recorder I/O interface board. \$ 59 SPECIAL INTERFACE PDP/DMA DMA Interface between a P.D.P. 11/45 and an IMSAI Disk Controller or IMSAI 8080 . GENERAL PURPOSE CABLES CABLE A 15" cable with board edge connector and 25 pin female EIA type connector. CABLE C 5' cable with a male 25 pin EIA type connector at each end DISK DRIVES FIF Floppy disk drive interface when ordered without FDC2-1 \$399 FIF Floppy disk drive interface when ordered without FDC2-1 \$599 FDC2-1 Floppy disk drive, power supply and phase lock loop in a 2 drive cabinet (one cable C required per cabinet) FDC-RM Rack mount chassis for floppy disk drive cabinet. FDC Floppy disk drive and power supply . FDD Floppy disk drive and power supply .	\$299	\$156	PIO 4-4 4 port parallel I/O board	
PIO CABLE Cable from PIO 44 or PIO 4-1 to rear of chassis (one cable required for input, one for output.) SIO 2-2 Two port serial I/O interface board (one Cable A required per channel). SI56 SIO 2-1 One port serial I/O interface board (one Cable A required per channel). SI25 SIOM One port serial I/O module S 47 SIOC Serial I/O clock piggyback board. SIOC Serial I/O clock piggyback board. SFECIAL INTERFACE PDP/DMA DMA Interface between a P.D.P. 11/45 and an IMSAI Disk Controller or IMSAI 8080. GENERAL PURPOSE CABLES CABLE A 15" cable with board edge connector and 25 pin female EIA type connector. CABLE C 5" cable with a male 25 pin EIA type connector at each end DISK DRIVES FIF Floppy disk drive interface when ordered with FDC2-1 Floppy disk drive interface when ordered without FDC2-1 Floppy disk drive, power supply and phase lock loop in a 2 drive cabinet (one cable C required per cabinet) FDC-RM Rack mount chassis for floppy disk drive cabinet. FDC Floppy disk drive and power supply FDD Floppy disk drive and power supply FDD Floppy disk drive and power supply FDD Floppy diskette. DISK-80 BO megabyte disk and interface. DISK-80 BO megabyte disk and interface. HDIF Hard disk interface.	\$140	\$ 93	PIO 4-1 One port parallel I/O board	
output.) SIO 2-2 Two port serial I/O interface board (one Cable A required per channel). SIO 2-1 One port serial I/O module. SIOM One port serial I/O clock piggyback board. SIOM ONE SERIAL I/O clock piggyback	\$ 39	\$ 22	PIOM One port parallel I/O module	
SIO 2-1 One port serial I/O interface board (one Cable A required) \$125 SIOM One port serial I/O module \$47 SIOC Serial I/O clock piggyback board \$31 UCRI-1 Cassette recorder I/O interface board. \$59 SPECIAL INTERFACE PDP/DMA DMA Interface between a P.D.P. 11/45 and an IMSAI Disk Controller or IMSAI 8080 . GENERAL PURPOSE CABLES CABLE A 15" cable with board edge connector and 25 pin female EIA type connector . CABLE C 5' cable with a male 25 pin EIA type connector at each end DISK DRIVES FIF Floppy disk drive interface when ordered with FDC2-1 \$399 FIF Floppy disk drive interface when ordered without FDC2-1 \$599 FDC-1 Floppy disk drive, power supply and phase lock loop in a 2 drive cabinet (one cable C required per cabinet) FDC-RM Rack mount chassis for floppy disk drive cabinet. FDC Floppy disk drive and power supply FDD Floppy disk drive and power supply FDD Floppy disk drive and power supply FDD Floppy disk drive and power supply FDC Floppy disk drive and power supply F	\$ 22			F
SIOM One port serial I/O module \$ 47 SIOC Serial I/O clock piggyback board \$ 31 UCRI-1 Cassette recorder I/O interface board. \$ 59 SPECIAL INTERFACE PDP/DMA DMA Interface between a P.D.P. 11/45 and an IMSAI Disk Controller or IMSAI 8080 . GENERAL PURPOSE CABLES CABLE A 15" cable with board edge connector and 25 pin female EIA type connector. CABLE C 5' cable with a male 25 pin EIA type connector at each end DISK DRIVES FIF Floppy disk drive interface when ordered with FDC2-1 \$399 FIF Floppy disk drive interface when ordered without FDC2-1 \$599 FDC2-1 Floppy disk drive, power supply and phase lock loop in a 2 drive cabinet (one cable C required per cabinet) FDC-RM Rack mount chassis for floppy disk drive cabinet. FDC Floppy disk drive and power supply FDD Floppy disketre. DISK-50 50 megabyte disk and interface. DISK-80 80 megabyte disk and interface. DISK-200 200 megabyte disk and interface. HDIF Hard disk interface.	\$299	\$156	•	5
SIOC Serial I/O clock piggyback board. \$ 31 UCRI-1 Cassette recorder I/O interface board. \$ 59 SPECIAL INTERFACE PDP/DMA DMA Interface between a P.D.P. 11/45 and an IMSAI Disk Controller or IMSAI 8080 . GENERAL PURPOSE CABLES CABLE A 15" cable with board edge connector and 25 pin female EIA type connector	\$235	\$125	SIO 2-1 One port serial I/O interface board (one Cable A required)	5
SPECIAL INTERFACE PDP/DMA DMA Interface between a P.D.P. 11/45 and an IMSAI Disk Controller or IMSAI 8080 . GENERAL PURPOSE CABLES CABLE A 15" cable with board edge connector and 25 pin female EIA type connector	\$ 69	\$ 47	SIOM One port serial I/O module	5
SPECIAL INTERFACE PDP/DMA DMA Interface between a P.D.P. 11/45 and an IMSAI Disk Controller or IMSAI 8080 . GENERAL PURPOSE CABLES CABLE A 15" cable with board edge connector and 25 pin female EIA type connector	\$ 59	\$ 31	SIOC Serial I/O clock piggyback board	
PDP/DMA DMA Interface between a P.D.P. 11/45 and an IMSAI Disk Controller or IMSAI 8080 . GENERAL PURPOSE CABLES CABLE A 15" cable with board edge connector and 25 pin female EIA type connector	\$ 99	\$ 59	UCRI-1 Cassette recorder I/O interface board	
GENERAL PURPOSE CABLES CABLE A 15" cable with board edge connector and 25 pin female EIA type connector. CABLE C 5' cable with a male 25 pin EIA type connector at each end DISK DRIVES FIF Floppy disk drive interface when ordered with FDC2-1 \$399 FIF Floppy disk drive interface when ordered without FDC2-1 \$599 FDC2-1 Floppy disk drive, power supply and phase lock loop in a 2 drive cabinet (one cable C required per cabinet) FDC-RM Rack mount chassis for floppy disk drive cabinet. FDC Floppy disk drive and power supply FDD Floppy disk drive and power supply FDD Floppy diskette. DISK-50 50 megabyte disk and interface. DISK-80 80 megabyte disk and interface. HDIF Hard disk interface.			SPECIAL INTERFACE	
CABLE A 15" cable with board edge connector and 25 pin female EIA type connector CABLE C 5' cable with a male 25 pin EIA type connector at each end DISK DRIVES FIF Floppy disk drive interface when ordered with FDC2-1 \$399 FIF Floppy disk drive interface when ordered without FDC2-1 \$599 FDC2-1 Floppy disk drive, power supply and phase lock loop in a 2 drive cabinet (one cable C required per cabinet) FDC-RM Rack mount chassis for floppy disk drive cabinet. FDC Floppy disk drive and power supply FDD Floppy diskette. DISK-50 50 megabyte disk and interface. DISK-80 80 megabyte disk and interface. DISK-200 200 megabyte disk and interface. HDIF Hard disk interface.	\$3,900		PDP/DMA DMA Interface between a P.D.P. 11/45 and an IMSAI Disk Controller or IMSAI 8080 .	F
DISK DRIVES FIF Floppy disk drive interface when ordered with FDC2-1 \$399 FIF Floppy disk drive interface when ordered without FDC2-1 \$599 FDC2-1 Floppy disk drive, power supply and phase lock loop in a 2 drive cabinet (one cable C required per cabinet) FDC-RM Rack mount chassis for floppy disk drive cabinet. FDC Floppy disk drive and power supply FDD Floppy diskette. DISK-50 50 megabyte disk and interface. DISK-80 80 megabyte disk and interface. HDIF Hard disk interface.			GENERAL PURPOSE CABLES	
DISK DRIVES FIF Floppy disk drive interface when ordered with FDC2-1 \$399 FIF Floppy disk drive interface when ordered without FDC2-1 \$599 FDC2-1 Floppy disk drive, power supply and phase lock loop in a 2 drive cabinet (one cable C required per cabinet) FDC-RM Rack mount chassis for floppy disk drive cabinet FDC Floppy disk drive and power supply FDD Floppy disk drive and power supply FDD Floppy diskette DISK-50 50 megabyte disk and interface DISK-200 200 megabyte disk and interface HDIF Hard disk interface	\$ 18		CABLE A 15" cable with board edge connector and 25 pin female EIA type connector	(
FIF Floppy disk drive interface when ordered with FDC2-1 \$399 FIF Floppy disk drive interface when ordered without FDC2-1 \$599 FDC2-1 Floppy disk drive, power supply and phase lock loop in a 2 drive cabinet (one cable C required per cabinet) FDC-RM Rack mount chassis for floppy disk drive cabinet FDC Floppy disk drive and power supply FDD Floppy diskette DISK-50 50 megabyte disk and interface DISK-80 80 megabyte disk and interface HDIF Hard disk interface	\$ 25		CABLE C 5' cable with a male 25 pin EIA type connector at each end	
FIF Floppy disk drive interface when ordered without FDC2-1 \$599 FDC2-1 Floppy disk drive, power supply and phase lock loop in a 2 drive cabinet (one cable C required per cabinet) FDC-RM Rack mount chassis for floppy disk drive cabinet. FDC Floppy disk drive and power supply FDD Floppy diskette. DISK-50 50 megabyte disk and interface. DISK-80 80 megabyte disk and interface. DISK-200 200 megabyte disk and interface. HDIF Hard disk interface.			DISK DRIVES	
FIF Floppy disk drive interface when ordered without FDC2-1	\$599	\$399	FIF Floopy disk drive interface when ordered with FDC2-1	F
FDC2-1 Floppy disk drive, power supply and phase lock loop in a 2 drive cabinet (one cable C required per cabinet) FDC-RM Rack mount chassis for floppy disk drive cabinet	\$799	\$599	EDC21	
FDC-RM Rack mount chassis for floppy disk drive cabinet	\$1,295		FDC2-1 Floppy disk drive, power supply and phase lock loop in a 2 drive cabinet (one cable C	
FDD Floppy diskette DISK-50 50 megabyte disk and interface DISK-80 80 megabyte disk and interface DISK-200 200 megabyte disk and interface HDIF Hard disk interface	\$ 20		FDC-RM Rack mount chassis for floppy disk drive cabinet	F
DISK-50 50 megabyte disk and interface DISK-80 80 megabyte disk and interface DISK-200 200 megabyte disk and interface DISK-200 Hard disk interface	\$1,095		FDC Floppy disk drive and power supply	F
DISK-50 50 megabyte disk and interface DISK-80 80 megabyte disk and interface DISK-200 200 megabyte disk and interface DISK-200 Hard disk interface	\$ 15		FDD Floppy diskette	F
DISK-200 200 megabyte disk and interface	\$12,500			
DISK-200 200 megabyte disk and interface	\$14,700		DISK-80 80 megabyte disk and interface	_
HDIF Hard disk interface	\$24,500		DISK-200 200 megabyte disk and interface	
	\$3,900		HDIF Hard disk interface	
VIDEO DISPLAY AND KEYBOARD TERMINALS			VIDEO DISPLAY AND KEYBOARD TERMINALS	
CRT-2480A Video display/keyboard terminal 24 lines by 80 columns	\$1,595		CRT-2480A Video display/keyboard terminal 24 lines by 80 columns	C
CRT-1280A Video display/keyboard terminal 12 lines by 80 columns	\$1,295		· · · · · · · · · · · · · · · · · · ·	C



ΩΤΥ	UNIT EXTENDE	D ITEM NO.	DESCRIPTION			<u></u>	KIT RICE		MBLED RICE
			PRINTERS						
		PTR-30A	30 cps Hy Type 1 character printer (requires PIO 4-1 a	and PIOM)				\$	2,895
		PTR-30A-TF	Tractor feed option for PTR-30A						\$325
		PTR-300A	300 Ipm line printer (80 characters per line)					\$	2,495
		PTR-300B	300 lpm line printer (132 characters per line)					\$	3,495
		LIF	Line printer interface for printer PTR-300A or PTR-30	00B when ordered	with printer.		\$399		\$599
		LIF	Line printer interface for printer PTR-300A or PTR-30				\$599		\$799
		LII	Enterprinter interface for printer 111 Good of 111 Go	Job William Gradina	viiiiode priirie		*****		****
			SOFTWARE (Available only to owners of an IMSAI Basic Computer System)						
			·	Paper tape	Cassette 1	EPROM	2 Disket	te	
		PGM-1A	Self contained system	No charge	\$20	\$100	\$ 50		
		PGM-2A	Tape cassette operating system		\$20	\$100	\$ 50		
***************************************	which Mader shall	PGM-3A	Bootstrap loader for DOS-A			\$ 15			
		PGM-4A	Bootstrap loader for paper tape			\$ 15			
		PGM-5A	Bootstrap loader for tape cassette			\$ 15			
***************************************		BASIC-4A	4K Basic	\$ 4	\$20	\$100	see not	e 3	
		BASIC-8A	8K Basic	\$ 8	\$30	\$200	see not	e 3	
		BASIC-12A	12K Basic	\$12	\$40	\$300	see not	e 3	
		DOS-A	Floppy Disk Operating System				\$ 50		
		NOTĘS:	 A tape cassette is included in the price of the casset Order PROM 4-512 for PGM-3A, PGM-4A, and PGEPROM software. An order for DOS-A will include the three BASICs and PGEPROM software. 	M-5A; order correc					
			BOOKS						
		DOC-1	INTEL 8080 MICROCOMPUTER SYSTEM USER'S M Contains complete specifications and data sheets on Interest and peripheral chips. Also includes preliminary	tel 8080A and all a				\$	7
		DOC-2	INTRODUCTION TO MICROCOMPUTERS In our opinion, the best basic microcomputer book put	olished to date, 46	0 pages			\$	10
		DOC-3	IMSAI 8080 USERS MANUAL					\$	50
		DOC-4	THE T. I. TTL HANDBOOK Contains complete electrical specifications for all 7400 640 pages					\$	10
		DOC-5	PINOUT HANDBOOK Covers the entire 5400/7400 series D.I.P.C.'s, pin connereferance	•	•			\$	5
		DOC-6	BASIC-PLUS LANGUAGE MANUAL					\$	17
		DOC-7	IMSAI 8080 MICROPROCESSOR SYSTEM ILLUSTE					\$	1
		Total	Prices, terms and specifications subject to change with	out notice.					
		Tax							
		TOTAL	TERMS: Cash, check, money order, BankAmericard, M 25% non-refundable deposit on C.O.D. orders. 25% car orders over \$10,000 and 5% on assembled orders over	ncellation charge o	n any order. D	educt 5%	on kit		



May 1, 1976